

# Alfred Sholl-Franco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3329762/publications.pdf>

Version: 2024-02-01

24  
papers

318  
citations

933264

10  
h-index

887953

17  
g-index

24  
all docs

24  
docs citations

24  
times ranked

370  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intravitreal Interleukin-2 modifies retinal excitatory circuits and retinocollicular innervation. <i>Experimental Eye Research</i> , 2021, 204, 108442.	1.2	3
2	Cellular stress response in human Müller cells (MIO-M1) after bevacizumab treatment. <i>Experimental Eye Research</i> , 2017, 160, 1-10.	1.2	8
3	Adenine Nucleotides Control Proliferation In Vivo of Rat Retinal Progenitors by P2Y1 Receptor. <i>Molecular Neurobiology</i> , 2017, 54, 5142-5155.	1.9	8
4	COGNITION AND LOGIC: ADAPTATION AND APPLICATION OF INCLUSIVE TEACHING MATERIALS FOR HANDS-ON WORKSHOPS. <i>Journal of Research in Special Educational Needs</i> , 2016, 16, 696-700.	0.5	2
5	Polylaminin recognition by retinal cells. <i>Journal of Neuroscience Research</i> , 2014, 92, 24-34.	1.3	6
6	Bevacizumab Reduces Neurocan Content and Gene Expression in Newborn Rat Retina In Vitro. , 2014, 55, 5109.		6
7	AVALIAÇÃO DA EFICÁCIA DE UM PROGRAMA DE ESTIMULAÇÃO CORTICAL PARA MELHORA DA ATENÇÃO DE CRIANÇAS COM TDAH. <i>Saúde</i> , 2014, 40, .	0,1	0
8	Intravitreal interleukin-2 treatment and inflammation modulates glial cells activation and uncrossed retinotectal development. <i>Neuroscience</i> , 2012, 200, 223-236.	1.1	11
9	In Vitro Effects of Bevacizumab Treatment on Newborn Rat Retinal Cell Proliferation, Death, and Differentiation. , 2012, 53, 7904.		15
10	Protein kinases JAK and ERK mediate protective effect of interleukin-2 upon ganglion cells of the developing rat retina. <i>Journal of Neuroimmunology</i> , 2011, 233, 120-126.	1.1	16
11	Tissue Biology of Proliferation and Cell Death Among Retinal Progenitor Cells. , 2010, , 191-230.		0
12	Rod photoreceptor cell death is induced by okadaic acid through activation of PKC and L-type voltage-dependent Ca <sup>2+</sup> channels and prevented by IGF-1. <i>Neurochemistry International</i> , 2010, 57, 128-135.	1.9	4
13	Expression of GAP-43 during development and after monocular enucleation in the rat superior colliculus. <i>Neuroscience Letters</i> , 2010, 477, 23-27.	1.0	25
14	ATP controls cell cycle and induces proliferation in the mouse developing retina. <i>International Journal of Developmental Neuroscience</i> , 2010, 28, 63-73.	0.7	45
15	Interleukin-4 blocks thapsigargin-induced cell death in rat rod photoreceptors: Involvement of cAMP/PKA pathway. <i>Journal of Neuroscience Research</i> , 2009, 87, 2167-2174.	1.3	13
16	Interleukin-4 as a Neuromodulatory Cytokine. <i>Annals of the New York Academy of Sciences</i> , 2009, 1153, 65-75.	1.8	12
17	Interleukin-4 blocks proliferation of retinal progenitor cells and increases rod photoreceptor differentiation through distinct signaling pathways. <i>Journal of Neuroimmunology</i> , 2008, 196, 82-93.	1.1	20
18	Signal transduction pathways associated with ATP-induced proliferation of cell progenitors in the intact embryonic retina. <i>International Journal of Developmental Neuroscience</i> , 2007, 25, 499-508.	0.7	38

#	ARTICLE	IF	CITATIONS
19	PMA decreases the proliferation of retinal cells in vitro: the involvement of acetylcholine and BDNF. <i>Neurochemistry International</i> , 2003, 42, 73-80.	1.9	17
20	IL-4 increases GABAergic phenotype in rat retinal cell cultures: involvement of muscarinic receptors and protein kinase C. <i>Journal of Neuroimmunology</i> , 2002, 133, 20-29.	1.1	20
21	Antagonistic and synergistic effects of combined treatment with interleukin-2 and interleukin-4 on mixed retinal cell cultures. <i>Journal of Neuroimmunology</i> , 2001, 113, 40-48.	1.1	9
22	Interleukin-2 and interleukin-4 increase the survival of retinal ganglion cells in culture. <i>NeuroReport</i> , 2001, 12, 109-112.	0.6	28
23	Effect of Spleen-Cell-Conditioned Medium on [ <sup>3</sup> H]-Choline Uptake by Retinal Cells in vitro Is Mediated by IL-2. <i>NeuroImmunoModulation</i> , 2000, 7, 195-207.	0.9	7
24	Conditioned medium from activated spleen cells supports the survival of rat retinal cells in vitro. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 1299-1303.	0.7	5