

Wilson R Cunha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3330343/publications.pdf>

Version: 2024-02-01

122
papers

3,489
citations

126708

33
h-index

182168

51
g-index

124
all docs

124
docs citations

124
times ranked

4717
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypoglycemic effect of rosmarinic acid-rich infusion (RosCE) from <i>Origanum vulgare</i> in alloxan-induced diabetic rats. <i>Natural Product Research</i> , 2022, 36, 4519-4525.	1.0	7
2	Evaluation of lignan-loaded poly(ϵ -caprolactone) nanoparticles: synthesis, characterization, <i>in vivo</i> and <i>in silico</i> schistosomicidal activity. <i>Natural Product Research</i> , 2022, 36, 5872-5878.	1.0	4
3	<i>In Vivo</i> and <i>In Silico</i> Trypanocidal Activity Evaluation of α -Cubebin Encapsulated in PLGA Microspheres as Potential Treatment in Acute Phase. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100052.	1.0	3
4	Betulinic acid exerts antigenotoxic and anticarcinogenic activities via inhibition of COX-2 and PCNA in rodents. <i>Journal of Biochemical and Molecular Toxicology</i> , 2021, , e22917.	1.4	2
5	Molluscicidal and cercaricidal activities of curcumin on <i>Biomphalaria glabrata</i> and <i>Schistosoma mansoni</i> cercariae. <i>Pest Management Science</i> , 2020, 76, 1228-1234.	1.7	16
6	Influence of environmental, geographic, and seasonal variations in the chemical composition of <i>Miconia</i> species from Cerrado. <i>Biochemical Systematics and Ecology</i> , 2020, 91, 104049.	0.6	4
7	Evaluation of Lignans from <i>Piper cubeba</i> against <i>Schistosoma mansoni</i> Adult Worms: A Combined Experimental and Theoretical Study. <i>Chemistry and Biodiversity</i> , 2019, 16, e1800305.	1.0	11
8	Bioactive Aliphatic Sulfates from Marine Invertebrates. <i>Marine Drugs</i> , 2019, 17, 527.	2.2	13
9	Effect of salicylic acid and silver nitrate on rutin production by <i>Hyptis marrubioides</i> cultured in vitro. <i>Ciencia Rural</i> , 2019, 49, .	0.3	4
10	Antiplasmodial evaluation of <i>Anacardium occidentale</i> and alkyl-phenols. <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 36-39.	0.6	9
11	In vitro evaluation of the leishmanicidal potential of selected plant-derived extracts against <i>Leishmania (Leishmania) amazonensi</i> . <i>International Journal of Complementary & Alternative Medicine</i> , 2019, 12, 36-41.	0.1	2
12	Biofilm formed from a tri-ureasil organic-inorganic hybrid gel for use as a cubebin release system. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 88, 192-201.	1.1	9
13	Antiparasitic activity of menadione (vitamin K3) against <i>Schistosoma mansoni</i> in BABL/c mice. <i>Acta Tropica</i> , 2017, 167, 163-173.	0.9	13
14	Toxicogenetic study of <i>Persea americana</i> fruit pulp oil and its effect on genomic instability. <i>Food and Chemical Toxicology</i> , 2017, 101, 114-120.	1.8	10
15	Chemical Composition and Antimicrobial Activity of the Essential Oil of <i>Artemisia absinthium</i> Asteraceae Leaves. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017, 20, 123-131.	0.7	21
16	Chemical Composition, Antibacterial, Schistosomicidal, and Cytotoxic Activities of the Essential Oil of <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants (Chenopodiaceae). <i>Chemistry and Biodiversity</i> , 2017, 14, e1700149.	1.0	31
17	Impact of light quality on flavonoid production and growth of <i>Hyptis marrubioides</i> seedlings cultivated in vitro. <i>Revista Brasileira De Farmacognosia</i> , 2017, 27, 466-470.	0.6	28
18	In vivo and in silico anti-inflammatory mechanism of action of the semisynthetic α -cubebin derivatives α -hinokinin and α -O-benzylcubebin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 176-179.	1.0	16

#	ARTICLE	IF	CITATIONS
19	In vitro schistosomicidal activity of the lignan (âˆ“)-6,6â€²-dinitrohinokinin (DNHK) loaded into poly(lactic-co-glycolic acid) nanoparticles against <i>Schistosoma mansoni</i> . <i>Pharmaceutical Biology</i> , 2017, 55, 2270-2276.	1.3	8
20	<i>In vitro</i> Activities of <i>Pfaffia glomerata</i> Root Extract, Its Hydrolyzed Fractions and Pfaffic Acid Against <i>Trypanosoma cruzi</i> Trypomastigotes. <i>Chemistry and Biodiversity</i> , 2017, 14, e1600175.	1.0	4
21	Modulatory Effect of Betulinic Acid on the Genotoxicity Induced by Different Mutagens in V79 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-6.	0.5	6
22	Curcumin Generates Oxidative Stress and Induces Apoptosis in Adult <i>Schistosoma mansoni</i> Worms. <i>PLoS ONE</i> , 2016, 11, e0167135.	1.1	36
23	Activity of the Lichen <i>Usnea steineri</i> and its Major Metabolites against Gramâ€“positive, Multidrugâ€“resistant Bacteria. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.2	7
24	<i>In vitro</i> cytotoxicity, genotoxicity and antigenotoxicity assessment of <i>Solanum lycocarpum</i> hydroalcoholic extract. <i>Pharmaceutical Biology</i> , 2016, 54, 2786-2790.	1.3	9
25	Evaluation of mutagenic, recombinogenic and carcinogenic potential of (+)-usnic acid in somatic cells of <i>Drosophila melanogaster</i> . <i>Food and Chemical Toxicology</i> , 2016, 96, 226-233.	1.8	10
26	Effects of (âˆ“)-6,6â€²-dinitrohinokinin on adult worms of <i>Schistosoma mansoni</i> : a proteomic analyses. <i>Revista Brasileira De Farmacognosia</i> , 2016, 26, 334-341.	0.6	5
27	Schistosomicidal Activity of Alkyl-phenols from the Cashew <i>Anacardium occidentale</i> against <i>Schistosoma mansoni</i> Adult Worms. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8821-8827.	2.4	22
28	RP-HPLC method for estimation of sesamin in two <i>Zanthoxylum</i> species. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2016, 39, 65-69.	0.5	3
29	Antibacterial activity of (âˆ“)-cubebin isolated from <i>Piper cubeba</i> and its semisynthetic derivatives against microorganisms that cause endodontic infections. <i>Revista Brasileira De Farmacognosia</i> , 2016, 26, 296-303.	0.6	12
30	In vitro schistosomicidal activity of hydnocarpin D isolated from <i>Vellozia variabilis</i> . <i>Planta Medica</i> , 2016, 81, S1-S381.	0.7	0
31	Antibacterial and anti-inflammatory activities of an extract, fractions, and compounds isolated from <i>Gochnatia pulchra</i> aerial parts. <i>Brazilian Journal of Medical and Biological Research</i> , 2015, 48, 822-830.	0.7	25
32	Antimicrobial activity of the essential oil of <i>Tetradenia riparia</i> (Hochst.) Codd. (Lamiaceae) against cariogenic bacteria. <i>Brazilian Journal of Microbiology</i> , 2015, 46, 519-525.	0.8	30
33	Antimicrobial activity of apitoxin, melittin and phospholipase A2 of honey bee (<i>Apis mellifera</i>) venom against oral pathogens. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 147-155.	0.3	71
34	Antimicrobial Activity of the Essential Oil of <i>Plectranthus neochilus</i> against Cariogenic Bacteria. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-6.	0.5	34
35	Antischistosomal and Cytotoxic Effects of the Essential Oil of <i>Tetradenia riparia</i> (Lamiaceae). <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	5
36	In vitro and in vivo anthelmintic activity of (âˆ“)-6,6â€²-dinitrohinokinin against schistosomula and juvenile and adult worms of <i>Schistosoma mansoni</i> . <i>Acta Tropica</i> , 2015, 149, 195-201.	0.9	29

#	ARTICLE	IF	CITATIONS
37	Lipoxygenase inhibitory activity of <i>Cuspidaria pulchra</i> and isolated compounds. <i>Natural Product Research</i> , 2015, 29, 1083-1086.	1.0	7
38	Chemopreventive effects of rosmarinic acid on rat colon carcinogenesis. <i>European Journal of Cancer Prevention</i> , 2015, 24, 106-112.	0.6	33
39	Anthelmintic Effects of the Essential Oil of Fennel (<i>Foeniculum vulgare</i> Mill.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	1.0	22
40	Quinone and Hydroquinone Metabolites from the Ascidians of the Genus <i>Aplidium</i> . <i>Marine Drugs</i> , 2014, 12, 3608-3633.	2.2	19
41	Hepatoprotective effect of <i>Rosmarinus officinalis</i> and rosmarinic acid on acetaminophen-induced liver damage. <i>Emirates Journal of Food and Agriculture</i> , 2014, 26, 878.	1.0	15
42	Structurally modified natural sesquiterpene lactones constitute effective and less toxic schistosomicidal compounds. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 7957-7964.	1.5	11
43	Furofuran lignans display schistosomicidal and trypanocidal activities. <i>Phytochemistry</i> , 2014, 107, 119-125.	1.4	8
44	Assessment of the genotoxicity and antigenotoxicity of (+)-usnic acid in V79 cells and Swiss mice by the micronucleus and comet assays. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2013, 753, 101-106.	0.9	37
45	The Lignan (â€)â€Cubebin Inhibits Vascular Contraction and Induces Relaxation Via Nitric Oxide Activation in Isolated Rat Aorta. <i>Phytotherapy Research</i> , 2013, 27, 1784-1789.	2.8	14
46	<i>In vivo</i> analgesic and anti-inflammatory activities of <i>Rosmarinus officinalis</i> aqueous extracts, rosmarinic acid and its acetyl ester derivative. <i>Pharmaceutical Biology</i> , 2013, 51, 1087-1090.	1.3	56
47	Chemical composition, antischistosomal and cytotoxic effects of the essential oil of <i>Lavandula angustifolia</i> grown in Southeastern Brazil. <i>Revista Brasileira De Farmacognosia</i> , 2013, 23, 877-884.	0.6	25
48	<i>In vivo</i> activity of ursolic and oleanolic acids during the acute phase of <i>Trypanosoma cruzi</i> infection. <i>Experimental Parasitology</i> , 2013, 134, 455-459.	0.5	29
49	The Lignan (âˆ)â€Hinokinin Displays Modulatory Effects on Human Monoamine and GABA Transporter Activities. <i>Journal of Natural Products</i> , 2013, 76, 1889-1895.	1.5	21
50	Evaluation of the <i>in vivo</i> therapeutic properties of (âˆ)-cubebin and (âˆ)-hinokinin against <i>Trypanosoma cruzi</i> . <i>Experimental Parasitology</i> , 2013, 133, 442-446.	0.5	22
51	<i>In vivo</i> infection by <i>Trypanosoma cruzi</i> : a morphometric study of tissue changes in mice. <i>Parasitology Research</i> , 2013, 112, 431-436.	0.6	7
52	Antimicrobial activity of selected essential oils against cariogenic bacteria. <i>Natural Product Research</i> , 2013, 27, 1668-1672.	1.0	25
53	Enantiomeric HPLC resolution and absolute stereochemistry assignment of a new poligamain derivative. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 75, 118-122.	1.4	2
54	Chemical composition and <i>in vitro</i> schistosomicidal activity of the essential oil from the flowers of <i>Bidens sulphurea</i> (Asteraceae). <i>Natural Product Research</i> , 2013, 27, 920-924.	1.0	20

#	ARTICLE	IF	CITATIONS
55	In Vitro Antiparasitic Activity and Chemical Composition of the Essential Oil Obtained from the Fruits of <i>Piper cubeba</i> . <i>Planta Medica</i> , 2013, 79, 1653-1655.	0.7	33
56	Chemical Analysis and Study of Phenolics, Antioxidant Activity, and Antibacterial Effect of the Wood and Bark of <i>Maclura tinctoria</i> (L.) D. Don ex Steud.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-7.	0.5	23
57	Schistosomicidal evaluation of flavonoids from two species of <i>Styrax</i> against <i>Schistosoma mansoni</i> adult worms. <i>Pharmaceutical Biology</i> , 2012, 50, 925-929.	1.3	29
58	Cyclooxygenase inhibitory properties of <i>nor</i> -neolignans from <i>Styrax pohlii</i> . <i>Natural Product Research</i> , 2012, 26, 2323-2329.	1.0	20
59	Controlling silicate meso-structures using <i>sucupira</i> oil as a new swelling agent. <i>Applied Surface Science</i> , 2012, 258, 5111-5116.	3.1	14
60	Evaluation of antimicrobial activity of extracts of <i>Tibouchina candolleana</i> (melastomataceae), isolated compounds and semi-synthetic derivatives against endodontic bacteria. <i>Brazilian Journal of Microbiology</i> , 2012, 43, 793-799.	0.8	14
61	In vitro schistosomicidal effects of the essential oil of <i>Tagetes erecta</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 88-93.	0.6	27
62	Development and validation of a high-performance liquid chromatography method for quantification of egonol and homoegonol in <i>Styrax</i> species. <i>Biomedical Chromatography</i> , 2012, 26, 869-874.	0.8	11
63	In vitro efficacy of the essential oil of <i>Piper cubeba</i> L. (Piperaceae) against <i>Schistosoma mansoni</i> . <i>Parasitology Research</i> , 2012, 110, 1747-1754.	0.6	43
64	Curcumin-loaded into PLGA nanoparticles. <i>Parasitology Research</i> , 2012, 110, 593-598.	0.6	51
65	Antimutagenic Potential of <i>Solanum lycocarpum</i> against Induction of Chromosomal Aberrations in V79 Cells and Micronuclei in Mice by Doxorubicin. <i>Planta Medica</i> , 2011, 77, 1489-1494.	0.7	18
66	Antibacterial activity of 15-deoxygoyazensolide isolated from the stems of <i>Minasia alpestris</i> (Asteraceae) against oral pathogens. <i>Natural Product Research</i> , 2011, 25, 326-331.	1.0	10
67	The effect of the dibenzylbutyrolactolic lignan (α^*)-cubebin on doxorubicin mutagenicity and recombinogenicity in wing somatic cells of <i>Drosophila melanogaster</i> . <i>Food and Chemical Toxicology</i> , 2011, 49, 1235-1241.	1.8	29
68	Evaluation of <i>ent</i> -Kaurenoic Acid Derivatives for their Anticariogenic Activity. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	7
69	Antileishmanial Activity of the Hydroalcoholic Extract of <i>Miconia langsdorffii</i> , Isolated Compounds, and Semi-Synthetic Derivatives. <i>Molecules</i> , 2011, 16, 1825-1833.	1.7	41
70	Schistosomicidal Activity of the Essential Oil of <i>Ageratum conyzoides</i> L. (Asteraceae) against Adult <i>Schistosoma mansoni</i> Worms. <i>Molecules</i> , 2011, 16, 762-773.	1.7	64
71	Enantiomeric resolution of (Δ^*)-licarin A by high-performance liquid-chromatography using a chiral stationary phase. <i>Journal of Chromatography A</i> , 2011, 1218, 7051-7054.	1.8	12
72	<i>Trypanosoma cruzi</i> : evaluation of (α^*)-cubebin derivatives activity in the messenger RNAs processing. <i>Parasitology Research</i> , 2011, 109, 445-451.	0.6	12

#	ARTICLE	IF	CITATIONS
73	Biotransformation using <i>Mucor rouxii</i> for the production of oleanolic acid derivatives and their antimicrobial activity against oral pathogens. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 1493-1498.	1.4	27
74	Antimicrobial activity of terpenoids from <i>Copaifera langsdorffii</i> Desf. against cariogenic bacteria. <i>Phytotherapy Research</i> , 2011, 25, 215-220.	2.8	89
75	Chemical Composition and <i>in vitro</i> Schistosomicidal Activity of the Essential Oil of <i>Plectranthus neochilus</i> Grown in Southeast Brazil. <i>Chemistry and Biodiversity</i> , 2011, 8, 2149-2157.	1.0	51
76	Schistosomicidal and trypanocidal structure-activity relationships for (Δ^{\pm})-licarin A and its (Δ^{\sim})- and (+)-enantiomers. <i>Phytochemistry</i> , 2011, 72, 1424-1430.	1.4	45
77	Protective effect of rosmarinic acid on V79 cells evaluated by the micronucleus and comet assays. <i>Journal of Applied Toxicology</i> , 2010, 30, 254-259.	1.4	48
78	Halogenated Indole Alkaloids from Marine Invertebrates. <i>Marine Drugs</i> , 2010, 8, 1526-1549.	2.2	81
79	Trypanocidal activity and acute toxicity assessment of triterpene acids. <i>Parasitology Research</i> , 2010, 106, 985-989.	0.6	30
80	Antiprotozoal, Schistosomicidal, and Antimicrobial Activities of the Essential Oil from the Leaves of <i>Baccharis dracunculifolia</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 993-1001.	1.0	103
81	Antimicrobial Activity of <i>Rosmarinus officinalis</i> against Oral Pathogens: Relevance of Carnosic Acid and Carnosol. <i>Chemistry and Biodiversity</i> , 2010, 7, 1835-1840.	1.0	160
82	Lychnophorinae (asteraceae): a survey of its chemical constituents and biological activities. <i>Quimica Nova</i> , 2010, 33, 2245-2260.	0.3	41
83	Anticariogenic Properties of ent-Pimarane Diterpenes Obtained by Microbial Transformation. <i>Molecules</i> , 2010, 15, 8553-8566.	1.7	21
84	Evaluation of the antibacterial activity of the methylene chloride extract of <i>Miconia ligustroides</i> , isolated triterpene acids, and ursolic acid derivatives. <i>Pharmaceutical Biology</i> , 2010, 48, 166-169.	1.3	41
85	Antibacterial Activity of the Essential Oil from <i>Rosmarinus officinalis</i> and its Major Components against Oral Pathogens. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2010, 65, 588-593.	0.6	55
86	Antimicrobial activity of <i>Aegiphila sellowiana</i> Cham., Lamiaceae, against oral pathogens. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 246-249.	0.6	10
87	Antimycobacterial Activity of Natural and Semi-Synthetic Lignans. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 779-784.	0.6	17
88	In vitro antileishmanial, antiplasmodial and cytotoxic activities of phenolics and triterpenoids from <i>Baccharis dracunculifolia</i> D. C. (Asteraceae). <i>FÁ-toterapÁ-Ã¢</i> , 2009, 80, 478-482.	1.1	104
89	Pimarane-type Diterpenes: Antimicrobial Activity against Oral Pathogens. <i>Molecules</i> , 2009, 14, 191-199.	1.7	82
90	Screening of plant extracts from the Brazilian Cerrado for their <i>in vitro</i> trypanocidal activity. <i>Pharmaceutical Biology</i> , 2009, 47, 744-749.	1.3	7

#	ARTICLE	IF	CITATIONS
91	Synthesis of (âˆ™)-hinokinin by oxidation of (âˆ™)-cubebin catalyzed by biomimetic metalloporphyrin catalytic systems. <i>Catalysis Communications</i> , 2009, 10, 669-672.	1.6	10
92	Schistosomicidal Evaluation of <i>Zanthoxylum naranjillo</i> and its Isolated Compounds against <i>Schistosoma mansoni</i> Adult Worms. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 793-797.	0.6	27
93	In vitro and in vivo antileishmanial activities of a Brazilian green propolis extract. <i>Parasitology Research</i> , 2008, 103, 487-492.	0.6	62
94	<i>In vitro</i> antileishmanial and antimalarial activities of tetrahydrofuran lignans isolated from <i>Nectandra megapotamica</i> (Lauraceae). <i>Phytotherapy Research</i> , 2008, 22, 1307-1310.	2.8	60
95	Hypoglycemic effect of <i>Leandra lacunosa</i> in normal and alloxan-induced diabetic rats. <i>FÃ-toterapÃ-Ãç</i> , 2008, 79, 356-360.	1.1	38
96	Antimutagenicity of rosmarinic acid in Swiss mice evaluated by the micronucleus assay. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2008, 657, 150-154.	0.9	92
97	<i>In Vitro</i> . Inhibition of Tumor Cell Growth by <i>Miconia fallax</i> .. <i>Pharmaceutical Biology</i> , 2008, 46, 292-294.	1.3	15
98	Ursolic Acid and Oleanolic Acid Suppress Preneoplastic Lesions Induced by 1,2-Dimethylhydrazine in Rat Colon. <i>Toxicologic Pathology</i> , 2008, 36, 576-580.	0.9	67
99	Antimicrobial Activity of the Extract and Isolated Compounds from <i>Baccharis dracunculifolia</i> D. C. (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008, 63, 40-46.	0.6	54
100	Antileishmanial, Antimalarial and Antimicrobial Activities of the Extract and Isolated Compounds from <i>Austroplenckia populnea</i> (Celastraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008, 63, 497-502.	0.6	22
101	Antibacterial Activity of Triterpene Acids and Semi-Synthetic Derivatives against Oral Pathogens. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 668-672.	0.6	67
102	Evaluation of piper cubeba extract, (-)-cubebin and its semi-synthetic derivatives against oral pathogens. <i>Phytotherapy Research</i> , 2007, 21, 420-422.	2.8	61
103	Antifeedant and allelopathic activities of the hydroalcoholic extract obtained from <i>Neem</i> (<i>Azadirachta indica</i>) leaves. <i>Revista Brasileira De Farmacognosia</i> , 2007, 17, 529-532.	0.6	15
104	IN VITRO TRYPANOCIDAL ACTIVITY AND CHEMICAL CONSTITUENTS OF <i>ASPILIA PLATYPHYLLA</i> (BAKER) BLAKE. <i>Journal of the Chilean Chemical Society</i> , 2007, 52, .	0.5	0
105	Antimutagenicity of ursolic acid and oleanolic acid against doxorubicin-induced clastogenesis in Balb/c mice. <i>Life Sciences</i> , 2006, 79, 1268-1273.	2.0	92
106	A study of the trypanocidal activity of triterpene acids isolated from <i>Miconia</i> species. <i>Phytotherapy Research</i> , 2006, 20, 474-478.	2.8	42
107	2D Raman spectroscopy as an alternative technique for distinguishing oleanolic acid and ursolic acid. <i>Journal of Molecular Structure</i> , 2006, 799, 141-145.	1.8	8
108	Identification of biologically active triterpenes and sterols present in hexane extracts from <i>Miconia</i> species using high-resolution gas chromatography. <i>Biomedical Chromatography</i> , 2006, 20, 827-830.	0.8	28

#	ARTICLE	IF	CITATIONS
109	In vivo Analgesic and Anti-Inflammatory Activities of Ursolic Acid and Oleanoic Acid from <i>Miconia albicans</i> (Melastomataceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 477-482.	0.6	87
110	Sesquiterpene lactones from <i>Minasia alpestris</i> . <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 677-680.	0.6	11
111	Analgesic and anti-inflammatory activity of a crude root extract of <i>Pfaffia glomerata</i> (Spreng) Pedersen. <i>Journal of Ethnopharmacology</i> , 2005, 96, 87-91.	2.0	90
112	Evaluation of the trypanocidal and leishmanicidal in vitro activity of the crude hydroalcoholic extract of <i>Pfaffia glomerata</i> (Amaranthaceae) roots. <i>Phytomedicine</i> , 2004, 11, 662-665.	2.3	32
113	Evaluation of the analgesic activity of extracts of <i>Miconia rubiginosa</i> (Melastomataceae). <i>Phytomedicine</i> , 2003, 10, 606-609.	2.3	31
114	A study of the trypanocidal and analgesic properties from <i>Lychnophora granmongolense</i> (Duarte) Semir & Leitão Filho. , 2000, 14, 203-206.		46
115	Sesquiterpene lactones in <i>Blainvillea rhomboidea</i> . <i>Phytochemistry</i> , 1999, 52, 79-85.	1.4	9
116	Antinociceptive activity of <i>Stilpnopappus ferruginea</i> aerial parts. <i>FÄ-toterapÄ-ÄÇ</i> , 1999, 70, 175-177.	1.1	0
117	Sesquiterpene lactones, triterpenes and flavones from <i>Lychnophora ericoides</i> and <i>Lychnophora pseudovillosissima</i> . <i>Biochemical Systematics and Ecology</i> , 1998, 26, 671-676.	0.6	36
118	Cadinanolides and other constituents from <i>Vernonia fruticulosa</i> and <i>Vernonanthura discolor</i> . <i>Phytochemistry</i> , 1997, 44, 1535-1536.	1.4	12
119	Effect of Endophytic Fungal Associations on the Chemical Profile of in vitro <i>Vochysia divergens</i> Seedlings. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	3
120	Effects of Light Quality and Chemical Elicitors on the Growth Parameters and Rosmarinic Acid Content of in vitro Cultures of <i>Hyptis pectinata</i> (L.) Poit.. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	1
121	In vitro trypanocidal activity of the Egyptian plant <i>Schinopsis lorentzii</i> against trypomastigote and amastigote forms of <i>Trypanosoma cruzi</i> . <i>Journal of Applied Pharmaceutical Science</i> , 0, , 055-060.	0.7	5
122	Isolation, in vitro and in silico Evaluation of Phenylethanoid Glycoside from <i>Arrabidaea brachypoda</i> as Lipoxigenase Inhibitor. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	2