Jing He

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3331370/jing-he-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

307 6,304 36 h-index g-index

341 7,795 ext. papers ext. citations 5.3 avg, IF L-index

#	Paper	IF	Citations
307	HeteFL: Network-Aware Federated Learning Optimization in Heterogenous MEC-enabled Internet of Things Journal, 2022 , 1-1	10.7	O
306	Comparison of the deep immune profiling of B cell subsets between healthy adults and Sjgren@syndrome <i>Annals of Medicine</i> , 2022 , 54, 472-483	1.5	1
305	The role of m6A modification in pediatric cancer <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022 , 188691	11.2	2
304	Functions, mechanisms, and therapeutic implications of METTL14 in human cancer <i>Journal of Hematology and Oncology</i> , 2022 , 15, 13	22.4	4
303	Intestinal butyrate-metabolizing species contribute to autoantibody production and bone erosion in rheumatoid arthritis <i>Science Advances</i> , 2022 , 8, eabm1511	14.3	5
302	METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , 2022 , 809, 146050	3.8	1
301	Modification of Intestinal Microbiota Dysbiosis by Low-Dose Interleukin-2 in Dermatomyositis: A Analysis From a Clinical Trial Study <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 757099	5.9	1
300	Efficacy and safety of low-dose interleukin-2 in combination with methotrexate in patients with active rheumatoid arthritis: a randomized, double-blind, placebo-controlled phase 2 trial <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 67	21	0
299	Labial Gland Mesenchymal Stem Cell Derived Exosomes-Mediated miRNA-125b Attenuates Experimental Sjogren@ Syndrome by Targeting PRDM1 and Suppressing Plasma Cells Frontiers in Immunology, 2022, 13, 871096	8.4	1
298	Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children <i>World Journal of Pediatrics</i> , 2022 , 1	4.6	1
297	LncRNAs and CircRNAs in cancer <i>MedComm</i> , 2022 , 3, e141	2.2	1
296	Prognostic Value of Oral Epstein-Barr Virus DNA Load in Locoregionally Advanced Nasopharyngeal Carcinoma <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 757644	5.6	0
295	gene polymorphisms and neuroblastoma susceptibility in Chinese children <i>Aging</i> , 2021 , 13, 25426-254	139 .6	2
294	Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study <i>Frontiers in Medicine</i> , 2021 , 8, 797195	4.9	1
293	Genetic variations in base excision repair pathway genes and risk of hepatoblastoma: a seven-center case-control study. <i>American Journal of Cancer Research</i> , 2021 , 11, 849-857	4.4	3
292	Precise Control of Shape-Variable Nanomicelles in Nanofibers Reveals the Enhancement Mechanism of Passive Delivery. <i>ACS Applied Materials & amp; Interfaces</i> , 2021 , 13, 54715-54726	9.5	0
291	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021 , 21, 1294	4.8	1

(2021-2021)

290	Targeting RAS in neuroblastoma: Is it possible?. Pharmacology & Therapeutics, 2021, 236, 108054	13.9	3
289	Low-Dose Interleukin-2 as an Alternative Therapy for Refractory Lupus Nephritis. <i>Rheumatology and Therapy</i> , 2021 , 8, 1905-1914	4.4	O
288	Low-dose IL-2 therapy invigorates CD8+ T cells for viral control in systemic lupus erythematosus. <i>PLoS Pathogens</i> , 2021 , 17, e1009858	7.6	3
287	Risk factors for cancer-associated myositis: A large-scale multicenter cohort study. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 268-273	2.3	3
286	Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2021 , 2021, 6658480	4.5	5
285	Red meat intake is associated with early onset of rheumatoid arthritis: a cross-sectional study. <i>Scientific Reports</i> , 2021 , 11, 5681	4.9	2
284	A Hybrid EEG-fNIRS Brain-Computer Interface Based on Dynamic Functional Connectivity and Long Short-Term Memory 2021 ,		1
283	Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 85-101	5.3	2
282	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 3-11	6.4	3
281	Genetic variants in mA modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 199-208	6.4	17
281		•	
	Molecular Therapy - Oncolytics, 2021 , 20, 199-208	•	
280	Molecular Therapy - Oncolytics, 2021, 20, 199-208 Mitochondrial DNA variation and phylogeography of Old World camels. Animal Bioscience, 2021, 34, 52 FABP4 deactivates NF-B-IL1 pathway by ubiquitinating ATPB in tumor-associated macrophages	5 -5 32	1
280 279	Mitochondrial DNA variation and phylogeography of Old World camels. <i>Animal Bioscience</i> , 2021 , 34, 52 FABP4 deactivates NF-B-IL1 pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021 , 11, e395 Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective	5- 532	1 4
280 279 278	Mitochondrial DNA variation and phylogeography of Old World camels. <i>Animal Bioscience</i> , 2021 , 34, 52 FABP4 deactivates NF-B-IL1 pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021 , 11, e395 Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 835-847 The metabolic hormone leptin promotes the function of T cells and supports vaccine responses.	5. 5 32 5. 7	1 4
280 279 278 277	Mitochondrial DNA variation and phylogeography of Old World camels. Animal Bioscience, 2021, 34, 52 FABP4 deactivates NF-B-IL1Dathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. Clinical and Translational Medicine, 2021, 11, e395 Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. Rheumatology and Therapy, 2021, 8, 835-847 The metabolic hormone leptin promotes the function of T cells and supports vaccine responses. Nature Communications, 2021, 12, 3073 Lycium barbarum Polysaccharide Ameliorates Sjören@ Syndrome in a Murine Model. Molecular	5. 5 32 5. 7 4.4	1 4 1
280 279 278 277 276	Mitochondrial DNA variation and phylogeography of Old World camels. Animal Bioscience, 2021, 34, 52 FABP4 deactivates NF-B-IL1Epathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. Clinical and Translational Medicine, 2021, 11, e395 Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. Rheumatology and Therapy, 2021, 8, 835-847 The metabolic hormone leptin promotes the function of T cells and supports vaccine responses. Nature Communications, 2021, 12, 3073 Lycium barbarum Polysaccharide Ameliorates Sjören@ Syndrome in a Murine Model. Molecular Nutrition and Food Research, 2021, 65, e2001118 IL-14Es a Putative Biomarker for Stratification of Dry Eye in Primary Sjören@ Syndrome. Frontiers	5.532 5.7 4.4 17.4	1 4 1

272	Role of FTO gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. Journal of Gene Medicine, 2021 , 23, e3348	3.5	4
271	Therapeutic potential of targeting Tfr/Tfh cell balance by low-dose-IL-2 in active SLE: a post hoc analysis from a double-blind RCT study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 167	5.7	2
270	Elevated Serum Human Epididymis Protein 4 Is Associated With Disease Activity and Systemic Involvements in Primary Sjgren@ Syndrome. <i>Frontiers in Immunology</i> , 2021 , 12, 670642	8.4	1
269	Competition between (18, 18) and (18, 16) configurations in Ni2(CO)5: An isomerization energy decomposition analysis. <i>Chinese Journal of Chemical Physics</i> , 2021 , 34, 287-296	0.9	
268	Elevated circulating pro-inflammatory low-density granulocytes in adult-onset Still@ disease. <i>Rheumatology</i> , 2021 , 60, 297-303	3.9	12
267	Immune responses after influenza vaccination in patients of primary Sjgren@syndrome. <i>Rheumatology</i> , 2021 , 60, 224-230	3.9	1
266	Robust control for a class of cyber-physical systems with multi-uncertainties. <i>International Journal of Systems Science</i> , 2021 , 52, 505-524	2.3	О
265	Association between lncRNA-H19 polymorphisms and hepatoblastoma risk in an ethic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 742-750	5.6	2
264	Dative versus electron-sharing bonding in the isoelectronic argon compounds ArR+ (R = CH3, NH2, OH, and F). <i>New Journal of Chemistry</i> , 2021 , 45, 1363-1372	3.6	1
263	Human umbilical cord mesenchymal stem cells confer potent immunosuppressive effects in Sjgren@syndrome by inducing regulatory T cells. <i>Modern Rheumatology</i> , 2021 , 31, 186-196	3.3	9
262	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Cenomic Medicine</i> , 2021 , 9, e1584	2.3	O
261	Association Between Arg72Pro Polymorphism in and Malignant Abdominal Solid Tumor Risk in Hunan Children. <i>Cancer Control</i> , 2021 , 28, 10732748211004880	2.2	
260	polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021 , 12, 137	′341.378	3 2
259	gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , 2021 , 12, 2465-2471	4.5	4
258	The contribution of gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , 2021 , 12, 6165-6169	4.5	1
257	Sustained low-dose interleukin-2 therapy alleviates pathogenic humoral immunity via elevating the Tfr/Tfh ratio in lupus. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1293	6.8	2
256	Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , 2021 , 12, 772	17.4	21
255	Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , 2021 , 149, 1649-1658	7.5	6

(2020-2021)

254	Labial gland-derived mesenchymal stem cells and their exosomes ameliorate murine Sjਊren© syndrome by modulating the balance of Treg and Th17 cells. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 478	8.3	8	
253	Reversible insulin resistance helps Bactrian camels survive fasting. <i>Scientific Reports</i> , 2021 , 11, 18815	4.9		
252	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , 2021 , 800, 145834	3.8	2	
251	Proteomics and microstructure profiling of Bactrian camel milk protein after homogenization. <i>LWT - Food Science and Technology</i> , 2021 , 152, 112287	5.4	1	
250	Associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , 2021 , 10, 146-152	4.2	3	
249	CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , 2021 , 17, 3538-3553	11.2	1	
248	The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2021 , 12, 264-269	4.5	2	
247	Interleukin 17E associates with haematologic involvement and autoantibody production in primary Sjgren@syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 378-384	2.2	3	
246	Sonoelastography of salivary glands for diagnosis and clinical evaluation in primary Sjgren@syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 184-189	2.2	0	
245	Salivary gland ultrasonography in primary Sj\u00e4ren\u00t8 syndrome from diagnosis to clinical stratification: a multicentre study <i>Arthritis Research and Therapy</i> , 2021 , 23, 305	5.7	1	
244	Predictors of Poor Outcome of Anti-MDA5-Associated Rapidly Progressive Interstitial Lung Disease in a Chinese Cohort with Dermatomyositis. <i>Journal of Immunology Research</i> , 2020 , 2020, 2024869	4.5	11	
243	The gut microbiota and its metabolites in mice are affected by high heat treatment of Bactrian camel milk. <i>Journal of Dairy Science</i> , 2020 , 103, 11178-11189	4	4	
242	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020 , 754, 144839	3.8	7	
241	Association of CMYC polymorphisms with hepatoblastoma risk <i>Translational Cancer Research</i> , 2020 , 9, 849-855	0.3	4	
240	Tea Consumption Is Associated with Decreased Disease Activity of Rheumatoid Arthritis in a Real-World, Large-Scale Study. <i>Annals of Nutrition and Metabolism</i> , 2020 , 76, 54-61	4.5	6	
239	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3182	3.5	10	
238	Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. <i>Journal of Cancer</i> , 2020 , 11, 2133-2138	4.5	5	
237	Effect of sustained intensive therapy with disease modifying anti-rheumatic drugs in rheumatoid arthritis: a 5-year real-world consecutive study. <i>Chinese Medical Journal</i> , 2020 , 133, 1397-1403	2.9	2	

236	Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9280-9286	5.6	11
235	Hypomyopathic Dermatomyositis with Refractory Dermatitis Treated by Low-dose IL-2. Dermatology and Therapy, 2020 , 10, 1181-1184	4	2
234	Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 51-57	2.1	3
233	Antibacterial Activity of Trypsin-Hydrolyzed Camel and Cow Whey and Their Fractions. <i>Animals</i> , 2020 , 10,	3.1	13
232	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23251	3	15
231	Whole-genome sequencing of 128 camels across Asia reveals origin and migration of domestic Bactrian camels. <i>Communications Biology</i> , 2020 , 3, 1	6.7	215
230	The association of and gene polymerphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 804-809	4.5	2
229	Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , 2020 , 13, 465-472	4.4	2
228	A Genome-Wide Association Study Identifies Quantitative Trait Loci Affecting Hematological Traits in. <i>Animals</i> , 2020 , 10,	3.1	3
227	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3190	3.5	3
226	Double Negative B Cell Is Associated With Renal Impairment in Systemic Lupus Erythematosus and Acts as a Marker for Nephritis Remission. <i>Frontiers in Medicine</i> , 2020 , 7, 85	4.9	10
225	gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 3512-3518	4.5	8
224	Correspondence on @ritical role of neutrophil extracellular traps (NETs) in patients with Behcet@diseaseO <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	5
223	Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 857-876	3.4	11
222	Association of polymorphisms in MALAT1 with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23146	3	7
221	Association of polymorphisms in MALAT1 with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , 2020 , 102, 943-949	3.9	2
220	LIN28A gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 1059-1066	5.6	14
219	HMGA2 gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , 2020 , 67, 939-945	2.8	2

(2020-2020)

218	NRAS rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , 2020 , 727, 144262	3.8	2	
217	Construction of saturated odd- and even-numbered hyaluronan oligosaccharide building block library. <i>Carbohydrate Polymers</i> , 2020 , 231, 115700	10.3	6	
216	Incredulity on assumptions for the simplified Bohart-Adams model: 17a-ethinylestradiol separation in lab-scale anthracite columns. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121501	12.8	5	•
215	New H state estimation criteria of delayed static neural networks via the Lyapunov-Krasovskii functional with negative definite terms. <i>Neural Networks</i> , 2020 , 123, 236-247	9.1	9	
214	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 22, 17-26	10.7	27	
213	Multicenter electron-sharing Ebonding in the AgFe(CO) complex. <i>Dalton Transactions</i> , 2020 , 49, 15256-1	15266	1	
212	Unsaturated binuclear homoleptic nickel carbonyl anions Ni(CO) (= 4-6) featuring double three-center two-electron Ni-C-Ni bonds. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 23773-23784	3.6	2	
211	Triply Carbonyl-Bridged Ni(CO) Featuring Triple Three-Center Two-Electron Ni-C-Ni Bonds Instead of Ni?Ni Triple Bond. <i>Inorganic Chemistry</i> , 2020 , 59, 15365-15374	5.1	O	
210	Chromosome-level assembly of wild Bactrian camel genome reveals organization of immune gene loci. <i>Molecular Ecology Resources</i> , 2020 , 20, 770	8.4	11	
209	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020 , 9, 7310-7316	4.8	3	
208	YTHDC1 gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3249	3.5	10	
207	Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020 , 18, 118-125	6.4	10	
206	Predictors and Mortality of Rapidly Progressive Interstitial Lung Disease in Patients With Idiopathic Inflammatory Myopathy: A Series of 474 Patients. <i>Frontiers in Medicine</i> , 2020 , 7, 363	4.9	10	
205	rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020 , 11, 5129-5134	4.5	8	
204	METTL3 polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3255	3.5	6	
203	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020 , 40, 641-646	9.4	27	
202	Structural Changes and Evolution of Peptides During Chill Storage of Pork. <i>Frontiers in Nutrition</i> , 2020 , 7, 151	6.2	3	
201	rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020 , 19, 2367-2372	4.7	2	

200	Efficacy and safety of low-dose IL-2 in the treatment of systemic lupus erythematosus: a randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 141-149	2.4	106
199	Camel milk modulates ethanol-induced changes in the gut microbiome and transcriptome in a mouse model of acute alcoholic liver disease. <i>Journal of Dairy Science</i> , 2020 , 103, 3937-3949	4	9
198	Evaluation of soluble CD25 as a clinical and autoimmune biomarker in primary Sjgren@syndrome. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 142-149	2.2	4
197	LINC00673 rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. Journal of Gene Medicine, 2019 , 21, e3133	3.5	10
196	rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , 2019 , 12, 7289-7295	4.4	2
195	rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , 2019 , 39,	4.1	8
194	LncRNA XIST facilitates cell growth, migration and invasion via modulating H3 histone methylation of DKK1 in neuroblastoma. <i>Cell Cycle</i> , 2019 , 18, 1882-1892	4.7	28
193	Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019 , 10, 1808-1813	4.5	3
192	Association of and polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019 , 39,	4.1	2
191	rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019 , 10, 506	4.5	21
190	Tissue-Specific Autoantibodies Improve Diagnosis of Primary Sjigren@Syndrome in the Early Stage and Indicate Localized Salivary Injury. <i>Journal of Immunology Research</i> , 2019 , 2019, 3642937	4.5	4
189	Association of Gene Polymorphisms with WilmsOTumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 3518149	4.5	
188	and polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019 , 8, 11	7.8	11
187	Sjogren@syndrome: An update on disease pathogenesis, clinical manifestations and treatment. <i>Clinical Immunology</i> , 2019 , 203, 81-121	9	66
186	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019 , 705, 90-94	3.8	4
185	High-Throughput Sequencing Reveals the Gut Microbiome of the Bactrian Camel in Different Ages. <i>Current Microbiology</i> , 2019 , 76, 810-817	2.4	8
184	Associations between polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019 , 39,	4.1	14
183	Interleukin-2 Deficiency Associated with Renal Impairment in Systemic Lupus Erythematosus. Journal of Interferon and Cytokine Research, 2019 , 39, 117-124	3.5	10

182	gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , 2019 , 10, 467-471	4.5	7	
181	A thermoresponsive microfluidic system integrating a shape memory polymer-modified textile and a paper-based colorimetric sensor for the detection of glucose in human sweat <i>RSC Advances</i> , 2019 , 9, 23957-23963	3.7	27	
180	gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019 , 10, 4159-4164	4.5	5	
179	Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5736175	6.7	7	
178	Association of the rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. Journal of Cancer, 2019 , 10, 3444-3449	4.5	10	
177	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , 2019 , 12, 1282-1288	4.9	3	
176	LIN28A gene polymorphisms confer Wilms tumour susceptibility: A four-centre case-control study. Journal of Cellular and Molecular Medicine, 2019 , 23, 7105-7110	5.6	11	
175	MYCN gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22988	3	3	
174	Clinical deep remission and related factors in a large cohort of patients with rheumatoid arthritis. <i>Chinese Medical Journal</i> , 2019 , 132, 1009-1014	2.9	9	
173	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. Journal of Clinical Laboratory Analysis, 2019 , 33, e22930	3	4	
172	rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. <i>Disease Markers</i> , 2019 , 2019, 6514608	3.2	7	
171	Effects of Geographic Region on the Composition of Bactrian Camel Milk in Mongolia. <i>Animals</i> , 2019 , 9,	3.1	9	
170	rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 9074908	4.5	7	
169	Pleiotropic effect of common variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , 2019 , 11, 12	252 5 .1626	1 ₇	
168	Association of and gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019 , 11, 1551-1563	5.6	24	
167	Additional data support the role of rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , 2019 , 11, 2369-2377	5.6	11	
166	gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019 , 7, 475	3.2	6	
165	Metabolic Engineering of to Improve Glucan Biosynthesis. <i>Journal of Microbiology and Biotechnology</i> , 2019 , 29, 758-764	3.3	4	

164	Association between PHOX2B gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019 , 39,	4.1	3
163	Low-dose IL-2 for patients with systemic lupus erythematosus. Lancet Rheumatology, The, 2019 , 1, e203	14.2	0
162	gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , 2019 , 10, 6358-6363	4.5	7
161	Intrinsically Stretchable and Shape Memory Conducting Nanofiber for Programmable Flexible Electronic Films. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 48202-48211	9.5	10
160	Effect of Mussel-Inspired Poly(Dopamine)-Functionalized Carbon Nanotubes/Graphene Nanohybrids on Interfacial Adhesion of Soy Protein-Based Nanocomposites. <i>Polymer Composites</i> , 2019 , 40, E1649-E1661	3	3
159	Adsorption characteristics of nitrite on natural filter medium: Kinetic, equilibrium, and site energy distribution studies. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 169, 435-441	7	17
158	Analysis of 17\(\text{\text{\text{thinylestradiol}}}\) and bisphenol A adsorption on anthracite surfaces by site energy distribution. Chemosphere, 2019 , 216, 59-68	8.4	21
157	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 620-628	9.7	20
156	The clinical significance of ubiquitin carboxyl hydrolase L1 and its autoantibody in neuropsychiatric systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 474-480	2.2	7
155	rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018 , 38,	4.1	23
154	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018 , 662, 83-87	3.8	4
153	HOTAIR gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , 2018 , 124, 2599-2606	6.4	26
152	Characterizing the bacterial microbiota in different gastrointestinal tract segments of the Bactrian camel. <i>Scientific Reports</i> , 2018 , 8, 654	4.9	30
151	Identification of a novel autoantibody against self-vimentin specific in secondary Sjgren@syndrome. <i>Arthritis Research and Therapy</i> , 2018 , 20, 30	5.7	5
150	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , 2018 , 38,	4.1	5
149	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018 , 30, 113-119	8.8	65
148	The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32,	3	19
147	Interstitial lung disease in non-sicca onset primary Sjਊren@syndrome: a large-scale case-control study. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1423-1429	2.3	20

(2018-2018)

146	rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018 , 9, 2460-2465	4.5	11
145	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018 , 10, 765-774	3.6	20
144	super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018 , 9, 1592-1597	4.5	15
143	Polymorphisms in gene and neuroblastoma risk in Chinese children: a 3-center case-control study. <i>Cancer Management and Research</i> , 2018 , 10, 1807-1816	3.6	14
142	Treatment of immunoglobulin G4-related sialadenitis: outcomes of glucocorticoid therapy combined with steroid-sparing agents. <i>Arthritis Research and Therapy</i> , 2018 , 20, 12	5.7	11
141	gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , 2018 , 9, 2751-2756	4.5	4
140	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 11, 1-8	10.7	78
139	Associations between lncRNA polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018 , 10, 481-491	5.6	36
138	polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018 , 10, 808-818	5.6	18
137	rs17655 G>C polymorphism associated with cancer risk: evidence from 60 studies. <i>Aging</i> , 2018 , 10, 107	′3- <u>4</u> . 6 88	4
136	Relevance of polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , 2018 , 10, 1989-2000		
	Study. Aging, 2016 , 10, 1989-2000	5.6	19
135	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953	5.6 5.6	16
135			
	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953 Clinical Relevance of Autoantibodies against Interleukin-2 in Patients with Systemic Lupus	5.6	16
134	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953 Clinical Relevance of Autoantibodies against Interleukin-2 in Patients with Systemic Lupus Erythematosus. <i>Chinese Medical Journal</i> , 2018 , 131, 1520-1526 Proportion of neuropathic pain in the back region in chronic low back pain patients -a multicenter	5.6 2.9	16
134	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953 Clinical Relevance of Autoantibodies against Interleukin-2 in Patients with Systemic Lupus Erythematosus. <i>Chinese Medical Journal</i> , 2018 , 131, 1520-1526 Proportion of neuropathic pain in the back region in chronic low back pain patients -a multicenter investigation. <i>Scientific Reports</i> , 2018 , 8, 16537 Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center	5.6 2.9 4.9	16 4 3
134 133 132	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953 Clinical Relevance of Autoantibodies against Interleukin-2 in Patients with Systemic Lupus Erythematosus. <i>Chinese Medical Journal</i> , 2018 , 131, 1520-1526 Proportion of neuropathic pain in the back region in chronic low back pain patients -a multicenter investigation. <i>Scientific Reports</i> , 2018 , 8, 16537 Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018 , 8, 468 Functional Polymorphisms in Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> ,	5.6 2.9 4.9 5.3	16 4 3 8

128	An autoimmune disease variant of IgG1 modulates B cell activation and differentiation. <i>Science</i> , 2018 , 362, 700-705	33.3	14
127	The rs2147578IC > G polymorphism in the Inc-LAMC2-1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018 , 18, 948	4.8	7
126	Association between Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018 , 9, 535-539	4.5	6
125	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 12, 854-860	10.7	35
124	Characterization of potassium hydroxide modified anthracite particles and enhanced removal of 17\text{\text{\text{e}}}thinylestradiol and bisphenol A. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 22224-222	3 ^{5.1}	10
123	MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABI1. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1237-1250	5	17
122	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018 , 33, 88-9	3 3.8	27
121	Lipopolysaccharide-binding protein is a sensitive disease activity biomarker for rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 233-240	2.2	10
120	miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 6, 140-149	10.7	75
119	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017 , 16, 101-105	8.8	35
118	The rise of IL-2 therapy - a picture beyond T cells. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 386	8.1	2
117	Characteristics of germinal center-like structures in patients with Sjgren@syndrome. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 245-251	2.3	8
116	Molecular diversity and phylogenetic analysis of domestic and wild Bactrian camel populations based on the mitochondrial ATP8 and ATP6 genes. <i>Livestock Science</i> , 2017 , 199, 95-100	1.7	5
115	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017 , 10, 936-941	4.9	42
114	promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017 , 10, 3773-3780	4.4	6
113	Comparative analysis of fecal microbial communities in cattle and Bactrian camels. <i>PLoS ONE</i> , 2017 , 12, e0173062	3.7	12
112	miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 251	8.3	60
111	Association of A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , 2017 , 8, 266-277	4.5	7

(2016-2017)

110	gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1969-1975	4.4	6
109	Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , 2017 , 8, 801-808	4.5	19
108	Common variations within gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 703-709	4.4	6
107	Association between gene Arg72Pro polymorphism and Wilms@umor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1149-1154	4.4	18
106	The gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017 , 9, 852	?- 8. 59	52
105	Association Between HACE1 Gene Polymorphisms and WilmsOTumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017 , 35, 633-638	2.1	12
104	Preparation and Characterization of Chitosan/Soy Protein Isolate Nanocomposite Film Reinforced by Cu Nanoclusters. <i>Polymers</i> , 2017 , 9,	4.5	36
103	Increased Interleukin-17F is Associated with Elevated Autoantibody Levels and More Clinically Relevant Than Interleukin-17A in Primary Sj\(\textit{g}\)ren\(\textit{G}\) Syndrome. Journal of Immunology Research, 2017, 2017, 4768408	4.5	13
102	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017 , 8, 24362-24371	3.3	16
101	NFKB1 -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017 , 8, 9806-9822	3.3	42
100	MDM4 genetic variants and risk of gastric cancer in an Eastern Chinese population. <i>Oncotarget</i> , 2017 , 8, 19547-19555	3.3	9
99	Associations between gene polymorphisms and Wilms Crumor susceptibility. <i>Oncotarget</i> , 2017 , 8, 50665	- <u>5</u> . <u>9</u> 67	213
98	gene rs751402 C>T polymorphism and cancer risk: Evidence from 22 publications. <i>Oncotarget</i> , 2017 , 8, 53613-53622	3.3	4
97	polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , 2017 , 8, 65620-65626	3.3	24
96	gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , 2017 , 8, 91343-91349	3.3	16
95	No association between Arg72Pro polymorphism and ovarian cancer risk: evidence from 10113 subjects. <i>Oncotarget</i> , 2017 , 8, 112761-112769	3.3	1
94	A case of refractory intestinal Behët@ disease treated with tocilizumab, a humanised anti-interleukin-6 receptor antibody. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 108, 116-1	1 ² 8 ²	5
93	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016 , 37, 1635-9	2.9	36

92	Association between XRCC3 Thr241Met polymorphism and nasopharyngeal carcinoma risk: evidence from a large-scale case-control study and a meta-analysis. <i>Tumor Biology</i> , 2016 , 37, 14825-14	83 0 9	7
91	High remission and low relapse with prolonged intensive DMARD therapy in rheumatoid arthritis (PRINT): A multicenter randomized clinical trial. <i>Medicine (United States)</i> , 2016 , 95, e3968	1.8	19
90	Inability to activate Rac1-dependent forgetting contributes to behavioral inflexibility in mutants of multiple autism-risk genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7644-9	11.5	27
89	Mitochondrial common deletion is elevated in blood of breast cancer patients mediated by oxidative stress. <i>Mitochondrion</i> , 2016 , 26, 104-12	4.9	19
88	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 666-77	5.6	24
87	MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. <i>Molecular and Clinical Oncology</i> , 2016 , 4, 660-666	1.6	7
86	Assessment of the Stiffness of Major Salivary Glands in Primary Sjgren@Syndrome through Quantitative Acoustic Radiation Force Impulse Imaging. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 645-53	3.5	17
85	Association between genetic variants in the gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016 , 8, 3311-3320	5.6	27
84	Associations between CYP1A1 rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , 2016 , 7, 51365-51374	3.3	12
83	MDM4 rs4245739 A > C polymorphism correlates with reduced overall cancer risk in a meta-analysis of 69477 subjects. <i>Oncotarget</i> , 2016 , 7, 71718-71726	3.3	14
82	XPG rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 11724-32	3.3	17
81	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016 , 7, 22770-8	3.3	30
80	A novel TP53 variant (rs78378222 A > C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , 2016 , 7, 32854-65	3.3	15
79	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016 , 7,	4.2	23
78	The association between RFC1 G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016 , 7, 144-52	4.5	8
77	Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. <i>Journal of Cancer</i> , 2016 , 7, 1680-1693	4.5	2
76	PSCA polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , 2016 , 7, 9420-8	3.3	13
75	The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016 , 13, 133-8	3.7	24

(2015-2016)

74	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016 , 9, 5513-9	4.4	16
73	Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , 2016 , 7, 15930-6	3.3	6
72	Lack of Associations between Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016 , 2016, 2932049	3	9
71	Association of the SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. <i>Disease Markers</i> , 2016 , 2016, 4585484	3.2	2
70	Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016 , 7, 1731-1739	4.5	24
69	A Functional Polymorphism (rs2494752) in the AKT1 Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , 2016 , 6, 20008	4.9	17
68	Dietary intake and risk of rheumatoid arthritis-a cross section multicenter study. <i>Clinical Rheumatology</i> , 2016 , 35, 2901-2908	3.9	27
67	Low-dose interleukin-2 treatment selectively modulates CD4(+) T cell subsets in patients with systemic lupus erythematosus. <i>Nature Medicine</i> , 2016 , 22, 991-3	50.5	317
66	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1481-90	5.6	96
65	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1534-41	5.6	38
64	Ultrasonographic evaluation of major salivary glands in primary Sjgren@syndrome: comparison of two scoring systems. <i>Rheumatology</i> , 2015 , 54, 1680-7	3.9	34
63	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin@lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015 , 34, 108-14		298
62	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015 , 5, 9225	4.9	10
61	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015 , 56, 763-7	1.9	13
60	Contribution of dendritic cell immunoreceptor (DCIR) polymorphisms in susceptibility of systemic lupus erythematosus and primary Sjogren@syndrome. <i>Human Immunology</i> , 2015 , 76, 808-11	2.3	9
59	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015 , 5, 14237	4.9	34
58	Associations of PI3KR1 and mTOR polymorphisms with esophageal squamous cell carcinoma risk and gene-environment interactions in Eastern Chinese populations. <i>Scientific Reports</i> , 2015 , 5, 8250	4.9	38
57	Association between PLCE1 rs2274223 A > G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , 2015 , 5, 7986	4.9	27

56	Two novel PRKCI polymorphisms and prostate cancer risk in an Eastern Chinese Han population. <i>Molecular Carcinogenesis</i> , 2015 , 54, 632-41	5	1
55	Clinicopathological characteristics of immunoglobulin G4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 186	5.7	38
54	Comorbid diseases of IgG4-related sialadenitis in the head and neck region. <i>Laryngoscope</i> , 2015 , 125, 2113-8	3.6	10
53	Association of IL10 -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015 , 6, 709-16	4.5	5
52	Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , 2015 , 6, 42661-6	3.3	17
51	Genetic variations in the mTOR gene contribute toward gastric adenocarcinoma susceptibility in an Eastern Chinese population. <i>Pharmacogenetics and Genomics</i> , 2015 , 25, 521-30	1.9	10
50	The Clinical Relevance of IL-17-Producing CD4+CD161+ Cell and Its Subpopulations in Primary Sjigren@Syndrome. <i>Journal of Immunology Research</i> , 2015 , 2015, 307453	4.5	11
49	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015 , 290, 2063-73	3.1	7
48	Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjgren@syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2070-5	2.4	21
47	The association between NQO1 Pro187Ser polymorphism and urinary system cancer susceptibility: a meta-analysis of 22 studies. <i>Cancer Investigation</i> , 2015 , 33, 39-40	2.1	11
46	The association between NQO1 Pro187Ser polymorphism and bladder cancer susceptibility: a meta-analysis of 15 studies. <i>PLoS ONE</i> , 2015 , 10, e0116500	3.7	8
45	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6159	4.9	74
44	Association of BRCA2 N372H polymorphism with cancer susceptibility: a comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6791	4.9	31
43	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. <i>International Journal of Cancer</i> , 2014 , 135, 948-55	7.5	49
42	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , 2014 , 46, 533-42	36.3	175
41	Glatiramer acetate reverses cognitive deficits from cranial-irradiated rat by inducing hippocampal neurogenesis. <i>Journal of Neuroimmunology</i> , 2014 , 271, 1-7	3.5	16
40	Potentially functional polymorphisms in the ERCC2 gene and risk of esophageal squamous cell carcinoma in Chinese populations. <i>Scientific Reports</i> , 2014 , 4, 6281	4.9	19
39	Relevance of LIG4 gene polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6630	4.9	26

(2013-2014)

38	The association between the polymorphisms of TNF-hand non-Hodgkin lymphoma: a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 12509-17	2.9	14	
37	Antilymphocyte antibodies in systemic lupus erythematosus: association with disease activity and lymphopenia. <i>Journal of Immunology Research</i> , 2014 , 2014, 672126	4.5	10	
36	Steroid 5-alpha-reductase type 2 (SRD5A2) V89L and A49T polymorphisms and sporadic prostate cancer risk: a meta-analysis. <i>Molecular Biology Reports</i> , 2013 , 40, 3597-608	2.8	18	
35	A pri-miR-218 variant and risk of cervical carcinoma in Chinese women. <i>BMC Cancer</i> , 2013 , 13, 19	4.8	41	
34	Polymorphisms of the Interleukin 6 gene contribute to cervical cancer susceptibility in Eastern Chinese women. <i>Human Genetics</i> , 2013 , 132, 301-12	6.3	34	
33	Characteristics of Sjgren@syndrome in rheumatoid arthritis. <i>Rheumatology</i> , 2013 , 52, 1084-9	3.9	34	
32	Genome-wide association analyses in East Asians identify new susceptibility loci for colorectal cancer. <i>Nature Genetics</i> , 2013 , 45, 191-6	36.3	155	
31	Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. <i>Immunity</i> , 2013 , 39, 770-81	32.3	449	
30	Associations of Lys939Gln and Ala499Val polymorphisms of the XPC gene with cancer susceptibility: a meta-analysis. <i>International Journal of Cancer</i> , 2013 , 133, 1765-75	7.5	76	
29	Preparation of Nitrogen-Doped Mullite Fiber by Nitridation of SilicaAlumina Gel Fiber in Ammonia. Journal of the American Ceramic Society, 2013 , 96, 2069-2072	3.8		
28	Functional variants in TNFAIP8 associated with cervical cancer susceptibility and clinical outcomes. <i>Carcinogenesis</i> , 2013 , 34, 770-8	4.6	60	
27	Genetic variations of mTORC1 genes and risk of gastric cancer in an Eastern Chinese population. <i>Molecular Carcinogenesis</i> , 2013 , 52 Suppl 1, E70-9	5	107	
26	Genome-wide association study of B cell non-Hodgkin lymphoma identifies 3q27 as a susceptibility locus in the Chinese population. <i>Nature Genetics</i> , 2013 , 45, 804-7	36.3	31	
25	Polymorphisms in mTORC1 genes modulate risk of esophageal squamous cell carcinoma in eastern Chinese populations. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 788-95	8.9	23	
24	Potentially functional polymorphisms in the CASP7 gene contribute to gastric adenocarcinoma susceptibility in an eastern Chinese population. <i>PLoS ONE</i> , 2013 , 8, e74041	3.7	9	
23	Association of LEP G2548A and LEPR Q223R polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e75135	3.7	20	
22	Developing genetic epidemiological models to predict risk for nasopharyngeal carcinoma in high-risk population of China. <i>PLoS ONE</i> , 2013 , 8, e56128	3.7	18	
21	Polymorphisms in the mTOR gene and risk of sporadic prostate cancer in an Eastern Chinese population. <i>PLoS ONE</i> , 2013 , 8, e71968	3.7	23	

20	Potentially functional variants of PLCE1 identified by GWASs contribute to gastric adenocarcinoma susceptibility in an eastern Chinese population. <i>PLoS ONE</i> , 2012 , 7, e31932	3.7	45
19	Tumor necrosis factor-Hinduced protein 8 polymorphism and risk of non-Hodgkin@lymphoma in a Chinese population: a case-control study. <i>PLoS ONE</i> , 2012 , 7, e37846	3.7	46
18	Association between XPF polymorphisms and cancer risk: a meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e38606	3.7	26
17	Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. <i>Human Genetics</i> , 2012 , 131, 1235-44	6.3	159
16	Association between the ERCC5 Asp1104His polymorphism and cancer risk: a meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e36293	3.7	33
15	Polymorphisms in the ERCC5 gene and risk of esophageal squamous cell carcinoma (ESCC) in Eastern Chinese populations. <i>PLoS ONE</i> , 2012 , 7, e41500	3.7	24
14	Polymorphisms in ERCC1 and XPF genes and risk of gastric cancer in an eastern Chinese population. <i>PLoS ONE</i> , 2012 , 7, e49308	3.7	39
13	The generation of mitochondrial DNA large-scale deletions in human cells. <i>Journal of Human Genetics</i> , 2011 , 56, 689-94	4.3	31
12	The association between common genetic variant of microRNA-146a and cancer susceptibility. <i>Cytokine</i> , 2011 , 56, 695-8	4	33
11	Evaluating mitochondrial DNA in patients with breast cancer and benign breast disease. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 669-75	4.9	35
10	The mitochondrial DNA 4,977-bp deletion and its implication in copy number alteration in colorectal cancer. <i>BMC Medical Genetics</i> , 2011 , 12, 8	2.1	88
9	Diagnostic significance of measuring antibodies to cyclic type 3 muscarinic acetylcholine receptor peptides in primary Sjogren@syndrome. <i>Rheumatology</i> , 2011 , 50, 879-84	3.9	33
8	Evaluating mitochondrial DNA in cancer occurrence and development. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1201, 26-33	6.5	37
7	Cancer type-specific modulation of mitochondrial haplogroups in breast, colorectal and thyroid cancer. <i>BMC Cancer</i> , 2010 , 10, 421	4.8	77
6	The occurrence of Bacillus cereus, B. thuringiensis and B. mycoides in Chinese pasteurized full fat milk. <i>International Journal of Food Microbiology</i> , 2008 , 121, 195-200	5.8	58
5	Mucosal administration of alpha-fodrin inhibits experimental Sj\u00dbreno syndrome autoimmunity. Arthritis Research and Therapy, 2008, 10, R44	5.7	8
4	Bromide removal and recovery with layered double hydroxides as an adsorbent. <i>Diqiu Huaxue</i> , 2006 , 25, 107-107		
3	Treatment of high fluoride concentration wastewater by layered double hydroxides: Mechanism studies. <i>Diqiu Huaxue</i> , 2006 , 25, 160-161		

Removal of perchlorate (ClO4) contaminants by calcined Zn-Al layered double hydroxides. *Diqiu Huaxue*, **2006**, 25, 255-255

2.3 8

1

Chemical Stability of Ti-Modified MCM-41 Catalysts in the Hydroxylation of Benzene in the Liquid Phase. *Topics in Catalysis*, **2003**, 22, 41-51