

Babak Anasori

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3331840/babak-anasori-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

28,207
citations

76
h-index

164
g-index

164
ext. papers

36,406
ext. citations

12
avg, IF

7.89
L-index

#	Paper	IF	Citations
157	Self-assembly and in-situ characterization of Ti ₃ C ₂ T in Al: A step toward additive manufacturing of MXene-metal composites. <i>Applied Materials Today</i> , 2022 , 27, 101451	6.6	0
156	Enhanced electrochemical performance of vanadium carbide MXene composites for supercapacitors. <i>APL Materials</i> , 2022 , 10, 060901	5.7	3
155	Covalent Surface Modification of TiCT MXene with Chemically Active Polymeric Ligands Producing Highly Conductive and Ordered Microstructure Films. <i>ACS Nano</i> , 2021 ,	16.7	6
154	Ti ₃ C ₂ T _x solid lubricant coatings in rolling bearings with remarkable performance beyond state-of-the-art materials. <i>Applied Materials Today</i> , 2021 , 25, 101202	6.6	11
153	2D MXenes: Tunable Mechanical and Tribological Properties. <i>Advanced Materials</i> , 2021 , 33, e2007973	24	83
152	Superior Wear-Resistance of TiCT Multilayer Coatings. <i>ACS Nano</i> , 2021 , 15, 8216-8224	16.7	37
151	High-temperature stability and phase transformations of titanium carbide (TiCT) MXene. <i>Journal of Physics Condensed Matter</i> , 2021 , 33,	1.8	8
150	All-Printed MXeneGraphene Nanosheet-Based Bimodal Sensors for Simultaneous Strain and Temperature Sensing. <i>ACS Applied Electronic Materials</i> , 2021 , 3, 2341-2348	4	12
149	High-Entropy 2D Carbide MXenes: TiVNbMoC and TiVCrMoC. <i>ACS Nano</i> , 2021 ,	16.7	42
148	2D transition metal carbides (MXenes) in metal and ceramic matrix composites. <i>Nano Convergence</i> , 2021 , 8, 16	9.2	10
147	Electrocatalytic CO reduction on earth abundant 2D MoC and TiC MXenes. <i>Chemical Communications</i> , 2021 , 57, 1675-1678	5.8	19
146	Nacre-Mimetic, Mechanically Flexible, and Electrically Conductive Silk Fibroin-MXene Composite Foams as Piezoresistive Pressure Sensors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34996-35007	9.5	13
145	2D Titanium Carbide (MXene) Based Films: Expanding the Frontier of Functional Film Materials. <i>Advanced Functional Materials</i> , 2021 , 31, 2105043	15.6	8
144	Low-temperature annealing of 2D Ti ₃ C ₂ T _x MXene films using electron wind force in ambient conditions. <i>Journal of Materials Research</i> , 2021 , 36, 3398	2.5	1
143	Ti ₃ C ₂ MXenepolymer nanocomposites and their applications. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 8051-8098	13	26
142	Understanding and supporting the needs of early-career materials scientists. <i>MRS Bulletin</i> , 2020 , 45, 969-971	3.2	
141	Electrically Conductive MXene-Coated Glass Fibers for Damage Monitoring in Fiber-Reinforced Composites. <i>Journal of Carbon Research</i> , 2020 , 6, 64	3.3	0

140	Two-Dimensional Titanium and Molybdenum Carbide MXenes as Electrocatalysts for CO Reduction. <i>IScience</i> , 2020 , 23, 101181	6.1	56
139	Beyond TiCT: MXenes for Electromagnetic Interference Shielding. <i>ACS Nano</i> , 2020 , 14, 5008-5016	16.7	218
138	Interface binding and mechanical properties of MXene-epoxy nanocomposites. <i>Composites Science and Technology</i> , 2020 , 192, 108124	8.6	31
137	Fabrication of Ti3C2 MXene Microelectrode Arrays for In Vivo Neural Recording. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	8
136	TiCT MXene-Reduced Graphene Oxide Composite Electrodes for Stretchable Supercapacitors. <i>ACS Nano</i> , 2020 , 14, 3576-3586	16.7	130
135	Temperature-dependent mechanical properties of TiCO (n = 1, 2) MXene monolayers: a first-principles study. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 3414-3424	3.6	22
134	In Situ N-Doped Graphene and Mo Nanoribbon Formation from Mo Ti C MXene Monolayers. <i>Small</i> , 2020 , 16, e1907115	11	6
133	Enhancement of Ti3C2 MXene Pseudocapacitance after Urea Intercalation Studied by Soft X-ray Absorption Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 5079-5086	3.8	17
132	MXene Composite and Coaxial Fibers with High Stretchability and Conductivity for Wearable Strain Sensing Textiles. <i>Advanced Functional Materials</i> , 2020 , 30, 1910504	15.6	147
131	Role of acid mixtures etching on the surface chemistry and sodium ion storage in TiCT MXene. <i>Chemical Communications</i> , 2020 , 56, 6090-6093	5.8	29
130	Distinguishing electronic contributions of surface and sub-surface transition metal atoms in Ti-based MXenes. <i>2D Materials</i> , 2020 , 7, 025015	5.9	17
129	Micromechanical response of two-dimensional transition metal carbonitride (MXene) reinforced epoxy composites. <i>Composites Part B: Engineering</i> , 2020 , 182, 107603	10	32
128	Influence of operating conditions on the desalination performance of a symmetric pre-conditioned Ti3C2Tx-MXene membrane capacitive deionization system. <i>Desalination</i> , 2020 , 477, 114267	10.3	35
127	Synthesis of MoVAIC MAX Phase and Two-Dimensional MoVC MXene with Five Atomic Layers of Transition Metals. <i>ACS Nano</i> , 2020 , 14, 204-217	16.7	198
126	Evidence of a magnetic transition in atomically thin CrTiCT MXene. <i>Nanoscale Horizons</i> , 2020 , 5, 1557-1565	5.8	18
125	Double transition-metal MXenes: Atomistic design of two-dimensional carbides and nitrides. <i>MRS Bulletin</i> , 2020 , 45, 850-861	3.2	37
124	Double transition-metal MXenes: Atomistic design of two-dimensional carbides and nitrides - ADDENDUM. <i>MRS Bulletin</i> , 2020 , 1-1	3.2	
123	2H-MoS on MoCT MXene Nanohybrid for Efficient and Durable Electrocatalytic Hydrogen Evolution. <i>ACS Nano</i> , 2020 , 14, 16140-16155	16.7	65

122	Rational Design of Two-Dimensional Transition Metal Carbide/Nitride (MXene) Hybrids and Nanocomposites for Catalytic Energy Storage and Conversion. <i>ACS Nano</i> , 2020 , 14, 10834-10864	16.7	152
121	Electrode material-ionic liquid coupling for electrochemical energy storage. <i>Nature Reviews Materials</i> , 2020 , 5, 787-808	73.3	89
120	Electrically conductive 3D printed TiCT MXene-PEG composite constructs for cardiac tissue engineering. <i>Acta Biomaterialia</i> , 2020 , 139, 179-179	10.8	26
119	Enhanced Ionic Accessibility of Flexible MXene Electrodes Produced by Natural Sedimentation. <i>Nano-Micro Letters</i> , 2020 , 12, 89	19.5	30
118	Synthesis and electrochemical properties of 2D molybdenum vanadium carbides solid solution MXenes. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 8957-8968	13	38
117	Surface Modification of a MXene by an Aminosilane Coupling Agent. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1902008	4.6	62
116	MXene-Bonded Flexible Hard Carbon Film as Anode for Stable Na/K-Ion Storage. <i>Advanced Functional Materials</i> , 2019 , 29, 1906282	15.6	118
115	Colloidal Gelation in Liquid Metals Enables Functional Nanocomposites of 2D Metal Carbides (MXenes) and Lightweight Metals. <i>ACS Nano</i> , 2019 , 13, 12415-12424	16.7	31
114	van der Waals epitaxy of highly (111)-oriented BaTiO on MXene. <i>Nanoscale</i> , 2019 , 11, 622-630	7.7	6
113	Magnesium-Ion Storage Capability of MXenes. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1572-1578	6.1	53
112	Control of MXenes' electronic properties through termination and intercalation. <i>Nature Communications</i> , 2019 , 10, 522	17.4	380
111	Additive-free MXene inks and direct printing of micro-supercapacitors. <i>Nature Communications</i> , 2019 , 10, 1795	17.4	407
110	Anisotropic MXene Aerogels with a Mechanically Tunable Ratio of Electromagnetic Wave Reflection to Absorption. <i>Advanced Optical Materials</i> , 2019 , 7, 1900267	8.1	138
109	Scalable Manufacturing of Large and Flexible Sheets of MXene/Graphene Heterostructures. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800639	6.8	60
108	Prediction of Synthesis of 2D Metal Carbides and Nitrides (MXenes) and Their Precursors with Positive and Unlabeled Machine Learning. <i>ACS Nano</i> , 2019 , 13, 3031-3041	16.7	95
107	Effects of Synthesis and Processing on Optoelectronic Properties of Titanium Carbonitride MXene. <i>Chemistry of Materials</i> , 2019 , 31, 2941-2951	9.6	98
106	High-Temperature Behavior and Surface Chemistry of Carbide MXenes Studied by Thermal Analysis. <i>Chemistry of Materials</i> , 2019 , 31, 3324-3332	9.6	162
105	Sculpting Liquids with Two-Dimensional Materials: The Assembly of TiCT MXene Sheets at Liquid-Liquid Interfaces. <i>ACS Nano</i> , 2019 , 13, 12385-12392	16.7	30

104	Introduction to 2D Transition Metal Carbides and Nitrides (MXenes) 2019 , 3-12		26
103	Nanoindentation of monolayer Ti C T MXenes via atomistic simulations: The role of composition and defects on strength. <i>Computational Materials Science</i> , 2019 , 157, 168-174	3.2	29
102	Surface-Engineered MXenes: Electric Field Control of Magnetism and Enhanced Magnetic Anisotropy. <i>ACS Nano</i> , 2019 , 13, 2831-2839	16.7	75
101	A Tungsten-Based Nanolaminated Ternary Carbide: (W,Ti)C. <i>Inorganic Chemistry</i> , 2019 , 58, 1100-1106	5.1	5
100	Rheological Characteristics of 2D Titanium Carbide (MXene) Dispersions: A Guide for Processing MXenes. <i>ACS Nano</i> , 2018 , 12, 2685-2694	16.7	155
99	Effect of glycine functionalization of 2D titanium carbide (MXene) on charge storage. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4617-4622	13	74
98	Microelectronics: Stamping of Flexible, Coplanar Micro-Supercapacitors Using MXene Inks (Adv. Funct. Mater. 9/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870059	15.6	5
97	Enhanced Terahertz Shielding of MXenes with Nano-Metamaterials. <i>Advanced Optical Materials</i> , 2018 , 6, 1701076	8.1	100
96	Porous Ti ₃ C ₂ T _x MXene for Ultrahigh-Rate Sodium-Ion Storage with Long Cycle Life. <i>ACS Applied Nano Materials</i> , 2018 , 1, 505-511	5.6	88
95	Metallic TiCT MXene Gas Sensors with Ultrahigh Signal-to-Noise Ratio. <i>ACS Nano</i> , 2018 , 12, 986-993	16.7	664
94	MoS ₂ -on-MXene Heterostructures as Highly Reversible Anode Materials for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2018 , 130, 1864-1868	3.6	56
93	MoS -on-MXene Heterostructures as Highly Reversible Anode Materials for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 1846-1850	16.4	375
92	Tuning the Basal Plane Functionalization of Two-Dimensional Metal Carbides (MXenes) To Control Hydrogen Evolution Activity. <i>ACS Applied Energy Materials</i> , 2018 , 1, 173-180	6.1	192
91	Saturable Absorption in 2D Ti C MXene Thin Films for Passive Photonic Diodes. <i>Advanced Materials</i> , 2018 , 30, 1705714	24	213
90	Stamping of Flexible, Coplanar Micro-Supercapacitors Using MXene Inks. <i>Advanced Functional Materials</i> , 2018 , 28, 1705506	15.6	322
89	Self-Assembly of Transition Metal Oxide Nanostructures on MXene Nanosheets for Fast and Stable Lithium Storage. <i>Advanced Materials</i> , 2018 , 30, e1707334	24	324
88	2D Titanium Carbide/Reduced Graphene Oxide Heterostructures for Supercapacitor Applications. <i>Batteries and Supercaps</i> , 2018 , 1, 33-38	5.6	52
87	Layer-by-layer assembly of MXene and carbon nanotubes on electrospun polymer films for flexible energy storage. <i>Nanoscale</i> , 2018 , 10, 6005-6013	7.7	124

86	Size-Dependent Physical and Electrochemical Properties of Two-Dimensional MXene Flakes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 24491-24498	9.5	150
85	Vertically aligned MoS ₂ on Ti ₃ C ₂ (MXene) as an improved HER catalyst. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 16882-16889	13	89
84	Direct Correlation of MXene Surface Chemistry and Electronic Properties. <i>Microscopy and Microanalysis</i> , 2018 , 24, 1606-1607	0.5	5
83	Elastic properties of 2D TiCT MXene monolayers and bilayers. <i>Science Advances</i> , 2018 , 4, eaat0491	14.3	380
82	Tuning Noncollinear Spin Structure and Anisotropy in Ferromagnetic Nitride MXenes. <i>ACS Nano</i> , 2018 , 12, 6319-6325	16.7	73
81	MXene-Bonded Activated Carbon as a Flexible Electrode for High-Performance Supercapacitors. <i>ACS Energy Letters</i> , 2018 , 3, 1597-1603	20.1	265
80	In situ atomistic insight into the growth mechanisms of single layer 2D transition metal carbides. <i>Nature Communications</i> , 2018 , 9, 2266	17.4	89
79	Inkjet Printing of Self-Assembled 2D Titanium Carbide and Protein Electrodes for Stimuli-Responsive Electromagnetic Shielding. <i>Advanced Functional Materials</i> , 2018 , 28, 1801972	15.6	111
78	Asymmetric Flexible MXene-Reduced Graphene Oxide Micro-Supercapacitor. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700339	6.4	244
77	Reduced graphene oxide as a multi-functional conductive binder for supercapacitor electrodes. <i>Energy Storage Materials</i> , 2018 , 12, 128-136	19.4	127
76	Oxidized 2D titanium carbide MXene. <i>Materials Today</i> , 2018 , 21, 1064-1065	21.8	23
75	MXene Sorbents for Removal of Urea from Dialysate: A Step toward the Wearable Artificial Kidney. <i>ACS Nano</i> , 2018 , 12, 10518-10528	16.7	102
74	2D titanium carbide (MXene) for wireless communication. <i>Science Advances</i> , 2018 , 4, eaau0920	14.3	219
73	Antimicrobial Mode-of-Action of Colloidal Ti ₃ C ₂ T _x MXene Nanosheets. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16586-16596	8.3	92
72	Two-Dimensional TiC MXene for High-Resolution Neural Interfaces. <i>ACS Nano</i> , 2018 , 12, 10419-10429	16.7	82
71	Oxidized Ti ₃ C ₂ MXene nanosheets for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2018 , 42, 16446-16450	3.6	42
70	Effect of Synthesis on Performance of MXene/Iron Oxide Anode Material for Lithium-Ion Batteries. <i>Langmuir</i> , 2018 , 34, 11325-11334	4	34
69	Antimicrobial Properties of 2D MnO and MoS Nanomaterials Vertically Aligned on Graphene Materials and TiC MXene. <i>Langmuir</i> , 2018 , 34, 7192-7200	4	86

68	Thickness-independent capacitance of vertically aligned liquid-crystalline MXenes. <i>Nature</i> , 2018 , 557, 409-412	50.4	627
67	Cold Sintered Ceramic Nanocomposites of 2D MXene and Zinc Oxide. <i>Advanced Materials</i> , 2018 , 30, e1801846	18.46	104
66	Voltage-Gated Ions Sieving through 2D MXene Ti ₃ C ₂ T _x Membranes. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3644-3652	5.6	58
65	Two-Dimensional Titanium Carbide MXene As a Cathode Material for Hybrid Magnesium/Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 4296-4300	9.5	149
64	Ultra-microporous carbons encapsulate small sulfur molecules for high performance lithium-sulfur battery. <i>Nano Energy</i> , 2017 , 33, 402-409	17.1	93
63	2D metal carbides and nitrides (MXenes) for energy storage. <i>Nature Reviews Materials</i> , 2017 , 2,	73.3	3469
62	Charge transfer induced polymerization of EDOT confined between 2D titanium carbide layers. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5260-5265	13	107
61	Oxidation Stability of Colloidal Two-Dimensional Titanium Carbides (MXenes). <i>Chemistry of Materials</i> , 2017 , 29, 4848-4856	9.6	652
60	Laminated and Two-Dimensional Carbon-Supported Microwave Absorbers Derived from MXenes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 20038-20045	9.5	229
59	Tunable Magnetism and Transport Properties in Nitride MXenes. <i>ACS Nano</i> , 2017 , 11, 7648-7655	16.7	190
58	High-Throughput Survey of Ordering Configurations in MXene Alloys Across Compositions and Temperatures. <i>ACS Nano</i> , 2017 , 11, 4407-4418	16.7	97
57	Rational Design of Two-Dimensional Metallic and Semiconducting Spintronic Materials Based on Ordered Double-Transition-Metal MXenes. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 422-428	6.4	115
56	2D Materials: Metallic MXene Saturable Absorber for Femtosecond Mode-Locked Lasers (Adv. Mater. 40/2017). <i>Advanced Materials</i> , 2017 , 29,	24	1
55	Guidelines for Synthesis and Processing of Two-Dimensional Titanium Carbide (Ti ₃ C ₂ T _x MXene). <i>Chemistry of Materials</i> , 2017 , 29, 7633-7644	9.6	1689
54	Synthesis and characterization of the mechanical properties of Ti ₃ SiC ₂ /Mg and Cr ₂ AlC/Mg alloy composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 705, 182-188	5.3	11
53	2D metal carbides (MXenes) in fibers. <i>Materials Today</i> , 2017 , 20, 481-482	21.8	20
52	Hollow MXene Spheres and 3D Macroporous MXene Frameworks for Na-Ion Storage. <i>Advanced Materials</i> , 2017 , 29, 1702410	24	465
51	Transparent, Flexible, and Conductive 2D Titanium Carbide (MXene) Films with High Volumetric Capacitance. <i>Advanced Materials</i> , 2017 , 29, 1702678	24	538

50	Metallic MXene Saturable Absorber for Femtosecond Mode-Locked Lasers. <i>Advanced Materials</i> , 2017 , 29, 1702496	24	295
49	Na-Ion Intercalation and Charge Storage Mechanism in 2D Vanadium Carbide. <i>Advanced Energy Materials</i> , 2017 , 7, 1700959	21.8	113
48	Atomic Defects and Edge Structure in Single-layer Ti ₃ C ₂ T _x MXene. <i>Microscopy and Microanalysis</i> , 2017 , 23, 1704-1705	0.5	6
47	2D molybdenum and vanadium nitrides synthesized by ammoniation of 2D transition metal carbides (MXenes). <i>Nanoscale</i> , 2017 , 9, 17722-17730	7.7	192
46	Thermoelectric Properties of Two-Dimensional Molybdenum-Based MXenes. <i>Chemistry of Materials</i> , 2017 , 29, 6472-6479	9.6	163
45	Flexible MXene/Graphene Films for Ultrafast Supercapacitors with Outstanding Volumetric Capacitance. <i>Advanced Functional Materials</i> , 2017 , 27, 1701264	15.6	934
44	Electrochemical and in-situ X-ray diffraction studies of Ti ₃ C ₂ T _x MXene in ionic liquid electrolyte. <i>Electrochemistry Communications</i> , 2016 , 72, 50-53	5.1	92
43	Electrochemical in Situ Tracking of Volumetric Changes in Two-Dimensional Metal Carbides (MXenes) in Ionic Liquids. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 32089-32093	9.5	60
42	2D titanium carbide and transition metal oxides hybrid electrodes for Li-ion storage. <i>Nano Energy</i> , 2016 , 30, 603-613	17.1	229
41	Demonstration of Li-Ion Capacity of MAX Phases. <i>ACS Energy Letters</i> , 2016 , 1, 1094-1099	20.1	37
40	Porous heterostructured MXene/carbon nanotube composite paper with high volumetric capacity for sodium-based energy storage devices. <i>Nano Energy</i> , 2016 , 26, 513-523	17.1	505
39	Reconstruction of fatigue crack growth in AA2024-T3 and AA2198-T8 fastened lap joints. <i>Theoretical and Applied Fracture Mechanics</i> , 2016 , 82, 33-50	3.7	7
38	Energy damping in magnesium alloy composites reinforced with TiC or Ti ₂ AlC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 653, 53-62	5.3	17
37	Control of electronic properties of 2D carbides (MXenes) by manipulating their transition metal layers. <i>Nanoscale Horizons</i> , 2016 , 1, 227-234	10.8	242
36	Fabrication of Ti ₃ C ₂ T _x MXene Transparent Thin Films with Tunable Optoelectronic Properties. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600050	6.4	407
35	Pseudocapacitive Electrodes Produced by Oxidant-Free Polymerization of Pyrrole between the Layers of 2D Titanium Carbide (MXene). <i>Advanced Materials</i> , 2016 , 28, 1517-22	24	614
34	Porous Two-Dimensional Transition Metal Carbide (MXene) Flakes for High-Performance Li-Ion Storage. <i>ChemElectroChem</i> , 2016 , 3, 689-693	4.3	298
33	Effects of Applied Potential and Water Intercalation on the Surface Chemistry of Ti ₂ C and Mo ₂ C MXenes. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 28432-28440	3.8	80

32	Lithium-ion capacitors with 2D Nb ₂ CT _x (MXene) //carbon nanotube electrodes. <i>Journal of Power Sources</i> , 2016 , 326, 686-694	8.9	138
31	Synthesis of two-dimensional titanium nitride Ti ₄ N ₃ (MXene). <i>Nanoscale</i> , 2016 , 8, 11385-91	7.7	487
30	Capacitance of Ti ₃ C ₂ T _x MXene in ionic liquid electrolyte. <i>Journal of Power Sources</i> , 2016 , 326, 575-579	8.9	163
29	Electromagnetic interference shielding with 2D transition metal carbides (MXenes). <i>Science</i> , 2016 , 353, 1137-40	33.3	2432
28	All-MXene (2D titanium carbide) solid-state microsupercapacitors for on-chip energy storage. <i>Energy and Environmental Science</i> , 2016 , 9, 2847-2854	35.4	428
27	Two-Dimensional Molybdenum Carbide (MXene) as an Efficient Electrocatalyst for Hydrogen Evolution. <i>ACS Energy Letters</i> , 2016 , 1, 589-594	20.1	752
26	Fabrication, biodegradation behavior and cytotoxicity of Mg-nanodiamond composites for implant application. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 110	4.5	9
25	Two-Dimensional, Ordered, Double Transition Metals Carbides (MXenes). <i>ACS Nano</i> , 2015 , 9, 9507-16	16.7	923
24	Mo ₂ TiAlC ₂ : A new ordered layered ternary carbide. <i>Scripta Materialia</i> , 2015 , 101, 5-7	5.6	104
23	Reactions Between Ti ₂ AlC, B ₄ C, and Al and Phase Equilibria at 1000 °C in the Al-Ti-B-C Quaternary System. <i>Journal of Phase Equilibria and Diffusion</i> , 2015 , 36, 169-182	1	14
22	In situ neutron diffraction evidence for fully reversible dislocation motion in highly textured polycrystalline Ti ₂ AlC samples. <i>Acta Materialia</i> , 2015 , 98, 51-63	8.4	25
21	On the interactions of Ti ₂ AlC, Ti ₃ AlC ₂ , Ti ₃ SiC ₂ and Cr ₂ AlC with silicon carbide and pyrolytic carbon at 1300 °C. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 4107-4114	6	16
20	Al ₂ O ₃ Self-coated Iron powder composites via mechanical milling. <i>Journal of Alloys and Compounds</i> , 2015 , 653, 61-68	5.7	25
19	Experimental and theoretical characterization of ordered MAX phases Mo ₂ TiAlC ₂ and Mo ₂ Ti ₂ AlC ₃ . <i>Journal of Applied Physics</i> , 2015 , 118, 094304	2.5	149
18	Mo ₂ AlC: a new ternary nanolaminated carbide. <i>Chemical Communications</i> , 2015 , 51, 6560-3	5.8	96
17	Reactivity of Zircaloy-4 with Ti ₃ SiC ₂ and Ti ₂ AlC in the 1100–1300 °C temperature range. <i>Journal of Nuclear Materials</i> , 2015 , 460, 122-129	3.3	47
16	Solid Solubility and Magnetism upon Mn Incorporation in the Bulk Ternary Carbides Cr ₂ AlC and Cr ₂ GaC. <i>Materials Research Letters</i> , 2015 , 3, 16-22	7.4	54
15	Fabrication and mechanical properties of pressureless melt infiltrated magnesium alloy composites reinforced with TiC and Ti ₂ AlC particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 618, 511-522	5.3	42

14	Graphene [Transition metal oxide hybrid materials. <i>Materials Today</i> , 2014 , 17, 253-254	21.8	34
13	Fatigue Crack Growth in Aluminum Lithium Riveted Lap Joints. <i>Procedia Engineering</i> , 2014 , 74, 413-416		4
12	On the oxidation of Ti ₂ GeC in air. <i>Journal of Alloys and Compounds</i> , 2013 , 580, 550-557	5.7	4
11	Reversible dislocation motion and microcracking in plastically anisotropic solids under cyclic spherical nanoindentation. <i>MRS Communications</i> , 2013 , 3, 245-248	2.7	6
10	A Critical Review of the Oxidation of Ti ₂ AlC, Ti ₃ AlC ₂ and Cr ₂ AlC in Air. <i>Materials Research Letters</i> , 2013 , 1, 115-125	7.4	217
9	Tensile creep of Ti ₂ AlC in air in the temperature range 1000–1500°C. <i>Scripta Materialia</i> , 2012 , 66, 805-808	5.6	32
8	Microscale deformation of (001) and (100) rutile single crystals under spherical nanoindentation. <i>Journal of Materials Research</i> , 2012 , 27, 53-63	2.5	8
7	On the Effect of Ti ₂ AlC on the Formation of Thermally Stable Mg Nano Grains 2012 , 409-412		
6	Spherical nanoindentation study of the deformation micromechanisms of LiTaO ₃ single crystals. <i>Journal of Applied Physics</i> , 2011 , 110, 023516	2.5	18
5	Nanocrystalline Mg-MAX composites: Mechanical behavior characterization via acoustic emission monitoring. <i>Acta Materialia</i> , 2011 , 59, 5716-5727	8.4	39
4	Mechanical and elastic properties of fine-grained polycrystalline scandia and erbia as determined by indentation techniques. <i>Journal of the European Ceramic Society</i> , 2011 , 31, 1703-1712	6	10
3	Nanocrystalline Mg-Matrix Composites with Ultrahigh Damping Properties 2011 , 463-468		4
2	Nanocrystalline Mg-Matrix Composites with Ultrahigh Damping Properties 2011 , 463-468		2
1	On the Effect of Ti ₂ AlC on the Formation of Thermally Stable Mg Nano Grains 409-412		