

Matthew J Baker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3332078/matthew-j-baker-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	3,227 citations	27 h-index	55 g-index
95 ext. papers	3,945 ext. citations	6.8 avg, IF	5.19 L-index

#	Paper	IF	Citations
90	Clinical validation of a spectroscopic liquid biopsy for earlier detection of brain cancer.. <i>Neuro-Oncology Advances</i> , 2022 , 4, vdac024	0.9	0
89	Infrared Based Saliva Screening Test for COVID-19. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 17102-17107	16.4	13
88	Infrared Based Saliva Screening Test for COVID-19. <i>Angewandte Chemie</i> , 2021 , 133, 17239-17244	3.6	3
87	Detection of Glycine as a Model Protein in Blood Serum Using 2D-IR Spectroscopy. <i>Analytical Chemistry</i> , 2021 , 93, 920-927	7.8	4
86	Early economic evaluation to guide the development of a spectroscopic liquid biopsy for the detection of brain cancer. <i>International Journal of Technology Assessment in Health Care</i> , 2021 , 37, e41	1.8	6
85	Optimisation of an Electrochemical DNA Sensor for Measuring KRAS G12D and G13D Point Mutations in Different Tumour Types. <i>Biosensors</i> , 2021 , 11,	5.9	1
84	Interrogation of Status in Gliomas by Fourier Transform Infrared Spectroscopy. <i>Cancers</i> , 2020 , 12,	6.6	7
83	Vibrational spectroscopic analysis and quantification of proteins in human blood plasma and serum 2020 , 269-314		2
82	Rapid analysis of disease state in liquid human serum combining infrared spectroscopy and "digital drying". <i>Journal of Biophotonics</i> , 2020 , 13, e202000118	3.1	6
81	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment. <i>PLoS ONE</i> , 2020 , 15, e0223461	3.7	26
80	Stratifying Brain Tumour Histological Sub-Types: The Application of ATR-FTIR Serum Spectroscopy in Secondary Care. <i>Cancers</i> , 2020 , 12,	6.6	14
79	Biofluid diagnostics by FTIR spectroscopy: A platform technology for cancer detection. <i>Cancer Letters</i> , 2020 , 477, 122-130	9.9	32
78	Two-dimensional infrared spectroscopy: an emerging analytical tool?. <i>Analyst, The</i> , 2020 , 145, 2014-2024	5	8
77	2D-Infrared Spectroscopy of Proteins in Water: Using the Solvent Thermal Response as an Internal Standard. <i>Analytical Chemistry</i> , 2020 , 92, 3463-3469	7.8	9
76	Sources of flint in Britain and Ireland: A quantitative assessment of geochemical characterisation using acid digestion inductively coupled plasma-mass spectrometry (ICP-MS). <i>Journal of Archaeological Science: Reports</i> , 2020 , 31, 102281	0.7	1
75	Five years of the #RSCPoster Twitter conference. <i>Chemical Communications</i> , 2020 , 56, 13681-13688	5.8	1
74	quids at Pinwheel Cave, California, provide unambiguous confirmation of the ingestion of hallucinogens at a rock art site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 31026-31037	11.5	11

73	Developing a Low-Cost, Simple-to-Use Electrochemical Sensor for the Detection of Circulating Tumour DNA in Human Fluids. <i>Biosensors</i> , 2020 , 10,	5.9	5
72	Electrochemical DNA Detection Methods to Measure Circulating Tumour DNA for Enhanced Diagnosis and Monitoring of Cancer. <i>Proceedings (mdpi)</i> , 2020 , 60, 15	0.3	
71	Discrimination of fresh frozen non-tumour and tumour brain tissue using spectrochemical analyses and a classification model. <i>British Journal of Neurosurgery</i> , 2020 , 34, 40-45	1	4
70	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
69	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
68	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
67	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
66	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
65	Salivary molecular spectroscopy: A sustainable, rapid and non-invasive monitoring tool for diabetes mellitus during insulin treatment 2020 , 15, e0223461		
64	Utilization of an Electrochemiluminescence Sensor for Atropine Determination in Complex Matrices. <i>Analytical Chemistry</i> , 2019 , 91, 12369-12376	7.8	25
63	Is Infrared Spectroscopy Ready for the Clinic?. <i>Analytical Chemistry</i> , 2019 , 91, 12117-12128	7.8	32
62	Measuring proteins in HO with 2D-IR spectroscopy. <i>Chemical Science</i> , 2019 , 10, 6448-6456	9.4	22
61	Analysis of bodily fluids using vibrational spectroscopy: a direct comparison of Raman scattering and infrared absorption techniques for the case of glucose in blood serum. <i>Analyst, The</i> , 2019 , 144, 3334-3346	5.3	17
60	Investigating pre-analytical requirements for serum and plasma based infrared spectro-diagnostic. <i>Journal of Biophotonics</i> , 2019 , 12, e201900177	3.1	8
59	Development of high-throughput ATR-FTIR technology for rapid triage of brain cancer. <i>Nature Communications</i> , 2019 , 10, 4501	17.4	67
58	Shining a light on clinical spectroscopy: Translation of diagnostic IR, 2D-IR and Raman spectroscopy towards the clinic. <i>Clinical Spectroscopy</i> , 2019 , 1, 100003	16	23
57	Developing infrared spectroscopic detection for stratifying brain tumour patients: glioblastoma multiforme vs. lymphoma. <i>Analyst, The</i> , 2019 , 144, 6736-6750	5	21
56	Clinical applications of infrared and Raman spectroscopy: state of play and future challenges. <i>Analyst, The</i> , 2018 , 143, 1735-1757	5	114

55	Biofluid spectroscopic disease diagnostics: A review on the processes and spectral impact of drying. <i>Journal of Biophotonics</i> , 2018 , 11, e201700299	3.1	48
54	Rapid Screening of DNA-Ligand Complexes via 2D-IR Spectroscopy and ANOVA-PCA. <i>Analytical Chemistry</i> , 2018 , 90, 2732-2740	7.8	19
53	Health economic evaluation of a serum-based blood test for brain tumour diagnosis: exploration of two clinical scenarios. <i>BMJ Open</i> , 2018 , 8, e017593	3	24
52	Optimised spectral pre-processing for discrimination of biofluids via ATR-FTIR spectroscopy. <i>Analyst, The</i> , 2018 , 143, 6121-6134	5	24
51	Enabling quantification of protein concentration in human serum biopsies using attenuated total reflectance Fourier transform infrared (ATR-FTIR) spectroscopy. <i>Vibrational Spectroscopy</i> , 2018 , 99, 50-58	2.1	25
50	Ultra-filtration of human serum for improved quantitative analysis of low molecular weight biomarkers using ATR-IR spectroscopy. <i>Analyst, The</i> , 2017 , 142, 1285-1298	5	40
49	Quantifying Secondary Structure Changes in Calmodulin Using 2D-IR Spectroscopy. <i>Analytical Chemistry</i> , 2017 , 89, 10898-10906	7.8	26
48	Biofluids and other techniques: general discussion. <i>Faraday Discussions</i> , 2016 , 187, 575-601	3.6	10
47	Spectral Pathology: general discussion. <i>Faraday Discussions</i> , 2016 , 187, 155-86	3.6	4
46	Single cell analysis/data handling: general discussion. <i>Faraday Discussions</i> , 2016 , 187, 299-327	3.6	4
45	Clinical Spectroscopy: general discussion. <i>Faraday Discussions</i> , 2016 , 187, 429-60	3.6	6
44	Combining random forest and 2D correlation analysis to identify serum spectral signatures for neuro-oncology. <i>Analyst, The</i> , 2016 , 141, 3668-78	5	43
43	Brain tumour differentiation: rapid stratified serum diagnostics via attenuated total reflection Fourier-transform infrared spectroscopy. <i>Journal of Neuro-Oncology</i> , 2016 , 127, 463-72	4.8	90
42	Developing and understanding biofluid vibrational spectroscopy: a critical review. <i>Chemical Society Reviews</i> , 2016 , 45, 1803-18	58.5	186
41	Can mid-infrared biomedical spectroscopy of cells, fluids and tissue aid improvements in cancer survival? A patient paradigm. <i>Analyst, The</i> , 2016 , 141, 467-75	5	35
40	Feature driven classification of Raman spectra for real-time spectral brain tumour diagnosis using sound. <i>Analyst, The</i> , 2016 , 142, 98-109	5	19
39	Introducing Discrete Frequency Infrared Technology for High-Throughput Biofluid Screening. <i>Scientific Reports</i> , 2016 , 6, 20173	4.9	33
38	Elemental and molecular profiling of licit, illicit, and niche tobacco. <i>Forensic Science International</i> , 2016 , 266, 549-554	2.6	3

37	A review of novel analytical diagnostics for liquid biopsies: spectroscopic and spectrometric serum profiling of primary and secondary brain tumors. <i>Brain and Behavior</i> , 2016 , 6, e00502	3.4	15
36	Screening the low molecular weight fraction of human serum using ATR-IR spectroscopy. <i>Journal of Biophotonics</i> , 2016 , 9, 1085-1097	3.1	34
35	Investigating optimum sample preparation for infrared spectroscopic serum diagnostics. <i>Analytical Methods</i> , 2015 , 7, 7140-7149	3.2	33
34	Functionalising the azobenzene motif delivers a light-responsive membrane-interactive compound with the potential for photodynamic therapy applications. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 8067-70	3.9	12
33	Methodological considerations of integrating portable digital technologies in the analysis and management of complex superimposed Californian pictographs: From spectroscopy and spectral imaging to 3-D scanning. <i>Digital Applications in Archaeology and Cultural Heritage</i> , 2015 , 2, 166-180	2.1	5
32	Rapid discrimination of maggots utilising ATR-FTIR spectroscopy. <i>Forensic Science International</i> , 2015 , 249, 189-96	2.6	16
31	Preclinical screening of anticancer drugs using infrared (IR) microspectroscopy. <i>Trends in Biotechnology</i> , 2015 , 33, 429-30	15.1	7
30	Carbon nanotubes for stabilization of nanostructured lipid particles. <i>Nanoscale</i> , 2015 , 7, 1090-5	7.7	11
29	Quantum Cascade Lasers in Biomedical Infrared Imaging. <i>Trends in Biotechnology</i> , 2015 , 33, 557-558	15.1	20
28	Twittering About Research: A Case Study of the World's First Twitter Poster Competition. <i>F1000Research</i> , 2015 , 4, 798	3.6	9
27	Vibrational spectroscopy of serum to detect brain metastases in patients with melanoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e22151-e22151	2.2	
26	Developing a mobile app for remote access to and data analysis of spectra. <i>Vibrational Spectroscopy</i> , 2014 , 72, 37-43	2.1	6
25	Evidence of VX nerve agent use from contaminated white mustard plants. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2014 , 470, 20140076	2.4	19
24	Effect of substrate choice and tissue type on tissue preparation for spectral histopathology by Raman microspectroscopy. <i>Analyst, The</i> , 2014 , 139, 446-54	5	35
23	Vibrational spectroscopic methods for cytology and cellular research. <i>Analyst, The</i> , 2014 , 139, 4411-44	5	65
22	Vibrational spectroscopic analysis of body fluids: avoiding molecular contamination using centrifugal filtration. <i>Analytical Methods</i> , 2014 , 6, 5155	3.2	36
21	Attenuated total reflection fourier transform infrared (ATR-FTIR) spectral discrimination of brain tumour severity from serum samples. <i>Journal of Biophotonics</i> , 2014 , 7, 189-99	3.1	83
20	Using Fourier transform IR spectroscopy to analyze biological materials. <i>Nature Protocols</i> , 2014 , 9, 1771-28.8	28.8	977

19	Investigating the use of Raman and immersion Raman spectroscopy for spectral histopathology of metastatic brain cancer and primary sites of origin. <i>Analytical Methods</i> , 2014 , 6, 3948-3961	3.2	21
18	Improved protocols for vibrational spectroscopic analysis of body fluids. <i>Journal of Biophotonics</i> , 2014 , 7, 167-79	3.1	73
17	Investigating the rapid diagnosis of gliomas from serum samples using infrared spectroscopy and cytokine and angiogenesis factors. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 7347-55	4.4	54
16	Rapid FTIR chemical imaging: highlighting FPA detectors. <i>Trends in Biotechnology</i> , 2013 , 31, 437-8	15.1	33
15	Highlighting attenuated total reflection Fourier transform infrared spectroscopy for rapid serum analysis. <i>Trends in Biotechnology</i> , 2013 , 31, 327-8	15.1	27
14	Detection of the organophosphorus nerve agent VX and its hydrolysis products in white mustard plants grown in contaminated soil. <i>Analytical Methods</i> , 2013 , 5, 50-53	3.2	26
13	Spectroscopic investigations of surface deposited biological warfare simulants 2012 ,		2
12	Spectroscopic analysis of bacterial biological warfare simulants and the effects of environmental conditioning on a bacterial spectrum. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 2307-15	4.4	8
11	Insight into the swelling mechanism involved in the recovery of serial numbers erased from polymer surfaces. <i>Surface and Interface Analysis</i> , 2011 , 43, 625-627	1.5	6
10	An investigation of the RWPE prostate derived family of cell lines using FTIR spectroscopy. <i>Analyst, The</i> , 2010 , 135, 887-94	5	33
9	Investigating FTIR based histopathology for the diagnosis of prostate cancer. <i>Journal of Biophotonics</i> , 2009 , 2, 104-13	3.1	85
8	FTIR-based spectroscopic analysis in the identification of clinically aggressive prostate cancer. <i>British Journal of Cancer</i> , 2008 , 99, 1859-66	8.7	130
7	Discrimination of prostate cancer cells and non-malignant cells using secondary ion mass spectrometry. <i>Analyst, The</i> , 2008 , 133, 175-9	5	25
6	Mass spectral imaging of glycopospholipids, cholesterol, and glycophorin a in model cell membranes. <i>Langmuir</i> , 2008 , 24, 11803-10	4	31
5	Investigating lipid-lipid and lipid-protein interactions in model membranes by ToF-SIMS. <i>Applied Surface Science</i> , 2008 , 255, 1190-1192	6.7	14
4	ToF-SIMS PC-DFA analysis of prostate cancer cell lines. <i>Applied Surface Science</i> , 2008 , 255, 1084-1087	6.7	15
3	A correlation of FTIR spectra derived from prostate cancer biopsies with gleason grade and tumour stage. <i>European Urology</i> , 2006 , 50, 750-60; discussion 760-1	10.2	99
2	A comparative study of secondary ion yield from model biological membranes using Aun+ and C60+ primary ion sources. <i>Applied Surface Science</i> , 2006 , 252, 6731-6733	6.7	19

1	Twittering About Research: A Case Study of the World’s First Twitter Poster Competition. <i>F1000Research</i> , 4, 798	3.6	4
---	---	-----	---