

Narciso M Quijada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3332566/publications.pdf>

Version: 2024-02-01

20
papers

765
citations

567281

15
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

1163
citing authors

#	ARTICLE	IF	CITATIONS
1	The Core Human Microbiome: Does It Exist and How Can We Find It? A Critical Review of the Concept. <i>Nutrients</i> , 2022, 14, 2872.	4.1	16
2	Co-Occurrence of <i>Listeria</i> spp. and Spoilage Associated Microbiota During Meat Processing Due to Cross-Contamination Events. <i>Frontiers in Microbiology</i> , 2021, 12, 632935.	3.5	26
3	High-throughput sequencing and food microbiology. <i>Advances in Food and Nutrition Research</i> , 2020, 91, 275-300.	3.0	21
4	Co-infection of Chicken Layers With <i>Histomonas meleagridis</i> and Avian Pathogenic <i>Escherichia coli</i> Is Associated With Dysbiosis, Cecal Colonization and Translocation of the Bacteria From the Gut Lumen. <i>Frontiers in Microbiology</i> , 2020, 11, 586437.	3.5	16
5	Virulence characterization and comparative genomics of <i>Listeria monocytogenes</i> sequence type 155 strains. <i>BMC Genomics</i> , 2020, 21, 847.	2.8	26
6	Dietary Supplementation with Sugar Beet Fructooligosaccharides and Garlic Residues Promotes Growth of Beneficial Bacteria and Increases Weight Gain in Neonatal Lambs. <i>Biomolecules</i> , 2020, 10, 1179.	4.0	4
7	Austrian Raw-Milk Hard-Cheese Ripening Involves Successional Dynamics of Non-Inoculated Bacteria and Fungi. <i>Foods</i> , 2020, 9, 1851.	4.3	13
8	Microbiota of newborn calves and their mothers reveals possible transfer routes for newborn calves' gastrointestinal microbiota. <i>PLoS ONE</i> , 2019, 14, e0220554.	2.5	61
9	Oxacillin-susceptible <i>mecA</i> -positive <i>Staphylococcus aureus</i> associated with processed food in Europe. <i>Food Microbiology</i> , 2019, 82, 107-110.	4.2	21
10	TORMES: an automated pipeline for whole bacterial genome analysis. <i>Bioinformatics</i> , 2019, 35, 4207-4212.	4.1	82
11	Infrequent isolation of extensively drug-resistant (XDR) <i>Klebsiella pneumoniae</i> resistant to colistin in Spain. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 531-533.	2.5	2
12	Autochthonous facility-specific microbiota dominates washed-rind Austrian hard cheese surfaces and its production environment. <i>International Journal of Food Microbiology</i> , 2018, 267, 54-61.	4.7	31
13	Different <i>Lactobacillus</i> populations dominate in 'Chorizo de Le ³ '-manufacturing performed in different production plants. <i>Food Microbiology</i> , 2018, 70, 94-102.	4.2	41
14	Fecal Microbiota of Toxigenic <i>Clostridioides difficile</i> -Associated Diarrhea. <i>Frontiers in Microbiology</i> , 2018, 9, 3331.	3.5	30
15	<i>Escherichia coli</i> ST167 carrying plasmid mobilisable <i>mcr-1</i> and <i>bla</i> CTX-M-15 resistance determinants isolated from a human respiratory infection. <i>International Journal of Antimicrobial Agents</i> , 2017, 50, 285-286.	2.5	24
16	Daily thanatomicrobiome changes in soil as an approach of postmortem interval estimation: An ecological perspective. <i>Forensic Science International</i> , 2017, 278, 388-395.	2.2	47
17	Dynamics of the oral microbiota as a tool to estimate time since death. <i>Molecular Oral Microbiology</i> , 2017, 32, 511-516.	2.7	52
18	Co-occurrence of colistin-resistance genes <i>mcr-1</i> and <i>mcr-3</i> among multidrug-resistant <i>Escherichia coli</i> isolated from cattle, Spain, September 2015. <i>Eurosurveillance</i> , 2017, 22, .	7.0	100

#	ARTICLE	IF	CITATIONS
19	Propidium Monoazide Integrated with qPCR Enables the Detection and Enumeration of Infectious Enteric RNA and DNA Viruses in Clam and Fermented Sausages. <i>Frontiers in Microbiology</i> , 2016, 7, 2008.	3.5	20
20	Identifying Beneficial Qualities of <i>Trichoderma parareesei</i> for Plants. <i>Applied and Environmental Microbiology</i> , 2014, 80, 1864-1873.	3.1	124