Seon Mee Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3332836/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Appropriate waist circumference cutoff points for central obesity in Korean adults. Diabetes Research and Clinical Practice, 2007, 75, 72-80.	2.8	756
2	2014 Clinical Practice Guidelines for Overweight and Obesity in Korea. Endocrinology and Metabolism, 2014, 29, 405.	3.0	267
3	Effect of weight loss on some serum cytokines in human obesity: increase in IL-10 after weight loss. Journal of Nutritional Biochemistry, 2008, 19, 371-375.	4.2	157
4	Prevalence of prehypertension and hypertension in a Korean population: Korean National Health and Nutrition Survey 2001. Journal of Hypertension, 2006, 24, 1515-1521.	0.5	145
5	Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. PLoS Medicine, 2018, 15, e1002640.	8.4	106
6	Prevalence and cardiovascular disease risk of the metabolic syndrome using National Cholesterol Education Program and International Diabetes Federation definitions in the Korean population. Metabolism: Clinical and Experimental, 2007, 56, 552-558.	3.4	72
7	Relationship Between Bariatric Surgery and Bone Mineral Density: a Meta-analysis. Obesity Surgery, 2016, 26, 1414-1421.	2.1	59
8	Implication of liver enzymes on incident cardiovascular diseases and mortality: A nationwide population-based cohort study. Scientific Reports, 2018, 8, 3764.	3.3	59
9	Metformin prevents endoplasmic reticulum stress-induced apoptosis through AMPK-PI3K-c-Jun NH2 pathway. Biochemical and Biophysical Research Communications, 2012, 417, 147-152.	2.1	54
10	Body Weight Variability and the Risk of Cardiovascular Outcomes and Mortality in Patients With Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2020, 43, 2234-2241.	8.6	49
11	25-Hydroxyvitamin D insufficiency is associated with cardiometabolic risk in Korean adolescents: the 2008–2009 Korea National Health and Nutrition Examination Survey (KNHANES). Public Health Nutrition, 2014, 17, 186-194.	2.2	43
12	Change in Weight and Body Mass Index Associated With All-Cause Mortality in Korea: A Nationwide Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4041-4050.	3.6	43
13	Socioeconomic status and dyslipidemia in Korean adults: The 2008–2010 Korea National Health and Nutrition Examination Survey. Preventive Medicine, 2013, 57, 304-309.	3.4	42
14	Prevalence of Low HDL-Cholesterol Levels and Associated Factors Among Koreans. Circulation Journal, 2006, 70, 820-826.	1.6	38
15	Association of Metabolic Syndrome with White Blood Cell Subtype and Red Blood Cells. Endocrine Journal, 2006, 53, 133-139.	1.6	37
16	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. Diabetes and Metabolism Journal, 2020, 44, 113.	4.7	36
17	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes. Medicine (United States), 2019, 98, e16317.	1.0	34
18	Waist Circumference and All-Cause Mortality Independent of Body Mass Index in Korean Population from the National Health Insurance Health Checkup 2009–2015. Journal of Clinical Medicine, 2019, 8, 72.	2.4	33

#	Article	IF	CITATIONS
19	Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. Movement Disorders, 2019, 34, 1184-1191.	3.9	33
20	Lifestyle modification increases circulating adiponectin concentrations but does not change vaspin concentrations. Metabolism: Clinical and Experimental, 2011, 60, 1294-1299.	3.4	30
21	Estimate of a predictive cut-off value for serum 25-hydroxyvitamin D reflecting abdominal obesity in Korean adolescents. Nutrition Research, 2012, 32, 395-402.	2.9	29
22	Association between 24-h urinary sodium excretion and obesity in Korean adults: A multicenter study. Nutrition, 2017, 41, 113-119.	2.4	29
23	Hospitalization for heart failure incidence according to the transition in metabolic health and obesity status: a nationwide population-based study. Cardiovascular Diabetology, 2020, 19, 77.	6.8	29
24	Serum ferritin levels are positively associated with bone mineral density in elderly Korean men: the 2008–2010 Korea National Health and Nutrition Examination Surveys. Journal of Bone and Mineral Metabolism, 2014, 32, 683-690.	2.7	26
25	Relationship between Plasma Adiponectin Levels and the Metabolic Syndrome among Korean People. Endocrine Journal, 2006, 53, 247-254.	1.6	23
26	Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. British Journal of Cancer, 2019, 121, 271-277.	6.4	23
27	Acute myocardial infarction following scrub typhus infection. International Journal of Cardiology, 2007, 114, E18-E20.	1.7	21
28	Impact of the Dynamic Change of Metabolic Health Status on the Incident Type 2 Diabetes: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2019, 34, 406.	3.0	21
29	Association between adipocyte fatty acid–binding protein levels and childhood obesity in Korean children. Metabolism: Clinical and Experimental, 2009, 58, 798-802.	3.4	20
30	Serum AFBP levels are elevated in patients with nonalcoholic fatty liver disease. Scandinavian Journal of Gastroenterology, 2014, 49, 979-985.	1.5	19
31	Impact of body mass index and body weight variabilities on mortality: a nationwide cohort study. International Journal of Obesity, 2019, 43, 412-423.	3.4	19
32	Elevated vaspin and leptin levels are associated with obesity in prepubertal Korean children. Endocrine Journal, 2013, 60, 609-616.	1.6	17
33	Gammaâ€glutamyl transferase variability and risk of dementia: A nationwide study. International Journal of Geriatric Psychiatry, 2020, 35, 1105-1114.	2.7	17
34	Association between living alone and incident type 2 diabetes among middle-aged individuals in Korea: a nationwide cohort study. Scientific Reports, 2021, 11, 3659.	3.3	16
35	Gender specific effect of major dietary patterns on the metabolic syndrome risk in Korean pre-pubertal children. Nutrition Research and Practice, 2013, 7, 139.	1.9	11
36	Association of Urinary Sodium Excretion With Insulin Resistance in Korean Adolescents. Medicine (United States), 2016, 95, e3447.	1.0	11

#	Article	IF	CITATIONS
37	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. Scientific Reports, 2020, 10, 11668.	3.3	11
38	Apolipoprotein B is a better marker than non-HDL-cholesterol for the metabolic syndrome in Koreans. Atherosclerosis, 2008, 197, 333-338.	0.8	10
39	Gamma-Glutamyl Transferase Variability and Risk of Dementia in Diabetes Mellitus: A Nationwide Population-Based Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e119-e129.	3.6	10
40	Risk of typeÂ2 diabetes according to the cumulative exposure to metabolic syndrome or obesity: A nationwide populationâ€based study. Journal of Diabetes Investigation, 2020, 11, 1583-1593.	2.4	9
41	A Randomized, Double-Blind, Placebo-Controlled, Multi-Centered Clinical Study to Evaluate the Efficacy and Safety of <i>Artemisia annua</i> L. Extract for Improvement of Liver Function. Clinical Nutrition Research, 2020, 9, 258.	1.2	9
42	Increased incidence of bladder cancer with metabolically unhealthy status: analysis from the National Health Checkup database in Korea. Scientific Reports, 2020, 10, 6476.	3.3	8
43	Serum Osteocalcin Is Inversely Associated With Adipocyte-Specific Fatty Acid–Binding Protein in the Korean Metabolic Syndrome Research Initiatives. Diabetes Care, 2010, 33, e90-e90.	8.6	7
44	The relationship between Î ³ -glutamyltransferase and adiponectin in nonalcoholic women. Metabolism: Clinical and Experimental, 2007, 56, 578-582.	3.4	6
45	Abdominal Obesity Is Associated with Albuminuria in Women: The 2011 Korea National Health and Nutrition Examination Survey. Journal of Women's Health, 2014, 23, 267-274.	3.3	6
46	Association Between Coffee Consumption and Circulating Levels of Adiponectin and Leptin. Journal of Medicinal Food, 2017, 20, 1068-1075.	1.5	6
47	Regulation of Adiponectin Receptor 2 Expression via PPARALPHA. in NIT-1 Cells. Endocrine Journal, 2009, 56, 377-382.	1.6	5
48	Trends in lipid profiles among South Korean adults: 2005, 2008 and 2010 Korea National Health and Nutrition Examination Survey. Journal of Public Health, 2015, 37, 286-294.	1.8	5
49	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. Scientific Reports, 2020, 10, 15375.	3.3	5
50	Weight change and the incidence of heart failure in the Korean population: data from the National Health Insurance Health checkup 2005–2015. European Journal of Preventive Cardiology, 2022, 28, 1767-1773.	1.8	5
51	Changes in Physical Activity and the Risk of Dementia in Patients With New-Onset Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2022, 45, 1091-1098.	8.6	5
52	Prevalence and Related Risk Factors of Albuminuria in Korean Adults: The 2011 Korea National Health and Nutrition Examination Survey. Nephron Clinical Practice, 2013, 124, 232-238.	2.3	4
53	Relationship between urinary sodium-creatinine ratios and insulin resistance in Korean children and adolescents with obesity. Journal of Pediatric Endocrinology and Metabolism, 2018, 31, 375-383.	0.9	4
54	Associations between the type and number of chronic diseases and suicidal thoughts among Korean adults. Psychiatry Research, 2021, 296, 113694.	3.3	4

#	Article	IF	CITATIONS
55	Association of Smoking Status With the Risk of Type 2 Diabetes Among Young Adults: A Nationwide Cohort Study in South Korea. Nicotine and Tobacco Research, 2022, 24, 1234-1240.	2.6	4
56	Impact of waist circumference on the risk of vertebral fracture: A nationwide cohort study in South Korea. Bone, 2021, 145, 115870.	2.9	3
57	Association of Dynamic Changes in Metabolic Syndrome Status with the Risk of Parkinson's Disease: A Nationwide Cohort Study. Journal of Parkinson's Disease, 2021, 11, 1-9.	2.8	3
58	Analysis of the Time Interval between the Physician Order for Life-Sustaining Treatment Completion and Death. Korean Journal of Family Medicine, 2020, 41, 392-397.	1.2	3
59	Association of High-Density Lipoprotein Cholesterol Phenotypes with the Risk of Cardiovascular Diseases and Mortality: A Cohort Study in Korea. Endocrinology and Metabolism, 2022, 37, 261-271.	3.0	3
60	Dose-Related Association Between Urinary Cotinine-Verified Smoking Status and Dyslipidemia among Korean Men: The 2008–2010 Korea National Health and Nutrition Examination Survey. Substance Use and Misuse, 2014, 49, 1426-1436.	1.4	2
61	The Relationship between Body Mass Index and Smoking Cessation Plans in Korean Adults. Journal of Obesity and Metabolic Syndrome, 2017, 26, 281-286.	3.6	2
62	Risk Assessment of Mortality in Elderly Individuals: A Nationwide Cohort Study. Gerontology, 2022, 68, 1266-1275.	2.8	2
63	Corrigendum to ''Acute myocardial infarction following scrub typhus infection―[International Journal of Cardiology 114/1 (2007) e18–e20]. International Journal of Cardiology, 2007, 123, 73.	1.7	1
64	Reply to: Kidney Dysfunction and Risk of Parkinson's Disease: The Issue of Equations and Large Number― Movement Disorders, 2020, 35, 520-520.	3.9	1
65	The Association of Vitamin D Status and Dyslipidemia in Korean Adults Aged 40 Years and Older. Korean Journal of Family Practice, 2018, 8, 945-950.	0.3	1
66	Association between Vitamin D Levels and Metabolic Health in Adults with Type 2 Diabetes: The Korea National Health and Nutrition Examination Survey 2011–2012. Korean Journal of Family Practice, 2016, 6, 14-19.	0.3	0
67	Association between Pulse Pressure and Coronary Heart Disease in Korean Elderly: The 7th Korean National Health and Nutrition Examination Survey (2016-2018). Korean Journal of Clinical Geriatrics, 2021, 22, 86-92.	0.1	0
68	A Longitudinal Retrospective Observational Study on Obesity Indicators and the Risk of Impaired Fasting Glucose in Pre- and Postmenopausal Women. Journal of Clinical Medicine, 2022, 11, 2795.	2.4	0