

# Spyridon D Koutroubas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3334503/publications.pdf>

Version: 2024-02-01

55  
papers

2,264  
citations

331670

21  
h-index

233421

45  
g-index

56  
all docs

56  
docs citations

56  
times ranked

2413  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exogenous application of salicylic acid for regulation of sunflower growth under abiotic stress: a systematic review. <i>Biologia (Poland)</i> , 2022, 77, 1685-1697.	1.5	6
2	Weed Competition Effects on Growth and Yield of Spring-Sown White Lupine. <i>Horticulturae</i> , 2022, 8, 430.	2.8	7
3	Rice growth, assimilate translocation, and grain quality in response to salinity under Mediterranean conditions. <i>AIMS Agriculture and Food</i> , 2021, 6, 255-272.	1.6	7
4	Safflower assimilate remobilization, yield, and oil content in response to nitrogen availability, sowing time, and genotype. <i>Field Crops Research</i> , 2021, 274, 108313.	5.1	6
5	Weed control practices and awareness of herbicide resistance among cereal farmers of northern Greece. <i>Weed Technology</i> , 2020, 34, 909-915.	0.9	2
6	Sewage Sludge Influences Nitrogen Uptake, Translocation, and Use Efficiency in Sunflower. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 1912-1922.	3.4	10
7	Sunflower growth and yield response to sewage sludge application under contrasting water availability conditions. <i>Industrial Crops and Products</i> , 2020, 154, 112670.	5.2	28
8	Physiology and Yield of Confection Sunflower under Different Application Schemes of Mepiquat Chloride. <i>Agriculture (Switzerland)</i> , 2020, 10, 15.	3.1	1
9	Phosphorus and potassium uptake, translocation, and utilization efficiency in chickpea under Mediterranean conditions. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 116, 313-328.	2.2	4
10	Comparison of milk thistle ( <i>Silybum marianum</i> ) and cardoon ( <i>Cynara cardunculus</i> ) productivity for energy biomass under weedy and weed-free conditions. <i>European Journal of Agronomy</i> , 2019, 110, 125924.	4.1	10
11	Hydro-priming Effects on Seed Germination and Field Performance of Faba Bean in Spring Sowing. <i>Agriculture (Switzerland)</i> , 2019, 9, 201.	3.1	48
12	Drivers of Personal Safety in Agriculture: A Case Study with Pesticide Operators. <i>Agriculture (Switzerland)</i> , 2019, 9, 34.	3.1	37
13	Nitrogen Utilization and Yield Determination of Spring Mediterranean Chickpea as Influenced by Planting Date and Environmental Conditions. <i>International Journal of Plant Production</i> , 2019, 13, 59-72.	2.2	8
14	Weed control and selectivity in maize ( <i>Zea mays</i> L.) with tembotrione mixtures. <i>International Journal of Pest Management</i> , 2018, 64, 11-18.	1.8	12
15	Phenological development of natural populations of European field pansy ( <i>Viola</i> Tj ETQq1 1 0.784314 rgBT <sub>10</sub> /Overlogk 10 Tf 50		
16	Current Status and Recent Developments in Biopesticide Use. <i>Agriculture (Switzerland)</i> , 2018, 8, 13.	3.1	201
17	Farmers' behaviour in pesticide use: A key concept for improving environmental safety. <i>Current Opinion in Environmental Science and Health</i> , 2018, 4, 27-30.	4.1	61
18	Phosphorus Availability in <i>Lolium perenne</i> L. in Acidic and Limed Soils. <i>Communications in Soil Science and Plant Analysis</i> , 2017, 48, 1336-1342.	1.4	1

#	ARTICLE	IF	CITATIONS
19	Farmersâ€™ Training on Pesticide Use Is Associated with Elevated Safety Behavior. <i>Toxics</i> , 2017, 5, 19.	3.7	87
20	Sowing Date and Cultivar Effects on Assimilate Translocation in Spring Mediterranean Chickpea. <i>Agronomy Journal</i> , 2017, 109, 2011-2024.	1.8	18
21	Effect of Organic Manure on Wheat Grain Yield, Nutrient Accumulation, and Translocation. <i>Agronomy Journal</i> , 2016, 108, 615-625.	1.8	17
22	Farmersâ€™ Exposure to Pesticides: Toxicity Types and Ways of Prevention. <i>Toxics</i> , 2016, 4, 1.	3.7	378
23	Grain yield and nitrogen dynamics of Mediterranean barley and triticale. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 484-501.	2.6	11
24	ANNUAL GRASSES CONTROL WITH TOPRAMEZONE IN MIXTURE WITH ALS-INHIBITING HERBICIDES. <i>Planta Daninha</i> , 2015, 33, 509-519.	0.5	2
25	Sunflower response to repeated foliar applications of Paclobutrazol. <i>Planta Daninha</i> , 2015, 33, 129-135.	0.5	10
26	Nitrogen, Phosphorus, and Potassium Availability in Manure- and Sewage Sludgeâ€™Applied Soil. <i>Communications in Soil Science and Plant Analysis</i> , 2015, 46, 393-404.	1.4	44
27	Phosphorus Availability in Low-P and Acidic Soils as Affected by Liming and P Addition. <i>Communications in Soil Science and Plant Analysis</i> , 2015, 46, 1288-1298.	1.4	22
28	Common burdock ( <i>Arctium minus</i> ): a common weed of nonarable land in Orestiada, Greece. <i>Hellenic Plant Protection Journal</i> , 2015, 8, 15-20.	0.4	1
29	Growth, grain yield and nitrogen use efficiency of Mediterranean wheat in soils amended with municipal sewage sludge. <i>Nutrient Cycling in Agroecosystems</i> , 2014, 100, 227-243.	2.2	46
30	Determinants of farmersâ€™ decisions on pesticide use in oriental tobacco: a survey of common practices. <i>International Journal of Pest Management</i> , 2014, 60, 224-231.	1.8	19
31	Grain-filling patterns and nitrogen utilization efficiency of spelt ( <i>Triticum spelta</i> ) under Mediterranean conditions. <i>Journal of Agricultural Science</i> , 2014, 152, 716-730.	1.3	13
32	Development of a Simplified Model for Nitrogen Fertilizer Recommendation for Maize, Wheat, and Sunflower in Northern Greece. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 62-79.	1.4	0
33	Biomass and nitrogen accumulation and translocation in spelt ( <i>Triticum spelta</i> ) grown in a Mediterranean area. <i>Field Crops Research</i> , 2012, 127, 1-8.	5.1	62
34	Seed filling patterns of safflower: Genotypic and seasonal variations and association with other agronomic traits. <i>Industrial Crops and Products</i> , 2010, 31, 71-76.	5.2	27
35	Effects of ozone fumigation on cotton ( <i>Gossypium hirsutum</i> L.) morphology, anatomy, physiology, yield and qualitative characteristics of fibers. <i>Environmental and Experimental Botany</i> , 2009, 67, 293-303.	4.2	31
36	Phenotypic variation in physiological determinants of yield in spring sown safflower under Mediterranean conditions. <i>Field Crops Research</i> , 2009, 112, 199-204.	5.1	48

#	ARTICLE	IF	CITATIONS
37	Growth and nitrogen dynamics of spring chickpea genotypes in a Mediterranean-type climate. <i>Journal of Agricultural Science</i> , 2009, 147, 445-458.	1.3	14
38	Nitrogen utilisation efficiency and grain yield components of rice varieties grown under blast disease stress. <i>Australasian Plant Pathology</i> , 2008, 37, 53.	1.0	3
39	Nitrogen utilization efficiency of safflower hybrids and open-pollinated varieties under Mediterranean conditions. <i>Field Crops Research</i> , 2008, 107, 56-61.	5.1	23
40	A Comparison of Three Experimental Designs for the Field Assessment of Resistance to Rice Blast Disease ( <i>Pyricularia oryzae</i> ). <i>Journal of Phytopathology</i> , 2007, 155, 204-210.	1.0	6
41	A review of maize hybrids' dependence on high plant populations and its implications for crop yield stability. <i>Field Crops Research</i> , 2004, 88, 103-114.	5.1	229
42	Cultivar and seasonal effects on the contribution of pre-anthesis assimilates to safflower yield. <i>Field Crops Research</i> , 2004, 90, 263-274.	5.1	70
43	Grain quality variation and relationships with morpho-physiological traits in rice ( <i>Oryza sativa</i> L.) genetic resources in Europe. <i>Field Crops Research</i> , 2004, 86, 115-130.	5.1	69
44	Genotypic differences for grain yield and nitrogen utilization in Indica and Japonica rice under Mediterranean conditions. <i>Field Crops Research</i> , 2003, 83, 251-260.	5.1	120
45	Dry matter and N accumulation and translocation for Indica and Japonica rice under Mediterranean conditions. <i>Field Crops Research</i> , 2002, 74, 93-101.	5.1	197
46	Water Requirements for Castor Oil Crop ( <i>Ricinus communis</i> L.) in a Mediterranean Climate. <i>Journal of Agronomy and Crop Science</i> , 2000, 184, 33-41.	3.5	34
47	Competition of Barnyardgrass with Rice Varieties. <i>Journal of Agronomy and Crop Science</i> , 2000, 184, 241-246.	3.5	9
48	Nutrient Use Efficiency as a Factor Determining the Structure of Herbaceous Plant Communities in Low-Nutrient Environments. <i>Journal of Agronomy and Crop Science</i> , 2000, 184, 261-266.	3.5	12
49	Evaluation of rice for resistance to pink stem borer ( <i>Sesamia nonagrioides</i> Lefebvre). <i>Field Crops Research</i> , 2000, 66, 63-71.	5.1	13
50	Barnyardgrass ( <i>Echinochloa crus-galli</i> ) Control in Water-Seeded Rice ( <i>Oryza sativa</i> ) with Cyhalofop-butyl. <i>Weed Technology</i> , 2000, 14, 383-388.	0.9	26
51	Adaptation and yielding ability of castor plant ( <i>Ricinus communis</i> L.) genotypes in a Mediterranean climate. <i>European Journal of Agronomy</i> , 1999, 11, 227-237.	4.1	58
52	Estimation and Partitioning of Nitrogen Fixed by Soybean in Mediterranean Climates. <i>Journal of Agronomy and Crop Science</i> , 1998, 181, 137-144.	3.5	3
53	The importance of early dry matter and nitrogen accumulation in soybean yield. <i>European Journal of Agronomy</i> , 1998, 9, 1-10.	4.1	64
54	Nitrogen dynamics during the seed-filling period in safflower under dryland Mediterranean conditions. <i>Nutrient Cycling in Agroecosystems</i> , 0, , 1.	2.2	2

#	ARTICLE	IF	CITATIONS
55	Morpho-physiological responses of sunflower to foliar applications of chlormequat chloride (CCC). Bioscience Journal, 0, , 1493-1501.	0.4	8