Dolores Hernando

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3335975/dolores-hernando-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 66 5,778 39 h-index g-index citations papers 66 6,176 6.3 5.43 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
66	Identification and measurement of veterinary drug residues in beehive products. <i>Food Chemistry</i> , 2019 , 274, 61-70	8.5	41
65	Exploration of environmental contaminants in honeybees using GC-TOF-MS and GC-Orbitrap-MS. <i>Science of the Total Environment</i> , 2019 , 647, 232-244	10.2	37
64	Identification of non-intentionally added substances in food packaging nano films by gas and liquid chromatography coupled to orbitrap mass spectrometry. <i>Talanta</i> , 2017 , 172, 68-77	6.2	43
63	Screening of environmental contaminants in honey bee wax comb using gas chromatography-high-resolution time-of-flight mass spectrometry. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 4609-20	5.1	21
62	Determination of selected environmental contaminants in foraging honeybees. <i>Talanta</i> , 2016 , 148, 1-6	6.2	17
61	Characterization of non-intentionally added substances (NIAS) and zinc oxide nanoparticle release from evaluation of new antimicrobial food contact materials by both LC-QTOF-MS, GC-QTOF-MS and ICP-MS. <i>Analytical Methods</i> , 2016 , 8, 7209-7216	3.2	11
60	Application of zirconium dioxide nanoparticle sorbent for the clean-up step in post-harvest pesticide residue analysis. <i>Talanta</i> , 2015 , 144, 51-61	6.2	29
59	Microflow liquid chromatography coupled to mass spectrometryan approach to significantly increase sensitivity, decrease matrix effects, and reduce organic solvent usage in pesticide residue analysis. <i>Analytical Chemistry</i> , 2015 , 87, 1018-25	7.8	44
58	Post-acquisition data processing for the screening of transformation products of different organic contaminants. Two-year monitoring of river water using LC-ESI-QTOF-MS and GCxGC-EI-TOF-MS. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 12583-604	5.1	32
57	Fate and transformation products of amine-terminated PAMAM dendrimers under ozonation and irradiation. <i>Journal of Hazardous Materials</i> , 2014 , 266, 102-13	12.8	12
56	Simultaneous screening of targeted and non-targeted contaminants using an LC-QTOF-MS system and automated MS/MS library searching. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 878-93	2.2	36
55	Qualitative and quantitative analysis of poly(amidoamine) dendrimers in an aqueous matrix by liquid chromatography-electrospray ionization-hybrid quadrupole/time-of-flight mass spectrometry (LC-ESI-QTOF-MS). <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 5901-14	4.4	8
54	Identification and quantification of poly(amidoamine) PAMAM dendrimers of generations 0 to 3 by liquid chromatography/hybrid quadrupole time-of-flight mass spectrometry in aqueous medium. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 747-62	2.2	10
53	Automated dynamic headspace followed by a comprehensive two-dimensional gas chromatography full scan time-of-flight mass spectrometry method for screening of volatile organic compounds (VOCs) in water. <i>Analytical Methods</i> , 2013 , 5, 1165	3.2	12
52	Quantitative determination of poly(amidoamine) dendrimers in urine by liquid chromatography/electrospray ionization hybrid quadrupole linear ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 2519-2529	2.2	5
51	Investigation of Galaxolide degradation products generated under oxidative and irradiation processes by liquid chromatography/hybrid quadrupole time-of-flight mass spectrometry and comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry. <i>Rapid</i>	2.2	17
50	Occurrence and persistence of organic emerging contaminants and priority pollutants in five sewage treatment plants of Spain: two years pilot survey monitoring. <i>Environmental Pollution</i> , 2012 , 164, 267-73	9.3	305

(2007-2012)

49	Simultaneous measurement in mass and mass/mass mode for accurate qualitative and quantitative screening analysis of pharmaceuticals in river water. <i>Journal of Chromatography A</i> , 2012 , 1256, 80-8	4.5	54
48	In vitro dose-response effects of poly(amidoamine) dendrimers [amino-terminated and surface-modified with N-(2-hydroxydodecyl) groups] and quantitative determination by a liquid chromatography-hybrid quadrupole/time-of-flight mass spectrometry based method. <i>Analytical</i>	4.4	12
47	Environmental Risk Assessment of Emerging Pollutants in Water: Approaches Under Horizontal and Vertical EU Legislation. <i>Critical Reviews in Environmental Science and Technology</i> , 2011 , 41, 699-731	11.1	32
46	Evaluation of selected ubiquitous contaminants in the aquatic environment and their transformation products. A pilot study of their removal from a sewage treatment plant. <i>Water Research</i> , 2011 , 45, 2331-41	12.5	41
45	Development of a solvent-free method for the simultaneous identification/quantification of drugs of abuse and their metabolites in environmental water by LC-MS/MS. <i>Talanta</i> , 2011 , 85, 157-66	6.2	79
44	Chemical and ecotoxicological assessment of poly(amidoamine) dendrimers in the aquatic environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 492-506	14.6	25
43	Determination of malachite green residues in fish using molecularly imprinted solid-phase extraction followed by liquid chromatography-linear ion trap mass spectrometry. <i>Analytica Chimica Acta</i> , 2010 , 665, 47-54	6.6	100
42	Evaluation of various liquid chromatography-quadrupole-linear ion trap-mass spectrometry operation modes applied to the analysis of organic pollutants in wastewaters. <i>Journal of Chromatography A</i> , 2009 , 1216, 5995-6002	4.5	57
41	Application of passive sampling devices for screening of micro-pollutants in marine aquaculture using LC-MS/MS. <i>Talanta</i> , 2009 , 77, 1518-27	6.2	91
40	Analysis and occurrence of pharmaceuticals, estrogens, progestogens and polar pesticides in sewage treatment plant effluents, river water and drinking water in the Llobregat river basin (Barcelona, Spain). <i>Journal of Hydrology</i> , 2008 , 358, 112-123	6	293
39	Removal of pharmaceuticals and kinetics of mineralization by O(3)/H(2)O(2) in a biotreated municipal wastewater. <i>Water Research</i> , 2008 , 42, 3719-28	12.5	127
38	Evaluation of ozone-based treatment processes for wastewater containing microcontaminants using LC-QTRAP-MS and LC-TOF/MS. <i>Water Science and Technology</i> , 2008 , 57, 41-8	2.2	6
37	Identification of photocatalytic degradation products of bezafibrate in TiO(2) aqueous suspensions by liquid and gas chromatography. <i>Journal of Chromatography A</i> , 2008 , 1183, 38-48	4.5	47
36	Large scale pesticide multiresidue methods in food combining liquid chromatographytime-of-flight mass spectrometry and tandem mass spectrometry. <i>Analytical Chemistry</i> , 2007 , 79, 7308-23	7.8	106
35	LC-MS analysis of basic pharmaceuticals (beta-blockers and anti-ulcer agents) in wastewater and surface water. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 581-594	14.6	90
34	Comprehensive screening of target, non-target and unknown pesticides in food by LC-TOF-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 828-841	14.6	113
33	Fast separation liquid chromatography-tandem mass spectrometry for the confirmation and quantitative analysis of avermectin residues in food. <i>Journal of Chromatography A</i> , 2007 , 1155, 62-73	4.5	48
32	LC-MS analysis and environmental risk of lipid regulators. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1269-85	4.4	51

31	Application of high-performance liquid chromatography-tandem mass spectrometry with a quadrupole/linear ion trap instrument for the analysis of pesticide residues in olive oil. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 389, 1815-31	4.4	66
30	Comparison of sulfonated and other micropollutants removal in membrane bioreactor and conventional wastewater treatment. <i>Water Research</i> , 2007 , 41, 935-45	12.5	101
29	Application of liquid chromatography/quadrupole-linear Ion trap mass spectrometry and time-of-flight mass spectrometry to the determination of pharmaceuticals and related contaminants in wastewater. <i>Analytical Chemistry</i> , 2007 , 79, 9372-84	7.8	258
28	Trace-level determination of pharmaceutical residues by LC-MS/MS in natural and treated waters. A pilot-survey study. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 385, 985-91	4.4	99
27	Photolysis and photocatalysis of bisphenol A: identification of degradation products by liquid chromatography with electrospray ionization/time-of-flight/mass spectrometry (LC/ESI/ToF/MS). <i>Food Additives and Contaminants</i> , 2006 , 23, 1242-51		20
26	Environmental risk assessment of pharmaceutical residues in wastewater effluents, surface waters and sediments. <i>Talanta</i> , 2006 , 69, 334-42	6.2	1055
25	Application of ring study: water toxicity determinations by bioluminescence assay with Vibrio fischeri. <i>Talanta</i> , 2006 , 69, 370-6	6.2	29
24	European ring exercise on water toxicity using different bioluminescence inhibition tests based on Vibrio fischeri, in support to the implementation of the water framework directive. <i>Talanta</i> , 2006 , 69, 323-33	6.2	22
23	Liquid chromatography with time-of-flight mass spectrometry for simultaneous determination of chemotherapeutant residues in salmon. <i>Analytica Chimica Acta</i> , 2006 , 562, 176-184	6.6	81
22	Toxicity assays applied to wastewater treatment. <i>Talanta</i> , 2005 , 65, 358-66	6.2	119
21	Liquid chromatography-tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review. <i>Journal of Chromatography A</i> , 2005 , 1067, 1-14	4.5	484
20	Liquid chromatography/time-of-flight mass spectrometric analyses for the elucidation of the photodegradation products of triclosan in wastewater samples. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 443-50	2.2	65
19	Comparative study of analytical methods involving gas chromatography-mass spectrometry after derivatization and gas chromatography-tandem mass spectrometry for the determination of selected endocrine disrupting compounds in wastewaters. <i>Journal of Chromatography A</i> , 2004 ,	4.5	99
18	1047, 129-35 Evidence of 2,7/2,8-dibenzodichloro-p-dioxin as a photodegradation product of triclosan in water and wastewater samples. <i>Analytica Chimica Acta</i> , 2004 , 524, 241-247	6.6	163
17	Application of GC-MS and GC-AED to the evaluation of by-products formed by solar photo-fenton degradation of Methyl tert-butyl ether in water. <i>International Journal of Environmental Analytical Chemistry</i> , 2004 , 84, 149-159	1.8	14
16	Determination of methyl tertbutyl ether and tertbutyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection. <i>Journal of Chromatography A</i> , 2003 , 999, 81-90	4.5	18
15	Photocatalytic treatment of diuron by solar photocatalysis: evaluation of main intermediates and toxicity. <i>Environmental Science & Environmental Scie</i>	10.3	127
14	Combined toxicity effects of MTBE and pesticides measured with Vibrio fischeri and Daphnia magna bioassays. <i>Water Research</i> , 2003 , 37, 4091-8	12.5	78

LIST OF PUBLICATIONS

13	Toxicity of single and mixed contaminants in seawater measured with acute toxicity bioassays. <i>Scientific World Journal, The</i> , 2002 , 2, 1115-20	2.2	17
12	Chromatography-mass spectrometry and toxicity evaluation of selected contaminants in seawater. <i>Chromatographia</i> , 2002 , 56, 199-206	2.1	10
11	Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays. <i>Analytica Chimica Acta</i> , 2002 , 451, 195-202	6.6	41
10	Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays. <i>Analytica Chimica Acta</i> , 2002 , 456, 303-312	6.6	192
9	Toxicity assays: a way for evaluating AOPs efficiency. Water Research, 2002, 36, 4255-62	12.5	118
8	Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection. <i>Journal of Chromatography A</i> , 2001 , 938, 103-11	4.5	29
7	Toxicity of pesticides in wastewater: a comparative assessment of rapid bioassays. <i>Analytica Chimica Acta</i> , 2001 , 426, 289-301	6.6	56
6	Degradation of imidacloprid in water by photo-Fenton and TiO2 photocatalysis at a solar pilot plant: a comparative study. <i>Environmental Science & Environmental Science & Env</i>	10.3	155
5	Gas chromatographic determination of pesticides in vegetable samples by sequential positive and negative chemical ionization and tandem mass spectrometric fragmentation using an ion trap analyser. <i>Analyst, The</i> , 2001 , 126, 46-51	5	43
4	Occurrence of antifouling biocides in the Spanish Mediterranean marine environment. <i>Environmental Technology (United Kingdom)</i> , 2001 , 22, 543-52	2.6	65
3	Multiresidue method for the analysis of five antifouling agents in marine and coastal waters by gas chromatography-mass spectrometry with large-volume injection. <i>Journal of Chromatography A</i> , 2000 , 889, 261-9	4.5	35
2	Screening of antifouling pesticides in sea water samples at low ppt levels by GC-MS and LC-MS. <i>Chromatographia</i> , 2000 , 52, 631-638	2.1	26
1	Splitless large-volume GC-MS injection for the analysis of organophosphorus and organochlorine pesticides in vegetables using a miniaturised ethyl acetate extraction. <i>Analyst, The,</i> 2000 , 125, 1397-402	5	41