

Jun He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3336042/publications.pdf>

Version: 2024-02-01

288
papers

6,948
citations

70961

41
h-index

138251

58
g-index

295
all docs

295
docs citations

295
times ranked

6399
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Dietary fibre affects intestinal mucosal barrier function and regulates intestinal bacteria in weaning piglets. <i>British Journal of Nutrition</i> , 2013, 110, 1837-1848. | 1.2 | 194 |
| 2 | <i>ETHYLENE RESPONSE FACTOR 74</i> (<i>ERF74</i>) plays an essential role in controlling a respiratory burst oxidase homolog D (<i>RbohD</i>)-dependent mechanism in response to different stresses in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2017, 213, 1667-1681. | 3.5 | 177 |
| 3 | Dietary resveratrol supplementation improves meat quality of finishing pigs through changing muscle fiber characteristics and antioxidative status. <i>Meat Science</i> , 2015, 102, 15-21. | 2.7 | 159 |
| 4 | Chlorogenic acid improves intestinal barrier functions by suppressing mucosa inflammation and improving antioxidant capacity in weaned pigs. <i>Journal of Nutritional Biochemistry</i> , 2018, 59, 84-92. | 1.9 | 116 |
| 5 | Oxidative stress-induced diseases and tea polyphenols. <i>Oncotarget</i> , 2017, 8, 81649-81661. | 0.8 | 106 |
| 6 | Fungi in Gastrointestinal Tracts of Human and Mice: from Community to Functions. <i>Microbial Ecology</i> , 2018, 75, 821-829. | 1.4 | 94 |
| 7 | Dietary chlorogenic acid improves growth performance of weaned pigs through maintaining antioxidant capacity and intestinal digestion and absorption function. <i>Journal of Animal Science</i> , 2018, 96, 1108-1118. | 0.2 | 91 |
| 8 | Gut microbiota can transfer fiber characteristics and lipid metabolic profiles of skeletal muscle from pigs to germ-free mice. <i>Scientific Reports</i> , 2016, 6, 31786. | 1.6 | 86 |
| 9 | Solid state fermentation of rapeseed cake with <i>Aspergillus niger</i> for degrading glucosinolates and upgrading nutritional value. <i>Journal of Animal Science and Biotechnology</i> , 2015, 6, 13. | 2.1 | 81 |
| 10 | New insights into the role of chitosan oligosaccharide in enhancing growth performance, antioxidant capacity, immunity and intestinal development of weaned pigs. <i>RSC Advances</i> , 2017, 7, 9669-9679. | 1.7 | 78 |
| 11 | Dietary chlorogenic acid supplementation affects gut morphology, antioxidant capacity and intestinal selected bacterial populations in weaned piglets. <i>Food and Function</i> , 2018, 9, 4968-4978. | 2.1 | 76 |
| 12 | Dietary <i>Lactobacillus rhamnosus</i> GG Supplementation Improves the Mucosal Barrier Function in the Intestine of Weaned Piglets Challenged by Porcine Rotavirus. <i>PLoS ONE</i> , 2016, 11, e0146312. | 1.1 | 74 |
| 13 | Expression of endo-1, 4-beta-xylanase from <i>Trichoderma reesei</i> in <i>Pichia pastoris</i> and functional characterization of the produced enzyme. <i>BMC Biotechnology</i> , 2009, 9, 56. | 1.7 | 67 |
| 14 | Effects of dietary supplementation with benzoic acid on intestinal morphological structure and microflora in weaned piglets. <i>Livestock Science</i> , 2014, 167, 249-256. | 0.6 | 66 |
| 15 | Synthesis and antibacterial and antiviral activities of myricetin derivatives containing a 1,2,4-triazole Schiff base. <i>RSC Advances</i> , 2019, 9, 23045-23052. | 1.7 | 65 |
| 16 | Dietary influences on the secretion into and degradation of mucin in the digestive tract of monogastric animals and humans. <i>Journal of Animal and Feed Sciences</i> , 2001, 10, 223-245. | 0.4 | 64 |
| 17 | Synthesis and characterization of Cu ₂ ZnSnS ₄ thin films by the sulfurization of co-electrodeposited Cu-Zn-S precursor layers for solar cell applications. <i>RSC Advances</i> , 2014, 4, 23977-23984. | 1.7 | 63 |
| 18 | Novel chalcone derivatives containing a 1,2,4-triazine moiety: design, synthesis, antibacterial and antiviral activities. <i>RSC Advances</i> , 2019, 9, 6011-6020. | 1.7 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Arginine metabolism and its protective effects on intestinal health and functions in weaned piglets under oxidative stress induced by diquat. <i>British Journal of Nutrition</i> , 2017, 117, 1495-1502. | 1.2 | 62 |
| 20 | Protective effects of dietary arginine supplementation against oxidative stress in weaned piglets. <i>British Journal of Nutrition</i> , 2013, 109, 2253-2260. | 1.2 | 61 |
| 21 | Impact of fiber types on gut microbiota, gut environment and gut function in fattening pigs. <i>Animal Feed Science and Technology</i> , 2014, 195, 101-111. | 1.1 | 58 |
| 22 | Resveratrol regulates muscle fiber type conversion via miR-22-3p and AMPK/SIRT1/PGC-1 β pathway. <i>Journal of Nutritional Biochemistry</i> , 2020, 77, 108297. | 1.9 | 56 |
| 23 | The effect of dietary tryptophan levels on oxidative stress of liver induced by diquat in weaned piglets. <i>Journal of Animal Science and Biotechnology</i> , 2014, 5, 49. | 2.1 | 55 |
| 24 | Intestinal microbiota could transfer host Gut characteristics from pigs to mice. <i>BMC Microbiology</i> , 2016, 16, 238. | 1.3 | 54 |
| 25 | Catalytic Asymmetric Homologation of Ketones with α -Alkyl α -Diazo Esters. <i>Journal of the American Chemical Society</i> , 2021, 143, 2394-2402. | 6.6 | 53 |
| 26 | Effect of dietary tea polyphenols on growth performance and cell-mediated immune response of post-weaning piglets under oxidative stress. <i>Archives of Animal Nutrition</i> , 2010, 64, 12-21. | 0.9 | 52 |
| 27 | Effects of Benzoic Acid and Thymol on Growth Performance and Gut Characteristics of Weaned Piglets. <i>Asian-Australasian Journal of Animal Sciences</i> , 2015, 28, 827-839. | 2.4 | 51 |
| 28 | Effects of benzoic acid (VevoVital \AA) on the performance and jejunal digestive physiology in young pigs. <i>Journal of Animal Science and Biotechnology</i> , 2016, 7, 32. | 2.1 | 50 |
| 29 | Iron-Catalyzed Enantioselective Radical Carboazidation and Diazidation of α,β -Unsaturated Carbonyl Compounds. <i>Journal of the American Chemical Society</i> , 2021, 143, 11856-11863. | 6.6 | 50 |
| 30 | Benzoic acid beneficially affects growth performance of weaned pigs which was associated with changes in gut bacterial populations, morphology indices and growth factor gene expression. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2017, 101, 1137-1146. | 1.0 | 49 |
| 31 | Effects of dietary grape seed proanthocyanidin extract supplementation on meat quality, muscle fiber characteristics and antioxidant capacity of finishing pigs. <i>Food Chemistry</i> , 2022, 367, 130781. | 4.2 | 49 |
| 32 | Vitamin D 3 supplementation alleviates rotavirus infection in pigs and IPEC-J2 cells via regulating the autophagy signaling pathway. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 163, 157-163. | 1.2 | 48 |
| 33 | Benzoic Acid Used as Food and Feed Additives Can Regulate Gut Functions. <i>BioMed Research International</i> , 2019, 2019, 1-6. | 0.9 | 48 |
| 34 | Alginate oligosaccharide-induced intestinal morphology, barrier function and epithelium apoptosis modifications have beneficial effects on the growth performance of weaned pigs. <i>Journal of Animal Science and Biotechnology</i> , 2018, 9, 58. | 2.1 | 47 |
| 35 | Effects of plant essential oil supplementation on growth performance, immune function and antioxidant activities in weaned pigs. <i>Lipids in Health and Disease</i> , 2018, 17, 139. | 1.2 | 47 |
| 36 | Changes of porcine gut microbiota in response to dietary chlorogenic acid supplementation. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 8157-8168. | 1.7 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Butyrate promotes slow-twitch myofiber formation and mitochondrial biogenesis in finishing pigs via inducing specific microRNAs and PGC-1 β expression. <i>Journal of Animal Science</i> , 2019, 97, 3180-3192. | 0.2 | 47 |
| 38 | Design, synthesis and antibacterial activities against <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> , <i>Xanthomonas axonopodis</i> pv. <i>Citri</i> and <i>Ralstonia solanacearum</i> of novel myricetin derivatives containing sulfonamide moiety. <i>Pest Management Science</i> , 2020, 76, 853-860. | 1.7 | 47 |
| 39 | Cu ₂ ZnSnS ₄ thin film solar cell utilizing rapid thermal process of precursors sputtered from a quaternary target: a promising application in industrial processes. <i>RSC Advances</i> , 2014, 4, 43080-43086. | 1.7 | 46 |
| 40 | Alginate oligosaccharide enhances intestinal integrity of weaned pigs through altering intestinal inflammatory responses and antioxidant status. <i>RSC Advances</i> , 2018, 8, 13482-13492. | 1.7 | 46 |
| 41 | Effects of alginate oligosaccharide on the growth performance, antioxidant capacity and intestinal digestion-absorption function in weaned pigs. <i>Animal Feed Science and Technology</i> , 2017, 234, 118-127. | 1.1 | 45 |
| 42 | Dietary vitamin D supplementation attenuates immune responses of pigs challenged with rotavirus potentially through the retinoic acid-inducible gene I signalling pathway. <i>British Journal of Nutrition</i> , 2014, 112, 381-389. | 1.2 | 44 |
| 43 | Spray-dried chicken plasma improves intestinal digestive function and regulates intestinal selected microflora in weaning piglets. <i>Journal of Animal Science</i> , 2015, 93, 2967-2976. | 0.2 | 44 |
| 44 | Chlorogenic Acid Improves Intestinal Development via Suppressing Mucosa Inflammation and Cell Apoptosis in Weaned Pigs. <i>ACS Omega</i> , 2018, 3, 2211-2219. | 1.6 | 44 |
| 45 | Effects of <i>Bacillus subtilis</i> DSM32315 supplementation and dietary crude protein level on performance, gut barrier function and microbiota profile in weaned piglets. <i>Journal of Animal Science</i> , 2019, 97, 2125-2138. | 0.2 | 44 |
| 46 | Effects of soluble and insoluble dietary fiber supplementation on growth performance, nutrient digestibility, intestinal microbe and barrier function in weaning piglet. <i>Animal Feed Science and Technology</i> , 2020, 260, 114335. | 1.1 | 44 |
| 47 | Tannic acid prevents post-weaning diarrhea by improving intestinal barrier integrity and function in weaned piglets. <i>Journal of Animal Science and Biotechnology</i> , 2020, 11, 87. | 2.1 | 43 |
| 48 | Physicochemical Properties Analysis and Secretome of <i>Aspergillus niger</i> in Fermented Rapeseed Meal. <i>PLoS ONE</i> , 2016, 11, e0153230. | 1.1 | 41 |
| 49 | Soluble Fiber and Insoluble Fiber Regulate Colonic Microbiota and Barrier Function in a Piglet Model. <i>BioMed Research International</i> , 2019, 2019, 1-12. | 0.9 | 40 |
| 50 | Early Gut Microbiota Intervention Suppresses DSS-Induced Inflammatory Responses by Deactivating TLR/NLR Signalling in Pigs. <i>Scientific Reports</i> , 2017, 7, 3224. | 1.6 | 39 |
| 51 | Effects of <i>Aspergillus niger</i> fermented rapeseed meal on nutrient digestibility, growth performance and serum parameters in growing pigs. <i>Animal Science Journal</i> , 2016, 87, 557-563. | 0.6 | 38 |
| 52 | Alginic acid oligosaccharide accelerates weaned pig growth through regulating antioxidant capacity, immunity and intestinal development. <i>RSC Advances</i> , 2016, 6, 87026-87035. | 1.7 | 37 |
| 53 | Oral administration of short chain fatty acids could attenuate fat deposition of pigs. <i>PLoS ONE</i> , 2018, 13, e0196867. | 1.1 | 37 |
| 54 | Regulation of skeletal myogenesis by microRNAs. <i>Journal of Cellular Physiology</i> , 2020, 235, 87-104. | 2.0 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of benzoic acid, <i>Bacillus coagulans</i> and oregano oil combined supplementation on growth performance, immune status and intestinal barrier integrity of weaned piglets. <i>Animal Nutrition</i> , 2020, 6, 152-159. | 2.1 | 37 |
| 56 | Zn ²⁺ and l-isoleucine induce the expressions of porcine β -defensins in IPEC-J2 cells. <i>Molecular Biology Reports</i> , 2013, 40, 1547-1552. | 1.0 | 35 |
| 57 | Optimization of Microwave-Assisted Extraction of Tea Saponin and Its Application on Cleaning of Historic Silks. <i>Journal of Surfactants and Detergents</i> , 2014, 17, 919-928. | 1.0 | 35 |
| 58 | Recombinant plectasin elicits similar improvements in the performance and intestinal mucosa growth and activity in weaned pigs as an antibiotic. <i>Animal Feed Science and Technology</i> , 2016, 211, 216-226. | 1.1 | 35 |
| 59 | l-Isoleucine Administration Alleviates Rotavirus Infection and Immune Response in the Weaned Piglet Model. <i>Frontiers in Immunology</i> , 2018, 9, 1654. | 2.2 | 35 |
| 60 | Differential expression of lipid metabolism-related genes and myosin heavy chain isoform genes in pig muscle tissue leading to different meat quality. <i>Animal</i> , 2015, 9, 1073-1080. | 1.3 | 34 |
| 61 | Comparisons of the micronization, steam explosion, and gamma irradiation treatment on chemical composition, structure, physicochemical properties, and in vitro digestibility of dietary fiber from soybean hulls. <i>Food Chemistry</i> , 2022, 366, 130618. | 4.2 | 34 |
| 62 | Dietary arginine supplementation alleviates immune challenge induced by <i>Salmonella enterica</i> serovar <i>Choleraesuis</i> bacterin potentially through the Toll-like receptor 4-myeloid differentiation factor 88 signalling pathway in weaned piglets. <i>British Journal of Nutrition</i> , 2012, 108, 1069-1076. | 1.2 | 33 |
| 63 | Effect of dietary supplementation of <i>Bacillus coagulans</i> or yeast hydrolysates on growth performance, antioxidant activity, cytokines and intestinal microflora of growing-finishing pigs. <i>Animal Nutrition</i> , 2019, 5, 366-372. | 2.1 | 33 |
| 64 | Effects of dietary mannan oligosaccharide supplementation on performance and immune response of sows and their offspring. <i>Animal Feed Science and Technology</i> , 2016, 218, 17-25. | 1.1 | 32 |
| 65 | Adaptation of gut microbiome to different dietary nonstarch polysaccharide fractions in a porcine model. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700012. | 1.5 | 32 |
| 66 | MicroRNA-499-5p regulates skeletal myofiber specification via NFATc1/MEF2C pathway and Thrap1/MEF2C axis. <i>Life Sciences</i> , 2018, 215, 236-245. | 2.0 | 32 |
| 67 | Synthesis, antiviral and antibacterial activities and action mechanism of penta-1,4-dien-3-one oxime ether derivatives containing a quinoxaline moiety. <i>New Journal of Chemistry</i> , 2019, 43, 16461-16467. | 1.4 | 32 |
| 68 | Transmissible gastroenteritis virus targets Paneth cells to inhibit the self-renewal and differentiation of Lgr5 intestinal stem cells via Notch signaling. <i>Cell Death and Disease</i> , 2020, 11, 40. | 2.7 | 32 |
| 69 | Biological activity evaluation and action mechanism of chalcone derivatives containing thiophene sulfonate. <i>RSC Advances</i> , 2019, 9, 24942-24950. | 1.7 | 31 |
| 70 | Amelioration of Enterotoxigenic <i>Escherichia coli</i> -Induced Intestinal Barrier Disruption by Low-Molecular-Weight Chitosan in Weaned Pigs is Related to Suppressed Intestinal Inflammation and Apoptosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3485. | 1.8 | 31 |
| 71 | Selenium-Enriched Yeast Alleviates Oxidative Stress-Induced Intestinal Mucosa Disruption in Weaned Pigs. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-11. | 1.9 | 31 |
| 72 | Long-Term Intake of Pea Fiber Affects Colonic Barrier Function, Bacterial and Transcriptional Profile in Pig Model. <i>Nutrition and Cancer</i> , 2014, 66, 388-399. | 0.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Dietary Leucine Supplementation Improves the Mucin Production in the Jejunal Mucosa of the Weaned Pigs Challenged by Porcine Rotavirus. <i>PLoS ONE</i> , 2015, 10, e0137380. | 1.1 | 30 |
| 74 | Dietary pea fibre alters the microbial community and fermentation with increase in fibre degradation-associated bacterial groups in the colon of pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018, 102, e254-e261. | 1.0 | 30 |
| 75 | Lentinan administration relieves gut barrier dysfunction induced by rotavirus in a weaned piglet model. <i>Food and Function</i> , 2019, 10, 2094-2101. | 2.1 | 30 |
| 76 | Dietary Ferulic Acid Supplementation Improves Antioxidant Capacity and Lipid Metabolism in Weaned Piglets. <i>Nutrients</i> , 2020, 12, 3811. | 1.7 | 30 |
| 77 | Grape seed proanthocyanidin extract promotes skeletal muscle fiber type transformation via AMPK signaling pathway. <i>Journal of Nutritional Biochemistry</i> , 2020, 84, 108462. | 1.9 | 30 |
| 78 | Small polaron migration associated multiple dielectric responses of multiferroic DyMnO ₃ polycrystal in low temperature region. <i>Applied Physics Letters</i> , 2012, 101, . | 1.5 | 29 |
| 79 | Dietary Pectic Oligosaccharide Administration Improves Growth Performance and Immunity in Weaned Pigs Infected by Rotavirus. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2923-2929. | 2.4 | 29 |
| 80 | Effect of different dietary non-starch fiber fractions on growth performance, nutrient digestibility, and intestinal development in weaned pigs. <i>Nutrition</i> , 2018, 51-52, 20-28. | 1.1 | 29 |
| 81 | Protective Effects of Benzoic Acid, <i>Bacillus</i> Coagulans, and Oregano Oil on Intestinal Injury Caused by Enterotoxigenic <i>Escherichia coli</i> in Weaned Piglets. <i>BioMed Research International</i> , 2018, 2018, 1-12. | 0.9 | 29 |
| 82 | Procyanidin B2 Promotes Skeletal Slow-Twitch Myofiber Gene Expression through the AMPK Signaling Pathway in C2C12 Myotubes. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 1306-1314. | 2.4 | 29 |
| 83 | The preparation, and structural and multiferroic properties of B-site ordered double-perovskite Bi ₂ FeMnO ₆ . <i>Journal of Materials Chemistry C</i> , 2017, 5, 5494-5500. | 2.7 | 28 |
| 84 | Leucine promotes porcine myofibre type transformation from fast-twitch to slow-twitch through the protein kinase B (Akt)/forkhead box 1 signalling pathway and microRNA-27a. <i>British Journal of Nutrition</i> , 2019, 121, 1-8. | 1.2 | 28 |
| 85 | The Coix Genome Provides Insights into Panicoideae Evolution and Papery Hull Domestication. <i>Molecular Plant</i> , 2020, 13, 309-320. | 3.9 | 28 |
| 86 | Cost-effective lignocellulolytic enzyme production by <i>Trichoderma reesei</i> on a cane molasses medium. <i>Biotechnology for Biofuels</i> , 2014, 7, 43. | 6.2 | 27 |
| 87 | Mannan oligosaccharide supplementation in diets of sow and (or) their offspring improved immunity and regulated intestinal bacteria in piglet1. <i>Journal of Animal Science</i> , 2019, 97, 4548-4556. | 0.2 | 27 |
| 88 | Capsulized faecal microbiota transplantation ameliorates post-weaning diarrhoea by modulating the gut microbiota in piglets. <i>Veterinary Research</i> , 2020, 51, 55. | 1.1 | 27 |
| 89 | Dietary apple pectic oligosaccharide improves gut barrier function of rotavirus-challenged weaned pigs by increasing antioxidant capacity of enterocytes. <i>Oncotarget</i> , 2017, 8, 92420-92430. | 0.8 | 27 |
| 90 | Dietary spray-dried chicken plasma improves intestinal barrier function and modulates immune status in weaning piglets1. <i>Journal of Animal Science</i> , 2016, 94, 173-184. | 0.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Dietary chitosan oligosaccharide supplementation improves foetal survival and reproductive performance in multiparous sows. <i>RSC Advances</i> , 2016, 6, 70715-70722. | 1.7 | 26 |
| 92 | Alginate oligosaccharide alleviates enterotoxigenic <i>Escherichia coli</i> -induced intestinal mucosal disruption in weaned pigs. <i>Food and Function</i> , 2018, 9, 6401-6413. | 2.1 | 26 |
| 93 | Chlorogenic Acid Attenuates Oxidative Stress-Induced Intestinal Epithelium Injury by Co-Regulating the PI3K/Akt and $\text{I}\kappa\text{B}/\text{NF-}\kappa\text{B}$ Signaling. <i>Antioxidants</i> , 2021, 10, 1915. | 2.2 | 26 |
| 94 | Functional characterisation of a recombinant xylanase from <i>Pichia pastoris</i> and effect of the enzyme on nutrient digestibility in weaned pigs. <i>British Journal of Nutrition</i> , 2010, 103, 1507-1513. | 1.2 | 25 |
| 95 | Effects of vitamin E and selenium yeast on growth performance and immune function in ducks fed maize naturally contaminated with aflatoxin B1. <i>Livestock Science</i> , 2013, 152, 200-207. | 0.6 | 25 |
| 96 | Sex- and afferent-specific differences in histamine receptor expression in vagal afferents of rats: A potential mechanism for sexual dimorphism in prevalence and severity of asthma. <i>Neuroscience</i> , 2015, 303, 166-177. | 1.1 | 25 |
| 97 | Responses in ileal and cecal bacteria to low and high amylose/amylopectin ratio diets in growing pigs. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 10627-10638. | 1.7 | 25 |
| 98 | Tea and Its Components Prevent Cancer: A Review of the Redox-Related Mechanism. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5249. | 1.8 | 25 |
| 99 | Effect of different dietary protein levels and amino acids supplementation patterns on growth performance, carcass characteristics and nitrogen excretion in growing-finishing pigs. <i>Journal of Animal Science and Biotechnology</i> , 2019, 10, 75. | 2.1 | 25 |
| 100 | Dietary protein levels and amino acid supplementation patterns alter the composition and functions of colonic microbiota in pigs. <i>Animal Nutrition</i> , 2020, 6, 143-151. | 2.1 | 25 |
| 101 | Dietary lycopene supplementation improves meat quality, antioxidant capacity and skeletal muscle fiber type transformation in finishing pigs. <i>Animal Nutrition</i> , 2022, 8, 256-264. | 2.1 | 25 |
| 102 | Postnatal high-fat diet enhances ectopic fat deposition in pigs with intrauterine growth retardation. <i>European Journal of Nutrition</i> , 2017, 56, 483-490. | 1.8 | 24 |
| 103 | Effects of maize naturally contaminated with aflatoxin B1 on growth performance, intestinal morphology, and digestive physiology in ducks. <i>Poultry Science</i> , 2017, 96, 1948-1955. | 1.5 | 24 |
| 104 | Stimulation of intestinal growth with distal ileal infusion of short-chain fatty acid: a reevaluation in a pig model. <i>RSC Advances</i> , 2017, 7, 30792-30806. | 1.7 | 24 |
| 105 | Asymmetric Catalytic Vinylogous Addition Reactions Initiated by Meinwald Rearrangement of Vinyl Epoxides. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14521-14527. | 7.2 | 24 |
| 106 | Asymmetric catalytic 1,3-dipolar cycloaddition of α -diazoesters for synthesis of 1-pyrazoline-based spirochromanones and beyond. <i>Science China Chemistry</i> , 2021, 64, 1355-1360. | 4.2 | 24 |
| 107 | Effects of Chronic Exposure to Low Levels of Dietary Aflatoxin B1 on Growth Performance, Apparent Total Tract Digestibility and Intestinal Health in Pigs. <i>Animals</i> , 2021, 11, 336. | 1.0 | 24 |
| 108 | Amniotic fluid metabolomics and biochemistry analysis provides novel insights into the diet-regulated foetal growth in a pig model. <i>Scientific Reports</i> , 2017, 7, 44782. | 1.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Î²-Defensin 129 Attenuates Bacterial Endotoxin-Induced Inflammation and Intestinal Epithelial Cell Apoptosis. <i>Frontiers in Immunology</i> , 2019, 10, 2333. | 2.2 | 23 |
| 110 | Effects of dietary resveratrol supplementation on immunity, antioxidative capacity and intestinal barrier function in weaning piglets. <i>Animal Biotechnology</i> , 2021, 32, 240-245. | 0.7 | 23 |
| 111 | Effects of intrauterine growth retardation and maternal folic acid supplementation on hepatic mitochondrial function and gene expression in piglets. <i>Archives of Animal Nutrition</i> , 2012, 66, 357-371. | 0.9 | 22 |
| 112 | Effect of dietary amylose/amylopectin ratio on growth performance, carcass traits, and meat quality in finishing pigs. <i>Meat Science</i> , 2015, 108, 55-60. | 2.7 | 22 |
| 113 | 'Dietary Arginine Supplementation Affects Intestinal Function by Enhancing Antioxidant Capacity of a Nitric Oxideâ€“Independent Pathway in Low-Birth-Weight Piglets. <i>Journal of Nutrition</i> , 2018, 148, 1751-1759. | 1.3 | 22 |
| 114 | Long-term dietary resveratrol supplementation decreased serum lipids levels, improved intramuscular fat content, and changed the expression of several lipid metabolism-related miRNAs and genes in growing-finishing pigs ¹ . <i>Journal of Animal Science</i> , 2019, 97, 1745-1756. | 0.2 | 22 |
| 115 | Dietary pea fiber increases diversity of colonic methanogens of pigs with a shift from <i>Methanobrevibacter</i> to <i>Methanomassiliicoccus</i> -like genus and change in numbers of three hydrogenotrophs. <i>BMC Microbiology</i> , 2017, 17, 17. | 1.3 | 21 |
| 116 | Manno-oligosaccharide attenuates inflammation and intestinal epithelium injury in weaned pigs upon enterotoxigenic <i>Escherichia coli</i> K88 challenge. <i>British Journal of Nutrition</i> , 2021, 126, 993-1002. | 1.2 | 21 |
| 117 | Lower abundance of <i>Bacteroides</i> and metabolic dysfunction are highly associated with the post-weaning diarrhea in piglets. <i>Science China Life Sciences</i> , 2022, 65, 2062-2075. | 2.3 | 21 |
| 118 | From Nutrient to MicroRNA: a Novel Insight into Cell Signaling Involved in Skeletal Muscle Development and Disease. <i>International Journal of Biological Sciences</i> , 2016, 12, 1247-1261. | 2.6 | 20 |
| 119 | Simultaneous determination of eight flavonoids in plasma using LCâ€“MS/MS and application to a pharmacokinetic study after oral administration of Pollen Typhae extract to rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1044-1045, 158-165. | 1.2 | 20 |
| 120 | MicroRNA-499-5p regulates porcine myofiber specification by controlling Sox6 expression. <i>Animal</i> , 2017, 11, 2268-2274. | 1.3 | 20 |
| 121 | MicroRNA-139-5p suppresses myosin heavy chain I and IIa expression via inhibition of the calcineurin/NFAT signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2018, 500, 930-936. | 1.0 | 20 |
| 122 | Prevotella-rich enterotype may benefit gut health in finishing pigs fed diet with a high amylose-to-amylopectin ratio. <i>Animal Nutrition</i> , 2021, 7, 400-411. | 2.1 | 20 |
| 123 | Effects of essential oil on growth performance, digestibility, immunity, and intestinal health in broilers. <i>Poultry Science</i> , 2021, 100, 101242. | 1.5 | 20 |
| 124 | Tannic acid extracted from gallnut prevents post-weaning diarrhea and improves intestinal health of weaned piglets. <i>Animal Nutrition</i> , 2021, 7, 1078-1086. | 2.1 | 20 |
| 125 | Alginate oligosaccharide protects against enterotoxigenic <i>Escherichia coli</i> -induced porcine intestinal barrier injury. <i>Carbohydrate Polymers</i> , 2021, 270, 118316. | 5.1 | 20 |
| 126 | Chronic Glucocorticoid Exposure-Induced Epididymal Adiposity Is Associated with Mitochondrial Dysfunction in White Adipose Tissue of Male C57BL/6J Mice. <i>PLoS ONE</i> , 2014, 9, e112628. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Birth weight alters the response to postnatal high-fat diet-induced changes in meat quality traits and skeletal muscle proteome of pigs. <i>British Journal of Nutrition</i> , 2014, 111, 1738-1747. | 1.2 | 19 |
| 128 | Lean and obese pig breeds exhibit differences in prenatal gene expression profiles of muscle development. <i>Animal</i> , 2015, 9, 28-34. | 1.3 | 19 |
| 129 | Moderately decreased maternal dietary energy intake during pregnancy reduces fetal skeletal muscle mitochondrial biogenesis in the pigs. <i>Genes and Nutrition</i> , 2016, 11, 19. | 1.2 | 19 |
| 130 | Effects of Dietary Daidzein Supplementation on Reproductive Performance, Serum Hormones, and Reproductive-Related Genes in Rats. <i>Nutrients</i> , 2018, 10, 766. | 1.7 | 19 |
| 131 | Dietary apple polyphenols supplementation enhances antioxidant capacity and improves lipid metabolism in weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019, 103, 1512-1520. | 1.0 | 19 |
| 132 | Influences of Selenium-Enriched Yeast on Growth Performance, Immune Function, and Antioxidant Capacity in Weaned Pigs Exposure to Oxidative Stress. <i>BioMed Research International</i> , 2021, 2021, 1-11. | 0.9 | 19 |
| 133 | Expression of a Tandemly Arrayed Plectasin Gene from <i>Pseudoplectania nigrella</i> in <i>Pichia pastoris</i> and its Antimicrobial Activity. <i>Journal of Microbiology and Biotechnology</i> , 2016, 26, 461-468. | 0.9 | 19 |
| 134 | In Situ Formation of a Novel Nanocomposite Structure Based on MCM-41 and Polyethylene. <i>Journal of Porous Materials</i> , 2002, 9, 49-56. | 1.3 | 18 |
| 135 | A high-amylopectin diet caused hepatic steatosis associated with more lipogenic enzymes and increased serum insulin concentration. <i>British Journal of Nutrition</i> , 2011, 106, 1470-1475. | 1.2 | 18 |
| 136 | Effects of dietary threonine supplementation on immune challenge induced by swine <i>Pseudorabies</i> live vaccine in weaned pigs. <i>Archives of Animal Nutrition</i> , 2014, 68, 1-15. | 0.9 | 18 |
| 137 | Leucine Protects Against Skeletal Muscle Atrophy in Lipopolysaccharide-Challenged Rats. <i>Journal of Medicinal Food</i> , 2017, 20, 93-101. | 0.8 | 18 |
| 138 | Modulation of intestine development by fecal microbiota transplantation in suckling pigs. <i>RSC Advances</i> , 2018, 8, 8709-8720. | 1.7 | 18 |
| 139 | Involvement of PKA signalling in anti-inflammatory effects of chitosan oligosaccharides in IPEC ² porcine epithelial cells. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018, 102, 252-259. | 1.0 | 18 |
| 140 | Effects of different levels of dietary hydroxy-analogue of selenomethionine on growth performance, selenium deposition and antioxidant status of weaned piglets. <i>Archives of Animal Nutrition</i> , 2019, 73, 374-383. | 0.9 | 18 |
| 141 | Design, expression and functional characterization of a thermostable xylanase from <i>Trichoderma reesei</i> . <i>PLoS ONE</i> , 2019, 14, e0210548. | 1.1 | 18 |
| 142 | Dietary supplementation of plant essential oil improves growth performance, intestinal morphology and health in weaned pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2020, 104, 579-589. | 1.0 | 18 |
| 143 | Alterations in intestinal microbiota by alginate oligosaccharide improve intestinal barrier integrity in weaned pigs. <i>Journal of Functional Foods</i> , 2020, 71, 104040. | 1.6 | 18 |
| 144 | Infusion of short chain fatty acids in the ileum improves the carcass traits, meat quality and lipid metabolism of growing pigs. <i>Animal Nutrition</i> , 2021, 7, 94-100. | 2.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Comparison of jejunal digestive enzyme activities, expression of nutrient transporter genes, and apparent fecal digestibility in weaned piglets fed diets with varied sources of fiber. <i>Journal of Animal and Feed Sciences</i> , 2015, 24, 41-47. | 0.4 | 18 |
| 146 | Efficient Algorithm for Computing Link-Based Similarity in Real World Networks. , 2009, , . | | 17 |
| 147 | TagClus: a random walk-based method for tag clustering. <i>Knowledge and Information Systems</i> , 2011, 27, 193-225. | 2.1 | 17 |
| 148 | Purified β -glucans of Different Molecular Weights Enhance Growth Performance of LPS-challenged Piglets via Improved Gut Barrier Function and Microbiota. <i>Animals</i> , 2019, 9, 602. | 1.0 | 17 |
| 149 | Triptycene-based stationary phases for gas chromatographic separations of positional isomers. <i>Journal of Chromatography A</i> , 2019, 1599, 223-230. | 1.8 | 17 |
| 150 | The fungal community and its interaction with the concentration of short-chain fatty acids in the faeces of Chenghua, Yorkshire and Tibetan pigs. <i>Microbial Biotechnology</i> , 2020, 13, 509-521. | 2.0 | 17 |
| 151 | Effects of dietary inulin supplementation on growth performance, intestinal barrier integrity and microbial populations in weaned pigs. <i>British Journal of Nutrition</i> , 2020, 124, 296-305. | 1.2 | 17 |
| 152 | Effects of dietary resveratrol supplementation on growth performance and muscle fiber type transformation in weaned piglets. <i>Animal Feed Science and Technology</i> , 2020, 265, 114499. | 1.1 | 17 |
| 153 | MicroRNA-27a promotes porcine myoblast proliferation by downregulating myostatin expression. <i>Animal</i> , 2014, 8, 1867-1872. | 1.3 | 16 |
| 154 | Effects of oil quality and antioxidant supplementation on sow performance, milk composition and oxidative status in serum and placenta. <i>Lipids in Health and Disease</i> , 2017, 16, 107. | 1.2 | 16 |
| 155 | Amphiphilic triptycene-based stationary phase for high-resolution gas chromatographic separations. <i>Journal of Chromatography A</i> , 2019, 1599, 239-246. | 1.8 | 16 |
| 156 | Bombyx mori gloverin A2 alleviates enterotoxigenic Escherichia coli-induced inflammation and intestinal mucosa disruption. <i>Antimicrobial Resistance and Infection Control</i> , 2019, 8, 189. | 1.5 | 16 |
| 157 | Effects of dietary 25-hydroxyvitamin D ₃ supplementation on growth performance, immune function and antioxidative capacity in weaned piglets. <i>Archives of Animal Nutrition</i> , 2019, 73, 44-51. | 0.9 | 16 |
| 158 | Arginine promotes porcine type I muscle fibres formation through improvement of mitochondrial biogenesis. <i>British Journal of Nutrition</i> , 2020, 123, 499-507. | 1.2 | 16 |
| 159 | Ameliorative effects of alginate oligosaccharide on tumour necrosis factor- α -induced intestinal epithelial cell injury. <i>International Immunopharmacology</i> , 2020, 89, 107084. | 1.7 | 16 |
| 160 | Effects of dietary ferulic acid supplementation on growth performance and skeletal muscle fiber type conversion in weaned piglets. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 5116-5123. | 1.7 | 16 |
| 161 | Sodium acetate, propionate, and butyrate reduce fat accumulation in mice via modulating appetite and relevant genes. <i>Nutrition</i> , 2021, 87-88, 111198. | 1.1 | 16 |
| 162 | Influence of different S/Se ratio on the properties of Cu ₂ Sn(S x Se _{1-x}) ₃ thin films fabricated by annealing stacked metal precursors. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 6723-6729. | 1.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Annotation of porcine milk oligosaccharides throughout lactation by hydrophilic interaction chromatography coupled with quadruple time of flight tandem mass spectrometry. <i>Electrophoresis</i> , 2016, 37, 1525-1531. | 1.3 | 15 |
| 164 | Trace Mineral Overload Induced Hepatic Oxidative Damage and Apoptosis in Pigs with Long-Term High-Level Dietary Mineral Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 1841-1849. | 2.4 | 15 |
| 165 | Moderately increased maternal dietary energy intake delays foetal skeletal muscle differentiation and maturity in pigs. <i>European Journal of Nutrition</i> , 2016, 55, 1777-1787. | 1.8 | 15 |
| 166 | Dietary 25-Hydroxyvitamin D3 Supplementation Alleviates Porcine Epidemic Diarrhea Virus Infection by Improving Intestinal Structure and Immune Response in Weaned Pigs. <i>Animals</i> , 2019, 9, 627. | 1.0 | 15 |
| 167 | Antimicrobial evaluation and action mechanism of chalcone derivatives containing quinoxaline moiety. <i>Monatshefte für Chemie</i> , 2019, 150, 1325-1334. | 0.9 | 15 |
| 168 | Fructooligosaccharides improve growth performance and intestinal epithelium function in weaned pigs exposed to enterotoxigenic <i>Escherichia coli</i> . <i>Food and Function</i> , 2020, 11, 9599-9612. | 2.1 | 15 |
| 169 | Effects of dietary <i>Bacillus coagulans</i> and yeast hydrolysate supplementation on growth performance, immune response and intestinal barrier function in weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2021, 105, 898-907. | 1.0 | 15 |
| 170 | Lycopene increases the proportion of slow-twitch muscle fiber by AMPK signaling to improve muscle anti-fatigue ability. <i>Journal of Nutritional Biochemistry</i> , 2021, 94, 108750. | 1.9 | 15 |
| 171 | Apple Polyphenols Improve Intestinal Antioxidant Capacity and Barrier Function by Activating the Nrf2/Keap1 Signaling Pathway in a Pig Model. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 7576-7585. | 2.4 | 15 |
| 172 | Potential Risk of Isoflavones: Toxicological Study of Daidzein Supplementation in Piglets. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4228-4235. | 2.4 | 14 |
| 173 | Leucine promotes differentiation of porcine myoblasts through the protein kinase B (Akt)/Forkhead box O1 signalling pathway. <i>British Journal of Nutrition</i> , 2018, 119, 727-733. | 1.2 | 14 |
| 174 | Differential expression, molecular cloning, and characterization of porcine beta defensin 114. <i>Journal of Animal Science and Biotechnology</i> , 2019, 10, 60. | 2.1 | 14 |
| 175 | l-Isoleucine Administration Alleviates DSS-Induced Colitis by Regulating TLR4/MyD88/NF- κ B Pathway in Rats. <i>Frontiers in Immunology</i> , 2021, 12, 817583. | 2.2 | 14 |
| 176 | Effect of sialyllactose on growth performance and intestinal epithelium functions in weaned pigs challenged by enterotoxigenic <i>Escherichia Coli</i> . <i>Journal of Animal Science and Biotechnology</i> , 2022, 13, 30. | 2.1 | 14 |
| 177 | The Nutritional Significance of Intestinal Fungi: Alteration of Dietary Carbohydrate Composition Triggers Colonic Fungal Community Shifts in a Pig Model. <i>Applied and Environmental Microbiology</i> , 2021, 87, . | 1.4 | 13 |
| 178 | Anti-osteoporosis effect of Semen <i>Cuscutae</i> in ovariectomized mice through inhibition of bone resorption by osteoclasts. <i>Journal of Ethnopharmacology</i> , 2022, 285, 114834. | 2.0 | 13 |
| 179 | Dietary Supplementation of Curcumin Alleviates NF- κ B-dependent Skeletal Muscle Wasting in Rat. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2016, 16, 140-147. | 0.6 | 12 |
| 180 | Synthesis and antibacterial evaluation of novel chalcone derivatives containing a benzothiazole scaffold. <i>Monatshefte für Chemie</i> , 2019, 150, 1147-1154. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Effects of Dietary Apple Polyphenols Supplementation on Hepatic Fat Deposition and Antioxidant Capacity in Finishing Pigs. <i>Animals</i> , 2019, 9, 937. | 1.0 | 12 |
| 182 | Manipulation of Intestinal Antiviral Innate Immunity and Immune Evasion Strategies of Porcine Epidemic Diarrhea Virus. <i>BioMed Research International</i> , 2019, 2019, 1-9. | 0.9 | 12 |
| 183 | Evaluation of standardized ileal digestible lysine requirement for 8â€“20Âkg pigs fed low crude protein diets. <i>Animal Science Journal</i> , 2019, 90, 237-246. | 0.6 | 12 |
| 184 | Effects of Dietary Starch Structure on Growth Performance, Serum Glucoseâ€“Insulin Response, and Intestinal Health in Weaned Piglets. <i>Animals</i> , 2020, 10, 543. | 1.0 | 12 |
| 185 | Human Î²-Defensin 118 Attenuates Escherichia coli K88â€“Induced Inflammation and Intestinal Injury in Mice. <i>Probiotics and Antimicrobial Proteins</i> , 2021, 13, 586-597. | 1.9 | 12 |
| 186 | All-Trans Retinoic Acid Attenuates Transmissible Gastroenteritis Virus-Induced Inflammation in IPEC-J2 Cells via Suppressing the RLRs/NFâ€“B Signaling Pathway. <i>Frontiers in Immunology</i> , 2022, 13, 734171. | 2.2 | 12 |
| 187 | Dihydromyricetin Enhances Intestinal Antioxidant Capacity of Growing-Finishing Pigs by Activating ERK/Nrf2/HO-1 Signaling Pathway. <i>Antioxidants</i> , 2022, 11, 704. | 2.2 | 12 |
| 188 | Effect of Î²-Glucan Supplementation on Growth Performance and Intestinal Epithelium Functions in Weaned Pigs Challenged by Enterotoxigenic Escherichia coli. <i>Antibiotics</i> , 2022, 11, 519. | 1.5 | 12 |
| 189 | Dietary Daidzein Supplementation During Pregnancy Facilitates Fetal Growth in Rats. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800921. | 1.5 | 11 |
| 190 | Maternal chitosan oligosaccharide supplementation during late gestation and lactation affects offspring growth. <i>Italian Journal of Animal Science</i> , 2018, 17, 994-1000. | 0.8 | 11 |
| 191 | Effects of Dietary Aged Maize with Oxidized Fish Oil on Growth Performance, Antioxidant Capacity and Intestinal Health in Weaned Piglets. <i>Animals</i> , 2019, 9, 624. | 1.0 | 11 |
| 192 | miR-22-3p regulates muscle fiber-type conversion through inhibiting AMPK/SIRT1/PGC-1Î± pathway. <i>Animal Biotechnology</i> , 2021, 32, 254-261. | 0.7 | 11 |
| 193 | Fermented soybean meal increases nutrient digestibility via the improvement of intestinal function, anti-oxidative capacity and immune function of weaned pigs. <i>Animal</i> , 2022, 16, 100557. | 1.3 | 11 |
| 194 | Moderate Maternal Energy Restriction During Gestation in Pigs Attenuates Fetal Skeletal Muscle Development Through Changing Myogenic Gene Expression and Myofiber Characteristics. <i>Reproductive Sciences</i> , 2017, 24, 156-167. | 1.1 | 10 |
| 195 | Effect of Dietary Inulin Supplementation on Growth Performance, Carcass Traits, and Meat Quality in Growingâ€“Finishing Pigs. <i>Animals</i> , 2019, 9, 840. | 1.0 | 10 |
| 196 | Effects of dietary amylose and amylopectin ratio on growth performance, meat quality, postmortem glycolysis and muscle fibre type transformation of finishing pigs. <i>Archives of Animal Nutrition</i> , 2019, 73, 194-207. | 0.9 | 10 |
| 197 | Effects of diet chitosan oligosaccharide on performance and immune response of sows and their offspring. <i>Livestock Science</i> , 2020, 239, 104114. | 0.6 | 10 |
| 198 | Synergetic responses of intestinal microbiota and epithelium to dietary inulin supplementation in pigs. <i>European Journal of Nutrition</i> , 2021, 60, 715-727. | 1.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Synthesis and antibacterial activity of novel myricetin derivatives containing sulfonylpiperazine. <i>Chemical Papers</i> , 2021, 75, 1021-1027. | 1.0 | 10 |
| 200 | Lentian administration alleviates diarrhea of rotavirus-infected weaned pigs via regulating intestinal immunity. <i>Journal of Animal Science and Biotechnology</i> , 2021, 12, 43. | 2.1 | 10 |
| 201 | Prebiotic inulin as a treatment of obesity related nonalcoholic fatty liver disease through gut microbiota: a critical review. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 862-872. | 5.4 | 10 |
| 202 | Supplementing daidzein in diets improves the reproductive performance, endocrine hormones and antioxidant capacity of multiparous sows. <i>Animal Nutrition</i> , 2021, 7, 1052-1060. | 2.1 | 10 |
| 203 | Chitosan oligosaccharide attenuates endoplasmic reticulum stress-associated intestinal apoptosis via the Akt/mTOR pathway. <i>Food and Function</i> , 2021, 12, 8647-8658. | 2.1 | 10 |
| 204 | All-Trans Retinoic Acid Attenuates Transmissible Gastroenteritis Virus-Induced Apoptosis in IPEC-J2 Cells via Inhibiting ROS-Mediated P38MAPK Signaling Pathway. <i>Antioxidants</i> , 2022, 11, 345. | 2.2 | 10 |
| 205 | Effects of dietary lycopene supplementation on intestinal morphology, antioxidant capability and inflammatory response in finishing pigs. <i>Animal Biotechnology</i> , 2022, 33, 563-570. | 0.7 | 10 |
| 206 | Synthesis of Cu ₂ ZnGeS ₄ thin film via sulfurization of RF magnetron sputtered precursor. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 3984-3988. | 1.1 | 9 |
| 207 | Expression, Purification and Characterization of a Novel Antimicrobial Peptide: Gloverin A2 from <i>Bombyx mori</i> . <i>International Journal of Peptide Research and Therapeutics</i> , 2019, 25, 827-833. | 0.9 | 9 |
| 208 | Beet Pulp: An Alternative to Improve the Gut Health of Growing Pigs. <i>Animals</i> , 2020, 10, 1860. | 1.0 | 9 |
| 209 | The fungal community and its interaction with the concentration of short-chain fatty acids in the caecum and colon of weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2020, 104, 616-628. | 1.0 | 9 |
| 210 | Facial expression and action unit recognition augmented by their dependencies on graph convolutional networks. <i>Journal on Multimodal User Interfaces</i> , 2021, 15, 429-440. | 2.0 | 9 |
| 211 | Effects of Cold Exposure on Performance and Skeletal Muscle Fiber in Weaned Piglets. <i>Animals</i> , 2021, 11, 2148. | 1.0 | 9 |
| 212 | Functional Characterization of Porcine NK-Lysin: A Novel Immunomodulator That Regulates Intestinal Inflammatory Response. <i>Molecules</i> , 2021, 26, 4242. | 1.7 | 9 |
| 213 | The immunomodulatory function of the porcine β -defensin 129: Alleviate inflammatory response induced by LPS in IPEC-J2 cells. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 473-481. | 3.6 | 9 |
| 214 | The Optimal Combination of Dietary Starch, Non-Starch Polysaccharides, and Mannan-Oligosaccharide Increases the Growth Performance and Improves Butyrate-Producing Bacteria of Weaned Pigs. <i>Animals</i> , 2020, 10, 1745. | 1.0 | 9 |
| 215 | <i>Yucca schidigera</i> extract decreases nitrogen emission via improving nutrient utilisation and gut barrier function in weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2022, 106, 1036-1045. | 1.0 | 9 |
| 216 | Dihydromyricetin improves meat quality and promotes skeletal muscle fiber type transformations via AMPK signaling in growing-finishing pigs. <i>Food and Function</i> , 2022, 13, 3649-3659. | 2.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Magnetic Field, Flow Field and Inclusion Collision Growth in a Continuous Caster with EMBR. <i>Chemical Engineering and Technology</i> , 2007, 30, 1650-1658. | 0.9 | 8 |
| 218 | PAX3 ⁺ skeletal muscle satellite cells retain long-term self-renewal and proliferation. <i>Muscle and Nerve</i> , 2016, 54, 943-951. | 1.0 | 8 |
| 219 | The effect of dietary amylose/amylopectin ratio on serum and hepatic lipid content and its molecular mechanisms in growing-finishing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018, 102, 1657-1665. | 1.0 | 8 |
| 220 | Beta-glucan from <i>Agrobacterium</i> sp. ZX09 improves growth performance and intestinal function in weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019, 103, 1818-1827. | 1.0 | 8 |
| 221 | Improvement of growth performance and parameters of intestinal function in liquid fed early weaning pigs1. <i>Journal of Animal Science</i> , 2019, 97, 2725-2738. | 0.2 | 8 |
| 222 | Effects of residual superdoses of phytase on growth performance, tibia mineralization, and relative organ weight in ducks fed phosphorus-deficient diets. <i>Poultry Science</i> , 2019, 98, 3926-3936. | 1.5 | 8 |
| 223 | Expression and Functional Characterization of a Novel Antimicrobial Peptide: Human Beta-Defensin 118. <i>BioMed Research International</i> , 2020, 2020, 1-10. | 0.9 | 8 |
| 224 | Dietary pectic oligosaccharide supplementation improves rat reproductive performance via regulating intestinal volatile fatty acids during middle gestation. <i>Animal Nutrition</i> , 2020, 6, 210-216. | 2.1 | 8 |
| 225 | Active or Autoclaved <i>Akkermansia muciniphila</i> Relieves TNF- α -Induced Inflammation in Intestinal Epithelial Cells Through Distinct Pathways. <i>Frontiers in Immunology</i> , 2021, 12, 788638. | 2.2 | 8 |
| 226 | Effect of dietary dihydromyricetin supplementation on lipid metabolism, antioxidant capacity and skeletal muscle fiber type transformation in mice. <i>Animal Biotechnology</i> , 2022, 33, 555-562. | 0.7 | 8 |
| 227 | Title is missing!. <i>Journal of Porous Materials</i> , 2002, 9, 5-16. | 1.3 | 7 |
| 228 | Composition control in Cu ₂ ZnSnS ₄ thin films by a sol-gel technique without sulfurization. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 2703-2709. | 1.1 | 7 |
| 229 | Effects of MicroRNA-27a on Myogenin Expression and Akt/FoxO1 Signal Pathway during Porcine Myoblast Differentiation. <i>Animal Biotechnology</i> , 2018, 29, 183-189. | 0.7 | 7 |
| 230 | Daidzein supplementation enhances embryo survival by improving hormones, antioxidant capacity, and metabolic profiles of amniotic fluid in sows. <i>Food and Function</i> , 2020, 11, 10588-10600. | 2.1 | 7 |
| 231 | Influences of dietary starch structure on intestinal morphology, barrier functions, and epithelium apoptosis in weaned pigs. <i>Food and Function</i> , 2020, 11, 4446-4455. | 2.1 | 7 |
| 232 | Asymmetric Catalytic Vinylogous Addition Reactions Initiated by Meinwald Rearrangement of Vinyl Epoxides. <i>Angewandte Chemie</i> , 2021, 133, 14642-14648. | 1.6 | 7 |
| 233 | Effects of soybean raffinose on growth performance, digestibility, humoral immunity and intestinal morphology of growing pigs. <i>Animal Nutrition</i> , 2021, 7, 393-399. | 2.1 | 7 |
| 234 | Amelioration of enterotoxigenic <i>Escherichia coli</i> -induced disruption of intestinal epithelium by manno-oligosaccharide in weaned pigs. <i>Journal of Functional Foods</i> , 2021, 82, 104492. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | L-Leucine Promotes STAT1 and ISGs Expression in TGEV-Infected IPEC-J2 Cells via mTOR Activation. <i>Frontiers in Immunology</i> , 2021, 12, 656573. | 2.2 | 7 |
| 236 | NF- κ B-dependent induction of porcine β -defensin 114 regulates intestinal epithelium homeostasis. <i>International Journal of Biological Macromolecules</i> , 2021, 192, 241-249. | 3.6 | 7 |
| 237 | Ellagic acid enhances muscle endurance by affecting the muscle fiber type, mitochondrial biogenesis and function. <i>Food and Function</i> , 2022, 13, 1506-1518. | 2.1 | 7 |
| 238 | β -defensin 118 attenuates inflammation and injury of intestinal epithelial cells upon enterotoxigenic <i>Escherichia coli</i> challenge. <i>BMC Veterinary Research</i> , 2022, 18, 142. | 0.7 | 7 |
| 239 | Danon disease. <i>Herz</i> , 2014, 39, 877-879. | 0.4 | 6 |
| 240 | Effect of dietary chitosan oligosaccharide supplementation on the pig ovary transcriptome. <i>RSC Advances</i> , 2018, 8, 13266-13273. | 1.7 | 6 |
| 241 | Dietary Sodium Butyrate Supplementation Promotes Oxidative Fiber Formation in Mice. <i>Animal Biotechnology</i> , 2018, 29, 212-215. | 0.7 | 6 |
| 242 | The differences between copper sulfate and tribasic copper chloride on growth performance, redox status, deposition in tissues of pigs, and excretion in feces. <i>Asian-Australasian Journal of Animal Sciences</i> , 2018, 31, 873-880. | 2.4 | 6 |
| 243 | Cleanliness prediction of rusty iron in laser cleaning using convolutional neural networks. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1. | 1.1 | 6 |
| 244 | Fermented Diet Liquid Feeding Improves Growth Performance and Intestinal Function of Pigs. <i>Animals</i> , 2021, 11, 1452. | 1.0 | 6 |
| 245 | Chlorogenic Acid Attenuates Oxidative Stress-Induced Intestinal Mucosa Disruption in Weaned Pigs. <i>Frontiers in Veterinary Science</i> , 2022, 9, 806253. | 0.9 | 6 |
| 246 | miRNAs Can Affect Intestinal Epithelial Barrier in Inflammatory Bowel Disease. <i>Frontiers in Immunology</i> , 2022, 13, 868229. | 2.2 | 6 |
| 247 | Mitochondrial biogenesis is decreased in skeletal muscle of pig fetuses exposed to maternal high-energy diets. <i>Animal</i> , 2017, 11, 54-60. | 1.3 | 5 |
| 248 | Low-molecular-weight chitosan relieves enterotoxigenic <i>Escherichia coli</i> -induced growth retardation in weaned pigs. <i>International Immunopharmacology</i> , 2020, 78, 105798. | 1.7 | 5 |
| 249 | The effect of dietary pectic oligosaccharide supplementation on intestinal health of broiler breeders with different egg-laying rates. <i>Poultry Science</i> , 2021, 100, 100938. | 1.5 | 5 |
| 250 | Effects of slaughter age on carcass traits and meat quality of crossbred (Duroc \times Landrace \times Yorkshire) finishing pigs. <i>Animal Biotechnology</i> , 2022, 33, 339-345. | 0.7 | 5 |
| 251 | 1,25-Dihydroxyvitamin D3 inhibits porcine epidemic diarrhea virus replication by regulating cell cycle resumption in IPEC-J2 porcine epithelial cells. <i>Microbial Pathogenesis</i> , 2021, 158, 105017. | 1.3 | 5 |
| 252 | Effect of <i>Bellamyia purificata</i> on organic matter degradation in surface sediment as revealed by amino acids. <i>Aquaculture Environment Interactions</i> , 2021, 13, 1-12. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Developmental Profiling of Dietary Carbohydrate Digestion in Piglets. <i>Frontiers in Microbiology</i> , 2022, 13, 896660. | 1.5 | 5 |
| 254 | Effects of dietary energy density and apparent ileal digestible lysine:digestible energy ratio on growth performance, meat quality, and peroxisome proliferator-activated receptor β (PPAR β) gene expression of muscle and adipose tissues in Landrace–Rongchang crossbred pigs. <i>Livestock Science</i> , 2014, 167, 219-226. | 0.6 | 4 |
| 255 | Leucine modulates the IPEC-J2 cell proteome associated with cell proliferation, metabolism and phagocytosis. <i>Animal Nutrition</i> , 2018, 4, 316-321. | 2.1 | 4 |
| 256 | Effects of dietary fibres on gut microbial metabolites and liver lipid metabolism in growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2020, 104, 1484-1493. | 1.0 | 4 |
| 257 | Low-Molecular-Weight Chitosan Attenuates Lipopolysaccharide-Induced Inflammation in IPEC-J2 Cells by Inhibiting the Nuclear Factor- κ B Signalling Pathway. <i>Molecules</i> , 2021, 26, 569. | 1.7 | 4 |
| 258 | Combining Global and Sequential Patterns for Multivariate Time Series Forecasting. , 2020, , . | | 4 |
| 259 | SRNet: A 3D Scene Recognition Network using Static Graph and Dense Semantic Fusion. <i>Computer Graphics Forum</i> , 2020, 39, 301-311. | 1.8 | 4 |
| 260 | Dietary Arginine Supplementation Improves Intestinal Mitochondrial Functions in Low-Birth-Weight Piglets but Not in Normal-Birth-Weight Piglets. <i>Antioxidants</i> , 2021, 10, 1995. | 2.2 | 4 |
| 261 | Uneven Levels of 5S and 45S rDNA Site Number and Loci Variations across Wild Chrysanthemum Accessions. <i>Genes</i> , 2022, 13, 894. | 1.0 | 4 |
| 262 | Synthesis and bioactivity evaluation of penta-1,4-diene-3-one oxime ether derivatives. <i>Journal of Pesticide Sciences</i> , 2019, 44, 242-248. | 0.8 | 3 |
| 263 | Wheat bran fermented by mixed fungal strains improves the digestibility of crude fiber and may benefit the gut health without impacting the growth performance in weaned pigs. <i>Food and Function</i> , 2021, 12, 2962-2971. | 2.1 | 3 |
| 264 | Procyanidin B2 induces porcine skeletal slow-twitch myofiber gene expression by AMP-activated protein kinase signaling pathway. <i>Animal Biotechnology</i> , 2022, 33, 346-355. | 0.7 | 3 |
| 265 | Protective effect of Bombyx mori gloverin on intestinal epithelial cells exposure to enterotoxigenic E. coli. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1235-1245. | 0.8 | 3 |
| 266 | Low Birth Weight Disturbs the Intestinal Redox Status and Mitochondrial Morphology and Functions in Newborn Piglets. <i>Animals</i> , 2021, 11, 2561. | 1.0 | 3 |
| 267 | Effects of Early Transplantation of the Faecal Microbiota from Tibetan Pigs on the Gut Development of DSS-Challenged Piglets. <i>BioMed Research International</i> , 2021, 2021, 1-11. | 0.9 | 3 |
| 268 | Dietary supplementation of fructo-oligosaccharides alleviates enterotoxigenic <i>E. coli</i> -induced disruption of intestinal epithelium in a weaned piglet model. <i>British Journal of Nutrition</i> , 2022, 128, 1526-1534. | 1.2 | 3 |
| 269 | An Eruption of LTR Retrotransposons in the Autopolyploid Genomes of Chrysanthemum nankingense (Asteraceae). <i>Plants</i> , 2022, 11, 315. | 1.6 | 3 |
| 270 | Alteration of Porcine Intestinal Microbiota in Response to Dietary Manno-Oligosaccharide Supplementation. <i>Frontiers in Microbiology</i> , 2021, 12, 811272. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Resveratrol regulates muscle fiber type gene expression through AMPK signaling pathway and miR-22-3p in porcine myotubes. <i>Animal Biotechnology</i> , 2022, 33, 579-585. | 0.7 | 3 |
| 272 | Fermented Alfalfa Meal Instead of "Grain-Type" Feedstuffs in the Diet Improves Intestinal Health Related Indexes in Weaned Pigs. <i>Frontiers in Microbiology</i> , 2021, 12, 797875. | 1.5 | 3 |
| 273 | Apple polyphenols improve intestinal barrier function by enhancing antioxidant capacity and suppressing inflammation in weaning piglets. <i>Animal Science Journal</i> , 2022, 93, . | 0.6 | 3 |
| 274 | Effects of High Ambient Temperature on Small Intestinal Morphology and Colonic Microbiota in Weaned Piglets. <i>Animals</i> , 2022, 12, 1743. | 1.0 | 3 |
| 275 | Effects of dietary dihydromyricetin supplementation on intestinal barrier and humoral immunity in growing-finishing pigs. <i>Animal Biotechnology</i> , 2022, 33, 1398-1406. | 0.7 | 3 |
| 276 | Local Methods for Estimating SimRank Score. , 2010, , . | | 2 |
| 277 | Effects of corn type and fasting time before slaughter on growth and plasma index in weaning pigs1. <i>Journal of Animal Science</i> , 2016, 94, 106-116. | 0.2 | 2 |
| 278 | Long-term ingestion of low amylose/amylopectin ratio diet affects aspects of meat quality by changing muscle fibre characteristics in growing-finishing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019, 103, 644-652. | 1.0 | 2 |
| 279 | Transcriptome Characterization of Repressed Embryonic Myogenesis Due to Maternal Calorie Restriction. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 527. | 1.8 | 2 |
| 280 | MPDNet: A 3D Missing Part Detection Network Based on Point Cloud Segmentation. , 2021, , . | | 2 |
| 281 | Secondary Metabolites from Endophytic <i>Pestalotiopsis uvicola</i> and Their P-Glycoprotein Inhibitory Activity. <i>Chemistry of Natural Compounds</i> , 2022, 58, 113-115. | 0.2 | 2 |
| 282 | Effects of dietary plant essential oil supplementation on growth performance, nutrient digestibility and meat quality in finishing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2022, 106, 1246-1257. | 1.0 | 2 |
| 283 | The effect of high nutrient on the growth performance, adipose deposition and gene expression of lipid metabolism in the neonatal intrauterine growth-retarded piglets. <i>Journal of Applied Animal Research</i> , 2017, 45, 39-44. | 0.4 | 1 |
| 284 | Effects of active immunization against porcine Sox6 on meat quality and myosin heavy chain isoform expression in growing-finishing pigs. <i>Animal Biotechnology</i> , 2019, 30, 260-266. | 0.7 | 1 |
| 285 | Student Break Behavior Recognition Dataset. , 2021, , . | | 1 |
| 286 | Secondary Metabolites from Endophytic <i>Pestalotiopsis microspora</i> and Their P-Glycoprotein Inhibitory Activity. <i>Chemistry of Natural Compounds</i> , 2021, 57, 924-926. | 0.2 | 1 |
| 287 | Cross-language multimodal scene semantic guidance and leap sampling for video captioning. <i>Visual Computer</i> , 2023, 39, 9-25. | 2.5 | 1 |
| 288 | A Graph-based One-Shot Learning Method for Point Cloud Recognition. <i>Computer Graphics Forum</i> , 2020, 39, 313-323. | 1.8 | 0 |