

# Dona E C Locke

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3337362/publications.pdf>

Version: 2024-02-01

67  
papers

2,103  
citations

279798

23  
h-index

243625

44  
g-index

67  
all docs

67  
docs citations

67  
times ranked

3241  
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of patient and partner personality traits on learning success for a cognitive rehabilitation intervention for patients with MCI. <i>Neuropsychological Rehabilitation</i> , 2022, 32, 2483-2495.	1.6	4
2	Behavioral Interventions in Mild Cognitive Impairment (MCI): Lessons from a Multicomponent Program. <i>Neurotherapeutics</i> , 2022, 19, 117-131.	4.4	5
3	Psychometric properties of the <sc>self-efficacy</sc> for managing mild cognitive impairment scale. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 174-181.	2.7	10
4	Memory Support System training in mild cognitive impairment: Predictors of learning and adherence. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 92-104.	1.6	10
5	Improved Prediction of Imminent Progression to Clinically Significant Memory Decline Using Surface Multivariate Morphometry Statistics and Sparse Coding. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 209-220.	2.6	6
6	Computerized Cognitive Training (CCT) versus Yoga Impact on 12 Month Post Intervention Cognitive Outcome in Individuals with Mild Cognitive Impairment. <i>Brain Sciences</i> , 2021, 11, 988.	2.3	1
7	Compensatory and Lifestyle-Based Brain Health Program for Subjective Cognitive Decline: Self-Implementation versus Coaching. <i>Brain Sciences</i> , 2021, 11, 1306.	2.3	2
8	Latent Factor Structure of Outcome Measures Used in the HABITÂ® Mild Cognitive Impairment Intervention Programs. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 193-205.	2.6	1
9	Innovation Inspired by COVID: A Virtual Treatment Program for Patients With Mild Cognitive Impairment at Mayo Clinic. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2021, 5, 820-826.	2.4	4
10	Comparative Effectiveness of Behavioral Interventions to Prevent or Delay Dementia: One-Year Partner Outcomes. <i>Journal of prevention of Alzheimer's disease, The</i> , 2021, 8, 1-8.	2.7	4
11	Functional ability is associated with higher adherence to behavioral interventions in mild cognitive impairment. <i>Clinical Neuropsychologist</i> , 2020, 34, 937-955.	2.3	17
12	Impact of Zumba on Cognition and Quality of Life is Independent of APOE4 Carrier Status in Cognitively Unimpaired Older Women: A 6-Month Randomized Controlled Pilot Study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2020, 35, 153331751986837.	1.9	10
13	Neuropsychological decline up to 20Âyears before incident mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2020, 16, 512-523.	0.8	37
14	Interaction Between BDNF Val66Met and APOE4 on Biomarkers of Alzheimer's Disease and Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 721-734.	2.6	11
15	Self-Efficacy Mediates the Association Between Physical Function and Perceived Quality of Life in Individuals with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1511-1519.	2.6	8
16	Reply to Comment on "Personality Changes During the Transition from Cognitive Health to Mild Cognitive Impairment". <i>Journal of the American Geriatrics Society</i> , 2019, 67, 192-193.	2.6	0
17	Personality Changes During the Transition from Cognitive Health to Mild Cognitive Impairment. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 671-678.	2.6	46
18	A Survey of Patient and Partner Outcome and Treatment Preferences in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1459-1468.	2.6	29

#	ARTICLE	IF	CITATIONS
19	Neuropsychological comparison of incident MCI and prevalent MCI. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 599-603.	2.4	3
20	Diagnostic utility of the Minnesota Multiphasic Personality Inventory-2 Restructured Form in the epilepsy monitoring unit: Considering sex differences. <i>Epilepsy and Behavior</i> , 2018, 88, 117-122.	1.7	5
21	Predicting Imminent Progression to Clinically Significant Memory Decline Using Volumetric MRI and FDG PET. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 603-615.	2.6	12
22	Subjective Cognitive Impairment and the Broad Autism Phenotype. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 284-290.	1.3	7
23	A pilot randomized trial of two cognitive rehabilitation interventions for mild cognitive impairment: caregiver outcomes. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, e180-e187.	2.7	9
24	Computer versus Compensatory Calendar Training in Individuals with Mild Cognitive Impairment: Functional Impact in a Pilot Study. <i>Brain Sciences</i> , 2017, 7, 112.	2.3	22
25	Lorazepam Challenge for Individuals at Varying Genetic Risk for Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2017, 31, 271-277.	1.3	3
26	Behavioral Interventions to Prevent or Delay Dementia: Protocol for a Randomized Comparative Effectiveness Study. <i>JMIR Research Protocols</i> , 2017, 6, e223.	1.0	33
27	Impact of Personality on Cognitive Aging: A Prospective Cohort Study. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 765-776.	1.8	40
28	Priority of Treatment Outcomes for Caregivers and Patients with Mild Cognitive Impairment: Preliminary Analyses. <i>Neurology and Therapy</i> , 2016, 5, 183-192.	3.2	31
29	Patients with psychogenic nonepileptic seizures report more severe migraine than patients with epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 34, 78-82.	2.0	16
30	Sex-Based Memory Advantages and Cognitive Aging: A Challenge to the Cognitive Reserve Construct?. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 95-104.	1.8	29
31	Quality of life in psychogenic nonepileptic seizures and epilepsy: The role of somatization and alexithymia. <i>Epilepsy and Behavior</i> , 2015, 43, 81-88.	1.7	32
32	Role of theory of mind in emotional awareness and alexithymia: Implications for conceptualization and measurement. <i>Consciousness and Cognition</i> , 2015, 33, 398-405.	1.5	55
33	Analysis of Minnesota Multiphasic Personality Inventory-2-Restructured Form response bias indicators as suppressors or moderators in a medical setting.. <i>Psychological Assessment</i> , 2015, 27, 733-737.	1.5	5
34	The Role of Neuropsychology on an Epilepsy Monitoring Unit: A Peek Behind the "Do Not Disturb" Sign. <i>Neurodiagnostic Journal</i> , 2014, 54, 289-298.	0.1	2
35	The neuropsychology of normal aging and preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 84-92.	0.8	55
36	Fibrillar amyloid correlates of preclinical cognitive decline. , 2014, 10, e1-e8.		15

#	ARTICLE	IF	CITATIONS
37	Subjective cognitive decline: Self and informant comparisons. <i>Alzheimer's and Dementia</i> , 2014, 10, 93-98.	0.8	111
38	A PATIENT-CENTERED ANALYSIS OF ENROLLMENT AND RETENTION IN A RANDOMIZED BEHAVIORAL TRIAL OF TWO COGNITIVE REHABILITATION INTERVENTIONS FOR MILD COGNITIVE IMPAIRMENT. <i>Journal of prevention of Alzheimer's disease</i> , The, 2014, 1, 1-8.	2.7	10
39	Somatization is associated with deficits in affective Theory of Mind. <i>Journal of Psychosomatic Research</i> , 2013, 74, 479-485.	2.6	66
40	Interpreting the MMPI-2-RF. <i>Clinical Neuropsychologist</i> , 2013, 27, 339-341.	2.3	3
41	Depressive Symptoms in Healthy Apolipoprotein E $\epsilon$ 4 Carriers and Noncarriers. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 1256-1261.	2.2	24
42	The influence of impression management scales on the Personality Assessment Inventory in the epilepsy monitoring unit. <i>Epilepsy and Behavior</i> , 2012, 25, 534-538.	1.7	6
43	Confirming psychogenic nonepileptic seizures with video-EEG: Sex matters. <i>Epilepsy and Behavior</i> , 2012, 23, 220-223.	1.7	40
44	Randomized comparison of the Personality Assessment Inventory and the Minnesota Multiphasic Personality Inventory-2 in the epilepsy monitoring unit. <i>Epilepsy and Behavior</i> , 2011, 21, 397-401.	1.7	14
45	Comparison of Psychogenic Movement Disorders and Psychogenic Nonepileptic Seizures: Is Phenotype Clinically Important?. <i>Psychosomatics</i> , 2011, 52, 337-345.	2.5	60
46	Treatment of Depression in Patients with Epilepsy. <i>Current Treatment Options in Neurology</i> , 2011, 13, 371-379.	1.8	41
47	Correlates of quitting the Paced Auditory Serial Addition Test in cognitively normal older adults participating in a study of normal cognitive aging. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 937-943.	1.3	3
48	Initial development of Minnesota Multiphasic Personality Inventory "Restructured Form (MMPI-2-RF) scales to identify patients with psychogenic nonepileptic seizures. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 335-343.	1.3	16
49	Estimating the Diagnostic Value of the Trail Making Test for Suboptimal Effort in Acquired Brain Injury Rehabilitation Patients. <i>Clinical Neuropsychologist</i> , 2011, 25, 108-118.	2.3	14
50	Anxiety Affects Cognition Differently in Healthy Apolipoprotein E $\epsilon$ 4 Homozygotes and Non-Carriers. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 294-299.	1.8	9
51	Psychometric properties of the MMPI-2-RF Somatic Complaints (RC1) Scale. <i>Psychological Assessment</i> , 2010, 22, 492-503.	1.5	29
52	Evaluation of Potential Kidney Donors with the Personality Assessment Inventory: Normative Data for a Unique Population. <i>Journal of Clinical Psychology in Medical Settings</i> , 2010, 17, 183-194.	1.4	4
53	Comparing neuropsychological tasks to optimize brief cognitive batteries for brain tumor clinical trials. <i>Journal of Neuro-Oncology</i> , 2010, 96, 271-276.	2.9	37
54	Objective evaluation of personality and psychopathology in temporal lobe versus extratemporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2010, 17, 172-177.	1.7	20

#	ARTICLE	IF	CITATIONS
55	The Minnesota Multiphasic Personality Inventory-2-Restructured Form in the epilepsy monitoring unit. <i>Epilepsy and Behavior</i> , 2010, 17, 252-258.	1.7	42
56	Assessment of Patient and Caregiver Experiences of Dementia-Related Symptoms: Development of the Multidimensional Assessment of Neurodegenerative Symptoms Questionnaire. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 260-272.	1.5	9
57	Age, family history, and memory and future risk for cognitive impairment. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 111-116.	1.3	9
58	Longitudinal Modeling of Age-Related Memory Decline and the APOE $\epsilon$ 4 Effect. <i>New England Journal of Medicine</i> , 2009, 361, 255-263.	27.0	469
59	To See or To Perceive? That is the Question - An Introduction to the Visual System, Second Edition, by Martin J. Tovee. 2008. New York: Cambridge University Press, 222 pp., \$130.00 (HB); \$49.00 (PB).. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 326-327.	1.8	0
60	Behavioral strategies and rehabilitation. , 2008, , 281-294.		0
61	Effort issues in post-acute outpatient acquired brain injury rehabilitation seekers. <i>NeuroRehabilitation</i> , 2008, 23, 273-81.	1.3	6
62	Cognitive rehabilitation and problem-solving to improve quality of life of patients with primary brain tumors: a pilot study. <i>The Journal of Supportive Oncology</i> , 2008, 6, 383-91.	2.3	70
63	Cognitive Domain Decline in Healthy Apolipoprotein E $\epsilon$ 4 Homozygotes Before the Diagnosis of Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2007, 64, 1306.	4.5	137
64	Validation of Single-Item Linear Analog Scale Assessment of Quality of Life in Neuro-Oncology Patients. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 628-638.	1.2	199
65	Performance of Patients with Epilepsy or Psychogenic Non-Epileptic Seizures on Four Measures of Effort. <i>Clinical Neuropsychologist</i> , 2006, 20, 552-566.	2.3	53
66	Relationship of Indicators of Neuropathology, Psychopathology, and Effort to Neuropsychological Results in Patients with Epilepsy or Psychogenic Non-epileptic Seizures. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 325-340.	1.3	22
67	Use of Neuropsychological and Personality Testing to Identify Adults with Psychogenic Nonepileptic Seizures. , 0, , 150-157.		1