


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3337475/publications.pdf Version: 2024-02-01



λλει Ολ

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Lipids. Clinical Nutrition, 2018, 37, 2324-2336. | 5.0 | 163 |
| 2 | Alternatively activated macrophages; a double-edged sword in allergic asthma. Journal of Translational Medicine, 2020, 18, 58. | 4.4 | 160 |
| 3 | Curcumin alleviates DSS-induced colitis via inhibiting NLRP3 inflammsome activation and IL-1β production. Molecular Immunology, 2018, 104, 11-19. | 2.2 | 142 |
| 4 | Neutralization of IL-6 and TNF-α ameliorates intestinal permeability in DSS-induced colitis. Cytokine, 2016, 83, 189-192. | 3.2 | 133 |
| 5 | Habitual Sleep Duration and Risk of Childhood Obesity: Systematic Review and Dose-response Meta-analysis of Prospective Cohort Studies. Scientific Reports, 2015, 5, 16160. | 3.3 | 127 |
| 6 | Uric Acid Induces Endothelial Dysfunction by Activating the HMGB1/RAGE Signaling Pathway. BioMed Research International, 2017, 2017, 1-11. | 1.9 | 111 |
| 7 | Curcumin suppresses NLRP3 inflammasome activation and protects against LPSâ€induced septic shock. Molecular Nutrition and Food Research, 2015, 59, 2132-2142. | 3.3 | 103 |
| 8 | Long Noncoding RNA H19 Contributes to Cholangiocyte Proliferation and Cholestatic Liver Fibrosis in Biliary Atresia. Hepatology, 2019, 70, 1658-1673. | 7.3 | 100 |
| 9 | The interleukin-4/PPARÎ ³ signaling axis promotes oligodendrocyte differentiation and remyelination after brain injury. PLoS Biology, 2019, 17, e3000330. | 5.6 | 95 |
| 10 | Chenodeoxycholic acid activates NLRP3 inflammasome and contributes to cholestatic liver fibrosis. Oncotarget, 2016, 7, 83951-83963. | 1.8 | 94 |
| 11 | Ethanol extract of propolis prevents high-fat diet-induced insulin resistance and obesity in association with modulation of gut microbiota in mice. Food Research International, 2020, 130, 108939. | 6.2 | 79 |
| 12 | In utero exposure to 25-hydroxyvitamin D and risk of childhood asthma, wheeze, and respiratory tract infections: AÂmeta-analysis of birth cohort studies. Journal of Allergy and Clinical Immunology, 2017, 139, 1508-1517. | 2.9 | 75 |
| 13 | Dysregulated miR-124 and miR-200 expression contribute to cholangiocyte proliferation in the cholestatic liver by targeting IL-6/STAT3 signalling. Journal of Hepatology, 2015, 62, 889-896. | 3.7 | 73 |
| 14 | ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Complications. Clinical Nutrition, 2018, 37, 2418-2429. | 5.0 | 73 |
| 15 | Gut microbial bile acid metabolite skews macrophage polarization and contributes to high-fat diet-induced colonic inflammation. Gut Microbes, 2020, 12, 1819155. | 9.8 | 72 |
| 16 | Deoxycholic Acid Triggers NLRP3 Inflammasome Activation and Aggravates DSS-Induced Colitis in Mice. Frontiers in Immunology, 2016, 7, 536. | 4.8 | 71 |
| 17 | Circulating magnesium levels and incidence of coronary heart diseases, hypertension, and type 2 diabetes mellitus: a meta-analysis of prospective cohort studies. Nutrition Journal, 2017, 16, 60. | 3.4 | 69 |
| 18 | Up-regulation of miR-200b in biliary atresia patients accelerates proliferation and migration of hepatic stallate cells by activating PI3K/Akt signaling. Cellular Signalling, 2014, 26, 925-932. | 3.6 | 56 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | PHB2 interacts with LC3 and SQSTM1 is required for bile acids-induced mitophagy in cholestatic liver. Cell Death and Disease, 2018, 9, 160. | 6.3 | 54 |
| 20 | Distinct Plasma Bile Acid Profiles of Biliary Atresia and Neonatal Hepatitis Syndrome. Journal of Proteome Research, 2015, 14, 4844-4850. | 3.7 | 52 |
| 21 | Alterations in intestinal microbiota relate to intestinal failure-associated liver disease and central line infections. Journal of Pediatric Surgery, 2017, 52, 1318-1326. | 1.6 | 52 |
| 22 | Oxidative injury and hepatocyte apoptosis in total parenteral nutrition–associated liver dysfunction. Journal of Pediatric Surgery, 2006, 41, 1663-1668. | 1.6 | 43 |
| 23 | Deoxycholic Acid-Mediated Sphingosine-1-Phosphate Receptor 2 Signaling Exacerbates DSS-Induced Colitis through Promoting Cathepsin B Release. Journal of Immunology Research, 2018, 2018, 1-9. | 2.2 | 43 |
| 24 | Peripherally inserted central venous catheter-associated complications exert negative effects on body weight gain in neonatal intensive care units. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 1-5. | 0.4 | 40 |
| 25 | Metabolomic Approaches to Explore Chemical Diversity of Human Breast-Milk, Formula Milk and Bovine Milk. International Journal of Molecular Sciences, 2016, 17, 2128. | 4.1 | 39 |
| 26 | A Plasmonic Mass Spectrometry Approach for Detection of Small Nutrients and Toxins. Nano-Micro Letters, 2018, 10, 52. | 27.0 | 37 |
| 27 | CUGBP1 and HuR regulate E-cadherin translation by altering recruitment of E-cadherin mRNA to processing bodies and modulate epithelial barrier function. American Journal of Physiology - Cell Physiology, 2016, 310, C54-C65. | 4.6 | 34 |
| 28 | The expression of epithelial–mesenchymal transition–related proteins in biliary epithelial cells is associated with liver fibrosis in biliary atresia. Pediatric Research, 2015, 77, 310-315. | 2.3 | 33 |
| 29 | Administration of antibiotics contributes to cholestasis in pediatric patients with intestinal failure via the alteration of FXR signaling. Experimental and Molecular Medicine, 2018, 50, 1-14. | 7.7 | 32 |
| 30 | Biological and Clinical Aspects of an Olive Oil-Based Lipid Emulsion—A Review. Nutrients, 2018, 10, 776. | 4.1 | 32 |
| 31 | Elevated Bile Acids in Newborns with Biliary Atresia (BA). PLoS ONE, 2012, 7, e49270. | 2.5 | 30 |
| 32 | Long-term effect of early postnatal overnutrition on insulin resistance and serum fatty acid profiles in male rats. Lipids in Health and Disease, 2015, 14, 96. | 3.0 | 30 |
| 33 | Downregulated expression of microRNA-124 in pediatric intestinal failure patients modulates macrophages activation by inhibiting STAT3 and AChE. Cell Death and Disease, 2016, 7, e2521-e2521. | 6.3 | 30 |
| 34 | Dopamine inhibits the function of Gr-1+CD115+ myeloid-derived suppressor cells through D1-like receptors and enhances anti-tumor immunity. Journal of Leukocyte Biology, 2015, 97, 191-200. | 3.3 | 29 |
| 35 | Comparison of liver transplantation outcomes in biliary atresia patients with and without prior portoenterostomy: A meta-analysis. Digestive and Liver Disease, 2016, 48, 347-352. | 0.9 | 27 |
| 36 | Altered systemic bile acid homeostasis contributes to liver disease in pediatric patients with intestinal failure. Scientific Reports, 2016, 6, 39264. | 3.3 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Risk stratification for lateral involvement in papillary thyroid carcinoma patients with central lymph node metastasis. Endocrine, 2020, 68, 320-328. | 2.3 | 26 |
| 38 | Mitochondria-initiated apoptosis triggered by oxidative injury play a role in total parenteral nutrition–associated liver dysfunction in infant rabbit model. Journal of Pediatric Surgery, 2009, 44, 1712-1718. | 1.6 | 25 |
| 39 | Milk Fat Globule Membrane Ameliorates Necrotizing Enterocolitis in Neonatal Rats and Suppresses Lipopolysaccharideâ€Induced Inflammatory Response in IECâ€6 Enterocytes. Journal of Parenteral and Enteral Nutrition, 2019, 43, 863-873. | 2.6 | 25 |
| 40 | Summary of Proceedings and Expert Consensus Statements From the International Summit "Lipids in Parenteral Nutrition― Journal of Parenteral and Enteral Nutrition, 2020, 44, S7-S20. | 2.6 | 25 |
| 41 | Prolonged feeding difficulties after surgical correction of intestinal atresia: a 13-year experience. Journal of Pediatric Surgery, 2014, 49, 1593-1597. | 1.6 | 24 |
| 42 | A nonbile acid farnesoid X receptor agonist tropifexor potently inhibits cholestatic liver injury and fibrosis by modulating the gut–liver axis. Liver International, 2021, 41, 2117-2131. | 3.9 | 24 |
| 43 | Polymorphisms of SLC30A2 and selected perinatal factors associated with low milk zinc in Chinese breastfeeding women. Early Human Development, 2012, 88, 663-668. | 1.8 | 23 |
| 44 | Glucocorticoid treatment alters systemic bile acid homeostasis by regulating the biosynthesis and transport of bile salts. Digestive and Liver Disease, 2016, 48, 771-779. | 0.9 | 23 |
| 45 | FXR agonist GW4064 improves liver and intestinal pathology and alters bile acid metabolism in rats undergoing small intestinal resection. American Journal of Physiology - Renal Physiology, 2019, 317, G108-G115. | 3.4 | 23 |
| 46 | Impact of Postnatal Antibiotics and Parenteral Nutrition on the Gut Microbiota in Preterm Infants During Early Life. Journal of Parenteral and Enteral Nutrition, 2020, 44, 639-654. | 2.6 | 22 |
| 47 | Lipid Emulsion Use in Pediatric Patients Requiring Longâ€Term Parenteral Nutrition. Journal of Parenteral and Enteral Nutrition, 2020, 44, S55-S67. | 2.6 | 21 |
| 48 | Conditional depletion of macrophages ameliorates cholestatic liver injury and fibrosis via IncRNA-H19. Cell Death and Disease, 2021, 12, 646. | 6.3 | 21 |
| 49 | Adjuvant steroid treatment following Kasai portoenterostomy and clinical outcomes of biliary atresia patients: an updated meta-analysis. World Journal of Pediatrics, 2017, 13, 20-26. | 1.8 | 20 |
| 50 | p38α MAPK antagonizing JNK to control the hepatic fat accumulation in pediatric patients onset intestinal failure. Cell Death and Disease, 2017, 8, e3110-e3110. | 6.3 | 20 |
| 51 | Role of surgery in the treatment of patients with high-risk neuroblastoma who have a poor response to induction chemotherapy. Journal of Pediatric Surgery, 2014, 49, 528-533. | 1.6 | 19 |
| 52 | P38 MAPK Pharmacological Inhibitor SB203580 Alleviates Total Parenteral Nutrition-Induced Loss of Intestinal Barrier Function but Promotes Hepatocyte Lipoapoptosis. Cellular Physiology and Biochemistry, 2017, 41, 623-634. | 1.6 | 19 |
| 53 | Serum bile acid level and fatty acid composition in Chinese children with nonâ€alcoholic fatty liver disease. Journal of Digestive Diseases, 2017, 18, 461-471. | 1.5 | 19 |
| 54 | Effect of a fish oil-based lipid emulsion on intestinal failure-associated liver disease in children. European Journal of Clinical Nutrition, 2018, 72, 1364-1372. | 2.9 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Use of Lipids in Neonates Requiring Parenteral Nutrition. Journal of Parenteral and Enteral Nutrition, 2020, 44, S45-S54. | 2.6 | 19 |
| 56 | Low doses of CMV induce autoimmune-mediated and inflammatory responses in bile duct epithelia of regulatory T cell-depleted neonatal mice. Laboratory Investigation, 2015, 95, 180-192. | 3.7 | 18 |
| 57 | Retrospective Dualâ€Center Study of Parenteral Nutrition–Associated Cholestasis in Premature Neonates: 15 Years' Experience. Nutrition in Clinical Practice, 2017, 32, 407-413. | 2.4 | 18 |
| 58 | Characterization of Interstitial Cajal Progenitors Cells and Their Changes in Hirschsprung's Disease. PLoS ONE, 2014, 9, e86100. | 2.5 | 17 |
| 59 | Association of 2184AG Polymorphism in the RAGE Gene with Diabetic Nephropathy in Chinese Patients with Type 2 Diabetes. Journal of Diabetes Research, 2015, 2015, 1-6. | 2.3 | 17 |
| 60 | Blockage of NLRP3 inflammasome activation ameliorates acute inflammatory injury and long-term cognitive impairment induced by necrotizing enterocolitis in mice. Journal of Neuroinflammation, 2021, 18, 66. | 7.2 | 17 |
| 61 | Pathologically assessed grade of Hirschsprung-associated enterocolitis in resected colon in children with Hirschsprung's disease predicts postoperative bowel function. Journal of Pediatric Surgery, 2017, 52, 1776-1781. | 1.6 | 16 |
| 62 | Nonalcoholic fatty liver disease prevalence in urban school-aged children and adolescents from the Yangtze River delta region: a cross-sectional study. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 281-8. | 0.4 | 16 |
| 63 | Obesity-Induced Insulin Resistance Is Mediated by High Uric Acid in Obese Children and Adolescents. Frontiers in Endocrinology, 2021, 12, 773820. | 3.5 | 16 |
| 64 | Nutritional challenges for children in societies in transition. Current Opinion in Clinical Nutrition and Metabolic Care, 2014, 17, 278-284. | 2.5 | 15 |
| 65 | Real Time Monitoring of Inhibition of Adipogenesis and Angiogenesis by (â^')-Epigallocatechin-3-Gallate in 3T3-L1 Adipocytes and Human Umbilical Vein Endothelial Cells. Nutrients, 2015, 7, 8871-8886. | 4.1 | 15 |
| 66 | Metabonomics Reveals Metabolite Changes in Biliary Atresia Infants. Journal of Proteome Research, 2015, 14, 2569-2574. | 3.7 | 15 |
| 67 | Alkylglycerols Modulate the Proliferation and Differentiation of Non-Specific Agonist and Specific Antigen-Stimulated Splenic Lymphocytes. PLoS ONE, 2014, 9, e96207. | 2.5 | 15 |
| 68 | Association of common variation in ADD3 and GPC1 with biliary atresia susceptibility. Aging, 2020, 12, 7163-7182. | 3.1 | 15 |
| 69 | Histamine is correlated with liver fibrosis in biliary atresia. Digestive and Liver Disease, 2016, 48, 921-926. | 0.9 | 14 |
| 70 | Safety and Efficacy of Placenta-Derived Mesenchymal Stem Cell Treatment for Diabetic Patients with Critical Limb Ischemia: A Pilot Study. Experimental and Clinical Endocrinology and Diabetes, 2021, 129, 542-548. | 1.2 | 14 |
| 71 | Alterations of gut microbiota and serum bile acids are associated with parenteral nutrition-associated liver disease. Journal of Pediatric Surgery, 2021, 56, 738-744. | 1.6 | 14 |
| 72 | Common Genetic Variations in Patched1 (PTCH1) Gene and Risk of Hirschsprung Disease in the Han Chinese Population. PLoS ONE, 2013, 8, e75407. | 2.5 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Dietary Advanced Glycation End Products Shift the Gut Microbiota Composition and Induce Insulin Resistance in Mice. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2022, Volume 15, 427-437. | 2.4 | 14 |
| 74 | The Farnesoid X Receptor Agonist Tropifexor Prevents Liver Damage in Parenteral Nutritionâ€fed Neonatal Piglets. Journal of Pediatric Gastroenterology and Nutrition, 2021, 73, e11-e19. | 1.8 | 13 |
| 75 | Choline Protects Against Intestinal Failure–Associated Liver Disease in Parenteral Nutrition–Fed Immature Rats. Journal of Parenteral and Enteral Nutrition, 2018, 42, 436-445. | 2.6 | 12 |
| 76 | Isolated hepatobiliary cryptococcosis manifesting as obstructive jaundice in an immunocompetent child: case report and review of the literature. European Journal of Pediatrics, 2014, 173, 1569-1572. | 2.7 | 11 |
| 77 | The effects of different lipid emulsions on the lipid profile, fatty acid composition, and antioxidant capacity of preterm infants: A double-blind, randomized clinical trial. Clinical Nutrition, 2016, 35, 1023-1031. | 5.0 | 11 |
| 78 | Sequence characterization of RET in 117 Chinese Hirschsprung disease families identifies a large burden of de novo and parental mosaic mutations. Orphanet Journal of Rare Diseases, 2019, 14, 237. | 2.7 | 10 |
| 79 | Identification of hub genes and key pathways of dietary advanced glycation end products‑induced non‑alcoholic fatty liver disease by bioinformatics analysis and animal experiments. Molecular Medicine Reports, 2020, 21, 685-694. | 2.4 | 10 |
| 80 | Effects of a summer program for weight management in obese children and adolescents in Shanghai. Asia Pacific Journal of Clinical Nutrition, 2014, 23, 459-64. | 0.4 | 10 |
| 81 | Delivery room surgery: an applicable therapeutic strategy for gastroschisis in developing countries. World Journal of Pediatrics, 2014, 10, 69-73. | 1.8 | 9 |
| 82 | Effect of an Olive Oil–Based Lipid Emulsion Compared With a Soybean Oil–Based Lipid Emulsion on Liver Chemistry and Bile Acid Composition in Preterm Infants Receiving Parenteral Nutrition. Journal of Parenteral and Enteral Nutrition, 2016, 40, 842-850. | 2.6 | 9 |
| 83 | Common genetic variants in GAL , GAP 43 and NRSN 1 and interaction networks confer susceptibility to Hirschsprung disease. Journal of Cellular and Molecular Medicine, 2018, 22, 3377-3387. | 3.6 | 9 |
| 84 | RAGE/NF-κB pathway mediates hypoxia-induced insulin resistance in 3T3-L1 adipocytes. Biochemical and Biophysical Research Communications, 2020, 521, 77-83. | 2.1 | 9 |
| 85 | Early Adaptation of Small Intestine After Massive Small Bowel Resection in Rats. Iranian Journal of Pediatrics, 2015, 25, e530. | 0.3 | 9 |
| 86 | Effects of angiotensin II on connexin 43 of VSMCs in arteriosclerosis. Journal of Zhejiang University: Science B, 2006, 7, 648-653. | 2.8 | 8 |
| 87 | The history and development of registered dietitian accreditation systems in China and other comparable countries. Nutrition Research, 2019, 70, 11-17. | 2.9 | 8 |
| 88 | Carboxyl ester lipase is highly conserved in utilizing maternal supplied lipids during early development of zebrafish and human. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2020, 1865, 158663. | 2.4 | 8 |
| 89 | Fish oil–based lipid emulsion alleviates parenteral nutrition–associated liver diseases and intestinal injury in piglets. Journal of Parenteral and Enteral Nutrition, 2022, 46, 709-720. | 2.6 | 8 |
| 90 | Targeted Metabolomics Reveals Birth Screening Biomarkers for Biliary Atresia in Dried Blood Spots. Journal of Proteome Research, 2022, 21, 721-726. | 3.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Variants in the <i>Enteric Smooth Muscle Actin γâ€2</i> Cause Pediatric Intestinal Pseudoâ€obstruction in Chinese Patients. Journal of Pediatric Gastroenterology and Nutrition, 2021, 72, 36-42. | 1.8 | 7 |
| 92 | Genetic variants in RET, ARHGEF3 and CTNNAL1, and relevant interaction networks, contribute to the risk of Hirschsprung disease. Aging, 2020, 12, 4379-4393. | 3.1 | 7 |
| 93 | Role of the Gut Microbiota in Parenteral Nutrition–Associated Liver Disease: From Current Knowledge to Future Opportunities. Journal of Nutrition, 2022, 152, 377-385. | 2.9 | 7 |
| 94 | An Arc Incision Surgical Approach in Congenital Megaprepuce. Chinese Medical Journal, 2015, 128, 555-557. | 2.3 | 6 |
| 95 | CELF1/p53 axis: a sustained antiproliferative signal leading to villus atrophy under total parenteral nutrition. FASEB Journal, 2019, 33, 3378-3391. | 0.5 | 6 |
| 96 | MicroRNA-4516-mediated regulation of <i>MAPK10</i> relies on 3′ UTR <i>cis</i> -acting variants and contributes to the altered risk of Hirschsprung disease. Journal of Medical Genetics, 2020, 57, 634-642. | 3.2 | 6 |
| 97 | RNA-sequencing identifies novel transcriptomic signatures in intestinal failure-associated liver disease. Journal of Pediatric Surgery, 2022, 57, 158-165. | 1.6 | 6 |
| 98 | Bile salt dependent lipase promotes intestinal adaptation in rats with massive small bowel resection. Bioscience Reports, 2018, 38, . | 2.4 | 5 |
| 99 | Early downregulation of Pâ€glycoprotein facilitates bacterial attachment to intestinal epithelial cells and thereby triggers barrier dysfunction in a rodent model of total parenteral nutrition. FASEB Journal, 2020, 34, 4670-4683. | 0.5 | 5 |
| 100 | Congenital Shortâ€Bowel Syndrome: Clinical and Genetic Presentation in China. Journal of Parenteral and Enteral Nutrition, 2021, 45, 1009-1015. | 2.6 | 5 |
| 101 | RET compound inheritance in Chinese patients with Hirschsprung disease: lack of penetrance from insufficient gene dysfunction. Human Genetics, 2021, 140, 813-825. | 3.8 | 5 |
| 102 | Sensitive analysis of small nutrients in milk sample using mass spectrometry. , 2015, , . | | 4 |
| 103 | Could tea polyphenols be beneficial for preventing the precocious puberty?. Medical Hypotheses, 2016, 95, 24-26. | 1.5 | 4 |
| 104 | Microbial alteration of small bowel stoma effluents and colonic feces in infants with short bowel syndrome. Journal of Pediatric Surgery, 2020, 55, 1366-1372. | 1.6 | 4 |
| 105 | Risk factors of parenteral nutritionâ€associated cholestasis in veryâ€lowâ€birthweight infants. Journal of Paediatrics and Child Health, 2020, 56, 1785-1790. | 0.8 | 4 |
| 106 | Lin 28A/Occludin axis: An aberrantly activated pathway in intestinal epithelial cells leading to impaired barrier function under total parenteral nutrition. FASEB Journal, 2021, 35, e21189. | 0.5 | 4 |
| 107 | Long-term outcomes of various pediatric short bowel syndrome in China. Pediatric Surgery International, 2021, 37, 495-502. | 1.4 | 4 |
| 108 | Development and validation of a pediatric nutritional screening score (PNSS) for hospitalized children. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 65-71. | 0.4 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The role of adrenergic activation on murine luteal cell viability and progesterone production. Theriogenology, 2016, 86, 1182-1188. | 2.1 | 3 |
| 110 | Carbon dioxide embolism with severe hypotension as an initial symptom during laparoscopy: a case report. Journal of International Medical Research, 2021, 49, 030006052110047. | 1.0 | 3 |
| 111 | Optimal timing for introducing enteral nutrition in the neonatal intensive care unit. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 219-26. | 0.4 | 3 |
| 112 | Association of Variants in PLD1, 3p24.1, and 10q11.21 Regions With Hirschsprung's Disease in Han Chinese Population. Frontiers in Genetics, 2020, 11, 738. | 2.3 | 2 |
| 113 | A partially hydrolyzed formula with synbiotics supports adequate growth and is well tolerated in healthy, Chinese term infants: A double-blind, randomized controlled trial. Nutrition, 2021, 91-92, 111472. | 2.4 | 2 |
| 114 | Monogenic mutations in four cases of neonatal-onset watery diarrhea and a mutation review in East Asia. Orphanet Journal of Rare Diseases, 2021, 16, 383. | 2.7 | 2 |
| 115 | Yangxueqingnao particles inhibit rat vascular smooth muscle cell proliferation induced by lysophosphatidic acid. Journal of Zhejiang University Science B, 2005, 6B, 892-896. | 0.4 | 2 |
| 116 | Parenteral nutrition combined with rice soup can be a safe and effective intervention for congenital chylous ascites. Asia Pacific Journal of Clinical Nutrition, 2016, 25, 631-5. | 0.4 | 2 |
| 117 | <i>Lactobacillus plantarum</i> supplementation alleviates liver and intestinal injury in parenteral nutritionâ€fed piglets. Journal of Parenteral and Enteral Nutrition, 0, , . | 2.6 | 2 |
| 118 | Untargeted Metabolomics Reveal Parenteral Nutrition-Associated Alterations in Pediatric Patients with Short Bowel Syndrome. Metabolites, 2022, 12, 600. | 2.9 | 2 |
| 119 | Common variation of the NSD1 gene is associated with susceptibility to Hirschsprung's disease in Chinese Han population. Pediatric Research, 2021, 89, 694-700. | 2.3 | 1 |
| 120 | Combined association of early exposure to long-chain n-3 polyunsaturated fatty acids, mercury and selenium with cognitive performance in 1-year-old infants. Environmental Research, 2021, , 112186. | 7.5 | 1 |
| 121 | Effects of fructose-1,6-diphosphate on concentration of calcium and activities of sarcoplosnic Ca2+-ATPase in cardiomyocytes of Adriamycin-treated rats. Journal of Zhejiang University Science B, 2005, 6B, 622-625. | 0.4 | 1 |
| 122 | Primary intestinal lymphangiectasia in children: Twelve years of experience in the diagnosis and management. Asia Pacific Journal of Clinical Nutrition, 2021, 30, 358-364. | 0.4 | 1 |
| 123 | Expression of programmed death-1 and its ligands in the liver of biliary atresia. World Journal of Pediatrics, 2017, 13, 604-610. | 1.8 | 0 |
| 124 | Best practice of nutritional support for pediatric acute pancreatitis. World Journal of Pediatrics, 2021, 17, 551. | 1.8 | 0 |
| 125 | 2.10 Nutritional Problems in Transitional Countries. World Review of Nutrition and Dietetics, 2022, 124, 203-210. | 0.3 | 0 |
| 126 | Application of double-stent assisted coil embolization in intracranial vertebral artery dissecting aneurysms with mass effect. Journal of Neurosurgical Sciences, 2022, , . | 0.6 | 0 |