

Andreia Leite

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3337905/andreia-leite-publications-by-year.pdf>

Version: 2024-04-08

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36 papers	456 citations	13 h-index	20 g-index
39 ext. papers	512 ext. citations	3.7 avg, IF	2.99 L-index

#	Paper	IF	Citations
36	A combined experimental and computational study to discover novel tyrosinase inhibitors. <i>Journal of Inorganic Biochemistry</i> , 2022 , 111879	4.2	
35	Foliar application of 3-hydroxy-4-pyridinone Fe-chelate [Fe(mpp)] induces responses at the root level amending iron deficiency chlorosis in soybean. <i>Physiologia Plantarum</i> , 2021 , 173, 235-245	4.6	2
34	Integrated Flow-based System Displaying an In-line Mini Soil Column to Monitor Iron Species in Soils Leachates. <i>Communications in Soil Science and Plant Analysis</i> , 2020 , 51, 1089-1100	1.5	2
33	A combined physiological and biophysical approach to understand the ligand-dependent efficiency of 3-hydroxy-4-pyridinone Fe-chelates. <i>Plant Direct</i> , 2020 , 4, e00256	3.3	1
32	Antibacterial activity of naphthyl derived bis-(3-hydroxy-4-pyridinonate) copper(II) complexes against multidrug-resistant bacteria. <i>Journal of Inorganic Biochemistry</i> , 2019 , 197, 110704	4.2	12
31	Synthesis of Pyridyl and N-Methylpyridinium Analogues of Rosamines: Relevance of Solvent and Charge on Their Photophysical Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 15073-15082	4.8	4
30	(Aminophenyl)porphyrins as precursors for the synthesis of porphyrin-modified siloxanes. <i>Journal of Porphyrins and Phthalocyanines</i> , 2019 , 23, 1001-1012	1.8	
29	Synthesis and coordination studies of 5-(4?-carboxyphenyl)-10,15,20-tris(pentafluorophenyl)porphyrin and its pyrrolidine-fused chlorin derivative. <i>New Journal of Chemistry</i> , 2018 , 42, 8169-8179	3.6	7
28	EPR and 51V NMR studies of prospective anti-diabetic bis(3-hydroxy-4-pyridinonato)oxidovanadium(IV) complexes in aqueous solution and liposome suspensions. <i>New Journal of Chemistry</i> , 2018 , 42, 8088-8097	3.6	4
27	Synthesis and characterization of two fluorescent isophthalate rosamines: From solution to immobilization in solid substrates. <i>Dyes and Pigments</i> , 2018 , 157, 405-414	4.6	3
26	Tuning the Anti(myco)bacterial Activity of 3-Hydroxy-4-pyridinone Chelators through Fluorophores. <i>Pharmaceuticals</i> , 2018 , 11,	5.2	6
25	1,3-Dipolar cycloadditions with meso-tetraarylchlorins ßite selectivity and mixed bisadducts. <i>Organic Chemistry Frontiers</i> , 2017 , 4, 534-544	5.2	10
24	The influence of functional groups on the permeation and distribution of antimycobacterial rhodamine chelators. <i>Journal of Inorganic Biochemistry</i> , 2017 , 175, 138-147	4.2	9
23	Design of a Water Soluble Fluorescent 3-Hydroxy-4-Pyridinone Ligand Active at Physiological pH Values. <i>Journal of Fluorescence</i> , 2016 , 26, 1773-85	2.4	2
22	Uncovering novel 3-hydroxy-4-pyridinone metal ion complexes with potential anti-inflammatory properties. <i>Journal of Inorganic Biochemistry</i> , 2016 , 155, 9-16	4.2	2
21	Effect of tris(3-hydroxy-4-pyridinonate) iron(III) complexes on iron uptake and storage in soybean (Glycine max L.). <i>Plant Physiology and Biochemistry</i> , 2016 , 106, 91-100	5.4	18
20	Synthesis and spectroscopic characterization of a new tripodal hexadentate iron chelator incorporating catechol units. <i>Polyhedron</i> , 2015 , 87, 1-7	2.7	6

19	The Influence of the Amide Linkage in the Fe(III) -Binding Properties of Catechol-Modified Rosamine Derivatives. <i>Chemistry - A European Journal</i> , 2015 , 21, 15692-704	4.8	6
18	Isoxazolidine-fused meso-tetraarylchlorins as key tools for the synthesis of mono- and bis-annulated chlorins. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 7131-5	3.9	20
17	Distinctive EPR signals provide an understanding of the affinity of bis-(3-hydroxy-4-pyridinonato) copper(II) complexes for hydrophobic environments. <i>Dalton Transactions</i> , 2014 , 43, 9722-31	4.3	12
16	EPR and XANES studies of anaerobic photolysis of iso-propilpyridinecobaloxime: Elucidation of the reactivity of the Co(II) primary product. <i>Journal of Organometallic Chemistry</i> , 2014 , 760, 11-18	2.3	1
15	Tuning the limits of pH interference of a rhodamine ion sensor by introducing catechol and 3-hydroxy-4-pyridinone chelating units. <i>Dyes and Pigments</i> , 2014 , 110, 193-202	4.6	9
14	Discrimination of fluorescence light-up effects induced by pH and metal ion chelation on a spirocyclic derivative of rhodamine B. <i>Dalton Transactions</i> , 2013 , 42, 6110-8	4.3	24
13	Design of a water soluble 1,8-naphthalimide/3-hydroxy-4-pyridinone conjugate: Investigation of its spectroscopic properties at variable pH and in the presence of Fe ³⁺ , Cu ²⁺ and Zn ²⁺ . <i>Dyes and Pigments</i> , 2013 , 98, 201-211	4.6	16
12	Use of a porphyrin platform and 3,4-HPO chelating units to synthesize ligands with N4 and O4 coordination sites. <i>Tetrahedron</i> , 2011 , 67, 7821-7828	2.4	9
11	Investigation of the insulin-like properties of zinc(II) complexes of 3-hydroxy-4-pyridinones: identification of a compound with glucose lowering effect in STZ-induced type I diabetic animals. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 1675-82	4.2	28
10	Nickel(II) and Cobalt(II) 3-Hydroxy-4-pyridinone Complexes: Synthesis, Characterization and Speciation Studies in Aqueous Solution. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 131-140	2.3	23
9	Novel tetradentate chelators derived from 3-hydroxy-4-pyridinone units: synthesis, characterization and aqueous solution properties. <i>Tetrahedron</i> , 2011 , 67, 4009-4016	2.4	15
8	Fluorescent 3-hydroxy-4-pyridinone hexadentate iron chelators: intracellular distribution and the relevance to antimycobacterial properties. <i>Journal of Biological Inorganic Chemistry</i> , 2010 , 15, 861-77	3.7	37
7	Oxidovanadium(IV) Complexes of 3-Hydroxy-4-pyrone and 3-Hydroxy-4-pyridinone Ligands: A New Generation of Homogeneous Catalysts for the Epoxidation of Geraniol. <i>Catalysis Letters</i> , 2010 , 135, 98-104	2.8	10
6	Microwave-assisted synthesis of 3-hydroxy-4-pyridinone/naphthalene conjugates. Structural characterization and selection of a fluorescent ion sensor. <i>Tetrahedron</i> , 2010 , 66, 8544-8550	2.4	23
5	Novel 3-hydroxy-4-pyridinonato oxidovanadium(IV) complexes to investigate structure/activity relationships. <i>Journal of Inorganic Biochemistry</i> , 2009 , 103, 496-502	4.2	27
4	Influence of structural factors on the enhanced activity of moxifloxacin: a fluorescence and EPR spectroscopic study. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1543-52	4.4	19
3	New lipophilic 3-hydroxy-4-pyridinonate iron(III) complexes: synthesis and EXAFS structural characterisation. <i>Dalton Transactions</i> , 2006 , 1313-21	4.3	14
2	Spectroscopic and potentiometric characterization of oxovanadium(IV) complexes formed by 3-hydroxy-4-pyridinones. Rationalization of the influence of basicity and electronic structure of the ligand on the properties of V(IV)O species in aqueous solution. <i>Inorganic Chemistry</i> , 2006 , 45, 8086-97	5.1	67

- 1 Photolysis Secondary Products of Cobaloximes and Imino/Oxime Compounds Controlled by Steric Hindrance Imposed by the Lewis Base. *Organometallics*, **2005**, 24, 3500-3507 3.8 8