

Panos Zanos

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3338373/panos-zanos-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

2,955
citations

24
h-index

54
g-index

61
ext. papers

3,846
ext. citations

7.6
avg, IF

5.59
L-index

#	Paper	IF	Citations
53	NMDAR inhibition-independent antidepressant actions of ketamine metabolites. <i>Nature</i> , 2016 , 533, 481-486	36.4	903
52	Ketamine and Ketamine Metabolite Pharmacology: Insights into Therapeutic Mechanisms. <i>Pharmacological Reviews</i> , 2018 , 70, 621-660	22.5	395
51	Mechanisms of ketamine action as an antidepressant. <i>Molecular Psychiatry</i> , 2018 , 23, 801-811	15.1	341
50	Convergent Mechanisms Underlying Rapid Antidepressant Action. <i>CNS Drugs</i> , 2018 , 32, 197-227	6.7	92
49	The oxytocin analogue carbetocin prevents emotional impairment and stress-induced reinstatement of opioid-seeking in morphine-abstinent mice. <i>Neuropsychopharmacology</i> , 2014 , 39, 855-867	8.7	91
48	Antidepressant-relevant concentrations of the ketamine metabolite (2,6)-hydroxynorketamine do not block NMDA receptor function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 5160-5169	11.5	77
47	The Prodrug 4-Chlorokynurenine Causes Ketamine-Like Antidepressant Effects, but Not Side Effects, by NMDA/GlycineB-Site Inhibition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015 , 355, 76-85	4.7	77
46	(-)-hydroxynorketamine exerts mGlu receptor-dependent antidepressant actions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 6441-6450	11.5	73
45	A Negative Allosteric Modulator for β Subunit-Containing GABA Receptors Exerts a Rapid and Persistent Antidepressant-Like Action without the Side Effects of the NMDA Receptor Antagonist Ketamine in Mice. <i>ENeuro</i> , 2017 , 4,	3.9	61
44	Effects of Ketamine and Ketamine Metabolites on Evoked Striatal Dopamine Release, Dopamine Receptors, and Monoamine Transporters. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 359, 159-70	4.7	61
43	Chronic methamphetamine treatment induces oxytocin receptor up-regulation in the amygdala and hypothalamus via an adenosine A2A receptor-independent mechanism. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 119, 72-9	3.9	45
42	Animal models to improve our understanding and treatment of suicidal behavior. <i>Translational Psychiatry</i> , 2017 , 7, e1092	8.6	43
41	(R)-Ketamine exerts antidepressant actions partly via conversion to (2R,6R)-hydroxynorketamine, while causing adverse effects at sub-anaesthetic doses. <i>British Journal of Pharmacology</i> , 2019 , 176, 2573-2592	8.6	38
40	Methamphetamine abstinence induces changes in μ opioid receptor, oxytocin and CRF systems: Association with an anxiogenic phenotype. <i>Neuropharmacology</i> , 2016 , 105, 520-532	5.5	38
39	Synthesis and N-Methyl-d-aspartate (NMDA) Receptor Activity of Ketamine Metabolites. <i>Organic Letters</i> , 2017 , 19, 4572-4575	6.2	38
38	Dopamine and Stress System Modulation of Sex Differences in Decision Making. <i>Neuropsychopharmacology</i> , 2018 , 43, 313-324	8.7	35
37	Oxytocin and opioid addiction revisited: old drug, new applications. <i>British Journal of Pharmacology</i> , 2018 , 175, 2809-2824	8.6	31

36	The oxytocin analogue carbetocin prevents priming-induced reinstatement of morphine-seeking: Involvement of dopaminergic, noradrenergic and MOPr systems. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2459-64	1.2	31
35	Effect of chronic heroin and cocaine administration on global DNA methylation in brain and liver. <i>Toxicology Letters</i> , 2013 , 218, 260-5	4.4	30
34	Group II metabotropic glutamate receptor blockade promotes stress resilience in mice. <i>Neuropsychopharmacology</i> , 2019 , 44, 1788-1796	8.7	29
33	Cocaine abstinence induces emotional impairment and brain region-specific upregulation of the oxytocin receptor binding. <i>European Journal of Neuroscience</i> , 2016 , 44, 2446-2454	3.5	29
32	Differential regulation of mGlu5 R and DPr by priming- and cue-induced reinstatement of cocaine-seeking behaviour in mice. <i>Addiction Biology</i> , 2015 , 20, 902-12	4.6	28
31	Intracellular Signaling Pathways Involved in (S)- and (R)-Ketamine Antidepressant Actions. <i>Biological Psychiatry</i> , 2018 , 83, 2-4	7.9	27
30	(2R,6R)-hydroxynorketamine rapidly potentiates hippocampal glutamatergic transmission through a synapse-specific presynaptic mechanism. <i>Neuropsychopharmacology</i> , 2020 , 45, 426-436	8.7	25
29	Environmental enrichment enhances conditioned place preference to ethanol via an oxytocinergic-dependent mechanism in male mice. <i>Neuropharmacology</i> , 2018 , 138, 267-274	5.5	24
28	Zanos et al. reply. <i>Nature</i> , 2017 , 546, E4-E5	50.4	21
27	Mouse, rat, and dog bioavailability and mouse oral antidepressant efficacy of ()-hydroxynorketamine. <i>Journal of Psychopharmacology</i> , 2019 , 33, 12-24	4.6	21
26	A critical role of striatal A2A R-mGlu5 R interactions in modulating the psychomotor and drug-seeking effects of methamphetamine. <i>Addiction Biology</i> , 2016 , 21, 811-25	4.6	20
25	Reply to: Antidepressant Actions of Ketamine Versus Hydroxynorketamine. <i>Biological Psychiatry</i> , 2017 , 81, e69-e71	7.9	20
24	A Randomized Trial of the N-Methyl-d-Aspartate Receptor Glycine Site Antagonist Prodrug 4-Chlorokynurenine in Treatment-Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 417-425	5.8	20
23	Region-specific up-regulation of oxytocin receptor binding in the brain of mice following chronic nicotine administration. <i>Neuroscience Letters</i> , 2015 , 600, 33-7	3.3	18
22	Sex-dependent modulation of age-related cognitive decline by the L-type calcium channel gene <i>Cacna1c</i> (Cav 1.2). <i>European Journal of Neuroscience</i> , 2015 , 42, 2499-507	3.5	17
21	Hydroxynorketamines: Pharmacology and Potential Therapeutic Applications. <i>Pharmacological Reviews</i> , 2021 , 73, 763-791	22.5	17
20	Transient anhedonia phenotype and altered circadian timing of behaviour during night-time dim light exposure in <i>Per3</i> mice, but not wildtype mice. <i>Scientific Reports</i> , 2017 , 7, 40399	4.9	15
19	Alpha2B-Adrenergic Receptor Overexpression in the Brain Potentiate Air Pollution-induced Behavior and Blood Pressure Changes. <i>Toxicological Sciences</i> , 2019 , 169, 95-107	4.4	13

18	Isoflurane but Not Halothane Prevents and Reverses Helpless Behavior: A Role for EEG Burst Suppression?. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 777-785	5.8	13
17	Epigenetically modified nucleotides in chronic heroin and cocaine treated mice. <i>Toxicology Letters</i> , 2014 , 229, 451-7	4.4	13
16	Ketamine Mechanism of Action: Separating the Wheat from the Chaff. <i>Neuropsychopharmacology</i> , 2017 , 42, 368-369	8.7	11
15	Sex-Specific Involvement of Estrogen Receptors in Behavioral Responses to Stress and Psychomotor Activation. <i>Frontiers in Psychiatry</i> , 2019 , 10, 81	5	11
14	Emotional Impairment and Persistent Upregulation of mGlu5 Receptor following Morphine Abstinence: Implications of an mGlu5-MOPr Interaction. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	9
13	Psychological stress enhances tumor growth and diminishes radiation response in preclinical model of lung cancer. <i>Radiotherapy and Oncology</i> , 2020 , 146, 126-135	5.3	8
12	Ketamine metabolite (2R,6R)-hydroxynorketamine reverses behavioral despair produced by adolescent trauma. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 196, 172973	3.9	7
11	Methamphetamine withdrawal induces activation of CRF neurons in the brain stress system in parallel with an increased activity of cardiac sympathetic pathways. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018 , 391, 423-434	3.4	7
10	F102. Human Experimenter Sex Modulates Mouse Behavioral Responses to Stress and to the Antidepressant Ketamine. <i>Biological Psychiatry</i> , 2018 , 83, S277	7.9	6
9	Classical conditioning of antidepressant placebo effects in mice. <i>Psychopharmacology</i> , 2020 , 237, 93-102	4.7	5
8	Antidepressant Effects and Mechanisms of Group II mGlu Receptor-Specific Negative Allosteric Modulators. <i>Neuron</i> , 2020 , 105, 1-3	13.9	4
7	Chronic nicotine administration restores brain region specific upregulation of oxytocin receptor binding levels in a G72 mouse model of schizophrenia. <i>European Journal of Neuroscience</i> , 2019 , 50, 2255-2263	3.5	4
6	A comparison of the pharmacokinetics and NMDAR antagonism-associated neurotoxicity of ketamine, (2R,6R)-hydroxynorketamine and MK-801. <i>Neurotoxicology and Teratology</i> , 2021 , 87, 106993	3.9	4
5	Wheel running during chronic nicotine exposure is protective against mecamylamine-precipitated withdrawal and up-regulates hippocampal α 7 nACh receptors in mice. <i>British Journal of Pharmacology</i> , 2018 , 175, 1928-1943	8.6	3
4	Hydroxynorketamine Pharmacokinetics and Antidepressant Behavioral Effects of (2S)- and (5S)-Methyl-(2S)-hydroxynorketamines.. <i>ACS Chemical Neuroscience</i> , 2022 ,	5.7	1
3	Comparative metabolomic analysis in plasma and cerebrospinal fluid of humans and in plasma and brain of mice following antidepressant-dose ketamine administration.. <i>Translational Psychiatry</i> , 2022 , 12, 179	8.6	1
2	Post-weaning A1/A2 β -casein milk intake modulates depressive-like behavior, brain β -opioid receptors, and the metabolome of rats. <i>iScience</i> , 2021 , 24, 103048	6.1	0
1	Sex-dependent metabolism of ketamine and ()-hydroxynorketamine in mice and humans.. <i>Journal of Psychopharmacology</i> , 2021 , 2698811211064922	4.6	0

