
## Anna Bednarek-Skublewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3340437/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. American Journal of Kidney Diseases, 2020, 75, 361-372.	2.1	12
2	Fruit and Vegetable Intake and Mortality in Adults undergoing Maintenance Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 250-260.	2.2	85
3	Oral mucosal lesions and risk of all-cause and cardiovascular mortality in people treated with long-term haemodialysis: The ORAL-D multinational cohort study. PLoS ONE, 2019, 14, e0218684.	1.1	2
4	Dietary n-3 polyunsaturated fatty acid intake and all-cause and cardiovascular mortality in adults on hemodialysis: The DIET-HD multinational cohort study. Clinical Nutrition, 2019, 38, 429-437.	2.3	16
5	The Association of Mediterranean and DASH Diets with Mortality in Adults on Hemodialysis: The DIET-HD Multinational Cohort Study. Journal of the American Society of Nephrology: JASN, 2018, 29, 1741-1751.	3.0	33
6	FP631PREVALENCE OF ORAL MUCOSAL LESIONS IN HEMODIALYSIS PATIENTS AND ASSOCIATION WITH MORTALITY: A PROSPECTIVE COHORT STUDY. Nephrology Dialysis Transplantation, 2018, 33, i256-i256.	0.4	0
7	FP630ASSOCIATION OF FRUIT AND VEGETABLE INTAKE WITH ALL-CAUSE MORTALITY IN HEMODIALYSIS PATIENTS (DIET-HD): A PROSPECTIVE COHORT STUDY. Nephrology Dialysis Transplantation, 2018, 33, i255-i25`6.	0.4	1
8	Retrospective single-center analysis of the reasons and serious complications of peritoneal-related peritonitis in patients with end-stage renal disease undergoing peritoneal dialysis treatment. Zdrowie Publiczne, 2018, 128, 103-106.	0.2	0
9	Periodontitis and early mortality among adults treated with hemodialysis: a multinational propensity-matched cohort study. BMC Nephrology, 2017, 18, 166.	0.8	14
10	Relationship between microRNA-146a expression and plasma renalase levels in hemodialyzed patients. PLoS ONE, 2017, 12, e0179218.	1.1	7
11	Levels of renalase and advanced oxidation protein products with regard to catecholamines in haemodialysed patients. Annals of Agricultural and Environmental Medicine, 2017, 24, 453-458.	0.5	3
12	The prevalence and correlates of low sexual functioning in women on hemodialysis: A multinational, cross-sectional study. PLoS ONE, 2017, 12, e0179511.	1.1	26
13	Depression and all-cause and cardiovascular mortality in patients on haemodialysis: a multinational cohort study. Nephrology Dialysis Transplantation, 2016, 32, gfw016.	0.4	17
14	Patterns of oral disease in adults with chronic kidney disease treated with hemodialysis. Nephrology Dialysis Transplantation, 2016, 31, 1647-1653.	0.4	14
15	Dental Health and Mortality in People With End-Stage Kidney Disease Treated With Hemodialysis: A Multinational Cohort Study. American Journal of Kidney Diseases, 2015, 66, 666-676.	2.1	55
16	The prognostic value of positive T-wave in lead aVR in hemodialysis patients. Clinical and Experimental Nephrology, 2015, 19, 1157-1164.	0.7	14
17	Nutrition and dietary intake and their association with mortality and hospitalisation in adults with chronic kidney disease treated with haemodialysis: protocol for DIET-HD, a prospective multinational cohort study. BMJ Open, 2015, 5, e006897-e006897.	0.8	24
18	Patient satisfaction with in-centre haemodialysis care: an international survey. BMJ Open, 2014, 4, e005020.	0.8	29

#	Article	IF	CITATIONS
19	Plasma levels of catecholamines and asymmetric dimethylarginine levels as predictive values of mortality among hemodialysis patients. Current Issues in Pharmacy and Medical Sciences, 2014, 27, 37-40.	0.1	2
20	Plasma and erythrocyte relationship of catecholamines in hemodialysis patients. Annals of Agricultural and Environmental Medicine, 2014, 21, 562-566.	0.5	6
21	Relationship between renalase and N-terminal pro-B-type natriuretic peptide (NT pro-BNP) in haemodialysis patients. Annals of Agricultural and Environmental Medicine, 2014, 21, 132-5.	0.5	8
22	Oral disease in adults treated with hemodialysis: prevalence, predictors, and association with mortality and adverse cardiovascular events: the rationale and design of the ORAL Diseases in hemodialysis (ORAL-D) study, a prospective, multinational, longitudinal, observational, cohort study. BMC Nephrology, 2013, 14, 90.	0.8	19
23	Prevalence of Legionella antibodies in immunocompromised patients. Open Medicine (Poland), 2013, 8, 208-212.	0.6	2
24	Assessment of Cytokine Release Afterin VitroStimulation of Whole Blood withLegionella Pneumophilain Immunocompromised Patients. Immunological Investigations, 2013, 42, 1-17.	1.0	2
25	Sexual Dysfunction in Women with ESRD Requiring Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 974-981.	2.2	82
26	Prevalence and correlates of erectile dysfunction in men on chronic haemodialysis: a multinational cross-sectional study. Nephrology Dialysis Transplantation, 2012, 27, 2479-2488.	0.4	44
27	Relationship of haemodialysis therapy duration and cardiac adrenergic system function assessed by iodine-123 metaiodobenzylguanidine imaging in haemodialysed nondiabetic patients. Nuclear Medicine Communications, 2012, 33, 155-163.	0.5	5
28	lodine-123 metaiodobenzylguanidine myocardial imaging in haemodialysed patients asymptomatic for coronary artery disease. Nuclear Medicine Communications, 2011, 32, 515-521.	0.5	9
29	The effect of a single dialysis session on spatial QRS-T angle in haemodialysis patients. Nephrology Dialysis Transplantation, 2010, 25, 3723-3729.	0.4	11
30	Prevalence and Correlates of Self-Reported Sexual Dysfunction in CKD: A Meta-analysis of Observational Studies. American Journal of Kidney Diseases, 2010, 56, 670-685.	2.1	155
31	Complement receptor 1 gene polymorphism and cardiovascular disease in dialyzed end-stage renal disease patients. Human Immunology, 2010, 71, 878-882.	1.2	9
32	Effects of vitamin D3 on selected biochemical parameters of nutritional status, inflammation, and cardiovascular disease in patients undergoing long-term hemodialysis. , 2010, 120, 167-74.		10
33	Sialic acid content in erythrocyte membranes of patients on chronic hemodialysis. , 2009, 119, 194-9.		Ο
34	Monocyte chemoattractant protein-1 (MCP-1) gene polymorphism as a potential risk factor for cardiovascular disease in hemodialyzed patients. Cytokine, 2008, 44, 361-365.	1.4	20
35	Influence of Homocysteine on the Function of Native Arteriovenous Fistula in Hemodialysis Patients. Dialysis and Transplantation, 2006, 35, 604-609.	0.2	1
36	Concentrations of branched amino acids: isoleucine, valine, leucine in serum of hemodialysis patients during one-year observation. Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina, 2002, 57, 322-9.	0.0	1