

# Prita R Asih

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3340811/publications.pdf>

Version: 2024-02-01

24  
papers

952  
citations

471061

17  
h-index

642321

23  
g-index

24  
all docs

24  
docs citations

24  
times ranked

1467  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma glial fibrillary acidic protein is elevated in cognitively normal older adults at risk of Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 27.	2.4	207
2	Alzheimer's Disease: A Journey from Amyloid Peptides and Oxidative Stress, to Biomarker Technologies and Disease Prevention Strategies—Gains from AIBL and DIAN Cohort Studies. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 965-992.	1.2	96
3	Diagnostic and prognostic plasma biomarkers for preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2022, 18, 1141-1154.	0.4	89
4	Functions of p38 MAP Kinases in the Central Nervous System. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 570586.	1.4	80
5	The Effects of Testosterone Supplementation on Cognitive Functioning in Older Men.. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016, 15, 337-343.	0.8	56
6	Association of Plasma Neurofilament Light Chain with Neocortical Amyloid- $\beta^2$ Load and Cognitive Performance in Cognitively Normal Elderly Participants. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 479-487.	1.2	50
7	Elevated plasma ferritin in elderly individuals with high neocortical amyloid- $\beta^2$ load. <i>Molecular Psychiatry</i> , 2018, 23, 1807-1812.	4.1	49
8	Alterations in serum kynurenine pathway metabolites in individuals with high neocortical amyloid- $\beta^2$ load: A pilot study. <i>Scientific Reports</i> , 2018, 8, 8008.	1.6	45
9	Plasma neurofilament light chain and amyloid- $\beta^2$ are associated with the kynurenine pathway metabolites in preclinical Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2019, 16, 186.	3.1	41
10	Ultrasensitive Detection of Plasma Amyloid- $\beta^2$ as a Biomarker for Cognitively Normal Elderly Individuals at Risk of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 775-783.	1.2	38
11	Multiple Mechanisms Linking Type 2 Diabetes and Alzheimer's Disease: Testosterone as a Modifier. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 445-466.	1.2	36
12	Alterations in erythrocyte fatty acid composition in preclinical Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 676.	1.6	35
13	The impact of luteinizing hormone and testosterone on beta amyloid ( $A\beta^2$ ) accumulation: Animal and human clinical studies. <i>Hormones and Behavior</i> , 2015, 76, 81-90.	1.0	25
14	Reduction of advanced tau-mediated memory deficits by the MAP kinase p38 $\beta^3$ . <i>Acta Neuropathologica</i> , 2020, 140, 279-294.	3.9	24
15	Clearing the amyloid in Alzheimer's: progress towards earlier diagnosis and effective treatments – an update for clinicians. <i>Neurodegenerative Disease Management</i> , 2014, 4, 363-378.	1.2	20
16	Plasma metabolites associated with biomarker evidence of neurodegeneration in cognitively normal older adults. <i>Journal of Neurochemistry</i> , 2021, 159, 389-402.	2.1	20
17	Testosterone Replacement Therapy in Older Male Subjective Memory Complainers: Double-Blind Randomized Crossover Placebo-Controlled Clinical Trial of Physiological Assessment and Safety. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015, 14, 576-586.	0.8	18
18	Selective Spatiotemporal Vulnerability of Central Nervous System Neurons to Pathologic TAR DNA-Binding Protein 43 in Aged Transgenic Mice. <i>American Journal of Pathology</i> , 2018, 188, 1447-1456.	1.9	8

#	ARTICLE	IF	CITATIONS
19	Interaction between the guanylate kinase domain of PSD-95 and the proline-rich region and microtubule binding repeats 2 and 3 of tau. <i>Biochemistry and Cell Biology</i> , 2021, 99, 1-11.	0.9	7
20	Serum Hepcidin Levels in Cognitively Normal Older Adults with High Neocortical Amyloid- $\beta^2$ Load. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 291-301.	1.2	3
21	Contribution of endogenous antibodies to learning deficits and astrogliosis in human P301S mutant tau transgenic mice. <i>Scientific Reports</i> , 2020, 10, 13845.	1.6	2
22	Alzheimer's Disease and Frontotemporal Lobar Degeneration: Mouse Models. , 2018, , 187-219.		1
23	High Level Forebrain Expression of Active Tau Kinase p38 $\beta$ Exacerbates Cognitive Dysfunction in Aged APP-transgenic Alzheimer's Mice. <i>Neuroscience</i> , 2022, 484, 53-65.	1.1	1
24	Differential mitochondrial protein interaction profile between human translocator protein and its A147T polymorphism variant. <i>PLoS ONE</i> , 2022, 17, e0254296.	1.1	1