

# Antonio Ferreira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3341149/publications.pdf>

Version: 2024-02-01

24  
papers

1,580  
citations

516710  
16  
h-index

610901  
24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

2011  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic treatment with hydroxychloroquine and SARS-CoV-2 infection. <i>Journal of Medical Virology</i> , 2021, 93, 755-759.	5.0	31
2	Nutritional markers and prognosis in cardiac cachexia. <i>International Journal of Cardiology</i> , 2011, 146, 359-363.	1.7	56
3	Aminoterminal B-Type Natriuretic Peptide (NT-proBNP) in End-Stage Renal Failure Patients on Regular Hemodialysis: Does It Have Diagnostic and Prognostic Implications?. <i>Nephron Clinical Practice</i> , 2009, 111, c182-c188.	2.3	6
4	Variability of High-Sensitivity C-Reactive Protein in Chronic Heart Failure. <i>Cardiology</i> , 2009, 113, 180-183.	1.4	1
5	Adiponectin is increased in cardiac cachexia irrespective of body mass index. <i>European Journal of Heart Failure</i> , 2009, 11, 567-572.	7.1	44
6	The cyclic guanosine monophosphate/B-type natriuretic peptide ratio and mortality in advanced heart failure. <i>European Journal of Heart Failure</i> , 2009, 11, 185-190.	7.1	11
7	Deltopectoral flap: an old but contemporaneous solution for neck reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009, 62, 137-138.	1.0	8
8	Prognostic Value of High-Sensitivity C-Reactive Protein in Heart Failure: A Systematic Review. <i>Journal of Cardiac Failure</i> , 2009, 15, 256-266.	1.7	120
9	Amino Terminal B-Type Natriuretic Peptide, Renal Function, and Prognosis in Acute Heart Failure: A Hospital Cohort Study. <i>Journal of Cardiac Failure</i> , 2007, 13, 275-280.	1.7	19
10	Prognosis of decompensated heart failure patients with preserved systolic function is predicted by NT-proBNP variations during hospitalization. <i>International Journal of Cardiology</i> , 2007, 117, 75-79.	1.7	25
11	Intraindividual Variation of Amino-Terminal Pro-B-Type Natriuretic Peptide Levels in Patients With Stable Heart Failure. <i>American Journal of Cardiology</i> , 2006, 98, 1248-1250.	1.6	58
12	Effect of Saline Load and Metoclopramide on the Renal Dopaminergic System in Patients with Heart Failure and Healthy Controls. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 197-203.	1.9	14
13	Heart failure and health related quality of life. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 19.	1.2	62
14	N-Terminal Pro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. <i>Circulation</i> , 2004, 110, 2168-2174.	1.6	644
15	The effect of dietary sodium restriction on neurohumoral activity and renal dopaminergic response in patients with heart failure. <i>European Journal of Heart Failure</i> , 2004, 6, 593-599.	7.1	65
16	Prognostic information provided by serial measurements of brain natriuretic peptide in heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 45-48.	1.7	80
17	B-Type Natriuretic Peptide Is Related to Left Ventricular Mass in Hypertensive Patients but Not in Athletes. <i>Cardiology</i> , 2002, 98, 113-115.	1.4	31
18	Effect of a heart failure clinic on survival and hospital readmission in patients discharged from acute hospital care. <i>European Journal of Heart Failure</i> , 2002, 4, 353-359.	7.1	45

#	ARTICLE	IF	CITATIONS
19	Preliminary data on the potential usefulness of B-type natriuretic peptide levels in predicting outcome after hospital discharge in patients with heart failure. <i>American Journal of Medicine</i> , 2002, 113, 215-219.	1.5	91
20	The renal dopaminergic system, neurohumoral activation, and sodium handling in heart failure. <i>American Heart Journal</i> , 2002, 143, 391-397.	2.7	14
21	Neurohormonal activation, the renal dopaminergic system and sodium handling in patients with severe heart failure under vasodilator therapy. <i>Clinical Science</i> , 2001, 100, 557.	4.3	12
22	Predictors of prognosis in patients with stable mild to moderate heart failure. <i>Journal of Cardiac Failure</i> , 2000, 6, 306-313.	1.7	107
23	Brain natriuretic peptide as a marker of cardiac involvement in hypertension. <i>International Journal of Cardiology</i> , 1999, 69, 169-177.	1.7	30
24	Predictors of myocardial dysfunction in human immunodeficiency virus-infected patients. <i>Journal of Cardiac Failure</i> , 1998, 4, 19-26.	1.7	6