Anand Swaroop

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3341370/anand-swaroop-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26,240 80 151 347 h-index g-index citations papers 30,821 6.52 8.7 363 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
347	Multi-omics analyses reveal early metabolic imbalance and mitochondrial stress in neonatal photoreceptors leading to cell death in Pde6brd1/rd1 mouse model of retinal degeneration <i>Human Molecular Genetics</i> , 2022 ,	5.6	2
346	GATD3A, a mitochondrial deglycase with evolutionary origins from gammaproteobacteria, restricts the formation of advanced glycation end products <i>BMC Biology</i> , 2022 , 20, 68	7.3	0
345	Association of Smoking, Alcohol Consumption, Blood Pressure, Body Mass Index, and Glycemic Risk Factors With Age-Related Macular Degeneration: A Mendelian Randomization Study. <i>JAMA Ophthalmology</i> , 2021 ,	3.9	2
344	Genetics and therapy for pediatric eye diseases. EBioMedicine, 2021, 67, 103360	8.8	0
343	Restoration of RPGR expression in vivo using CRISPR/Cas9 gene editing. <i>Gene Therapy</i> , 2021 ,	4	4
342	Primary cilia biogenesis and associated retinal ciliopathies. <i>Seminars in Cell and Developmental Biology</i> , 2021 , 110, 70-88	7.5	17
341	Dietary Nutrient Intake and Progression to Late Age-Related Macular Degeneration in the Age-Related Eye Disease Studies 1 and 2. <i>Ophthalmology</i> , 2021 , 128, 425-442	7.3	21
340	Gene Therapy of Dominant CRX-Leber Congenital Amaurosis using Patient Stem Cell-Derived Retinal Organoids. <i>Stem Cell Reports</i> , 2021 , 16, 252-263	8	13
339	Genome-Wide Association Studies-Based Machine Learning for Prediction of Age-Related Macular Degeneration Risk. <i>Translational Vision Science and Technology</i> , 2021 , 10, 29	3.3	4
338	A Novel Gene Mutation Associated With Autosomal Dominant Retinal Degeneration. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 720782	5.7	2
337	Glycogen Synthase Kinase 3 Regulates the Genesis of Displaced Retinal Ganglion Cells3. <i>ENeuro</i> , 2021 , 8,	3.9	1
336	Aging of the Retina: Molecular and Metabolic Turbulences and Potential Interventions. <i>Annual Review of Vision Science</i> , 2021 , 7, 633-664	8.2	4
335	Proneural genes define ground-state rules to regulate neurogenic patterning and cortical folding. <i>Neuron</i> , 2021 , 109, 2847-2863.e11	13.9	5
334	Making Biological Sense of Genetic Studies of Age-Related Macular Degeneration. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1256, 201-219	3.6	1
333	Adherence to the Mediterranean Diet and Progression to Late Age-Related Macular Degeneration in the Age-Related Eye Disease Studies 1 and 2. <i>Ophthalmology</i> , 2020 , 127, 1515-1528	7-3	13
332	Pluripotent stem cell-derived retinal organoids for disease modeling and development of therapies. <i>Stem Cells</i> , 2020 , 38, 1206-1215	5.8	37
331	Tbx2a Modulates Switching of RH2 and LWS Opsin Gene Expression. <i>Molecular Biology and Evolution</i> , 2020 , 37, 2002-2014	8.3	9

(2020-2020)

330	Retinal Organoids derived from hiPSCs of an AIPL1-LCA Patient Maintain Cytoarchitecture despite Reduced levels of Mutant AIPL1. <i>Scientific Reports</i> , 2020 , 10, 5426	4.9	17
329	Retinal pigment epithelium transcriptome analysis in chronic smoking reveals a suppressed innate immune response and activation of differentiation pathways. <i>Free Radical Biology and Medicine</i> , 2020 , 156, 176-189	7.8	2
328	Soy Protein Nanofiber Scaffolds for Uniform Maturation of Human Induced Pluripotent Stem Cell-Derived Retinal Pigment Epithelium. <i>Tissue Engineering - Part C: Methods</i> , 2020 , 26, 433-446	2.9	4
327	Reply. <i>Ophthalmology</i> , 2020 , 127, e19-e20	7.3	
326	Deep-learning-based Prediction of Late Age-Related Macular Degeneration Progression. <i>Nature Machine Intelligence</i> , 2020 , 2, 141-150	22.5	35
325	Family-based exome sequencing identifies rare coding variants in age-related macular degeneration. <i>Human Molecular Genetics</i> , 2020 , 29, 2022-2034	5.6	9
324	Genome-wide Profiling Identifies DNA Methylation Signatures of Aging in Rod Photoreceptors Associated with Alterations in Energy Metabolism. <i>Cell Reports</i> , 2020 , 31, 107525	10.6	6
323	SSBP1 faux pas in mitonuclear tango causes optic neuropathy. <i>Journal of Clinical Investigation</i> , 2020 , 130, 62-64	15.9	2
322	Integration of genomics and transcriptomics predicts diabetic retinopathy susceptibility genes. <i>ELife</i> , 2020 , 9,	8.9	5
321	A simple and efficient method for generating human retinal organoids. <i>Molecular Vision</i> , 2020 , 26, 97-10	0 5 .3	14
320	A unique -associated variant in a Georgian Jewish family with probable North Carolina macular dystrophy and the possible contribution of a unique variant. <i>Molecular Vision</i> , 2020 , 26, 299-310	2.3	3
319			
	An optimized protocol for retina single-cell RNA sequencing. <i>Molecular Vision</i> , 2020 , 26, 705-717	2.3	5
318	An optimized protocol for retina single-cell RNA sequencing. <i>Molecular Vision</i> , 2020 , 26, 705-717 Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration. <i>PLoS Genetics</i> , 2020 , 16, e1009259	2.3	5
	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in		
318	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration. <i>PLoS Genetics</i> , 2020 , 16, e1009259 HIPRO: A High-Efficiency, Hypoxia-Induced Protocol for Generation of Photoreceptors in Retinal	6	4
318	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration. <i>PLoS Genetics</i> , 2020 , 16, e1009259 HIPRO: A High-Efficiency, Hypoxia-Induced Protocol for Generation of Photoreceptors in Retinal Organoids from Mouse Pluripotent Stem Cells. <i>STAR Protocols</i> , 2020 , 1, 100018-100018 Accelerated Development of Rod Photoreceptors in Retinal Organoids Derived from Human	6	4
318 317 316	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration. <i>PLoS Genetics</i> , 2020 , 16, e1009259 HIPRO: A High-Efficiency, Hypoxia-Induced Protocol for Generation of Photoreceptors in Retinal Organoids from Mouse Pluripotent Stem Cells. <i>STAR Protocols</i> , 2020 , 1, 100018-100018 Accelerated Development of Rod Photoreceptors in Retinal Organoids Derived from Human Pluripotent Stem Cells by Supplementation with 9- Retinal. <i>STAR Protocols</i> , 2020 , 1, 100033-100033 Divergent Effects of HSP70 Overexpression in Photoreceptors During Inherited Retinal	1.4	2 3

312	Adherence to a Mediterranean diet and cognitive function in the Age-Related Eye Disease Studies 1 & 2. <i>Alzheimermand Dementia</i> , 2020 , 16, 831-842	1.2	14
311	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
310	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
309	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
308	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
307	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
306	Loss of endocytosis-associated RabGEF1 causes aberrant morphogenesis and altered autophagy in photoreceptors leading to retinal degeneration 2020 , 16, e1009259		
305	Assessment of Novel Genome-Wide Significant Gene Loci and Lesion Growth in Geographic Atrophy Secondary to Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2019 , 137, 867-876	3.9	15
304	The combination of whole-exome sequencing and clinical analysis allows better diagnosis of rare syndromic retinal dystrophies. <i>Acta Ophthalmologica</i> , 2019 , 97, e877-e886	3.7	11
303	Retinal transcriptome and eQTL analyses identify genes associated with age-related macular degeneration. <i>Nature Genetics</i> , 2019 , 51, 606-610	36.3	93
302	Retinal disease in ciliopathies: Recent advances with a focus on stem cell-based therapies. Translational Science of Rare Diseases, 2019 , 4, 97-115	3.3	11
301	No CFH or ARMS2 Interaction with Omega-3 Fatty Acids, Low versus High Zinc, or ECarotene versus Lutein and Zeaxanthin on Progression of Age-Related Macular Degeneration in the Age-Related Eye Disease Study 2: Age-Related Eye Disease Study 2 Report No. 18. Ophthalmology,	7.3	12
300	Improved Retinal Organoid Differentiation by Modulating Signaling Pathways Revealed by Comparative Transcriptome Analyses with Development In Vivo. Stem Cell Reports, 2019, 13, 891-905	8	49
299	Association of age-related macular degeneration with complement activation products, smoking, and single nucleotide polymorphisms in South Carolinians of European and African descent. <i>Molecular Vision</i> , 2019 , 25, 79-92	2.3	11
298	Transcriptome-based molecular staging of human stem cell-derived retinal organoids uncovers accelerated photoreceptor differentiation by 9-cis retinal. <i>Molecular Vision</i> , 2019 , 25, 663-678	2.3	23
297	Expression of deubiquitinating enzyme genes in the developing mammal retina. <i>Molecular Vision</i> , 2019 , 25, 800-813	2.3	3
296	Targeted deletion of an NRL- and CRX-regulated alternative promoter specifically silences FERM and PDZ domain containing 1 (Frmpd1) in rod photoreceptors. <i>Human Molecular Genetics</i> , 2019 , 28, 804-	-817	5
295	Aberrant RNA splicing is the major pathogenic effect in a knock-in mouse model of the dominantly inherited c.1430A>G human RPE65 mutation. <i>Human Mutation</i> . 2019 . 40, 426-443	4.7	14

294	Molecular dissection of cone photoreceptor-enriched genes encoding transmembrane and secretory proteins. <i>Journal of Neuroscience Research</i> , 2019 , 97, 16-28	4.4	4
293	RNA Biology in Retinal Development and Disease. <i>Trends in Genetics</i> , 2018 , 34, 341-351	8.5	21
292	Genome-wide analysis of disease progression in age-related macular degeneration. <i>Human Molecular Genetics</i> , 2018 , 27, 929-940	5.6	37
291	Accelerated and Improved Differentiation of Retinal Organoids from Pluripotent Stem Cells in Rotating-Wall Vessel Bioreactors. <i>Stem Cell Reports</i> , 2018 , 10, 300-313	8	114
290	Epigenetic control of gene regulation during development and disease: A view from the retina. <i>Progress in Retinal and Eye Research</i> , 2018 , 65, 1-27	20.5	60
289	Determination of Mitochondrial Oxygen Consumption in the Retina Ex Vivo: Applications for Retinal Disease. <i>Methods in Molecular Biology</i> , 2018 , 1753, 167-177	1.4	2
288	A Deep Phenotype Association Study Reveals Specific Phenotype Associations with Genetic Variants in Age-related Macular Degeneration: Age-Related Eye Disease Study 2 (AREDS2) Report No. 14. <i>Ophthalmology</i> , 2018 , 125, 559-568	7.3	19
287	Progression of Geographic Atrophy in Age-related Macular Degeneration: AREDS2 Report Number 16. <i>Ophthalmology</i> , 2018 , 125, 1913-1928	7.3	71
286	Cone-rod homeobox CRX controls presynaptic active zone formation in photoreceptors of mammalian retina. <i>Human Molecular Genetics</i> , 2018 , 27, 3555-3567	5.6	11
285	Patient iPSC-derived neural stem cells exhibit phenotypes in concordance with the clinical severity of mucopolysaccharidosis I. <i>Human Molecular Genetics</i> , 2018 , 27, 3612-3626	5.6	17
284	Association of Rare Predicted Loss-of-Function Variants in Cellular Pathways with Sub-Phenotypes in Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2018 , 125, 398-406	7.3	7
283	A CEP290 C-Terminal Domain Complements the Mutant CEP290 of Rd16 Mice In Trans and Rescues Retinal Degeneration. <i>Cell Reports</i> , 2018 , 25, 611-623.e6	10.6	22
282	Maturation arrest in early postnatal sensory receptors by deletion of the miR-183/96/182 cluster in mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E427	71-E42	8g ⁵
281	Bivariate Analysis of Age-Related Macular Degeneration Progression Using Genetic Risk Scores. <i>Genetics</i> , 2017 , 206, 119-133	4	31
280	REEP6 mediates trafficking of a subset of Clathrin-coated vesicles and is critical for rod photoreceptor function and survival. <i>Human Molecular Genetics</i> , 2017 , 26, 2218-2230	5.6	16
279	Analysis of RP2 and RPGR Mutations in Five X-Linked Chinese Families with Retinitis Pigmentosa. <i>Scientific Reports</i> , 2017 , 7, 44465	4.9	8
278	Nrl knockdown by AAV-delivered CRISPR/Cas9 prevents retinal degeneration in mice. <i>Nature Communications</i> , 2017 , 8, 14716	17.4	176
277	Regulation of Noncoding Transcriptome in Developing Photoreceptors by Rod Differentiation Factor NRL 2017 , 58, 4422-4435		15

276	Pias3 is necessary for dorso-ventral patterning and visual response of retinal cones but is not required for rod photoreceptor differentiation. <i>Biology Open</i> , 2017 , 6, 881-890	2.2	4
275	Molecular Anatomy of the Developing Human Retina. <i>Developmental Cell</i> , 2017 , 43, 763-779.e4	10.2	125
274	In[Vitro Modeling Using Ciliopathy-Patient-Derived Cells Reveals Distinct Cilia Dysfunctions Caused by CEP290 Mutations. <i>Cell Reports</i> , 2017 , 20, 384-396	10.6	80
273	Transcriptome profiling of NIH3T3 cell lines expressing opsin and the P23H opsin mutant identifies candidate drugs for the treatment of retinitis pigmentosa. <i>Pharmacological Research</i> , 2017 , 115, 1-13	10.2	6
272	EYS Mutations Causing Autosomal Recessive Retinitis Pigmentosa: Changes of Retinal Structure and Function with Disease Progression. <i>Genes</i> , 2017 , 8,	4.2	24
271	Next-generation genotype imputation service and methods. <i>Nature Genetics</i> , 2016 , 48, 1284-1287	36.3	1369
270	A reference panel of 64,976 haplotypes for genotype imputation. <i>Nature Genetics</i> , 2016 , 48, 1279-83	36.3	1447
269	NRL-Regulated Transcriptome Dynamics of Developing Rod Photoreceptors. <i>Cell Reports</i> , 2016 , 17, 246	50 <u>⊦</u> 2.467.	3 70
268	Synergistically acting agonists and antagonists of G protein-coupled receptors prevent photoreceptor cell degeneration. <i>Science Signaling</i> , 2016 , 9, ra74	8.8	22
267	Variegated yet non-random rod and cone photoreceptor disease patterns in RPGR-ORF15-associated retinal degeneration. <i>Human Molecular Genetics</i> , 2016 , 25, 5444-5459	5.6	27
266	Recruitment of Rod Photoreceptors from Short-Wavelength-Sensitive Cones during the Evolution of Nocturnal Vision in Mammals. <i>Developmental Cell</i> , 2016 , 37, 520-32	10.2	74
265	Next generation sequencing technology and genomewide data analysis: Perspectives for retinal research. <i>Progress in Retinal and Eye Research</i> , 2016 , 55, 1-31	20.5	39
264	Increased retinal mtDNA damage in the CFH variant associated with age-related macular degeneration. <i>Experimental Eye Research</i> , 2016 , 145, 269-277	3.7	47
263	A secreted WNT-ligand-binding domain of FZD5 generated by a frameshift mutation causes autosomal dominant coloboma. <i>Human Molecular Genetics</i> , 2016 , 25, 1382-91	5.6	30
262	Centrosomal protein CP110 controls maturation of the mother centriole during cilia biogenesis. <i>Development (Cambridge)</i> , 2016 , 143, 1491-501	6.6	43
261	A large genome-wide association study of age-related macular degeneration highlights contributions of rare and common variants. <i>Nature Genetics</i> , 2016 , 48, 134-43	36.3	769
260	The cellular and compartmental profile of mouse retinal glycolysis, tricarboxylic acid cycle, oxidative phosphorylation, and ~P transferring kinases. <i>Molecular Vision</i> , 2016 , 22, 847-85	2.3	43
259	Three-dimensional retinal organoids from mouse pluripotent stem cells mimic development with enhanced stratification and rod photoreceptor differentiation. <i>Molecular Vision</i> , 2016 , 22, 1077-1094	2.3	50

258	Genetic components in diabetic retinopathy. Indian Journal of Ophthalmology, 2016, 64, 55-61	1.6	17
257	Treatment Paradigms for Retinal and Macular Diseases Using 3-D Retina Cultures Derived From Human Reporter Pluripotent Stem Cell Lines 2016 , 57, ORSFl1-ORSFl11		30
256	Rapid, Dynamic Activation of Mller Glial Stem Cell Responses in Zebrafish 2016 , 57, 5148-5160		39
255	Genetic Analysis of the Rhodopsin Gene Identifies a Mosaic Dominant Retinitis Pigmentosa Mutation in a Healthy Individual 2016 , 57, 940-7		8
254	Molecular Diagnosis of Inherited Retinal Diseases in Indigenous African Populations by Whole-Exome Sequencing 2016 , 57, 6374-6381		11
253	Gene-Based Association Analysis for Censored Traits Via Fixed Effect Functional Regressions. <i>Genetic Epidemiology</i> , 2016 , 40, 133-43	2.6	10
252	Loss of RPGR glutamylation underlies the pathogenic mechanism of retinal dystrophy caused by TTLL5 mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E2925-34	11.5	56
251	Bi-allelic Truncating Mutations in CEP78, Encoding Centrosomal Protein 78, Cause Cone-Rod Degeneration with Sensorineural Hearing Loss. <i>American Journal of Human Genetics</i> , 2016 , 99, 777-784	11	30
250	Differential DNA methylation identified in the blood and retina of AMD patients. <i>Epigenetics</i> , 2015 , 10, 698-707	5.7	46
249	A long-term efficacy study of gene replacement therapy for RPGR-associated retinal degeneration. <i>Human Molecular Genetics</i> , 2015 , 24, 3956-70	5.6	52
248	CEP290 alleles in mice disrupt tissue-specific cilia biogenesis and recapitulate features of syndromic ciliopathies. <i>Human Molecular Genetics</i> , 2015 , 24, 3775-91	5.6	79
247	Long-term rescue of cone photoreceptor degeneration in retinitis pigmentosa 2 (RP2)-knockout mice by gene replacement therapy. <i>Human Molecular Genetics</i> , 2015 , 24, 6446-58	5.6	31
246	Mouse model of human RPE65 P25L hypomorph resembles wild type under normal light rearing but is fully resistant to acute light damage. <i>Human Molecular Genetics</i> , 2015 , 24, 4417-28	5.6	18
245	Biology and therapy of inherited retinal degenerative disease: insights from mouse models. <i>DMM Disease Models and Mechanisms</i> , 2015 , 8, 109-29	4.1	160
244	Transcriptome Dynamics of Developing Photoreceptors in Three-Dimensional Retina Cultures Recapitulates Temporal Sequence of Human Cone and Rod Differentiation Revealing Cell Surface Markers and Gene Networks. <i>Stem Cells</i> , 2015 , 33, 3504-18	5.8	112
243	Whole Exome Sequencing Reveals Mutations in Known Retinal Disease Genes in 33 out of 68 Israeli Families with Inherited Retinopathies. <i>Scientific Reports</i> , 2015 , 5, 13187	4.9	49
242	Nonsyndromic Early-Onset Cone-Rod Dystrophy and Limb-Girdle Muscular Dystrophy in a Consanguineous Israeli Family are Caused by Two Independent yet Linked Mutations in ALMS1 and DYSF. <i>Human Mutation</i> , 2015 , 36, 836-41	4.7	13
241	Quantification of Oxygen Consumption in Retina Ex Vivo Demonstrates Limited Reserve Capacity of Photoreceptor Mitochondria 2015 , 56, 8428-36		78

240	Vision from next generation sequencing: multi-dimensional genome-wide analysis for producing gene regulatory networks underlying retinal development, aging and disease. <i>Progress in Retinal and Eye Research</i> , 2015 , 46, 1-30	20.5	43
239	Clinical and genetic factors associated with progression of geographic atrophy lesions in age-related macular degeneration. <i>PLoS ONE</i> , 2015 , 10, e0126636	3.7	43
238	Free radical scavenging, antioxidant and cancer chemoprevention by grape seed proanthocyanidin: an overview. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2014 , 768, 69-	733	122
237	Deletion of aryl hydrocarbon receptor AHR in mice leads to subretinal accumulation of microglia and RPE atrophy 2014 , 55, 6031-40		53
236	No clinically significant association between CFH and ARMS2 genotypes and response to nutritional supplements: AREDS report number 38. <i>Ophthalmology</i> , 2014 , 121, 2173-80	7.3	76
235	Null and hypomorph Prickle1 alleles in mice phenocopy human Robinow syndrome and disrupt signaling downstream of Wnt5a. <i>Biology Open</i> , 2014 , 3, 861-70	2.2	33
234	Rare and common variants in extracellular matrix gene Fibrillin 2 (FBN2) are associated with macular degeneration. <i>Human Molecular Genetics</i> , 2014 , 23, 5827-37	5.6	34
233	Ciliopathy-associated gene Cc2d2a promotes assembly of subdistal appendages on the mother centriole during cilia biogenesis. <i>Nature Communications</i> , 2014 , 5, 4207	17.4	50
232	Age-related macular degeneration: genetics and biology coming together. <i>Annual Review of Genomics and Human Genetics</i> , 2014 , 15, 151-71	9.7	293
231	Whole exome sequencing reveals GUCY2D as a major gene associated with cone and cone-rod dystrophy in Israel. <i>Investigative Ophthalmology and Visual Science</i> , 2014 , 56, 420-30		24
230	Natural history of cone disease in the murine model of Leber congenital amaurosis due to CEP290 mutation: determining the timing and expectation of therapy. <i>PLoS ONE</i> , 2014 , 9, e92928	3.7	19
229	Feedback induction of a photoreceptor-specific isoform of retinoid-related orphan nuclear receptor (b) the rod transcription factor NRL. <i>Journal of Biological Chemistry</i> , 2014 , 289, 32469-80	5.4	16
228	The transcription factor GTF2IRD1 regulates the topology and function of photoreceptors by modulating photoreceptor gene expression across the retina. <i>Journal of Neuroscience</i> , 2014 , 34, 15356-	68 6	5
227	Regulation of a novel isoform of Receptor Expression Enhancing Protein REEP6 in rod photoreceptors by bZIP transcription factor NRL. <i>Human Molecular Genetics</i> , 2014 , 23, 4260-71	5.6	21
226	The transcription-splicing protein NonO/p54nrb and three NonO-interacting proteins bind to distal enhancer region and augment rhodopsin expression. <i>Human Molecular Genetics</i> , 2014 , 23, 2132-44	5.6	24
225	Genome-wide association study and meta-analysis of intraocular pressure. <i>Human Genetics</i> , 2014 , 133, 41-57	6.3	79
224	Ancestry estimation and control of population stratification for sequence-based association studies. <i>Nature Genetics</i> , 2014 , 46, 409-15	36.3	82
223	OTX2 loss causes rod differentiation defect in CRX-associated congenital blindness. <i>Journal of Clinical Investigation</i> , 2014 , 124, 631-43	15.9	43

222 Photoreceptor Degeneration: Molecular Mechanisms of Photoreceptor Degeneration **2014**, 275-308

221	Gene expression changes in aging retinal microglia: relationship to microglial support functions and regulation of activation. <i>Neurobiology of Aging</i> , 2013 , 34, 2310-21	5.6	69
220	An isoform of retinoid-related orphan receptor directs differentiation of retinal amacrine and horizontal interneurons. <i>Nature Communications</i> , 2013 , 4, 1813	17.4	43
219	Hypomethylation of the IL17RC promoter in peripheral blood leukocytes is not a hallmark of age-related macular degeneration. <i>Cell Reports</i> , 2013 , 5, 1527-35	10.6	37
218	Prickle1 is expressed in distinct cell populations of the central nervous system and contributes to neuronal morphogenesis. <i>Human Molecular Genetics</i> , 2013 , 22, 2234-46	5.6	33
217	Genetic architecture of retinal and macular degenerative diseases: the promise and challenges of next-generation sequencing. <i>Genome Medicine</i> , 2013 , 5, 84	14.4	28
216	Conditional knockdown of DNA methyltransferase 1 reveals a key role of retinal pigment epithelium integrity in photoreceptor outer segment morphogenesis. <i>Development (Cambridge)</i> , 2013 , 140, 1330-41	6.6	64
215	Seven new loci associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 433-9, 439	1916.Z	577
214	Developing rods transplanted into the degenerating retina of Crx-knockout mice exhibit neural activity similar to native photoreceptors. <i>Stem Cells</i> , 2013 , 31, 1149-59	5.8	81
213	Identification of a rare coding variant in complement 3 associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 1375-9	36.3	130
212	Ablation of the X-linked retinitis pigmentosa 2 (Rp2) gene in mice results in opsin mislocalization and photoreceptor degeneration 2013 , 54, 4503-11		47
211	Development and plasticity of outer retinal circuitry following genetic removal of horizontal cells. <i>Journal of Neuroscience</i> , 2013 , 33, 17847-62	6.6	32
210	The golden era of ocular disease gene discovery: race to the finish. <i>Clinical Genetics</i> , 2013 , 84, 99-101	4	10
209	Phenotypic conservation in patients with X-linked retinitis pigmentosa caused by RPGR mutations. JAMA Ophthalmology, 2013 , 131, 1016-25	3.9	30
208	WhatN in a name? RPGR mutations redefine the genetic and phenotypic landscape in retinal degenerative diseases 2013 , 54, 1417		3
207	Retinal transcriptome profiling by directional next-generation sequencing using 100 ng of total RNA. <i>Methods in Molecular Biology</i> , 2012 , 884, 319-34	1.4	22
206	Global expression profiling of peripheral Qa-1-restricted CD8\textsup TCR\textsup regulatory T cells reveals innate-like features: implications for immune-regulatory repertoire. <i>Human Immunology</i> , 2012 , 73, 214-2	2 2 .3	12
205	Determination of posttranslational modifications of photoreceptor differentiation factor NRL: focus on SUMOylation. <i>Methods in Molecular Biology</i> , 2012 , 884, 353-61	1.4	O

204	Genetic studies of age-related macular degeneration: lessons, challenges, and opportunities for disease management. <i>Ophthalmology</i> , 2012 , 119, 2526-36	7.3	66
203	Preservation of cone photoreceptors after a rapid yet transient degeneration and remodeling in cone-only Nrl-/- mouse retina. <i>Journal of Neuroscience</i> , 2012 , 32, 528-41	6.6	42
202	Photoreceptor sensory cilia and ciliopathies: focus on CEP290, RPGR and their interacting proteins. <i>Cilia</i> , 2012 , 1, 22	5.5	97
201	A role for prenylated rab acceptor 1 in vertebrate photoreceptor development. <i>BMC Neuroscience</i> , 2012 , 13, 152	3.2	14
200	Knockdown of Bardet-Biedl syndrome gene BBS9/PTHB1 leads to cilia defects. <i>PLoS ONE</i> , 2012 , 7, e343	389 ₇	37
199	Rd9 is a naturally occurring mouse model of a common form of retinitis pigmentosa caused by mutations in RPGR-ORF15. <i>PLoS ONE</i> , 2012 , 7, e35865	3.7	59
198	Mutations in RPGR and RP2 account for 15% of males with simplex retinal degenerative disease 2012 , 53, 8232-7		91
197	RPGR-associated retinal degeneration in human X-linked RP and a murine model 2012 , 53, 5594-608		49
196	Transcriptional regulation of rod photoreceptor homeostasis revealed by in vivo NRL targetome analysis. <i>PLoS Genetics</i> , 2012 , 8, e1002649	6	80
195	Minireview: the role of nuclear receptors in photoreceptor differentiation and disease. <i>Molecular Endocrinology</i> , 2012 , 26, 905-15		47
194	Gene therapy rescues photoreceptor blindness in dogs and paves the way for treating human X-linked retinitis pigmentosa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2132-7	11.5	203
193	Complement factor H genetic variant and age-related macular degeneration: effect size, modifiers and relationship to disease subtype. <i>International Journal of Epidemiology</i> , 2012 , 41, 250-62	7.8	70
192	Regulation of retinal progenitor expansion by Frizzled receptors: implications for microphthalmia and retinal coloboma. <i>Human Molecular Genetics</i> , 2012 , 21, 1848-60	5.6	32
191	Combining Cep290 and Mkks ciliopathy alleles in mice rescues sensory defects and restores ciliogenesis. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1233-45	15.9	64
190	Protective gene expression changes elicited by an inherited defect in photoreceptor structure. <i>PLoS ONE</i> , 2012 , 7, e31371	3.7	14
189	Long-term survival and differentiation of retinal neurons derived from human embryonic stem cell lines in un-immunosuppressed mouse retina. <i>Molecular Vision</i> , 2012 , 18, 920-36	2.3	94
188	Transcriptome analysis using next generation sequencing reveals molecular signatures of diabetic retinopathy and efficacy of candidate drugs. <i>Molecular Vision</i> , 2012 , 18, 1123-46	2.3	35
187	Exome sequencing: capture and sequencing of all human coding regions for disease gene discovery. Methods in Molecular Biology, 2012, 884, 335-51	1.4	6

(2010-2012)

186	Combining Cep290 and Mkks ciliopathy alleles in mice rescues sensory defects and restores ciliogenesis. <i>Journal of Clinical Investigation</i> , 2012 , 122, 3025-3025	15.9	78
185	Genetic association study of age-related macular degeneration in the Spanish population. <i>Acta Ophthalmologica</i> , 2011 , 89, e12-22	3.7	31
184	XIAP therapy increases survival of transplanted rod precursors in a degenerating host retina 2011 , 52, 1567-72		43
183	Ciliary neurotrophic factor induces genes associated with inflammation and gliosis in the retina: a gene profiling study of flow-sorted, Mler cells. <i>PLoS ONE</i> , 2011 , 6, e20326	3.7	41
182	A 32 kb critical region excluding Y402H in CFH mediates risk for age-related macular degeneration. <i>PLoS ONE</i> , 2011 , 6, e25598	3.7	41
181	Distinct nuclear localization patterns of DNA methyltransferases in developing and mature mammalian retina. <i>Journal of Comparative Neurology</i> , 2011 , 519, 1914-30	3.4	40
180	Evidence of association of APOE with age-related macular degeneration: a pooled analysis of 15 studies. <i>Human Mutation</i> , 2011 , 32, 1407-16	4.7	99
179	Combinatorial regulation of photoreceptor differentiation factor, neural retina leucine zipper gene NRL, revealed by in vivo promoter analysis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 28247-55	5.4	27
178	Variations in apolipoprotein E frequency with age in a pooled analysis of a large group of older people. <i>American Journal of Epidemiology</i> , 2011 , 173, 1357-64	3.8	67
177	Excess cones in the retinal degeneration rd7 mouse, caused by the loss of function of orphan nuclear receptor Nr2e3, originate from early-born photoreceptor precursors. <i>Human Molecular Genetics</i> , 2011 , 20, 4102-15	5.6	38
176	Candidate gene association study for diabetic retinopathy in persons with type 2 diabetes: the Candidate gene Association Resource (CARe) 2011 , 52, 7593-602		73
175	Complement factor D in age-related macular degeneration 2011 , 52, 8828-34		72
174	Two transcription factors can direct three photoreceptor outcomes from rod precursor cells in mouse retinal development. <i>Journal of Neuroscience</i> , 2011 , 31, 11118-25	6.6	60
173	TOPORS, implicated in retinal degeneration, is a cilia-centrosomal protein. <i>Human Molecular Genetics</i> , 2011 , 20, 975-87	5.6	43
172	The transcription factor neural retina leucine zipper (NRL) controls photoreceptor-specific expression of myocyte enhancer factor Mef2c from an alternative promoter. <i>Journal of Biological Chemistry</i> , 2011 , 286, 34893-902	5.4	31
171	Cone photoreceptors are the main targets for gene therapy of NPHP5 (IQCB1) or NPHP6 (CEP290) blindness: generation of an all-cone Nphp6 hypomorph mouse that mimics the human retinal ciliopathy. <i>Human Molecular Genetics</i> , 2011 , 20, 1411-23	5.6	97
170	Next-generation sequencing facilitates quantitative analysis of wild-type and Nrl(-/-) retinal transcriptomes. <i>Molecular Vision</i> , 2011 , 17, 3034-54	2.3	83
169	Transcriptional regulation of photoreceptor development and homeostasis in the mammalian retina. <i>Nature Reviews Neuroscience</i> , 2010 , 11, 563-76	13.5	370

168	Long-term follow-up of a family with dominant X-linked retinitis pigmentosa. <i>Eye</i> , 2010 , 24, 764-74	4.4	25
167	Associations of CFHR1-CFHR3 deletion and a CFH SNP to age-related macular degeneration are not independent. <i>Nature Genetics</i> , 2010 , 42, 553-5; author reply 555-6	36.3	46
166	MicroRNA profile of the developing mouse retina 2010 , 51, 1823-31		81
165	Autosomal recessive retinitis pigmentosa with early macular affectation caused by premature truncation in PROM1 2010 , 51, 2656-63		48
164	Human retinopathy-associated ciliary protein retinitis pigmentosa GTPase regulator mediates cilia-dependent vertebrate development. <i>Human Molecular Genetics</i> , 2010 , 19, 90-8	5.6	68
163	Phenotype associated with mutation in the recently identified autosomal dominant retinitis pigmentosa KLHL7 gene. <i>JAMA Ophthalmology</i> , 2010 , 128, 772-8		17
162	Interaction of retinitis pigmentosa GTPase regulator (RPGR) with RAB8A GTPase: implications for cilia dysfunction and photoreceptor degeneration. <i>Human Molecular Genetics</i> , 2010 , 19, 3591-8	5.6	79
161	The retinitis pigmentosa protein RP2 interacts with polycystin 2 and regulates cilia-mediated vertebrate development. <i>Human Molecular Genetics</i> , 2010 , 19, 4330-44	5.6	59
160	RP2 phenotype and pathogenetic correlations in X-linked retinitis pigmentosa. <i>JAMA Ophthalmology</i> , 2010 , 128, 915-23		45
159	Sumoylation of bZIP transcription factor NRL modulates target gene expression during photoreceptor differentiation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 25637-44	5.4	33
158	Loss of lysophosphatidylcholine acyltransferase 1 leads to photoreceptor degeneration in rd11 mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 15523-	·8 ^{11.5}	49
157	E2-2 protein and FuchsN corneal dystrophy. New England Journal of Medicine, 2010, 363, 1016-24	59.2	197
156	Transcriptome analysis and molecular signature of human retinal pigment epithelium. <i>Human Molecular Genetics</i> , 2010 , 19, 2468-86	5.6	193
155	MicroRNA-204/211 alters epithelial physiology. <i>FASEB Journal</i> , 2010 , 24, 1552-71	0.9	198
154	Genetic variants near TIMP3 and high-density lipoprotein-associated loci influence susceptibility to age-related macular degeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 7401-6	11.5	417
153	Two novel CRX mutant proteins causing autosomal dominant Leber congenital amaurosis interact differently with NRL. <i>Human Mutation</i> , 2010 , 31, E1472-83	4.7	36
152	Distinct signature of altered homeostasis in aging rod photoreceptors: implications for retinal diseases. <i>PLoS ONE</i> , 2010 , 5, e13885	3.7	26
151	Age-related macular degeneration-associated variants at chromosome 10q26 do not significantly alter ARMS2 and HTRA1 transcript levels in the human retina. <i>Molecular Vision</i> , 2010 , 16, 1317-23	2.3	34

(2008-2010)

150	Multiprotein complexes of Retinitis Pigmentosa GTPase regulator (RPGR), a ciliary protein mutated in X-linked Retinitis Pigmentosa (XLRP). <i>Advances in Experimental Medicine and Biology</i> , 2010 , 664, 105-	14 ^{.6}	20	
149	Retinoid-related orphan nuclear receptor RORbeta is an early-acting factor in rod photoreceptor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17534-9	11.5	100	
148	Rdh12 activity and effects on retinoid processing in the murine retina. <i>Journal of Biological Chemistry</i> , 2009 , 284, 21468-77	5.4	40	
147	Defects in neural stem cell proliferation and olfaction in Chd7 deficient mice indicate a mechanism for hyposmia in human CHARGE syndrome. <i>Human Molecular Genetics</i> , 2009 , 18, 1909-23	5.6	84	
146	RPGR-containing protein complexes in syndromic and non-syndromic retinal degeneration due to ciliary dysfunction. <i>Journal of Genetics</i> , 2009 , 88, 399-407	1.2	24	
145	Canine RD3 mutation establishes rod-cone dysplasia type 2 (rcd2) as ortholog of human and murine rd3. <i>Mammalian Genome</i> , 2009 , 20, 109-23	3.2	49	
144	A common allele in RPGRIP1L is a modifier of retinal degeneration in ciliopathies. <i>Nature Genetics</i> , 2009 , 41, 739-45	36.3	236	
143	Mutations in a BTB-Kelch protein, KLHL7, cause autosomal-dominant retinitis pigmentosa. <i>American Journal of Human Genetics</i> , 2009 , 84, 792-800	11	84	
142	Unraveling a multifactorial late-onset disease: from genetic susceptibility to disease mechanisms for age-related macular degeneration. <i>Annual Review of Genomics and Human Genetics</i> , 2009 , 10, 19-43	9.7	217	
141	A comprehensive analysis of sequence variants and putative disease-causing mutations in photoreceptor-specific nuclear receptor NR2E3. <i>Molecular Vision</i> , 2009 , 15, 2174-84	2.3	25	
140	Geographic atrophy in age-related macular degeneration and TLR3. <i>New England Journal of Medicine</i> , 2009 , 360, 2254-5; author reply 2255-6	59.2	13	
139	Retinitis Pigmentosa GTPase Regulator (RPGR) protein isoforms in mammalian retina: insights into X-linked Retinitis Pigmentosa and associated ciliopathies. <i>Vision Research</i> , 2008 , 48, 366-76	2.1	47	
138	Rod differentiation factor NRL activates the expression of nuclear receptor NR2E3 to suppress the development of cone photoreceptors. <i>Brain Research</i> , 2008 , 1236, 16-29	3.7	90	
137	CP110 suppresses primary cilia formation through its interaction with CEP290, a protein deficient in human ciliary disease. <i>Developmental Cell</i> , 2008 , 15, 187-97	10.2	190	
136	Discordant phenotypes in fraternal twins having an identical mutation in exon ORF15 of the RPGR gene. <i>JAMA Ophthalmology</i> , 2008 , 126, 379-84		44	
135	Inflammation in the pathogenesis of age-related macular degeneration. <i>British Journal of Ophthalmology</i> , 2008 , 92, 448-50	5.5	36	
134	Nrl-knockout mice deficient in Rpe65 fail to synthesize 11-cis retinal and cone outer segments. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1126-35		37	
133	Toll-like receptor polymorphisms and age-related macular degeneration. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1652-9		71	

132	FGF19 exhibits neuroprotective effects on adult mammalian photoreceptors in vitro. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1696-704		22
131	Retinal phenotype of an X-linked pseudo-Usher syndrome in association with the G173R mutation in the RPGR gene. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 613, 221-7	3.6	4
130	High-resolution imaging with adaptive optics in patients with inherited retinal degeneration. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 3283-91		213
129	Inner retinal abnormalities in X-linked retinitis pigmentosa with RPGR mutations. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 4759-65		89
128	Retinopathy mutations in the bZIP protein NRL alter phosphorylation and transcriptional activity. <i>Human Mutation</i> , 2007 , 28, 589-98	4.7	30
127	Centrosomal-ciliary gene CEP290/NPHP6 mutations result in blindness with unexpected sparing of photoreceptors and visual brain: implications for therapy of Leber congenital amaurosis. <i>Human Mutation</i> , 2007 , 28, 1074-83	4.7	121
126	Preventing polyglutamine-induced activation of c-Jun delays neuronal dysfunction in a mouse model of SCA7 retinopathy. <i>Neurobiology of Disease</i> , 2007 , 25, 571-81	7.5	14
125	Subunit dissociation and diffusion determine the subcellular localization of rod and cone transducins. <i>Journal of Neuroscience</i> , 2007 , 27, 5484-94	6.6	58
124	Hypomorphic CEP290/NPHP6 mutations result in anosmia caused by the selective loss of G proteins in cilia of olfactory sensory neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15917-22	11.5	128
123	Madeline 2.0 PDE: a new program for local and web-based pedigree drawing. <i>Bioinformatics</i> , 2007 , 23, 1854-6	7.2	25
122	A variant of mitochondrial protein LOC387715/ARMS2, not HTRA1, is strongly associated with age-related macular degeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 16227-32	11.5	356
121	Genetic susceptibility to age-related macular degeneration: a paradigm for dissecting complex disease traits. <i>Human Molecular Genetics</i> , 2007 , 16 Spec No. 2, R174-82	5.6	146
120	Transformation of cone precursors to functional rod photoreceptors by bZIP transcription factor NRL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 1679-84	1 ^{11.5}	121
119	Afferent control of horizontal cell morphology revealed by genetic respecification of rods and cones. <i>Journal of Neuroscience</i> , 2007 , 27, 3540-7	6.6	35
118	Chondroitinase ABC treatment enhances synaptogenesis between transplant and host neurons in model of retinal degeneration. <i>Cell Transplantation</i> , 2007 , 16, 493-503	4	74
117	Mutations in TOPORS cause autosomal dominant retinitis pigmentosa with perivascular retinal pigment epithelium atrophy. <i>American Journal of Human Genetics</i> , 2007 , 81, 1098-103	11	68
116	Mutations associated with retinopathies alter mitogen-activated protein kinase-induced phosphorylation of neural retina leucine-zipper. <i>Molecular Vision</i> , 2007 , 13, 1114-20	2.3	3
115	In vivo function of the orphan nuclear receptor NR2E3 in establishing photoreceptor identity during mammalian retinal development. <i>Human Molecular Genetics</i> , 2006 , 15, 2588-602	5.6	95

(2005-2006)

114	Targeting of GFP to newborn rods by Nrl promoter and temporal expression profiling of flow-sorted photoreceptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3890-5	11.5	251
113	Retinoic acid regulates the expression of photoreceptor transcription factor NRL. <i>Journal of Biological Chemistry</i> , 2006 , 281, 27327-34	5.4	51
112	Activation of signaling pathways and stress-response genes in an experimental model of retinal detachment. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 1691-5		60
111	In-frame deletion in a novel centrosomal/ciliary protein CEP290/NPHP6 perturbs its interaction with RPGR and results in early-onset retinal degeneration in the rd16 mouse. <i>Human Molecular Genetics</i> , 2006 , 15, 1847-57	5.6	315
110	Premature truncation of a novel protein, RD3, exhibiting subnuclear localization is associated with retinal degeneration. <i>American Journal of Human Genetics</i> , 2006 , 79, 1059-70	11	98
109	The centrosomal protein nephrocystin-6 is mutated in Joubert syndrome and activates transcription factor ATF4. <i>Nature Genetics</i> , 2006 , 38, 674-81	36.3	464
108	CFH haplotypes without the Y402H coding variant show strong association with susceptibility to age-related macular degeneration. <i>Nature Genetics</i> , 2006 , 38, 1049-54	36.3	291
107	Retinal repair by transplantation of photoreceptor precursors. <i>Nature</i> , 2006 , 444, 203-7	50.4	847
106	Gene expression signatures and biomarkers of noninvasive and invasive breast cancer cells: comprehensive profiles by representational difference analysis, microarrays and proteomics. <i>Oncogene</i> , 2006 , 25, 2328-38	9.2	156
105	Senile panretinal cone dysfunction in age-related macular degeneration (AMD): a report of 52 amd patients compared to age-matched controls. <i>Transactions of the American Ophthalmological Society</i> , 2006 , 104, 232-40		7
104	Strong association of the Y402H variant in complement factor H at 1q32 with susceptibility to age-related macular degeneration. <i>American Journal of Human Genetics</i> , 2005 , 77, 149-53	11	298
103	Meta-analysis of genome scans of age-related macular degeneration. <i>Human Molecular Genetics</i> , 2005 , 14, 2257-64	5.6	197
102	Toll-like receptor 4 variant D299G is associated with susceptibility to age-related macular degeneration. <i>Human Molecular Genetics</i> , 2005 , 14, 1449-55	5.6	158
101	Biomarkers of cardiovascular disease as risk factors for age-related macular degeneration. <i>Ophthalmology</i> , 2005 , 112, 2076-80	7.3	132
100	Mechanisms of aging in senescence-accelerated mice. <i>Genome Biology</i> , 2005 , 6, R48	18.3	44
99	Nephrocystin-5, a ciliary IQ domain protein, is mutated in Senior-Loken syndrome and interacts with RPGR and calmodulin. <i>Nature Genetics</i> , 2005 , 37, 282-8	36.3	331
98	RPGR ORF15 isoform co-localizes with RPGRIP1 at centrioles and basal bodies and interacts with nucleophosmin. <i>Human Molecular Genetics</i> , 2005 , 14, 1183-97	5.6	95
	Cone-like morphological, molecular, and electrophysiological features of the photoreceptors of the		

96	High throughput screening of co-expressed gene pairs with controlled false discovery rate (FDR) and minimum acceptable strength (MAS). <i>Journal of Computational Biology</i> , 2005 , 12, 1029-45	1.7	38
95	RPGR-ORF15, which is mutated in retinitis pigmentosa, associates with SMC1, SMC3, and microtubule transport proteins. <i>Journal of Biological Chemistry</i> , 2005 , 280, 33580-7	5.4	125
94	Photoreceptors of Nrl -/- mice coexpress functional S- and M-cone opsins having distinct inactivation mechanisms. <i>Journal of General Physiology</i> , 2005 , 125, 287-304	3.4	111
93	Network constrained clustering for gene microarray data. <i>Bioinformatics</i> , 2005 , 21, 4014-20	7.2	41
92	Expression of photoreceptor-specific nuclear receptor NR2E3 in rod photoreceptors of fetal human retina. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 2807-12		66
91	Characterization of new transcripts enriched in the mouse retina and identification of candidate retinal disease genes. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 3313-9		9
90	Seeing the unseen: Microarray-based gene expression profiling in vision. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 2457-62		6
89	Association of apolipoprotein E alleles with susceptibility to age-related macular degeneration in a large cohort from a single center. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 1306-10		101
88	Expression profiling of the developing and mature Nrl-/- mouse retina: identification of retinal disease candidates and transcriptional regulatory targets of Nrl. <i>Human Molecular Genetics</i> , 2004 , 13, 1487-503	5.6	138
87	Transgenic mice expressing Cre-recombinase specifically in M- or S-cone photoreceptors. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 42-7		26
86	Nuclear receptor NR2E3 gene mutations distort human retinal laminar architecture and cause an unusual degeneration. <i>Human Molecular Genetics</i> , 2004 , 13, 1893-902	5.6	76
85	Functional analysis of the rod photoreceptor cGMP phosphodiesterase alpha-subunit gene promoter: Nrl and Crx are required for full transcriptional activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 19800-7	5.4	48
84	QRX, a novel homeobox gene, modulates photoreceptor gene expression. <i>Human Molecular Genetics</i> , 2004 , 13, 1025-40	5.6	62
83	Photoreceptor-specific nuclear receptor NR2E3 functions as a transcriptional activator in rod photoreceptors. <i>Human Molecular Genetics</i> , 2004 , 13, 1563-75	5.6	174
82	The minimal transactivation domain of the basic motif-leucine zipper transcription factor NRL interacts with TATA-binding protein. <i>Journal of Biological Chemistry</i> , 2004 , 279, 47233-41	5.4	31
81	Recruitment of the rod pathway by cones in the absence of rods. <i>Journal of Neuroscience</i> , 2004 , 24, 757	6682	69
80	Altered expression of genes of the Bmp/Smad and Wnt/calcium signaling pathways in the cone-only Nrl-/- mouse retina, revealed by gene profiling using custom cDNA microarrays. <i>Journal of Biological Chemistry</i> , 2004 , 279, 42211-20	5.4	48
79	Recessive NRL mutations in patients with clumped pigmentary retinal degeneration and relative preservation of blue cone function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17819-24	11.5	75

(2002-2004)

78	Mutation analysis of NR2E3 and NRL genes in Enhanced S Cone Syndrome. <i>Human Mutation</i> , 2004 , 24, 439	4.7	73
77	Gene discovery using Pareto depth sampling distributions. <i>Journal of the Franklin Institute</i> , 2004 , 341, 55-75	4	7
76	Age-related macular degeneration: a high-resolution genome scan for susceptibility loci in a population enriched for late-stage disease. <i>American Journal of Human Genetics</i> , 2004 , 74, 482-94	11	141
75	Multicriteria Gene Screening for Analysis of Differential Expression with DNA Microarrays. <i>Eurasip Journal on Advances in Signal Processing</i> , 2004 , 2004, 1	1.9	11
74	Increasing evidence for syndromic phenotypes associated with RPGR mutations. <i>American Journal of Ophthalmology</i> , 2004 , 137, 785-6; author reply 786	4.9	16
73	GRK1-dependent phosphorylation of S and M opsins and their binding to cone arrestin during cone phototransduction in the mouse retina. <i>Journal of Neuroscience</i> , 2003 , 23, 6152-60	6.6	100
72	De novo mutation in the RP1 gene (Arg677ter) associated with retinitis pigmentosa. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 3593-7		26
71	Annotation and analysis of 10,000 expressed sequence tags from developing mouse eye and adult retina. <i>Genome Biology</i> , 2003 , 4, R65	18.3	30
70	Interaction of retinal bZIP transcription factor NRL with Flt3-interacting zinc-finger protein Fiz1: possible role of Fiz1 as a transcriptional repressor. <i>Human Molecular Genetics</i> , 2003 , 12, 365-73	5.6	28
69	Mutation in a short-chain collagen gene, CTRP5, results in extracellular deposit formation in late-onset retinal degeneration: a genetic model for age-related macular degeneration. <i>Human Molecular Genetics</i> , 2003 , 12, 2657-67	5.6	150
68	Clinical studies of X-linked retinitis pigmentosa in three Swedish families with newly identified mutations in the RP2 and RPGR-ORF15 genes. <i>Ophthalmic Genetics</i> , 2003 , 24, 215-23	1.2	21
67	Mutation screening of patients with Leber Congenital Amaurosis or the enhanced S-Cone Syndrome reveals a lack of sequence variations in the NRL gene. <i>Molecular Vision</i> , 2003 , 9, 14-7	2.3	8
66	A comprehensive analysis of the expression of crystallins in mouse retina. <i>Molecular Vision</i> , 2003 , 9, 410)-9 .3	88
65	Barrier to autointegration factor interacts with the cone-rod homeobox and represses its transactivation function. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43288-300	5.4	96
64	Retinal Histopathology of an XLRP Carrier with a Mutation in the RPGR Exon ORF15. <i>Experimental Eye Research</i> , 2002 , 75, 431-443	3.7	34
63	Transcriptome analysis of the retina. <i>Genome Biology</i> , 2002 , 3, REVIEWS1022	18.3	23
62	Mouse eye gene microarrays for investigating ocular development and disease. <i>Vision Research</i> , 2002 , 42, 463-70	2.1	35
61	A comprehensive mutation analysis of RP2 and RPGR in a North American cohort of families with X-linked retinitis pigmentosa. <i>American Journal of Human Genetics</i> , 2002 , 70, 1545-54	11	194

60	Gene expression profile of native human retinal pigment epithelium. <i>Investigative Ophthalmology and Visual Science</i> , 2002 , 43, 603-7		18
59	Evaluation and optimization of procedures for target labeling and hybridization of cDNA microarrays. <i>Molecular Vision</i> , 2002 , 8, 130-7	2.3	41
58	Microarray analysis of gene expression in the aging human retina. <i>Investigative Ophthalmology and Visual Science</i> , 2002 , 43, 2554-60		74
57	Retinal histopathology of an XLRP carrier with a mutation in the RPGR exon ORF15. <i>Experimental Eye Research</i> , 2002 , 75, 431-43	3.7	18
56	Five novel RPGR mutations in families with X-linked retinitis pigmentosa. <i>Human Mutation</i> , 2001 , 17, 151	4.7	10
55	Nrl is required for rod photoreceptor development. <i>Nature Genetics</i> , 2001 , 29, 447-52	36.3	706
54	Multiple phosphorylated isoforms of NRL are expressed in rod photoreceptors. <i>Journal of Biological Chemistry</i> , 2001 , 276, 36824-30	5.4	88
53	Evaluation of the ELOVL4 gene in patients with age-related macular degeneration. <i>Ophthalmic Genetics</i> , 2001 , 22, 233-9	1.2	47
52	X-Linked Retinitis Pigmentosa: Current Status 2001 , 11-22		1
51	NRL S50T mutation and the importance of Mounder effectsNn inherited retinal dystrophies. <i>European Journal of Human Genetics</i> , 2000 , 8, 783-7	5.3	17
50	Cloning and functional expression of human retinal kir2.4, a pH-sensitive inwardly rectifying K(+) channel. <i>American Journal of Physiology - Cell Physiology</i> , 2000 , 279, C771-84	5.4	37
49	The leucine zipper of NRL interacts with the CRX homeodomain. A possible mechanism of transcriptional synergy in rhodopsin regulation. <i>Journal of Biological Chemistry</i> , 2000 , 275, 29794-9	5.4	149
48	Remapping of the RP15 locus for X-linked cone-rod degeneration to Xp11.4-p21.1, and identification of a de novo insertion in the RPGR exon ORF15. <i>American Journal of Human Genetics</i> , 2000 , 67, 1000-3	11	57
47	Leber congenital amaurosis caused by a homozygous mutation (R90W) in the homeodomain of the retinal transcription factor CRX: direct evidence for the involvement of CRX in the development of photoreceptor function. <i>Human Molecular Genetics</i> , 1999 , 8, 299-305	5.6	128
46	A mutation in NRL is associated with autosomal dominant retinitis pigmentosa. <i>Nature Genetics</i> , 1999 , 21, 355-6	36.3	180
45	Protein-truncation mutations in the RP2 gene in a North American cohort of families with X-linked retinitis pigmentosa. <i>American Journal of Human Genetics</i> , 1999 , 64, 897-900	11	73
44	X-linked retinitis pigmentosa in two families with a missense mutation in the RPGR gene and putative change of glycine to valine at codon 60. <i>Ophthalmology</i> , 1998 , 105, 2286-96	7.3	21
43	A novel locus (RP24) for X-linked retinitis pigmentosa maps to Xq26-27. <i>American Journal of Human Genetics</i> , 1998 , 63, 1439-47	11	63

42	Clinical expression of X-linked retinitis pigmentosa in a Swedish family with the RP2 genotype. <i>Ophthalmic Genetics</i> , 1998 , 19, 187-96	1.2	4
41	Mutation of a gene encoding a protein with extracellular matrix motifs in Usher syndrome type IIa. <i>Science</i> , 1998 , 280, 1753-7	33.3	321
40	Biochemical characterization and subcellular localization of the mouse retinitis pigmentosa GTPase regulator (mRpgr). <i>Journal of Biological Chemistry</i> , 1998 , 273, 19656-63	5.4	59
39	A new 2-base pair deletion in the RPGR gene in a black family with X-linked retinitis pigmentosa. JAMA Ophthalmology, 1998, 116, 213-8		8
38	Lens-specific gene recruitment of zeta-crystallin through Pax6, Nrl-Maf, and brain suppressor sites. <i>Molecular and Cellular Biology</i> , 1998 , 18, 2067-76	4.8	42
37	Human bZIP transcription factor gene NRL: structure, genomic sequence, and fine linkage mapping at 14q11.2 and negative mutation analysis in patients with retinal degeneration. <i>Genomics</i> , 1997 , 45, 395-401	4.3	25
36	Mutations in the cone-rod homeobox gene are associated with the cone-rod dystrophy photoreceptor degeneration. <i>Neuron</i> , 1997 , 19, 1329-36	13.9	228
35	Spectrum of mutations in the RPGR gene that are identified in 20% of families with X-linked retinitis pigmentosa. <i>American Journal of Human Genetics</i> , 1997 , 61, 1287-92	11	86
34	Analysis of the RPGR gene in 11 pedigrees with the retinitis pigmentosa type 3 genotype: paucity of mutations in the coding region but splice defects in two families. <i>American Journal of Human Genetics</i> , 1997 , 61, 571-80	11	61
33	Characterization and sequence analysis of the human homeobox-containing gene GBX2. <i>Genomics</i> , 1996 , 31, 335-42	4.3	14
32	The basic motif-leucine zipper transcription factor Nrl can positively regulate rhodopsin gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 191-5	11.5	172
31	[11]Isolation of candidate genes for inherited diseases: Application to X-linked retinal degenerations. <i>Methods in Molecular Genetics</i> , 1996 , 8, 207-228		
30	The bZIP transcription factor Nrl stimulates rhodopsin promoter activity in primary retinal cell cultures. <i>Journal of Biological Chemistry</i> , 1996 , 271, 29612-8	5.4	106
29	Dinucleotide polymorphism at the DXS1178 locus is tightly linked to PGK1 at Xq13. <i>Human Genetics</i> , 1995 , 95, 467-8	6.3	1
28	Expression and chromosomal localization of cDNA clones from an enriched human retinal pigment epithelial (RPE) cell line library: identification of two RPE-specific genes. <i>Cytogenetic and Genome Research</i> , 1995 , 69, 71-4	1.9	8
27	Dinucleotide repeat polymorphism at the DXS977 locus. Human Molecular Genetics, 1994 , 3, 1030	5.6	1
26	Localization of the gene for pigment epithelium-derived factor (PEDF) to chromosome 17p13.1 and expression in cultured human retinoblastoma cells. <i>Genomics</i> , 1994 , 19, 266-72	4.3	58
25	Molecular characterization of a novel human gene, SEC13R, related to the yeast secretory pathway gene SEC13, and mapping to a conserved linkage group on human chromosome 3p24-p25 and mouse chromosome 6. <i>Human Molecular Genetics</i> , 1994 , 3, 1281-6	5.6	28

A Sandwich-Hybridization Method for Specific and Efficient Selection of cDNA Clones from Genomic Regions **1994**, 91-99

23	Molecular characterization of the murine neural retina leucine zipper gene, Nrl. <i>Genomics</i> , 1993 , 18, 210	6-423	23
22	lambda SHK and lambda AASV: phage vectors for efficient cDNA cloning and expression in mammalian cells. <i>Gene</i> , 1993 , 123, 287-8	3.8	2
21	Mapping of the neural retina leucine zipper gene, Nrl, to mouse chromosome 14. <i>Mammalian Genome</i> , 1993 , 4, 618-20	3.2	O
20	Construction of Directional cDNA Libraries from Human Retinal Tissue/Cells and Their Enrichment for Specific Genes Using an Efficient Subtraction Procedure. <i>Methods in Neurosciences</i> , 1993 , 285-300		2
19	Identification of Candidate Genes for Eye Diseases: Studies on a Neural Retina-Specific Gene Encoding a Putative Dna Binding Protein of Leucine Zipper Family 1993 , 171-180		
18	Expressed sequence tags and chromosomal localization of cDNA clones from a subtracted retinal pigment epithelium library. <i>Genomics</i> , 1992 , 13, 873-6	4.3	61
17	Neural retina-specific leucine zipper gene NRL (D14S46E) maps to human chromosome 14q11.1-q11.2. <i>Genomics</i> , 1992 , 14, 491-2	4.3	11
16	A simple and efficient cDNA library subtraction procedure: isolation of human retina-specific cDNA clones. <i>Nucleic Acids Research</i> , 1991 , 19, 1954	20.1	54
15	Differential expression of novel Gs alpha signal transduction protein cDNA species. <i>Nucleic Acids Research</i> , 1991 , 19, 4725-9	20.1	70
14	Sequence analysis, expression and chromosomal localization of a gene, isolated from a subtracted human retina cDNA library, that encodes an insulin-like growth factor binding protein (IGFBP2). <i>Experimental Eye Research</i> , 1991 , 52, 549-61	3.7	28
13	Positional cloning and characterization of a paired box- and homeobox-containing gene from the aniridia region. <i>Cell</i> , 1991 , 67, 1059-74	56.2	737
12	Chromosomal localization and cDNA sequence of human ralB, a GTP binding protein. <i>Somatic Cell and Molecular Genetics</i> , 1990 , 16, 407-10		5
11	pSH4: a mammalian cDNA expression vector. <i>Nucleic Acids Research</i> , 1990 , 18, 3668	20.1	9
10	The mRNA of a human class I gene HLA G/HLA 6.0 exhibits a restricted pattern of expression. <i>Nucleic Acids Research</i> , 1990 , 18, 2189	20.1	70
9	Molecular analysis of the cDNA for human SPARC/osteonectin/BM-40: sequence, expression, and localization of the gene to chromosome 5q31-q33. <i>Genomics</i> , 1988 , 2, 37-47	4.3	138
8	Charon BS(+) and (-), versatile lambda phage vectors for constructing directional cDNA libraries and their efficient transfer to plasmids. <i>Nucleic Acids Research</i> , 1988 , 16, 8739	20.1	31
7	Generation of hydrogen peroxide on oxidation of NADH by hepatic plasma membranes. <i>Journal of Bioenergetics and Biomembranes</i> , 1981 , 13, 241-53	3.7	30

LIST OF PUBLICATIONS

6	HiCRes: a computational method to estimate and predict the resolution of HiC libraries	1
5	GWAS-based Machine Learning for Prediction of Age-Related Macular Degeneration Risk	2
4	Deep-learning-based Prediction of Late Age-Related Macular Degeneration Progression	1
3	Proneural genes define ground state rules to regulate neurogenic patterning and cortical folding	3
2	Transcriptome-based molecular staging of human stem cell-derived retinal organoids uncovers accelerated photoreceptor differentiation by 9-cis retinal	2
1	Glycogen Synthase Kinase 3 regulates the genesis of the rare displaced ganglion cell retinal subtype	2