
Sergio Baxter Andreoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3341844/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brazilian multicentric study of psychiatric morbidity. British Journal of Psychiatry, 1997, 171, 524-529.	1.7	236
2	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	1.1	109
3	The mental health system in Brazil: Policies and future challenges. International Journal of Mental Health Systems, 2008, 2, 12.	1.1	99
4	Dementia caregiver burden: reliability of the Brazilian version of the Zarit caregiver burden interview. Cadernos De Saude Publica, 2004, 20, 372-376.	0.4	93
5	Depression Morbidity in Later Life: Prevalence and Correlates in a Developing Country. American Journal of Geriatric Psychiatry, 2007, 15, 790-799.	0.6	91
6	Reduced cerebellar left hemisphere and vermal volume in adults with PTSD from a community sample. Journal of Psychiatric Research, 2011, 45, 1627-1633.	1.5	70
7	Structural validity and reliability of the Positive and Negative Affect Schedule (PANAS): Evidence from a large Brazilian community sample. Revista Brasileira De Psiquiatria, 2013, 35, 169-172.	0.9	69
8	Candidate-Gene Approach in Posttraumatic Stress Disorder After Urban Violence: Association Analysis of the Genes Encoding Serotonin Transporter, Dopamine Transporter, and BDNF. Journal of Molecular Neuroscience, 2011, 44, 59-67.	1.1	68
9	Prevalence of Mental Disorders among Prisoners in the State of Sao Paulo, Brazil. PLoS ONE, 2014, 9, e88836.	1.1	67
10	Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [99mTc]TRODAT-1. Psychopharmacology, 2012, 224, 337-345.	1.5	63
11	ls psychiatric reform a strategy for reducing the mental health budget? The case of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 43-46.	0.9	60
12	Catechol-O-methyltransferase (COMT) val158met Polymorphism as a Risk Factor for PTSD After Urban Violence. Journal of Molecular Neuroscience, 2011, 43, 516-523.	1.1	56
13	The epidemiology of psychotropic use in the City of São Paulo. Psychological Medicine, 1993, 23, 467-474.	2.7	52
14	Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. Journal of Psychiatric Research, 2014, 48, 32-39.	1.5	51
15	Validity and limitations of the Brazilian version of the Composite International Diagnostic Interview (CIDI 2.1). Revista Brasileira De Psiquiatria, 2007, 29, 18-22.	0.9	49
16	Predicting the revolving door phenomenon among patients with schizophrenic, affective disorders and non-organic psychoses. Revista De Saude Publica, 2000, 34, 280-285.	0.7	46
17	The accuracy of the Clinician-Administered PTSD Scale (CAPS) to identify PTSD cases in victims of urban violence. Psychiatry Research, 2011, 185, 157-160.	1.7	45
18	A Doubleâ€Blind Randomized Controlled Trial To Study the Efficacy of Topiramate in a Civilian Sample of PTSD. CNS Neuroscience and Therapeutics, 2011, 17, 305-310.	1.9	45

Sergio Baxter Andreoli

#	Article	IF	CITATIONS
19	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. Journal of Psychiatric Research, 2016, 72, 51-57.	1.5	43
20	Mental Health of the Mothers of Malnourished Children. International Journal of Epidemiology, 1996, 25, 128-133.	0.9	40
21	The general practitioner and mental health problems: challenges and strategies for medical education. Sao Paulo Medical Journal, 2005, 123, 72-76.	0.4	39
22	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. BMC Psychiatry, 2009, 9, 34.	1.1	38
23	Sexual trauma is more strongly associated with tonic immobility than other types of trauma – A population based study. Journal of Affective Disorders, 2017, 215, 71-76.	2.0	36
24	The Relationship Between Religiosity and Tobacco, Alcohol Use, and Depression in an Elderly Community Population. American Journal of Geriatric Psychiatry, 2008, 16, 934-943.	0.6	34
25	Chronic Painful Physical Conditions, Disturbed Sleep and Psychiatric Morbidity: Results from an Elderly Survey. Annals of Clinical Psychiatry, 2007, 19, 169-174.	0.6	33
26	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. PLoS ONE, 2013, 8, e62270.	1.1	30
27	Prevalence of self-reported sleep disturbance among older adults and the association of disturbed sleep with service demand and medical conditions. International Psychogeriatrics, 2008, 20, 582-95.	0.6	28
28	The posttraumatic stress disorder project in Brazil: neuropsychological, structural and molecular neuroimaging studies in victims of urban violence. BMC Psychiatry, 2009, 9, 30.	1.1	24
29	Reduction of anterior cingulate in adults with urban violence- related PTSD. Journal of Affective Disorders, 2014, 168, 13-20.	2.0	24
30	Equity of Access to Outpatient Care and Hospitalization Among Older Community Residents in Brazil. Medical Care, 2008, 46, 930-937.	1.1	23
31	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. Comprehensive Psychiatry, 2015, 60, 68-72.	1.5	23
32	Need for information in a representative sample of outpatients with schizophrenia disorders. International Journal of Social Psychiatry, 2018, 64, 476-481.	1.6	23
33	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. Journal of Affective Disorders, 2020, 263, 715-721.	2.0	23
34	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. PLoS ONE, 2015, 10, e0135059.	1.1	21
35	Redução de danos do uso indevido de drogas no contexto da escola promotora de saúde. Ciencia E Saude Coletiva, 2006, 11, 807-816.	0.1	20
36	Accuracy of the Composite International Diagnostic Interview (CIDI 2.1) for diagnosis of post-traumatic stress disorder according to DSM-IV criteria. Cadernos De Saude Publica, 2012, 28, 1312-1318.	0.4	20

#	Article	IF	CITATIONS
37	Validation of the structural coherency of the General Health Questionnaire. Revista Brasileira De Psiquiatria, 2011, 33, 59-63.	0.9	20
38	Prevalence and Correlates of Functional Status in an Older Community— Representative Sample in Brazil. Journal of Aging and Health, 2010, 22, 362-383.	0.9	19
39	Relationship between structural abnormalities in the cerebellum and dementia, posttraumatic stress disorder and bipolar disorder. Dementia E Neuropsychologia, 2012, 6, 203-211.	0.3	19
40	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. Journal of the American Geriatrics Society, 2017, 65, 2634-2638.	1.3	18
41	Co-occurrence of chronic physical pain and psychiatric morbidity in a community sample of older people. International Journal of Geriatric Psychiatry, 2007, 22, 902-908.	1.3	17
42	A prevalence study of current tobacco smoking in later life community and its association with sociodemographic factors, physical health and mental health status. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 490-497.	1.6	17
43	The Association of Health and Income in the Elderly: Experience from a Southern State of Brazil. PLoS ONE, 2013, 8, e73930.	1.1	17
44	Repeated subcutaneous esketamine for treatment-resistant depression: Impact of the degree of treatment resistance and anxiety comorbidity. Journal of Psychopharmacology, 2021, 35, 142-149.	2.0	16
45	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. PLoS ONE, 2014, 9, e94367.	1.1	16
46	Validity and limitations of the Brazilian version of the Composite International Diagnostic Interview (CIDI 2.1). Revista Brasileira De Psiquiatria, 2007, 29, 18-22.	0.9	15
47	Is psychiatric reform a strategy for reducing the mental health budget? The case of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 43-6.	0.9	15
48	Clinical and demographic profile of cancer patients in a consultation-liaison psychiatric service. Sao Paulo Medical Journal, 2003, 121, 111-116.	0.4	13
49	New Potential Clinical Indicators of Consultation–Liaison Psychiatry's Effectiveness in Brazilian General Hospitals. Psychosomatics, 2008, 49, 29-38.	2.5	13
50	Transtorno de estresse pós-traumático em pacientes de unidade de terapia intensiva. Revista Brasileira De Terapia Intensiva, 2010, 22, 77-84.	0.1	13
51	Increased health burden associated with comorbid depression in older Brazilians with diabetes. Journal of Affective Disorders, 2011, 134, 77-84.	2.0	13
52	The Impact of Healthy Parenting As a Protective Factor for Posttraumatic Stress Disorder in Adulthood: A Case-Control Study. PLoS ONE, 2014, 9, e87117.	1.1	13
53	The joint structure of major depression, anxiety disorders, and trait negative affect. Revista Brasileira De Psiquiatria, 2014, 36, 285-292.	0.9	13
54	Fertility and fecundity of an outpatient sample with schizophrenia. Revista Brasileira De Psiquiatria, 2006. 28. 305-307.	0.9	12

#	Article	IF	CITATIONS
55	Correlates of lifetime alcohol misuse among older community residents in Brazil. International Psychogeriatrics, 2009, 21, 384.	0.6	12
56	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. Journal of Affective Disorders, 2018, 232, 204-211.	2.0	12
57	A randomized, double-blind, placebo-controlled trial to assess the efficacy of topiramate in the treatment of post-traumatic stress disorder. BMC Psychiatry, 2009, 9, 28.	1.1	11
58	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. BMC Psychiatry, 2014, 14, 257.	1.1	11
59	A cross-sectional study to compare levels of psychiatric morbidity between young people and adults exposed to violence in a large urban center. BMC Psychiatry, 2016, 16, 134.	1.1	11
60	A cross-sectional study to investigate current social adjustment of offspring of patients with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 230-236.	1.8	10
61	Prevalence of Mental Disorder and Associated Factors in Civilian Guatemalans With Disabilities Caused By the Internal Armed Conflict. International Journal of Social Psychiatry, 2008, 54, 414-424.	1.6	10
62	Drug-Related Disorders and the Criminal and Clinical Background of the Prison Population of Sã0 Paulo State, Brazil. PLoS ONE, 2014, 9, e113066.	1.1	10
63	The structure of common mental disorders in incarcerated offenders. Comprehensive Psychiatry, 2013, 54, 111-116.	1.5	9
64	Subjective distress in a representative sample of outpatients with psychotic disorders. Journal of Affective Disorders, 2016, 189, 220-223.	2.0	8
65	Prevalence and Concomitants of Arthritis in the Elderly in Rio Grande do Sul, Brazil. PLoS ONE, 2012, 7, e45418.	1.1	8
66	Migration and mental health: Japanese Brazilians in Japan and in Brazil. Jornal Brasileiro De Psiquiatria, 2007, 56, 48-52.	0.2	8
67	Knowledge and attitudes related to drug abuse and prevention displayed by public school educators. Revista Brasileira De Psiquiatria, 2009, 31, 95-100.	0.9	7
68	The needs of members of the families of general hospital inpatients. Sao Paulo Medical Journal, 2008, 126, 128-131.	0.4	5
69	Condições de vida de portadores de transtornos psicóticos vivendo em cortiços em Santos, SP. Revista De Saude Publica, 2011, 45, 693-699.	0.7	5
70	Use of mental health services by community-resident adults with DSM-IV anxiety and mood disorders in a violence-prone area: São Paulo, Brazil. Journal of Affective Disorders, 2019, 250, 145-152.	2.0	5
71	Health, social and criminal justice factors associated with dual diagnosis among incarcerated adults in Brazil and Australia: a cross-national comparison. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1355-1362.	1.6	5
72	Fertility and fecundity of an outpatient sample with schizophrenia. Revista Brasileira De Psiquiatria, 2006, 28, 305-7.	0.9	5

#	Article	IF	CITATIONS
73	Post-Traumatic Stress Disorder and Urban Violence: An Anthropological Study. International Journal of Environmental Research and Public Health, 2013, 10, 5333-5348.	1.2	4
74	Atendimentos de crianças e adolescentes com transtornos por uso de substâncias psicoativas nos Centros de Atenção Psicossocial no Brasil, 2008-2012*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2018, 27, e2017206.	0.3	4
75	Tratamento etiológico em psiquiatria: o modelo da neurossÃfilis. Revista Brasileira De Psiquiatria, 1999, 21, 29-35.	0.9	4
76	A tranquil city with a high tranquilliser intake. Lancet, The, 1996, 347, 1264-1265.	6.3	3
77	Age-at-first-registration in schizophrenia: a comparison of mental health registers from Australia and Brazil. Schizophrenia Research, 2002, 54, 277-279.	1.1	3
78	Por que é tão difÃcil avaliar a efetividade da interconsulta psiquiátrica?. Revista Brasileira De Psiquiatria, 2002, 24, 100-100.	0.9	3
79	Increasing Awareness and Acceptance Through Mindfulness and Somatic Education Movements. Advances in Mind-Body Medicine, 2016, 30, 4-7.	0.3	3
80	Confiabilidade de instrumentos diagnósticos: estudo do inventário de sintomas psiquiátricos do DSM-III aplicado em amostra populacional. Cadernos De Saude Publica, 2001, 17, 1393-1402.	0.4	2
81	Medical residency: factors relating to "difficulty in helping" in the resident physician-patient relationship. Sao Paulo Medical Journal, 2011, 129, 5-10.	0.4	2
82	Significado da busca de tratamento por mulheres com transtorno depressivo atendidas em serviço de saúde público. Interface: Communication, Health, Education, 2012, 16, 885-899.	0.4	2
83	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.2	2
84	Efetividade do atendimento psicossocial na continuidade escolar de adolescentes em vulnerabilidade social*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2016, 25, 789-798.	0.3	2
85	Post-traumatic stress disorder in intensive care unit patients. Revista Brasileira De Terapia Intensiva, 2010, 22, 77-84.	0.1	2
86	Estudo do manejo do estresse em pacientes acometidos por alopecia areata. Psicologia Em Estudo, 2009, 14, .	0.2	1
87	Correlates of lifetime alcohol abuse and dependence among older community residents in Brazil. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2009, 6, 40-44.	0.2	1
88	Prevalence studies of mental disorders in Brazil. Sao Paulo Medical Journal, 1995, 113, 25-25.	0.4	1
89	Does the use of antidepressants change the subjective well- being of individuals with ICD-10 depressive disorder identified in the general population?. Journal of Affective Disorders Reports, 2021, 4, 100092.	0.9	0
90	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.2	0