

Sergio Baxter Andreoli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3341844/publications.pdf>

Version: 2024-02-01

90
papers

2,607
citations

201385

27
h-index

233125

45
g-index

102
all docs

102
docs citations

102
times ranked

3321
citing authors

#	ARTICLE	IF	CITATIONS
1	Repeated subcutaneous esketamine for treatment-resistant depression: Impact of the degree of treatment resistance and anxiety comorbidity. <i>Journal of Psychopharmacology</i> , 2021, 35, 142-149.	2.0	16
2	Does the use of antidepressants change the subjective well-being of individuals with ICD-10 depressive disorder identified in the general population?. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100092.	0.9	0
3	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. <i>Journal of Affective Disorders</i> , 2020, 263, 715-721.	2.0	23
4	Health, social and criminal justice factors associated with dual diagnosis among incarcerated adults in Brazil and Australia: a cross-national comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1355-1362.	1.6	5
5	Use of mental health services by community-resident adults with DSM-IV anxiety and mood disorders in a violence-prone area: São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2019, 250, 145-152.	2.0	5
6	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. <i>Journal of Affective Disorders</i> , 2018, 232, 204-211.	2.0	12
7	Need for information in a representative sample of outpatients with schizophrenia disorders. <i>International Journal of Social Psychiatry</i> , 2018, 64, 476-481.	1.6	23
8	Atendimentos de crianças e adolescentes com transtornos por uso de substâncias psicoativas nos Centros de Atenção Psicossocial no Brasil, 2008-2012*. <i>Epidemiologia E Serviços De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2018, 27, e2017206.	0.3	4
9	Sexual trauma is more strongly associated with tonic immobility than other types of trauma – A population based study. <i>Journal of Affective Disorders</i> , 2017, 215, 71-76.	2.0	36
10	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2634-2638.	1.3	18
11	A cross-sectional study to compare levels of psychiatric morbidity between young people and adults exposed to violence in a large urban center. <i>BMC Psychiatry</i> , 2016, 16, 134.	1.1	11
12	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. <i>Journal of Psychiatric Research</i> , 2016, 72, 51-57.	1.5	43
13	Subjective distress in a representative sample of outpatients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2016, 189, 220-223.	2.0	8
14	Efetividade do atendimento psicossocial na continuidade escolar de adolescentes em vulnerabilidade social*. <i>Epidemiologia E Serviços De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2016, 25, 789-798.	0.3	2
15	Increasing Awareness and Acceptance Through Mindfulness and Somatic Education Movements. <i>Advances in Mind-Body Medicine</i> , 2016, 30, 4-7.	0.3	3
16	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. <i>Comprehensive Psychiatry</i> , 2015, 60, 68-72.	1.5	23
17	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. <i>PLoS ONE</i> , 2015, 10, e0135059.	1.1	21
18	The Impact of Healthy Parenting As a Protective Factor for Posttraumatic Stress Disorder in Adulthood: A Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e87117.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Prevalence of Mental Disorders among Prisoners in the State of Sao Paulo, Brazil. PLoS ONE, 2014, 9, e88836.	1.1	67
20	Drug-Related Disorders and the Criminal and Clinical Background of the Prison Population of São Paulo State, Brazil. PLoS ONE, 2014, 9, e113066.	1.1	10
21	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.2	2
22	The joint structure of major depression, anxiety disorders, and trait negative affect. Revista Brasileira De Psiquiatria, 2014, 36, 285-292.	0.9	13
23	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. BMC Psychiatry, 2014, 14, 257.	1.1	11
24	Reduction of anterior cingulate in adults with urban violence-related PTSD. Journal of Affective Disorders, 2014, 168, 13-20.	2.0	24
25	Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. Journal of Psychiatric Research, 2014, 48, 32-39.	1.5	51
26	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. PLoS ONE, 2014, 9, e94367.	1.1	16
27	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.2	0
28	The structure of common mental disorders in incarcerated offenders. Comprehensive Psychiatry, 2013, 54, 111-116.	1.5	9
29	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. PLoS ONE, 2013, 8, e62270.	1.1	30
30	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	1.1	109
31	The Association of Health and Income in the Elderly: Experience from a Southern State of Brazil. PLoS ONE, 2013, 8, e73930.	1.1	17
32	Post-Traumatic Stress Disorder and Urban Violence: An Anthropological Study. International Journal of Environmental Research and Public Health, 2013, 10, 5333-5348.	1.2	4
33	Structural validity and reliability of the Positive and Negative Affect Schedule (PANAS): Evidence from a large Brazilian community sample. Revista Brasileira De Psiquiatria, 2013, 35, 169-172.	0.9	69
34	Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [99mTc]TRODAT-1. Psychopharmacology, 2012, 224, 337-345.	1.5	63
35	Relationship between structural abnormalities in the cerebellum and dementia, posttraumatic stress disorder and bipolar disorder. Dementia E Neuropsychologia, 2012, 6, 203-211.	0.3	19
36	Accuracy of the Composite International Diagnostic Interview (CIDI 2.1) for diagnosis of post-traumatic stress disorder according to DSM-IV criteria. Cadernos De Saude Publica, 2012, 28, 1312-1318.	0.4	20

#	ARTICLE	IF	CITATIONS
37	Significado da busca de tratamento por mulheres com transtorno depressivo atendidas em serviço de saúde público. <i>Interface: Communication, Health, Education</i> , 2012, 16, 885-899.	0.4	2
38	Prevalence and Concomitants of Arthritis in the Elderly in Rio Grande do Sul, Brazil. <i>PLoS ONE</i> , 2012, 7, e45418.	1.1	8
39	The accuracy of the Clinician-Administered PTSD Scale (CAPS) to identify PTSD cases in victims of urban violence. <i>Psychiatry Research</i> , 2011, 185, 157-160.	1.7	45
40	A Double-blind Randomized Controlled Trial To Study the Efficacy of Topiramate in a Civilian Sample of PTSD. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 305-310.	1.9	45
41	Condições de vida de portadores de transtornos psíquicos vivendo em cortiços em Santos, SP. <i>Revista De Saude Publica</i> , 2011, 45, 693-699.	0.7	5
42	Medical residency: factors relating to "difficulty in helping" in the resident physician-patient relationship. <i>Sao Paulo Medical Journal</i> , 2011, 129, 5-10.	0.4	2
43	Reduced cerebellar left hemisphere and vermal volume in adults with PTSD from a community sample. <i>Journal of Psychiatric Research</i> , 2011, 45, 1627-1633.	1.5	70
44	Increased health burden associated with comorbid depression in older Brazilians with diabetes. <i>Journal of Affective Disorders</i> , 2011, 134, 77-84.	2.0	13
45	Catechol-O-methyltransferase (COMT) val158met Polymorphism as a Risk Factor for PTSD After Urban Violence. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 516-523.	1.1	56
46	Candidate-Gene Approach in Posttraumatic Stress Disorder After Urban Violence: Association Analysis of the Genes Encoding Serotonin Transporter, Dopamine Transporter, and BDNF. <i>Journal of Molecular Neuroscience</i> , 2011, 44, 59-67.	1.1	68
47	Validation of the structural coherency of the General Health Questionnaire. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 59-63.	0.9	20
48	Transtorno de estresse pós-traumático em pacientes de unidade de terapia intensiva. <i>Revista Brasileira De Terapia Intensiva</i> , 2010, 22, 77-84.	0.1	13
49	Prevalence and Correlates of Functional Status in an Older Community Representative Sample in Brazil. <i>Journal of Aging and Health</i> , 2010, 22, 362-383.	0.9	19
50	Post-traumatic stress disorder in intensive care unit patients. <i>Revista Brasileira De Terapia Intensiva</i> , 2010, 22, 77-84.	0.1	2
51	Knowledge and attitudes related to drug abuse and prevention displayed by public school educators. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 95-100.	0.9	7
52	Estudo do manejo do estresse em pacientes acometidos por alopecia areata. <i>Psicologia Em Estudo</i> , 2009, 14, .	0.2	1
53	A randomized, double-blind, placebo-controlled trial to assess the efficacy of topiramate in the treatment of post-traumatic stress disorder. <i>BMC Psychiatry</i> , 2009, 9, 28.	1.1	11
54	The posttraumatic stress disorder project in Brazil: neuropsychological, structural and molecular neuroimaging studies in victims of urban violence. <i>BMC Psychiatry</i> , 2009, 9, 30.	1.1	24

#	ARTICLE	IF	CITATIONS
55	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009, 9, 34.	1.1	38
56	Correlates of lifetime alcohol misuse among older community residents in Brazil. <i>International Psychogeriatrics</i> , 2009, 21, 384.	0.6	12
57	Correlates of lifetime alcohol abuse and dependence among older community residents in Brazil. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2009, 6, 40-44.	0.2	1
58	A prevalence study of current tobacco smoking in later life community and its association with sociodemographic factors, physical health and mental health status. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 490-497.	1.6	17
59	The mental health system in Brazil: Policies and future challenges. <i>International Journal of Mental Health Systems</i> , 2008, 2, 12.	1.1	99
60	The Relationship Between Religiosity and Tobacco, Alcohol Use, and Depression in an Elderly Community Population. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 934-943.	0.6	34
61	New Potential Clinical Indicators of Consultationâ€“Liaison Psychiatry's Effectiveness in Brazilian General Hospitals. <i>Psychosomatics</i> , 2008, 49, 29-38.	2.5	13
62	Prevalence of Mental Disorder and Associated Factors in Civilian Guatemalans With Disabilities Caused By the Internal Armed Conflict. <i>International Journal of Social Psychiatry</i> , 2008, 54, 414-424.	1.6	10
63	Prevalence of self-reported sleep disturbance among older adults and the association of disturbed sleep with service demand and medical conditions. <i>International Psychogeriatrics</i> , 2008, 20, 582-95.	0.6	28
64	Equity of Access to Outpatient Care and Hospitalization Among Older Community Residents in Brazil. <i>Medical Care</i> , 2008, 46, 930-937.	1.1	23
65	The needs of members of the families of general hospital inpatients. <i>Sao Paulo Medical Journal</i> , 2008, 126, 128-131.	0.4	5
66	Chronic Painful Physical Conditions, Disturbed Sleep and Psychiatric Morbidity: Results from an Elderly Survey. <i>Annals of Clinical Psychiatry</i> , 2007, 19, 169-174.	0.6	33
67	Depression Morbidity in Later Life: Prevalence and Correlates in a Developing Country. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 790-799.	0.6	91
68	Co-occurrence of chronic physical pain and psychiatric morbidity in a community sample of older people. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 902-908.	1.3	17
69	A cross-sectional study to investigate current social adjustment of offspring of patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 230-236.	1.8	10
70	Migration and mental health: Japanese Brazilians in Japan and in Brazil. <i>Jornal Brasileiro De Psiquiatria</i> , 2007, 56, 48-52.	0.2	8
71	Validity and limitations of the Brazilian version of the Composite International Diagnostic Interview (CIDI 2.1). <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 18-22.	0.9	49
72	Is psychiatric reform a strategy for reducing the mental health budget? The case of Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 43-46.	0.9	60

#	ARTICLE	IF	CITATIONS
73	Validity and limitations of the Brazilian version of the Composite International Diagnostic Interview (CIDI 2.1). <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 18-22.	0.9	15
74	Is psychiatric reform a strategy for reducing the mental health budget? The case of Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 43-6.	0.9	15
75	Redu�o de danos do uso indevido de drogas no contexto da escola promotora de sa�de. <i>Ciencia E Saude Coletiva</i> , 2006, 11, 807-816.	0.1	20
76	Fertility and fecundity of an outpatient sample with schizophrenia. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 305-307.	0.9	12
77	Fertility and fecundity of an outpatient sample with schizophrenia. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 305-7.	0.9	5
78	The general practitioner and mental health problems: challenges and strategies for medical education. <i>Sao Paulo Medical Journal</i> , 2005, 123, 72-76.	0.4	39
79	Dementia caregiver burden: reliability of the Brazilian version of the Zarit caregiver burden interview. <i>Cadernos De Saude Publica</i> , 2004, 20, 372-376.	0.4	93
80	Clinical and demographic profile of cancer patients in a consultation-liaison psychiatric service. <i>Sao Paulo Medical Journal</i> , 2003, 121, 111-116.	0.4	13
81	Age-at-first-registration in schizophrenia: a comparison of mental health registers from Australia and Brazil. <i>Schizophrenia Research</i> , 2002, 54, 277-279.	1.1	3
82	Por que �o dif�cil avaliar a efetividade da interconsulta psiqui�trica?. <i>Revista Brasileira De Psiquiatria</i> , 2002, 24, 100-100.	0.9	3
83	Confiabilidade de instrumentos diagn�sticos: estudo do invent�rio de sintomas psiqui�tricos do DSM-III aplicado em amostra populacional. <i>Cadernos De Saude Publica</i> , 2001, 17, 1393-1402.	0.4	2
84	Predicting the revolving door phenomenon among patients with schizophrenic, affective disorders and non-organic psychoses. <i>Revista De Saude Publica</i> , 2000, 34, 280-285.	0.7	46
85	Tratamento etiol�gico em psiquiatria: o modelo da neuros�filis. <i>Revista Brasileira De Psiquiatria</i> , 1999, 21, 29-35.	0.9	4
86	Brazilian multicentric study of psychiatric morbidity. <i>British Journal of Psychiatry</i> , 1997, 171, 524-529.	1.7	236
87	A tranquil city with a high tranquilliser intake. <i>Lancet, The</i> , 1996, 347, 1264-1265.	6.3	3
88	Mental Health of the Mothers of Malnourished Children. <i>International Journal of Epidemiology</i> , 1996, 25, 128-133.	0.9	40
89	Prevalence studies of mental disorders in Brazil. <i>Sao Paulo Medical Journal</i> , 1995, 113, 25-25.	0.4	1
90	The epidemiology of psychotropic use in the City of S�o Paulo. <i>Psychological Medicine</i> , 1993, 23, 467-474.	2.7	52