

# Åyvind Kirkevold

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/334201/publications.pdf>

Version: 2024-02-01

39  
papers

1,213  
citations

471509

17  
h-index

361022

35  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1312  
citing authors

#	ARTICLE	IF	CITATIONS
1	The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 843-849.	2.7	322
2	The Effect of Person-Centred Dementia Care to Prevent Agitation and Other Neuropsychiatric Symptoms and Enhance Quality of Life in Nursing Home Patients: A 10-Month Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 340-353.	1.5	96
3	Pain and Quality of Life Among Residents of Norwegian Nursing Homes. <i>Pain Management Nursing</i> , 2010, 11, 35-44.	0.9	58
4	A model for using the VIPS framework for person-centred care for persons with dementia in nursing homes: a qualitative evaluative study. <i>International Journal of Older People Nursing</i> , 2011, 6, 227-236.	1.3	58
5	Modeling and evaluating evidence-based continuing education program in nursing home dementia care (MEDCED) – training of care home staff to reduce use of restraint in care home residents with dementia. A cluster randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 24-32.	2.7	54
6	Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. <i>BMC Health Services Research</i> , 2017, 17, 365.	2.2	53
7	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 320-329.	1.3	47
8	Use of constraints and their correlates in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 980-988.	2.7	44
9	Mobility and cognition at admission to the nursing home – a cross-sectional study. <i>BMC Geriatrics</i> , 2018, 18, 30.	2.7	42
10	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 904-912.	1.0	38
11	Dementia, neuropsychiatric symptoms, and the use of psychotropic drugs among older people who receive domiciliary care: a cross-sectional study. <i>International Psychogeriatrics</i> , 2014, 26, 383-391.	1.0	36
12	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 25-38.	1.2	36
13	What is person-centred care in dementia? Clinical reviews into practice: the development of the VIPS practice model. <i>Reviews in Clinical Gerontology</i> , 2013, 23, 155-163.	0.5	32
14	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015, 15, 47.	2.7	27
15	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 233-242.	1.5	26
16	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 256-267.	1.5	22
17	The course of depressive symptoms with decline in cognitive function - a longitudinal study of older adults receiving in-home care at baseline. <i>BMC Geriatrics</i> , 2019, 19, 231.	2.7	20
18	Quality of care in Norwegian nursing homes – deficiencies and their correlates. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 560-567.	2.1	17

#	ARTICLE	IF	CITATIONS
19	Trajectories of quality of life and their association with anxiety in people with dementia in nursing homes: A 12-month follow-up study. PLoS ONE, 2018, 13, e0203773.	2.5	16
20	LIVE@Home.Path“innovating the clinical pathway for home-dwelling people with dementia and their caregivers: study protocol for a mixed-method, stepped-wedge, randomized controlled trial. Trials, 2020, 21, 510.	1.6	16
21	Anxiety, Anxiety Symptoms, and Their Correlates in Persons with Dementia in Norwegian Nursing Homes: A Cause for Concern. Dementia and Geriatric Cognitive Disorders, 2017, 43, 294-305.	1.5	15
22	The association between attending specialized day care centers and the quality of life of people with dementia. International Psychogeriatrics, 2017, 29, 627-636.	1.0	15
23	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. BMC Health Services Research, 2018, 18, 864.	2.2	14
24	Norwegian version of the rating anxiety in dementia scale (RAID-N): a validity and reliability study. Aging and Mental Health, 2017, 21, 1256-1261.	2.8	13
25	&lt;p&gt;Farm-based day care services “ a prospective study protocol on health benefits for people with dementia and next of kin&lt;/p&gt;. Journal of Multidisciplinary Healthcare, 2019, Volume 12, 643-653.	2.7	12
26	People with dementia attending farm-based day care in Norway “ Individual and farm characteristics associated with participants“™ quality of life. Health and Social Care in the Community, 2020, 28, 1038-1048.	1.6	12
27	TIME “ Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. BMC Psychiatry, 2016, 16, 233.	2.6	11
28	The course of anxiety in persons with dementia in Norwegian nursing homes: A 12-month follow-up study. Journal of Affective Disorders, 2018, 235, 117-123.	4.1	9
29	Factors to Make the VIPS Practice Model More Effective in the Treatment of Neuropsychiatric Symptoms in Nursing Home Residents with Dementia. Dementia and Geriatric Cognitive Disorders, 2014, 37, 335-346.	1.5	8
30	The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 32-41.	1.3	8
31	Geriatric impairments are prevalent and predictive of survival in older patients with cancer receiving radiotherapy: a prospective observational study. Acta Oncol“gica, 2022, 61, 393-402.	1.8	8
32	Development of residential care services facilitated for persons with dementia in Norway. Aging Clinical and Experimental Research, 2012, 24, 1-5.	2.9	7
33	&lt;p&gt;Characteristics, Burden of Care and Quality of Life of Next of Kin of People with Dementia Attending Farm-Based Day Care in Norway: A Descriptive Cross-Sectional Study&lt;/p&gt;. Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1363-1373.	2.7	7
34	Geriatric assessment with management for older patients with cancer receiving radiotherapy. Protocol of a Norwegian cluster-randomised controlled pilot study. Journal of Geriatric Oncology, 2022, 13, 363-373.	1.0	5
35	Being sheltered from a demanding everyday life: experiences of the next of kin to people with dementia attending farm-based daycare. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1959497.	1.6	4
36	Experiences of older patients with cancer from the radiotherapy pathway “ A qualitative study. European Journal of Oncology Nursing, 2021, 53, 101999.	2.1	3

#	ARTICLE	IF	CITATIONS
37	Cohort profile: Norwegian survey of health and ageing (NORSE). BMC Public Health, 2021, 21, 2229.	2.9	1
38	321 - Association between quality of life and anxiety, depression, and comorbid anxiety and depression in people with dementia in nursing homes: A 12-month follow-up study. International Psychogeriatrics, 2020, 32, 79-79.	1.0	0
39	Self-reported quality of life in people with dementia attending a day-care programme in Norway: A 24-month quasi-experimental study. Health and Social Care in the Community, 2021, , .	1.6	0