

Wei Xue

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/334216/wei-xue-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

2,075
citations

25
h-index

35
g-index

169
ext. papers

3,006
ext. citations

6.2
avg, IF

5.11
L-index

#	Paper	IF	Citations
150	CircCYP24A1 hampered malignant phenotype of renal cancer carcinoma through modulating CMTM-4 expression via sponging miR-421.. <i>Cell Death and Disease</i> , 2022 , 13, 190	9.8	0
149	Prospective Clinical Trial of the Oncologic Outcomes and Safety of Extraperitoneal Laparoscopic Extended Retroperitoneal Lymph Node Dissection at Time of Nephroureterectomy for Upper Tract Urothelial Carcinoma.. <i>Frontiers in Oncology</i> , 2022 , 12, 791140	5.3	0
148	Surface-Enhanced Raman Spectroscopy of Pretreated Plasma Samples Predicts Disease Recurrence in Muscle-Invasive Bladder Cancer Patients Undergoing Neoadjuvant Chemotherapy and Radical Cystectomy.. <i>International Journal of Nanomedicine</i> , 2022 , 17, 1635-1646	7.3	0
147	Downregulation of SHMT2 promotes the prostate cancer proliferation and metastasis by inducing epithelial-mesenchymal transition.. <i>Experimental Cell Research</i> , 2022 , 415, 113138	4.2	0
146	mA-induced repression of SIAH1 facilitates alternative splicing of androgen receptor variant 7 by regulating CPSF1.. <i>Molecular Therapy - Nucleic Acids</i> , 2022 , 28, 219-230	10.7	0
145	SENP1-Sirt3 signaling promotes Eketoglutarate production during M2 macrophage polarization.. <i>Cell Reports</i> , 2022 , 39, 110660	10.6	1
144	The Clinical Features and Predictive Factors of Nocturnal Enuresis in Adult Women.. <i>Frontiers in Medicine</i> , 2021 , 8, 744214	4.9	0
143	Tumor-derived miR-378a-3p-containing extracellular vesicles promote osteolysis by activating the Dyrk1a/Nfatc1/Angptl2 axis for bone metastasis. <i>Cancer Letters</i> , 2021 , 526, 76-90	9.9	3
142	A Multicenter Single-Arm Objective Performance Criteria Trial to Determine the Efficacy and Safety of High-Frequency Irreversible Electroporation as Primary Treatment for Localized Prostate Cancer: A Study Protocol. <i>Frontiers in Oncology</i> , 2021 , 11, 760003	5.3	1
141	MXene-assisted organic electrochemical transistor biosensor with multiple spiral interdigitated electrodes for sensitive quantification of fPSA/tPSA. <i>Journal of Nanobiotechnology</i> , 2021 , 19, 386	9.4	1
140	The prevalence and clinical implication of rare germline deleterious alterations in Chinese patients with prostate cancer: A real-world multicenter study. <i>Clinical and Translational Medicine</i> , 2021 , 11, e527	5.7	1
139	HOXD13 suppresses prostate cancer metastasis and BMP4-induced epithelial-mesenchymal transition by inhibiting SMAD1. <i>International Journal of Cancer</i> , 2021 , 148, 3060-3070	7.5	8
138	SUMOylation controls the binding of hexokinase 2 to mitochondria and protects against prostate cancer tumorigenesis. <i>Nature Communications</i> , 2021 , 12, 1812	17.4	12
137	The prognostic nomogram including MRI for locally advanced prostate cancer treated by radical prostatectomy. <i>Prostate</i> , 2021 , 81, 463-468	4.2	2
136	Metabolic Control by Heat Stress Determining Cell Fate to Ferroptosis for Effective Cancer Therapy. <i>ACS Nano</i> , 2021 , 15, 7179-7194	16.7	29
135	Hypoxia-induced lncHILAR promotes renal cancer metastasis via ceRNA for the miR-613/206/1-1-3p/Jagged-1/Notch/CXCR4 signaling pathway. <i>Molecular Therapy</i> , 2021 , 29, 2979-2994	11.7	9
134	Immune infiltration phenotypes of prostate adenocarcinoma and their clinical implications. <i>Cancer Medicine</i> , 2021 , 10, 5358-5374	4.8	1

133	Profiling and Regulating Proteins That Adsorb to DNA Materials in Human Serum. <i>Analytical Chemistry</i> , 2021 , 93, 8671-8679	7.8	1
132	Glucose limitation activates AMPK coupled SENP1-Sirt3 signalling in mitochondria for T cell memory development. <i>Nature Communications</i> , 2021 , 12, 4371	17.4	7
131	The European Association of Urology Biochemical Recurrence Risk Groups Predict Findings on PSMA PET in Patients with Biochemically Recurrent Prostate Cancer after Radical Prostatectomy. <i>Journal of Nuclear Medicine</i> , 2021 ,	8.9	1
130	Discovery of extracellular vesicles derived miR-181a-5p in patient's serum as an indicator for bone-metastatic prostate cancer. <i>Theranostics</i> , 2021 , 11, 878-892	12.1	9
129	A real-time system using deep learning to detect and track ureteral orifices during urinary endoscopy. <i>Computers in Biology and Medicine</i> , 2021 , 128, 104104	7	1
128	SUV39H1 deficiency suppresses clear cell renal cell carcinoma growth by inducing ferroptosis. <i>Acta Pharmaceutica Sinica B</i> , 2021 , 11, 406-419	15.5	22
127	Targeted inhibition of SIRT6 via engineered exosomes impairs tumorigenesis and metastasis in prostate cancer. <i>Theranostics</i> , 2021 , 11, 6526-6541	12.1	11
126	High-Throughput Simultaneous mRNA Profiling Using nCounter Technology Demonstrates That Extracellular Vesicles Contain Different mRNA Transcripts Than Their Parental Prostate Cancer Cells. <i>Analytical Chemistry</i> , 2021 , 93, 3717-3725	7.8	7
125	Comparative Analysis of Genomic Alterations across Castration Sensitive and Castration Resistant Prostate Cancer via Circulating Tumor DNA Sequencing. <i>Journal of Urology</i> , 2021 , 205, 461-469	2.5	7
124	DNA damage repair (DDR) pathway alteration in advanced renal cell carcinoma (RCC) is association with good progression-free survival with tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 346-346	2.2	
123	The Evolving Role of F-FDG PET/CT in Diagnosis and Prognosis Prediction in Progressive Prostate Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 683793	5.3	6
122	The characteristics and risk factors of healthcare-seeking men with lower urinary tract symptoms in China: Initial report from the POInT group. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1740-1753	2.3	0
121	Targeted Next-Generation Sequencing Reveals Heterogenous Genomic Features in Viscerally Metastatic Prostate Cancer. <i>Journal of Urology</i> , 2021 , 206, 279-288	2.5	1
120	Clinical outcomes of second-line treatment following first-line VEGFR-TKI failure in patients with metastatic renal cell carcinoma: a comparison of axitinib alone and axitinib plus anti-PD-1 antibody. <i>Cancer Communications</i> , 2021 , 41, 1071-1074	9.4	1
119	Efficacy of Neoadjuvant Chemohormonal Therapy in Oligometastatic Hormone-Sensitive Prostate Cancer: A Prospective, Three-Arm, Comparative Propensity Score Match Analysis. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, e223-e234	3.3	0
118	Use of Circulating Tumor DNA for the Clinical Management of Metastatic Castration-Resistant Prostate Cancer: A Multicenter, Real-World Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 905-914	7.3	0
117	Comprehensive Genomic Landscape in Chinese Clear Cell Renal Cell Carcinoma Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 697219	5.3	1
116	Distinct Response to Platinum-Based Chemotherapy among Patients with Metastatic Castration-Resistant Prostate Cancer Harboring Alterations in Genes Involved in Homologous Recombination. <i>Journal of Urology</i> , 2021 , 206, 630-637	2.5	4

115	Raman Spectroscopy Reveals Abnormal Changes in the Urine Composition of Prostate Cancer: An Application of an Intelligent Diagnostic Model with a Deep Learning Algorithm. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000090	6	4
114	miR-30a-3p inhibits renal cancer cell invasion and metastasis through targeting ATG12. <i>Translational Andrology and Urology</i> , 2020 , 9, 646-653	2.3	10
113	Zero ischemia laparoscopic microwave ablation assisted enucleation laparoscopic partial nephrectomy in clinical T1a renal tumor: a randomized clinical trial.. <i>Translational Cancer Research</i> , 2020 , 9, 194-202	0.3	4
112	The up-regulation of NDRG1 by HIF counteracts the cancer-promoting effect of HIF in VHL-deficient clear cell renal cell carcinoma. <i>Cell Proliferation</i> , 2020 , 53, e12853	7.9	6
111	Three-dimensional reconstruction facilitates off-clamp laparoscopic partial nephrectomy for stage cT1b renal tumors.. <i>Translational Cancer Research</i> , 2020 , 9, 1528-1535	0.3	4
110	The combination of size-based separation and selection-free technology provides higher circulating tumour cells detection sensitivity than either method alone in patients with metastatic prostate cancer. <i>BJU International</i> , 2020 , 126, 191-201	5.6	3
109	Deep convolutional neural networks combine Raman spectral signature of serum for prostate cancer bone metastases screening. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020 , 29, 102245	6	12
108	Identification of a Zeb1 expressing basal stem cell subpopulation in the prostate. <i>Nature Communications</i> , 2020 , 11, 706	17.4	17
107	Tumor-educated B cells promote renal cancer metastasis via inducing the IL-1 β /HIF-2 β /Notch1 signals. <i>Cell Death and Disease</i> , 2020 , 11, 163	9.8	12
106	Programming bulk enzyme heterojunctions for biosensor development with tetrahedral DNA framework. <i>Nature Communications</i> , 2020 , 11, 838	17.4	44
105	Transcriptional regulation of PRKAR2B by miR-200b-3p/200c-3p and XBP1 in human prostate cancer. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 124, 109863	7.5	15
104	Circulating tumor DNA-targeted sequencing to reveal germline and somatic alterations that can guide decision-making in metastatic castration-resistant prostate cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 173-173	2.2	
103	Downregulation of circ-TRPS1 suppressed prostatic cancer prognoses by regulating miR-124-3p/EZH2 axis-mediated stemness. <i>American Journal of Cancer Research</i> , 2020 , 10, 4372-4385	4.4	7
102	Co-Expression of Stem Cell and Epithelial Mesenchymal Transition Markers in Circulating Tumor Cells of Bladder Cancer Patients. <i>OncoTargets and Therapy</i> , 2020 , 13, 10739-10748	4.4	7
101	Expression of PBRM1 as a prognostic predictor in metastatic renal cell carcinoma patients treated with tyrosine kinase inhibitor. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 338-346	4.2	0
100	Exploration of day-surgery photoselective vaporization of the prostate (PVP) in Chinese population. <i>Lasers in Medical Science</i> , 2020 , 35, 1503-1507	3.1	3
99	Cell cycle progression score improves risk stratification in prostate cancer patients with adverse pathology after radical prostatectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 687-694	4.9	0
98	NMR-based metabolomics analysis identifies discriminatory metabolic disturbances in tissue and biofluid samples for progressive prostate cancer. <i>Clinica Chimica Acta</i> , 2020 , 501, 241-251	6.2	13

97	PRKAR2B-HIF-1 α loop promotes aerobic glycolysis and tumour growth in prostate cancer. <i>Cell Proliferation</i> , 2020 , 53, e12918	7.9	12
96	Distinct Metabolic Signatures of Hormone-Sensitive and Castration-Resistant Prostate Cancer Revealed by a H NMR-Based Metabolomics of Biopsy Tissue. <i>Journal of Proteome Research</i> , 2020 , 19, 3741-3749	5.6	3
95	Survival after radical cystectomy for bladder cancer: Multicenter comparison between minimally invasive and open approaches. <i>Asian Journal of Urology</i> , 2020 , 7, 291-300	2.7	0
94	circPTCH1 promotes invasion and metastasis in renal cell carcinoma via regulating miR-485-5p/MMP14 axis. <i>Theranostics</i> , 2020 , 10, 10791-10807	12.1	24
93	Prospective evaluation of Ga-PSMA-11 PET/CT in Chinese men with biochemical recurrence after radical prostatectomy for prostate cancer: relationships between location of recurrence, time after prostatectomy, and serum PSA level. <i>Medical Oncology</i> , 2020 , 37, 89	3.7	2
92	Single-cell analysis supports a luminal-neuroendocrine transdifferentiation in human prostate cancer. <i>Communications Biology</i> , 2020 , 3, 778	6.7	14
91	Upregulated KDM4B promotes prostate cancer cell proliferation by activating autophagy. <i>Journal of Cellular Physiology</i> , 2020 , 235, 2129-2138	7	16
90	Assessment of hypercoagulability using thromboelastography predicts advanced status in renal cell carcinoma. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23017	3	2
89	Surface-enhanced Raman spectroscopy of preoperative serum samples predicts Gleason grade group upgrade in biopsy Gleason grade group 1 prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e1-601.e9	2.8	2
88	CXCL1-LCN2 paracrine axis promotes progression of prostate cancer via the Src activation and epithelial-mesenchymal transition. <i>Cell Communication and Signaling</i> , 2019 , 17, 118	7.5	35
87	Surface-enhanced Raman spectroscopy before radical prostatectomy predicts biochemical recurrence better than CAPRA-S. <i>International Journal of Nanomedicine</i> , 2019 , 14, 431-440	7.3	9
86	The mA-suppressed P2RX6 activation promotes renal cancer cells migration and invasion through ATP-induced Ca influx modulating ERK1/2 phosphorylation and MMP9 signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 233	12.8	58
85	SUMO-Specific Protease 1 Is Critical for Myeloid-Derived Suppressor Cell Development and Function. <i>Cancer Research</i> , 2019 , 79, 3891-3902	10.1	7
84	Predictive value of single-nucleotide polymorphism signature for recurrence in localised renal cell carcinoma: a retrospective analysis and multicentre validation study. <i>Lancet Oncology</i> , 2019 , 20, 591-600	21.7	35
83	A positive feed-forward loop between LncRNA-URRCC and EGFL7/P-AKT/FOXO3 signaling promotes proliferation and metastasis of clear cell renal cell carcinoma. <i>Molecular Cancer</i> , 2019 , 18, 81	42.1	45
82	Spatially Restricted Stromal Wnt Signaling Restrains Prostate Epithelial Progenitor Growth through Direct and Indirect Mechanisms. <i>Cell Stem Cell</i> , 2019 , 24, 753-768.e6	18	29
81	Recent advances in extracellular vesicle research for urological cancers: From technology to application. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2019 , 1871, 342-360	11.2	9
80	The Microbiome of Prostate Fluid Is Associated With Prostate Cancer. <i>Frontiers in Microbiology</i> , 2019 , 10, 1664	5.7	18

79	Extended lymphadenectomy for high-risk prostate cancer in patients with chronic lymphocytic leukemia may not be necessary: a report of two cases. <i>BMC Cancer</i> , 2019 , 19, 676	4.8	
78	Neoadjuvant chemohormonal therapy combined with radical prostatectomy and extended PLND for very high risk locally advanced prostate cancer: A retrospective comparative study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 991-998	2.8	7
77	Comparison of efficacy and safety among axitinib, sunitinib, and sorafenib as neoadjuvant therapy for renal cell carcinoma: a retrospective study. <i>Cancer Communications</i> , 2019 , 39, 56	9.4	5
76	Chromatin remodeling ATPase BRG1 and PTEN are synthetic lethal in prostate cancer. <i>Journal of Clinical Investigation</i> , 2019 , 129, 759-773	15.9	27
75	Current status and progression of lower urinary tract symptoms in Chinese male patients: the protocol and rationale for a nationwide, hospital-based, prospective, multicentre study. <i>BMJ Open</i> , 2019 , 9, e028378	3	1
74	Comparison Between 1-Day and Inpatient Procedure of Holmium Laser Enucleation in Patients With Benign Prostate Hyperplasia. <i>American Journal of Men's Health</i> , 2019 , 13, 1557988319894480	2.2	1
73	Neuroendocrine differentiation markers guide treatment sequence selection in metastatic castration-resistant prostate cancer. <i>Prostate</i> , 2019 , 79, 567-573	4.2	6
72	LSD1 inhibition suppresses the growth of clear cell renal cell carcinoma upregulating P21 signaling. <i>Acta Pharmaceutica Sinica B</i> , 2019 , 9, 324-334	15.5	35
71	Metastatic prostate cancer remains incurable, why?. <i>Asian Journal of Urology</i> , 2019 , 6, 26-41	2.7	58
70	Pharmacological inhibition of the Notch pathway enhances the efficacy of androgen deprivation therapy for prostate cancer. <i>International Journal of Cancer</i> , 2018 , 143, 645-656	7.5	23
69	Systemic immune-inflammation index predicts the combined clinical outcome after sequential therapy with abiraterone and docetaxel for metastatic castration-resistant prostate cancer patients. <i>Prostate</i> , 2018 , 78, 250-256	4.2	29
68	Structure-Based Discovery and Optimization of Benzo[d]isoxazole Derivatives as Potent and Selective BET Inhibitors for Potential Treatment of Castration-Resistant Prostate Cancer (CRPC). <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 3037-3058	8.3	25
67	Enhanced recovery after surgery for radical cystectomy with ileal urinary diversion: a multi-institutional, randomized, controlled trial from the Chinese bladder cancer consortium. <i>World Journal of Urology</i> , 2018 , 36, 41-50	4	34
66	Cannabinoid receptor 2 as a novel target for promotion of renal cell carcinoma prognosis and progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 39-52	4.9	18
65	Re: Molecular Subtypes of Clear-cell Renal Cell Carcinoma Are Prognostic for Outcome After Complete Metastasectomy. <i>European Urology</i> , 2018 , 74, 841	10.2	
64	The utility and limitations of contrast-enhanced transrectal ultrasound scanning for the detection of prostate cancer in different area of prostate. <i>Clinical Hemorheology and Microcirculation</i> , 2018 , 70, 281-290	2.5	2
63	E-cadherin bridges cell polarity and spindle orientation to ensure prostate epithelial integrity and prevent carcinogenesis in vivo. <i>PLoS Genetics</i> , 2018 , 14, e1007609	6	29
62	MiR-532-5p suppresses renal cancer cell proliferation by disrupting the ETS1-mediated positive feedback loop with the KRAS-NAP1L1/P-ERK axis. <i>British Journal of Cancer</i> , 2018 , 119, 591-604	8.7	45

61	Insulinoma-associated protein 1 is a novel sensitive and specific marker for small cell carcinoma of the prostate. <i>Human Pathology</i> , 2018 , 79, 151-159	3.7	40
60	Curcumin inhibits cell proliferation and motility via suppression of TROP2 in bladder cancer cells. <i>International Journal of Oncology</i> , 2018 , 53, 515-526	4.4	24
59	Microrna-139-5p inhibits epithelial-mesenchymal transition and fibrosis in post-menopausal women with interstitial cystitis by targeting LPAR4 via the PI3K/Akt signaling pathway. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 6429-6441	4.7	17
58	Safety and feasibility study of holmium laser enucleation of the prostate (HOLEP) on patients receiving dual antiplatelet therapy (DAPT). <i>World Journal of Urology</i> , 2018 , 36, 271-276	4	16
57	Sunitinib-suppressed miR-452-5p facilitates renal cancer cell invasion and metastasis through modulating SMAD4/SMAD7 signals. <i>Molecular Cancer</i> , 2018 , 17, 157	42.1	45
56	Abiraterone acetate for chemotherapy-naive metastatic castration-resistant prostate cancer: a single-centre prospective study of efficacy, safety, and prognostic factors. <i>BMC Urology</i> , 2018 , 18, 110	2.2	4
55	A Nomogram Based on a TRUS Five-Grade Scoring System for the Prediction of Prostate Cancer and High Grade Prostate Cancer at Initial TRUS-Guided Biopsy. <i>Journal of Cancer</i> , 2018 , 9, 4382-4390	4.5	4
54	Sphingosine kinase 1 overexpression contributes to sunitinib resistance in clear cell renal cell carcinoma. <i>Oncolmmunology</i> , 2018 , 7, e1502130	7.2	12
53	PRKAR2B promotes prostate cancer metastasis by activating Wnt/ β -catenin and inducing epithelial-mesenchymal transition. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 7319-7327	4.7	19
52	Chromogranin A and neurone-specific enolase variations during the first 3 months of abiraterone therapy predict outcomes in patients with metastatic castration-resistant prostate cancer. <i>BJU International</i> , 2017 , 120, 226-232	5.6	21
51	Pretreatment Serum Prealbumin as an Independent Prognostic Indicator in Patients With Metastatic Renal Cell Carcinoma Using Tyrosine Kinase Inhibitors as First-Line Target Therapy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e437-e446	3.3	23
50	Activation of Notch pathway is linked with epithelial-mesenchymal transition in prostate cancer cells. <i>Cell Cycle</i> , 2017 , 16, 999-1007	4.7	38
49	Prostate transitional zone volume-based nomogram for predicting prostate cancer and high progression prostate cancer in a real-world population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1157-1166	4.9	2
48	Comparing renal function preservation after laparoscopic radio frequency ablation assisted tumor enucleation and laparoscopic partial nephrectomy for clinical T1a renal tumor: using a 3D parenchyma measurement system. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 905-912	4.9	7
47	Evaluation of expressed prostatic secretion and serum using surface-enhanced Raman spectroscopy for the noninvasive detection of prostate cancer, a preliminary study. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017 , 13, 1051-1059	6	23
46	Significance of preoperative prognostic nutrition index as prognostic predictors in patients with metastatic renal cell carcinoma with tyrosine kinase inhibitors as first-line target therapy. <i>International Urology and Nephrology</i> , 2017 , 49, 1955-1963	2.3	14
45	Serum Pre-Albumin Predicts the Clinical Outcome in Metastatic Castration-Resistant Prostate Cancer Patients Treated With Abiraterone. <i>Journal of Cancer</i> , 2017 , 8, 3448-3455	4.5	10
44	Elevated expression of Par3 promotes prostate cancer metastasis by forming a Par3/aPKC/KIBRA complex and inactivating the hippo pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 139	12.8	20

43	Comparison of efficacy, safety, and quality of life between sorafenib and sunitinib as first-line therapy for Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017 , 36, 64		10
42	Albumin and Fibrinogen Combined Prognostic Grade Predicts Prognosis of Patients with Prostate Cancer. <i>Journal of Cancer</i> , 2017 , 8, 3992-4001	4.5	16
41	Preoperative prognostic nutritional index is a significant predictor of survival in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 671.e1-671.e9	2.8	21
40	Inhibition of microRNA-214 promotes epithelial-mesenchymal transition process and induces interstitial cystitis in postmenopausal women by upregulating Mfn2. <i>Experimental and Molecular Medicine</i> , 2017 , 49, e357	12.8	21
39	Prognostic nutritional index predicts initial response to treatment and prognosis in metastatic castration-resistant prostate cancer patients treated with abiraterone. <i>Prostate</i> , 2017 , 77, 1233-1241	4.2	22
38	Influence of abiraterone acetate on neuroendocrine differentiation in chemotherapy-naive metastatic castration-resistant prostate cancer. <i>Prostate</i> , 2017 , 77, 1373-1380	4.2	15
37	DNA-methylation-mediated repression of miR-766-3p promotes cell proliferation via targeting SF2 expression in renal cell carcinoma. <i>International Journal of Cancer</i> , 2017 , 141, 1867-1878	7.5	36
36	Management of prostate cancer patients with locally adverse pathologic features after radical prostatectomy: feasibility of active surveillance for cases with Gleason grade 3+4=7. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 123-129	4.9	5
35	The selective MEK1 inhibitor Selumetinib enhances the antitumor activity of everolimus against renal cell carcinoma in vitro and in vivo. <i>Oncotarget</i> , 2017 , 8, 20825-20833	3.3	7
34	Surface-enhanced Raman spectroscopy of serum accurately detects prostate cancer in patients with prostate-specific antigen levels of 4-10 ng/mL. <i>International Journal of Nanomedicine</i> , 2017 , 12, 5399-5407 ³¹	7.3	31
33	PRKAR2B plays an oncogenic role in the castration-resistant prostate cancer. <i>Oncotarget</i> , 2017 , 8, 6114-6129	6.1	15
32	Depletion of astrocyte elevated gene-1 suppresses tumorigenesis through inhibition of Akt activity in bladder cancer cells. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 5422-5431	3	2
31	Peripheral monocyte count: an independent diagnostic and prognostic biomarker for prostate cancer - a large Chinese cohort study. <i>Asian Journal of Andrology</i> , 2017 , 19, 579-585	2.8	14
30	Overexpression of cannabinoid receptor 1 promotes renal cell carcinoma progression. <i>Tumor Biology</i> , 2016 , 37, 16237	2.9	6
29	Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. <i>BJU International</i> , 2016 , 117, 648-54	5.6	55
28	Regulation of Prostate Development and Benign Prostatic Hyperplasia by Autocrine Cholinergic Signaling via Maintaining the Epithelial Progenitor Cells in Proliferating Status. <i>Stem Cell Reports</i> , 2016 , 6, 668-678	8	7
27	Development and external multicenter validation of Chinese Prostate Cancer Consortium prostate cancer risk calculator for initial prostate biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 416.e1-7	2.8	22
26	Comparing Zero Ischemia Laparoscopic Radio Frequency Ablation Assisted Tumor Enucleation and Laparoscopic Partial Nephrectomy for Clinical T1a Renal Tumor: A Randomized Clinical Trial. <i>Journal of Urology</i> , 2016 , 195, 1677-83	2.5	19

25	Decreased TSPAN1 promotes prostate cancer progression and is a marker for early biochemical recurrence after radical prostatectomy. <i>Oncotarget</i> , 2016 , 7, 63294-63305	3.3	14
24	SENP1 promotes proliferation of clear cell renal cell carcinoma through activation of glycolysis. <i>Oncotarget</i> , 2016 , 7, 80435-80449	3.3	18
23	Sphingosine kinase 1 is overexpressed and promotes adrenocortical carcinoma progression. <i>Oncotarget</i> , 2016 , 7, 3233-44	3.3	17
22	GFOD1 and peejar are promising markers for clear-cell renal cell carcinoma disease progression. <i>Oncotarget</i> , 2016 , 7, 38004-38009	3.3	3
21	Significant differences in struvite and cystine stone frequency seen among Chinese nephrolithiasis patients living in North America compared to those living in China. <i>Translational Andrology and Urology</i> , 2016 , 5, 375-80	2.3	1
20	The PI3K/AKT pathway in the pathogenesis of prostate cancer. <i>Frontiers in Bioscience - Landmark</i> , 2016 , 21, 1084-91	2.8	110
19	TIK12 is upregulated and plays an oncogenic role in renal cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 17212-9	3.3	0
18	High Expression of Stearoyl-CoA Desaturase 1 Predicts Poor Prognosis in Patients with Clear-Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2016 , 11, e0166231	3.7	17
17	Spherical cap surface model: A novel method for predicting renal function after partial nephrectomy. <i>International Journal of Urology</i> , 2016 , 23, 667-72	2.3	3
16	The Germ Cell Gene TDRD1 as an ERG Target Gene and a Novel Prostate Cancer Biomarker. <i>Prostate</i> , 2016 , 76, 1271-84	4.2	12
15	c-Myc modulates glucose metabolism via regulation of miR-184/PKM2 pathway in clear-cell renal cell carcinoma. <i>International Journal of Oncology</i> , 2016 , 49, 1569-75	4.4	12
14	Platelet to lymphocyte ratio as an independent prognostic indicator for prostate cancer patients receiving androgen deprivation therapy. <i>BMC Cancer</i> , 2016 , 16, 329	4.8	20
13	Current status of diagnosis and treatment of bladder cancer in China - Analyses of Chinese Bladder Cancer Consortium database. <i>Asian Journal of Urology</i> , 2015 , 2, 63-69	2.7	26
12	Treatment of renal cell carcinoma with a level III or level IV inferior vena cava thrombus using cardiopulmonary bypass and deep hypothermic circulatory arrest. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 159	3.4	13
11	Catalpol Inhibited the Proliferation of T24 Human Bladder Cancer Cells by Inducing Apoptosis Through the Blockade of Akt-Mediated Anti-apoptotic Signaling. <i>Cell Biochemistry and Biophysics</i> , 2015 , 71, 1349-56	3.2	25
10	Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. <i>BioMed Research International</i> , 2015 , 2015, 891045	3	22
9	Repeated transurethral resection for non-muscle invasive bladder cancer. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 1416-9		6
8	SERS measurement of the bladder cancer cells with the nanoparticles. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015 , 28, 1853-6	0.4	1

7	Incidental prostate cancer at the time of cystectomy: the incidence and clinicopathological features in Chinese patients. <i>PLoS ONE</i> , 2014 , 9, e94490	3.7	13
6	Analysis of a urinary biomarker panel for obstructive nephropathy and clinical outcomes. <i>PLoS ONE</i> , 2014 , 9, e112865	3.7	22
5	Diagnostic performance of urinary kidney injury molecule-1 and neutrophil gelatinase-associated lipocalin for acute kidney injury in an obstructive nephropathy patient. <i>Nephrology</i> , 2014 , 19, 186-94	2.2	22
4	Synergistic effect and mechanism of vitamin A and vitamin D on inducing apoptosis of prostate cancer cells. <i>Molecular Biology Reports</i> , 2013 , 40, 2763-8	2.8	17
3	Ductal adenocarcinoma of the prostate: immunohistochemical findings and clinical significance. <i>OncoTargets and Therapy</i> , 2013 , 6, 1501-6	4.4	7
2	Management of single large nonstaghorn renal stones in the CROES PCNL global study. <i>Journal of Urology</i> , 2012 , 187, 1293-7	2.5	33
1	Application of pyrosequencing technique for improved detection of K-Ras mutation in formalin-fixed and paraffin-embedded prostate carcinoma tissues in Chinese patients. <i>Clinica Chimica Acta</i> , 2012 , 413, 1532-5	6.2	4