
Philippe Tuppin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/334367/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Care management and 90-day post discharge mortality in patients hospitalized for myocardial infarction and COVID-19: A French nationwide observational study. Archives of Cardiovascular Diseases, 2022, 115, 37-47.	0.7	2
2	One Year Prevalence of Venous Thromboembolism in Hospitalized COVID-19 Patients in France: Patients' Characteristics, Time Trends, and Outcomes. Thrombosis and Haemostasis, 2022, 122, 1532-1541.	1.8	5
3	Patients Hospitalized for Ischemic Stroke and Intracerebral Hemorrhage in France: Time Trends (2008–2019), In-Hospital Outcomes, Age and Sex Differences. Journal of Clinical Medicine, 2022, 11, 1669.	1.0	7
4	Five-year cause-specific survival after meningioma surgery. A nationwide population-based study. Neurochirurgie, 2022, 68, 280-288.	0.6	4
5	Nationwide Initiation of Cardiovascular Risk Treatments During the COVID-19 Pandemic in France: Women on a Slippery Slope?. Frontiers in Cardiovascular Medicine, 2022, 9, 856689.	1.1	4
6	Defining a risk-adjustment formula for the introduction of population-based payments for primary care in France. Health Policy, 2022, 126, 915-924.	1.4	0
7	Fourteen-Year Temporal Trends in Patients Hospitalized for Mitral Regurgitation: The Increasing Burden of Mitral Valve Prolapse in Men. Journal of Clinical Medicine, 2022, 11, 3289.	1.0	3
8	Patient stratification for risk of readmission due to heart failure by using nationwide administrative data. Journal of Cardiac Failure, 2021, 27, 266-276.	0.7	5
9	Patients with Metastatic Melanoma Receiving Anticancer Drugs: Changes in Overall Survival, 2010–2017. Journal of Investigative Dermatology, 2021, 141, 830-839.e3.	0.3	10
10	French annual national observational study of 2015 outpatient and inpatient healthcare utilization by approximately half a million patients with previous heart failure diagnosis. Archives of Cardiovascular Diseases, 2021, 114, 17-32.	0.7	5
11	Characteristics, Management, and Case-Fatality of Patients Hospitalized for Stroke with a Diagnosis of COVID-19 in France. Neuroepidemiology, 2021, 55, 323-330.	1.1	6
12	Stroke Incidence and Death in Atrial Fibrillation Patients Newly Treated with Direct Oral Anticoagulants. Clinical Epidemiology, 2021, Volume 13, 131-140.	1.5	8
13	Costs and Outcomes of 1-year post-discharge care trajectories of patients admitted with infection due to antibiotic-resistant bacteria. Journal of Infection, 2021, 82, 339-345.	1.7	10
14	Impact of the COVIDâ€19 pandemic and a national lockdown on hospitalizations for stroke and related 30â€day mortality in France: A nationwide observational study. European Journal of Neurology, 2021, 28, 3279-3288.	1.7	15
15	Additional cost of end-stage kidney disease in diabetic patients according to renal replacement therapy modality: a systematic review. Renal Replacement Therapy, 2021, 7, .	0.3	1
16	Characteristics of people with severe hypertension in France and determinants of medication persistence after 6 years. Journal of Hypertension, 2021, 39, 1991-2000.	0.3	1
17	Antibiotic prescriptions and risk factors for antimicrobial resistance in patients hospitalized with urinary tract infection: a matched case-control study using the French health insurance database (SNDS). BMC Infectious Diseases, 2021, 21, 571.	1.3	6
18	Evolution of health care utilization and expenditure during the year before death in 2015 among people with cancer: French snds-based cohort study. European Journal of Health Economics, 2021, 22, 1039-1052.	1.4	3

Philippe Tuppin

#	Article	IF	CITATIONS
19	Epidemiology, Clinical Features, and Outcome in a Cohort of Adolescents With Cerebral Venous Thrombosis. Neurology, 2021, 97, 10.1212/WNL.0000000000012828.	1.5	7
20	Changes in the epidemiology of patients hospitalized in France with deep venous thrombosis and pulmonary embolism during the COVID-19 pandemic. Thrombosis Research, 2021, 207, 67-74.	0.8	5
21	Evaluation of drug deliveries and refunds for obstructive airway diseases in France between 2012 and 2017. Respiratory Medicine and Research, 2021, 80, 100854.	0.4	0
22	Myocardial infarction throughout 1 year of the COVID-19 pandemic: French nationwide study of hospitalization rates, prognosis and 90-day mortality rates. Archives of Cardiovascular Diseases, 2021, 114, 768-780.	0.7	10
23	Extracorporeal cardiopulmonary resuscitation in out-of-hospital cardiac arrest: a registry study. European Heart Journal, 2020, 41, 1961-1971.	1.0	172
24	Acute ischemic stroke in adolescents. Neurology, 2020, 94, e158-e169.	1.5	22
25	Cancer and end of life: the management provided during the year and the month preceding death in 2015 and causes of death in France. Supportive Care in Cancer, 2020, 28, 3877-3887.	1.0	3
26	Successful linkage of French large-scale national registry populations to national reimbursement data: Improved data completeness and minimized loss to follow-up. Archives of Cardiovascular Diseases, 2020, 113, 534-541.	0.7	20
27	Epidemiological Features of Aortic Stenosis in a French Nationwide Study: 10‥ear Trends and New Challenges. Journal of the American Heart Association, 2020, 9, e017588.	1.6	9
28	Outpatient healthcare utilization 30 days before and after hospitalization for heart failure in France: Contribution of the national healthcare database (Système national des données de santé). Archives of Cardiovascular Diseases, 2020, 113, 401-419.	0.7	7
29	Contacts with Health Services During the Year Prior to Suicide Death and Prevalent Conditions A Nationwide Study. Journal of Affective Disorders, 2020, 274, 174-182.	2.0	26
30	Intensity of care, expenditure, place and cause of death people with lung cancer in the year before their death: A French population based study. Bulletin Du Cancer, 2020, 107, 308-321.	0.6	6
31	Intensity of Care, Expenditure, and Place of Death in French Women in the Year Before Their Death From Breast Cancer: A Population-Based Study. Cancer Control, 2020, 27, 107327482097717.	0.7	3
32	Burden of drug use for gastrointestinal symptoms and functional gastrointestinal disorders in France: a national study using reimbursement data for 57 million inhabitants. Therapeutic Advances in Gastroenterology, 2019, 12, 175628481985379.	1.4	5
33	Access to palliative care for cancer patients between diagnosis and death: a national cohort study. Clinical Epidemiology, 2019, Volume 11, 443-455.	1.5	23
34	Healthcare use by 30,000 patients with irritable bowel syndrome (IBS) in France: a 5-year retrospective and one-year prospective national observational study. BMC Gastroenterology, 2019, 19, 111.	0.8	13
35	Management and intensity of medical endâ€ofâ€life care in people with colorectal cancer during the year before their death in 2015: A French national observational study. Cancer Medicine, 2019, 8, 6671-6683.	1.3	8
36	Patient characteristics and treatments one year after diagnosis of renal cancer in 2015 according to the presence or absence of metastasis and a history of another tumour: A national observational study. Bulletin Du Cancer, 2019, 106, 538-549.	0.6	1

PHILIPPE TUPPIN

#	Article	IF	CITATIONS
37	Hospitalisations with infections related to antimicrobial-resistant bacteria from the French nationwide hospital discharge database, 2016. Epidemiology and Infection, 2019, 147, e144.	1.0	10
38	Health care utilization by men with prostate cancer during the year before their death: A 2015 population-based study. Progres En Urologie, 2019, 29, 995-1006.	0.3	3
39	Intensity of care for cancer patients treated mainly at home during the month before their death: An observational study. Presse Medicale, 2019, 48, e293-e306.	0.8	2
40	Early and late case fatality after hospitalization for acute coronary syndrome in France, 2010–2015. Archives of Cardiovascular Diseases, 2019, 112, 754-764.	0.7	8
41	A Payer Perspective of the Hospital Inpatient Additional Care Costs of Antimicrobial Resistance in France: A Matched Case–Control Study. Applied Health Economics and Health Policy, 2019, 17, 381-389.	1.0	26
42	Deaths in France: Characteristics, place of death, hospitalisations and use of palliative care during the year before death. Revue D'Epidemiologie Et De Sante Publique, 2018, 66, 33-42.	0.3	19
43	Two-year management after renal transplantation in 2013 in France: Input from the French national health system database. Nephrologie Et Therapeutique, 2018, 14, 207-216.	0.2	2
44	Characteristics and prevalence of Wilson's disease: A 2013 observational population-based study in France. Clinics and Research in Hepatology and Gastroenterology, 2018, 42, 57-63.	0.7	56
45	Health status and drug use 1Âyear before and 1Âyear after skilled nursing home admission during the first quarter of 2013 in France: a study based on the French National Health Insurance Information System. European Journal of Clinical Pharmacology, 2018, 74, 109-118.	0.8	19
46	Hospitalisation and life support in the year before and during heart transplantation: a French national study. Open Heart, 2018, 5, e000913.	0.9	0
47	Cancer care and public health policy evaluations in France: Usefulness of the national cancer cohort. PLoS ONE, 2018, 13, e0206448.	1.1	19
48	Management of pregnancy based on healthcare consumption of women who delivered in France in 2015: Contribution of the national health data system (SNDS). Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 299-307.	0.6	12
49	Use of hospital palliative care according to the place of death and disease one year before death in 2013: a French national observational study. BMC Palliative Care, 2018, 17, 75.	0.8	19
50	Two morbidity indices developed in a nationwide population permitted performant outcome-specific severity adjustment. Journal of Clinical Epidemiology, 2018, 103, 60-70.	2.4	29
51	Excess mortality and hospitalizations in transitional-age youths with a long-term disease: A national population-based cohort study. PLoS ONE, 2018, 13, e0193729.	1.1	14
52	What is the care pathway of patients who undergo thyroid surgery in France and its potential pitfalls? A national cohort. BMJ Open, 2017, 7, e013589.	0.8	47
53	Value of a national administrative database to guide public decisions: From the système national d'information interrégimes de l'Assurance Maladie (SNIIRAM) to the système national des données o santé (SNDS) in France. Revue D'Epidemiologie Et De Sante Publique, 2017, 65, S149-S167.	dæ.3	502
54	Management of diabetes patients during the year prior to initiation of dialysis in France. Diabetes and Metabolism, 2017, 43, 265-268.	1.4	5

#	Article	IF	CITATIONS
55	Impact of nursing home admission on health care use and disease status elderly dependent people one year before and one year after skilled nursing home admission based on 2012–2013 SNIIRAM data. BMC Health Services Research, 2017, 17, 667.	0.9	17
56	Geriatric Patient Safety Indicators Based on Linked Administrative Health Data to Assess Anticoagulant-Related Thromboembolic and Hemorrhagic Adverse Events in Older Inpatients: A Study Proposal. JMIR Research Protocols, 2017, 6, e82.	0.5	4
57	Care pathways and healthcare use of stroke survivors six months after admission to an acute-care hospital in France in 2012. Revue Neurologique, 2016, 172, 295-306.	0.6	11
58	Prevalence and economic burden of cardiovascular diseases in France in 2013 according to the national health insurance scheme database. Archives of Cardiovascular Diseases, 2016, 109, 399-411.	0.7	51
59	Estimation of breast, prostate, and colorectal cancer incidence using a French administrative database (general sample of health insurance beneficiaries). Revue D'Epidemiologie Et De Sante Publique, 2016, 64, 145-152.	0.3	16
60	First hospitalization for transient ischemic attack in France: Characteristics, treatments and 3-year outcomes. Revue Neurologique, 2016, 172, 152-159.	0.6	8
61	Effect of Rehabilitation Setting on Dependence Following Stroke. Neurorehabilitation and Neural Repair, 2014, 28, 36-44.	1.4	28
62	Management and 2-year follow-up of children aged 29days to 17years hospitalized for a first stroke in France (2009–2010). Archives De Pediatrie, 2014, 21, 1305-1315.	0.4	22
63	Prostate cancer outcomes in France: treatments, adverse effects and two-year mortality. BMC Urology, 2014, 14, 48.	0.6	14
64	Frequency of cardiovascular diseases and risk factors treated in France according to social deprivation and residence in an overseas territory. International Journal of Cardiology, 2014, 173, 430-435.	0.8	31
65	Two-year outcome of patients after a first hospitalization for heart failure: A national observational study. Archives of Cardiovascular Diseases, 2014, 107, 158-168.	0.7	81
66	Prevalence of Self-Reported Stroke and Disability in the French Adult Population: A Transversal Study. PLoS ONE, 2014, 9, e115375.	1.1	36
67	First hospitalization for heart failure in France in 2009: Patient characteristics and 30-day follow-up. Archives of Cardiovascular Diseases, 2013, 106, 570-585.	0.7	65
68	Reducing heart failure admission rates in England 2004-2011 are not related to changes in primary care quality: national observational study. European Journal of Heart Failure, 2013, 15, 1335-1342.	2.9	32
69	Antihypertensive, antidiabetic and lipid-lowering treatment frequencies in France in 2010. Archives of Cardiovascular Diseases, 2013, 106, 274-286.	0.7	18
70	Evaluation of the agreement between guidelines and initial antihypertensive drug treatment using a national health care reimbursement database. Journal of Evaluation in Clinical Practice, 2012, 18, 623-629.	0.9	8
71	Implantation and patient profiles for pacemakers and cardioverter-defibrillators in France (2008–2009). Archives of Cardiovascular Diseases, 2011, 104, 332-342.	0.7	24
72	Seasonal influenza vaccination coverage in France during two influenza seasons (2007 and 2008) and during a context of pandemic influenza A(H1N1) in 2009. Vaccine, 2011, 29, 4632-4637.	1.7	33

Philippe Tuppin

#	ARTICLE	IF	CITATIONS
73	Hospitalization admission rates for low-income subjects with full health insurance coverage in France. European Journal of Public Health, 2011, 21, 560-566.	0.1	21
74	Benfluorex and valvular heart disease: a cohort study of a million people with diabetes mellitus. Pharmacoepidemiology and Drug Safety, 2010, 19, 1256-1262.	0.9	107
75	Evidence-based pharmacotherapy after myocardial infarction in France: Adherence-associated factors and relationship with 30-month mortality and rehospitalization. Archives of Cardiovascular Diseases, 2010, 103, 363-375.	0.7	114
76	French national health insurance information system and the permanent beneficiaries sample. Revue D'Epidemiologie Et De Sante Publique, 2010, 58, 286-290.	0.3	327
77	Characteristics and management of diabetic patients hospitalized for myocardial infarction in France. Diabetes and Metabolism, 2010, 36, 129-136.	1.4	5
78	Primary Health Care Use and Reasons for Hospital Admissions in Dementia Patients in France: Database Study for 2007. Dementia and Geriatric Cognitive Disorders, 2009, 28, 225-232.	0.7	33
79	Combined secondary prevention after hospitalization for myocardial infarction in France: Analysis from a large administrative database. Archives of Cardiovascular Diseases, 2009, 102, 279-292.	0.7	52
80	Survival Benefits of Kidney Transplantation With Expanded Criteria Deceased Donors in Patients Aged 60 Years and Over. Transplantation, 2007, 84, 1618-1624.	0.5	75
81	The French organ transplant data system. Studies in Health Technology and Informatics, 2005, 116, 77-82.	0.2	24
82	A survey on patients admitted in severe coma: implications for brain death identification and organ donation. Intensive Care Medicine, 2004, 30, 38-44.	3.9	28
83	Prognostic value of cardiac markers in ESRD: Chronic Hemodialysis and New Cardiac Markers Evaluation (CHANCE) study. American Journal of Kidney Diseases, 2003, 42, 513-523.	2.1	60
84	Multivariate analysis of donor risk factors for graft survival in kidney transplantation. Transplantation, 2003, 75, 361-367.	0.5	169
85	Factors associated with increased serum levels of cardiac troponins T and I in chronic haemodialysis patients: Chronic Haemodialysis And New Cardiac Markers Evaluation (CHANCE) study. Nephrology Dialysis Transplantation, 2001, 16, 1452-1458.	0.4	103
86	HUMAN HERPES VIRUS-8 AND OTHER RISK FACTORS FOR KAPOSI'S SARCOMA IN KIDNEY TRANSPLANT RECIPIENTS1. Transplantation, 1999, 67, 1236-1242.	0.5	107
87	Did preterm deliveries continue to decrease in France in the 1980s?. Paediatric and Perinatal Epidemiology, 1995, 9, 296-306.	0.8	47
88	Association of Mycoplasma penetrans with Human Immunodeficiency Virus Infection. Journal of Infectious Diseases, 1995, 172, 672-681.	1.9	57
89	Environmental and dietary risk factors for nasopharyngeal carcinoma: a case-control study in Zangwu County, Guangxi, China. British Journal of Cancer, 1994, 69, 508-514.	2.9	118