

Nobuhiko Kamada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3343866/publications.pdf>

Version: 2024-02-01

115
papers

16,318
citations

24978

57
h-index

24179

110
g-index

120
all docs

120
docs citations

120
times ranked

21973
citing authors

#	ARTICLE	IF	CITATIONS
1	A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. <i>Cell</i> , 2016, 167, 1339-1353.e21.	13.5	1,882
2	Role of the gut microbiota in immunity and inflammatory disease. <i>Nature Reviews Immunology</i> , 2013, 13, 321-335.	10.6	1,771
3	Control of pathogens and pathobionts by the gut microbiota. <i>Nature Immunology</i> , 2013, 14, 685-690.	7.0	1,217
4	Th17 Cell Induction by Adhesion of Microbes to Intestinal Epithelial Cells. <i>Cell</i> , 2015, 163, 367-380.	13.5	846
5	Unique CD14+ intestinal macrophages contribute to the pathogenesis of Crohn disease via IL-23/IFN- γ axis. <i>Journal of Clinical Investigation</i> , 2008, 118, 2269-80.	3.9	559
6	Regulated Virulence Controls the Ability of a Pathogen to Compete with the Gut Microbiota. <i>Science</i> , 2012, 336, 1325-1329.	6.0	546
7	IL23 differentially regulates the Th1/Th17 balance in ulcerative colitis and Crohn's disease. <i>Gut</i> , 2008, 57, 1682-1689.	6.1	470
8	Hyaluronic acid-bilirubin nanomedicine for targeted modulation of dysregulated intestinal barrier, microbiome and immune responses in colitis. <i>Nature Materials</i> , 2020, 19, 118-126.	13.3	370
9	NLR4-driven production of IL-1 β discriminates between pathogenic and commensal bacteria and promotes host intestinal defense. <i>Nature Immunology</i> , 2012, 13, 449-456.	7.0	347
10	The Intermucosal Connection between the Mouth and Gut in Commensal Pathobiont-Driven Colitis. <i>Cell</i> , 2020, 182, 447-462.e14.	13.5	314
11	Microbiota-induced IL-1 β , but not IL-6, is critical for the development of steady-state TH17 cells in the intestine. <i>Journal of Experimental Medicine</i> , 2012, 209, 251-258.	4.2	289
12	Imbalance in intestinal microflora constitution could be involved in the pathogenesis of inflammatory bowel disease. <i>International Journal of Medical Microbiology</i> , 2008, 298, 463-472.	1.5	281
13	Microbiota-Derived Lactate Accelerates Intestinal Stem-Cell-Mediated Epithelial Development. <i>Cell Host and Microbe</i> , 2018, 24, 833-846.e6.	5.1	277
14	Gut pathobionts underlie intestinal barrier dysfunction and liver T helper 17 cell immune response in primary sclerosing cholangitis. <i>Nature Microbiology</i> , 2019, 4, 492-503.	5.9	270
15	Distinct Commensals Induce Interleukin-1 β via NLRP3 Inflammasome in Inflammatory Monocytes to Promote Intestinal Inflammation in Response to Injury. <i>Immunity</i> , 2015, 42, 744-755.	6.6	259
16	A Single Strain of <i>Clostridium butyricum</i> Induces Intestinal IL-10-Producing Macrophages to Suppress Acute Experimental Colitis in Mice. <i>Cell Host and Microbe</i> , 2013, 13, 711-722.	5.1	241
17	Regulation of the Immune System by the Resident Intestinal Bacteria. <i>Gastroenterology</i> , 2014, 146, 1477-1488.	0.6	220
18	The Nod2 Sensor Promotes Intestinal Pathogen Eradication via the Chemokine CCL2-Dependent Recruitment of Inflammatory Monocytes. <i>Immunity</i> , 2011, 34, 769-780.	6.6	215

#	ARTICLE	IF	CITATIONS
19	Imbalance of NKp44+NKp46 ⁺ and NKp44 ⁺ NKp46 ⁺ Natural Killer Cells in the Intestinal Mucosa of Patients With Crohn's Disease. <i>Gastroenterology</i> , 2010, 139, 882-892.e3.	0.6	214
20	Th1/Th17 Immune Response Is Induced by Mesenteric Lymph Node Dendritic Cells in Crohn's Disease. <i>Gastroenterology</i> , 2009, 137, 1736-1745.	0.6	211
21	Abnormally Differentiated Subsets of Intestinal Macrophage Play a Key Role in Th1-Dominant Chronic Colitis through Excess Production of IL-12 and IL-23 in Response to Bacteria. <i>Journal of Immunology</i> , 2005, 175, 6900-6908.	0.4	192
22	Functional Characterization of Inflammatory Bowel Disease-Associated Gut Dysbiosis in Gnotobiotic Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 468-481.	2.3	189
23	The Bacterial Connection between the Oral Cavity and the Gut Diseases. <i>Journal of Dental Research</i> , 2020, 99, 1021-1029.	2.5	162
24	TGR5 signalling inhibits the production of pro-inflammatory cytokines by <i>in vitro</i> differentiated inflammatory and intestinal macrophages in Crohn's disease. <i>Immunology</i> , 2013, 139, 19-29.	2.0	156
25	Nucleotide-Binding Oligomerization Domain 1 Mediates Recognition of <i>Clostridium difficile</i> and Induces Neutrophil Recruitment and Protection against the Pathogen. <i>Journal of Immunology</i> , 2011, 186, 4872-4880.	0.4	155
26	Host-microbial Cross-talk in Inflammatory Bowel Disease. <i>Immune Network</i> , 2017, 17, 1.	1.6	147
27	Dietary Histidine Ameliorates Murine Colitis by Inhibition of Proinflammatory Cytokine Production From Macrophages. <i>Gastroenterology</i> , 2009, 136, 564-574.e2.	0.6	139
28	Role of the Gut Microbiota in the Development and Function of Lymphoid Cells. <i>Journal of Immunology</i> , 2013, 190, 1389-1395.	0.4	137
29	Interleukin-22-mediated host glycosylation prevents <i>Clostridioides difficile</i> infection by modulating the metabolic activity of the gut microbiota. <i>Nature Medicine</i> , 2020, 26, 608-617.	15.2	136
30	Humoral Immunity in the Gut Selectively Targets Phenotypically Virulent Attaching-and-Effacing Bacteria for Intraluminal Elimination. <i>Cell Host and Microbe</i> , 2015, 17, 617-627.	5.1	132
31	Monocyte Chemoattractant Protein-1 Contributes to Gut Homeostasis and Intestinal Inflammation by Composition of IL-10-Producing Regulatory Macrophage Subset. <i>Journal of Immunology</i> , 2010, 184, 2671-2676.	0.4	128
32	Inactivation of multiple tumor-suppressor genes involved in negative regulation of the cell cycle, MTS1/p16INK4A/CDKN2, MTS2/p15INK4B, p53, and Rb genes in primary lymphoid malignancies. <i>Blood</i> , 1996, 87, 4949-4958.	0.6	125
33	Interleukin-22 Regulates the Complement System to Promote Resistance against Pathobionts after Pathogen-Induced Intestinal Damage. <i>Immunity</i> , 2014, 41, 620-632.	6.6	124
34	Increased Expression of DUOX2 Is an Epithelial Response to Mucosal Dysbiosis Required for Immune Homeostasis in Mouse Intestine. <i>Gastroenterology</i> , 2015, 149, 1849-1859.	0.6	120
35	The Role of Dietary Nutrients in Inflammatory Bowel Disease. <i>Frontiers in Immunology</i> , 2018, 9, 3183.	2.2	120
36	Loss of the cyclin-dependent kinase 4-inhibitor (p16; MTS1) gene is frequent in and highly specific to lymphoid tumors in primary human hematopoietic malignancies. <i>Blood</i> , 1995, 86, 1548-1556.	0.6	116

#	ARTICLE	IF	CITATIONS
37	Bile acids induce monocyte differentiation toward interleukin-12 hypo-producing dendritic cells via a TGR5-dependent pathway. <i>Immunology</i> , 2012, 136, 153-162.	2.0	116
38	Protective Role of Commensals against <i>Clostridium difficile</i> Infection via an IL-1 β -Mediated Positive-Feedback Loop. <i>Journal of Immunology</i> , 2012, 189, 3085-3091.	0.4	110
39	Human CD14 ⁺ Macrophages in Intestinal Lamina Propria Exhibit Potent Antigen-Presenting Ability. <i>Journal of Immunology</i> , 2009, 183, 1724-1731.	0.4	108
40	Pathogenic role of the gut microbiota in gastrointestinal diseases. <i>Intestinal Research</i> , 2016, 14, 127.	1.0	108
41	TL1A produced by lamina propria macrophages induces Th1 and Th17 immune responses in cooperation with IL-23 in patients with Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 568-575.	0.9	105
42	A specific gene-microbe interaction drives the development of Crohn's disease-like colitis in mice. <i>Science Immunology</i> , 2019, 4, .	5.6	102
43	NFIL3 Is a Regulator of IL-12 p40 in Macrophages and Mucosal Immunity. <i>Journal of Immunology</i> , 2011, 186, 4649-4655.	0.4	101
44	Bile acid metabolism regulated by the gut microbiota promotes non-alcoholic steatohepatitis-associated hepatocellular carcinoma in mice. <i>Oncotarget</i> , 2018, 9, 9925-9939.	0.8	98
45	Generation of systemic antitumour immunity via the in situ modulation of the gut microbiome by an orally administered inulin gel. <i>Nature Biomedical Engineering</i> , 2021, 5, 1377-1388.	11.6	95
46	Nod2-mediated recognition of the microbiota is critical for mucosal adjuvant activity of cholera toxin. <i>Nature Medicine</i> , 2016, 22, 524-530.	15.2	94
47	Intestinal Dysbiosis and Biotin Deprivation Induce Alopecia through Overgrowth of <i>Lactobacillus murinus</i> in Mice. <i>Cell Reports</i> , 2017, 20, 1513-1524.	2.9	93
48	Dietary l-serine confers a competitive fitness advantage to Enterobacteriaceae in the inflamed gut. <i>Nature Microbiology</i> , 2020, 5, 116-125.	5.9	93
49	Intestinal macrophages arising from CCR2 ⁺ monocytes control pathogen infection by activating innate lymphoid cells. <i>Nature Communications</i> , 2015, 6, 8010.	5.8	86
50	Lamina Propria c-kit ⁺ Immune Precursors Reside in Human Adult Intestine and Differentiate Into Natural Killer Cells. <i>Gastroenterology</i> , 2007, 133, 559-573.	0.6	77
51	Quantitative proteomics identifies STEAP4 as a critical regulator of mitochondrial dysfunction linking inflammation and colon cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9608-E9617.	3.3	77
52	Exclusive increase of CX3CR1 ⁺ CD28 ^{hi} CD4 ⁺ T cells in inflammatory bowel disease and their recruitment as intraepithelial lymphocytes. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 837-846.	0.9	75
53	IL-10 produced by macrophages regulates epithelial integrity in the small intestine. <i>Scientific Reports</i> , 2019, 9, 1223.	1.6	72
54	Inhibition of neutrophil elastase prevents the development of murine dextran sulfate sodium-induced colitis. <i>Journal of Gastroenterology</i> , 2006, 41, 318-324.	2.3	67

#	ARTICLE	IF	CITATIONS
55	Commensal <i>Lactobacillus</i> Controls Immune Tolerance during Acute Liver Injury in Mice. <i>Cell Reports</i> , 2017, 21, 1215-1226.	2.9	67
56	The ever-expanding function of NOD2: autophagy, viral recognition, and T cell activation. <i>Trends in Immunology</i> , 2011, 32, 73-79.	2.9	66
57	Nonpathogenic <i>Escherichia coli</i> Strain Nissle 1917 Prevents Murine Acute and Chronic Colitis. <i>Inflammatory Bowel Diseases</i> , 2005, 11, 455-463.	0.9	62
58	Nonpathogenic <i>Escherichia coli</i> Strain Nissle 1917 Inhibits Signal Transduction in Intestinal Epithelial Cells. <i>Infection and Immunity</i> , 2008, 76, 214-220.	1.0	57
59	Flagellin-mediated activation of IL-33-ST2 signaling by a pathobiont promotes intestinal fibrosis. <i>Mucosal Immunology</i> , 2019, 12, 632-643.	2.7	57
60	Tryptophan Catabolism Restricts IFN- γ -Expressing Neutrophils and <i>Clostridium difficile</i> Immunopathology. <i>Journal of Immunology</i> , 2014, 193, 807-816.	0.4	55
61	Cross-talk Between ROR γ t+ Innate Lymphoid Cells and Intestinal Macrophages Induces Mucosal IL-22 Production in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 1426-1434.	0.9	53
62	Regulation of virulence: the rise and fall of gastrointestinal pathogens. <i>Journal of Gastroenterology</i> , 2016, 51, 195-205.	2.3	53
63	IL-22 controls iron-dependent nutritional immunity against systemic bacterial infections. <i>Science Immunology</i> , 2017, 2, .	5.6	50
64	The Butyrate-Producing Bacterium <i>Clostridium butyricum</i> Suppresses <i>Clostridioides difficile</i> Infection via Neutrophil- and Antimicrobial Cytokine-Dependent but GPR43/109a-Independent Mechanisms. <i>Journal of Immunology</i> , 2021, 206, 1576-1585.	0.4	47
65	Activated hepatic stellate cells mediate the differentiation of macrophages. <i>Hepatology Research</i> , 2013, 43, 658-669.	1.8	46
66	Gut microbiota-mediated generation of saturated fatty acids elicits inflammation in the liver in murine high-fat diet-induced steatohepatitis. <i>BMC Gastroenterology</i> , 2017, 17, 136.	0.8	46
67	Diet-Microbiota Interactions in Inflammatory Bowel Disease. <i>Nutrients</i> , 2021, 13, 1533.	1.7	46
68	Diet-dependent, microbiota-independent regulation of IL-10-producing lamina propria macrophages in the small intestine. <i>Scientific Reports</i> , 2016, 6, 27634.	1.6	44
69	Oral nanomedicine for modulating immunity, intestinal barrier functions, and gut microbiome. <i>Advanced Drug Delivery Reviews</i> , 2021, 179, 114021.	6.6	44
70	Retinoic acid contributes to the induction of IL-12-hypoproducing dendritic cells. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 1548-1556.	0.9	43
71	Competition between colitogenic Th1 and Th17 cells contributes to the amelioration of colitis. <i>European Journal of Immunology</i> , 2010, 40, 2409-2422.	1.6	41
72	TACI deficiency enhances antibody avidity and clearance of an intestinal pathogen. <i>Journal of Clinical Investigation</i> , 2014, 124, 4857-4866.	3.9	40

#	ARTICLE	IF	CITATIONS
73	CD4+ Tissue-resident Memory T Cells Expand and Are a Major Source of Mucosal Tumour Necrosis Factor $\hat{\pm}$ in Active Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2019, 13, 905-915.	0.6	38
74	DUOX2 variants associate with preclinical disturbances in microbiota-immune homeostasis and increased inflammatory bowel disease risk. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	35
75	A potential pathogenic association between periodontal disease and Crohn's disease. <i>JCI Insight</i> , 2021, 6, .	2.3	35
76	Clinical Strategies for the Blockade of IL-18 in Inflammatory Bowel Diseases. <i>Current Drug Targets</i> , 2013, 14, 1392-1399.	1.0	31
77	Establishment of Novel Prediction System of Intestinal Absorption in Humans Using Human Intestinal Tissues. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 2564-2571.	1.6	29
78	Microbial adaptation to the healthy and inflamed gut environments. <i>Gut Microbes</i> , 2020, 12, 1857505.	4.3	29
79	Homeostatic (IL-7) and effector (IL-17) cytokines as distinct but complementary target for an optimal therapeutic strategy in inflammatory bowel disease. <i>Current Opinion in Gastroenterology</i> , 2009, 25, 306-313.	1.0	28
80	Indoleamine 2,3-Dioxygenase 1, Increased in Human Gastric Pre-Neoplasia, Promotes Inflammation and Metaplasia in Mice and Is Associated With Type II Hypersensitivity/Autoimmunity. <i>Gastroenterology</i> , 2018, 154, 140-153.e17.	0.6	27
81	Aim2-mediated/IFN- $\hat{2}$ -independent regulation of gastric metaplastic lesions via CD8+ T cells. <i>JCI Insight</i> , 2020, 5, .	2.3	26
82	A complex microworld in the gut: Harnessing pathogen-commensal relations. <i>Nature Medicine</i> , 2012, 18, 1190-1191.	15.2	25
83	Inflammatory bowel disease and carcinogenesis. <i>Cancer and Metastasis Reviews</i> , 2022, 41, 301-316.	2.7	24
84	Expression and regulation of proton-coupled oligopeptide transporters in colonic tissue and immune cells of mice. <i>Biochemical Pharmacology</i> , 2018, 148, 163-173.	2.0	23
85	Multiple effects of dendritic cell depletion on murine norovirus infection. <i>Journal of General Virology</i> , 2013, 94, 1761-1768.	1.3	23
86	Fecal microbiota transplantation prevents <i>Candida albicans</i> from colonizing the gastrointestinal tract. <i>Microbiology and Immunology</i> , 2019, 63, 155-163.	0.7	22
87	Interaction between the inflammasome and commensal microorganisms in gastrointestinal health and disease. <i>EMBO Molecular Medicine</i> , 2021, 13, e13452.	3.3	22
88	Periodontal connection with intestinal inflammation: Microbiological and immunological mechanisms. <i>Periodontology 2000</i> , 2022, 89, 142-153.	6.3	19
89	Tetomilast suppressed production of proinflammatory cytokines from human monocytes and ameliorated chronic colitis in IL-10-deficient mice. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 1483-1490.	0.9	18
90	Macrophages and Dendritic Cells Emerge in the Liver during Intestinal Inflammation and Predispose the Liver to Inflammation. <i>PLoS ONE</i> , 2014, 9, e84619.	1.1	18

#	ARTICLE	IF	CITATIONS
91	The pathogenic oral-gut-liver axis: new understandings and clinical implications. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 727-736.	1.3	18
92	Maternal gut microbiome-induced IgG regulates neonatal gut microbiome and immunity. <i>Science Immunology</i> , 2022, 7, .	5.6	18
93	Pathogenic associations between oral and gastrointestinal diseases. <i>Trends in Molecular Medicine</i> , 2022, 28, 1030-1039.	3.5	16
94	Both exogenous commensal and endogenous self antigens stimulate T cell proliferation under lymphopenic conditions. <i>Cellular Immunology</i> , 2012, 272, 117-123.	1.4	14
95	<i>Citrobacter rodentium</i> Induces Tissue-Resident Memory CD4 ⁺ T Cells. <i>Infection and Immunity</i> , 2019, 87, .	1.0	14
96	The regenerating family member 3 β instigates IL-17A-mediated neutrophil recruitment downstream of NOD1/2 signalling for controlling colonisation resistance independently of microbiota community structure. <i>Gut</i> , 2019, 68, 1190-1199.	6.1	14
97	The Innate Immune System: A Trigger for Many Chronic Inflammatory Intestinal Diseases. <i>Inflammatory Intestinal Diseases</i> , 2016, 1, 70-77.	0.8	13
98	Lipopolysaccharide O structure of adherent and invasive <i>Escherichia coli</i> regulates intestinal inflammation via complement C3. <i>PLoS Pathogens</i> , 2020, 16, e1008928.	2.1	12
99	Untangling the oral-gut axis in the pathogenesis of intestinal inflammation. <i>International Immunology</i> , 2022, 34, 485-490.	1.8	11
100	Intracellular bacteria recognition contributes to maximal interleukin (IL)-12 production by IL-10-deficient macrophages. <i>Clinical and Experimental Immunology</i> , 2011, 164, 137-144.	1.1	7
101	The Tuning of the Gut Nervous System by Commensal Microbiota. <i>Gastroenterology</i> , 2013, 145, 1193-1196.	0.6	7
102	Mesenchymal Cell-Specific MyD88 Signaling Promotes Systemic Dissemination of <i>Salmonella</i> Typhimurium via Inflammatory Monocytes. <i>Journal of Immunology</i> , 2017, 199, 1362-1371.	0.4	6
103	Regional Control of Regulatory Immune Cells in the Intestine. <i>Current Pathobiology Reports</i> , 2018, 6, 29-34.	1.6	6
104	Contribution of the Gut Microbiota to Intestinal Fibrosis in Crohn's Disease. <i>Frontiers in Medicine</i> , 2022, 9, 826240.	1.2	4
105	A novel apoptosis-inducing monoclonal antibody (anti-LHK) against a cell surface antigen on colon cancer cells. <i>Journal of Gastroenterology</i> , 2005, 40, 945-955.	2.3	3
106	Regional control of regulatory immune cells in the intestine. <i>Current Pathobiology Reports</i> , 2018, 6, 29-34.	1.6	2
107	Nfil3 is a Regulator of IL-12 P40 in Macrophages and Mucosal Immunity. <i>Gastroenterology</i> , 2011, 140, S-109-S-110.	0.6	1
108	P-192 Unraveling the Functional Role of Dysbiosis in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, S67.	0.9	1

#	ARTICLE	IF	CITATIONS
109	TNFRSF13B polymorphisms counteract microbial adaptation to natural IgA. JCI Insight, 2021, 6, .	2.3	1
110	Role of the gut microbiota in immunity and inflammatory disease. , 0, .		1
111	The activation of the NLRC4 inflammasome by pathogenic bacteria breaks intestinal phagocytic cells anergy and promotes host defense. Inflammatory Bowel Diseases, 2011, 17, S67.	0.9	0
112	Su1881 Dietary Serine Controls the Competition Between Pathogenic and Commensal E. coli During Intestinal Inflammation. Gastroenterology, 2016, 150, S578.	0.6	0
113	Su1898 Inflammatory Bowel Disease-Associated Gut Dysbiosis Impacts the Host Physiology and Colitis in Gnotobiotic Mice. Gastroenterology, 2016, 150, S582-S583.	0.6	0
114	Su1889 Dietary Antigens Regulate Homeostasis of IL-10-Producing Lamina Propria Macrophages in the Small Intestine. Gastroenterology, 2016, 150, S580.	0.6	0
115	373 Indoleamine-2,3-Dioxygenase-1 (IDO1) Regulates B Cell Maturation and Is Critical for Gastric Pre-Neoplasia. Gastroenterology, 2016, 150, S83.	0.6	0