

Nobuhiko Kamada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3343866/nobuhiko-kamada-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

11,197
citations

50
h-index

105
g-index

120
ext. papers

14,062
ext. citations

12.1
avg, IF

6.33
L-index

#	Paper	IF	Citations
104	Contribution of the Gut Microbiota to Intestinal Fibrosis in Crohn's Disease.. <i>Frontiers in Medicine</i> , 2022 , 9, 826240	4.9	0
103	Periodontal connection with intestinal inflammation: Microbiological and immunological mechanisms.. <i>Periodontology 2000</i> , 2022 ,	12.9	1
102	Inflammatory bowel disease and carcinogenesis.. <i>Cancer and Metastasis Reviews</i> , 2022 , 1	9.6	3
101	Oral nanomedicine for modulating immunity, intestinal barrier functions, and gut microbiome. <i>Advanced Drug Delivery Reviews</i> , 2021 , 179, 114021	18.5	3
100	Interaction between the inflammasome and commensal microorganisms in gastrointestinal health and disease. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13452	12	6
99	Diet-Microbiota Interactions in Inflammatory Bowel Disease. <i>Nutrients</i> , 2021 , 13,	6.7	8
98	DUOX2 variants associate with preclinical disturbances in microbiota-immune homeostasis and increased inflammatory bowel disease risk. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	6
97	Generation of systemic antitumour immunity via the in situ modulation of the gut microbiome by an orally administered inulin gel. <i>Nature Biomedical Engineering</i> , 2021 , 5, 1377-1388	19	19
96	The pathogenic oral-gut-liver axis: new understandings and clinical implications. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 727-736	5.1	3
95	The Butyrate-Producing Bacterium Suppresses Infection via Neutrophil- and Antimicrobial Cytokine-Dependent but GPR43/109a-Independent Mechanisms. <i>Journal of Immunology</i> , 2021 , 206, 1576-1585 ¹²	5.3	12
94	The Bacterial Connection between the Oral Cavity and the Gut Diseases. <i>Journal of Dental Research</i> , 2020 , 99, 1021-1029	8.1	55
93	The Intermucosal Connection between the Mouth and Gut in Commensal Pathobiont-Driven Colitis. <i>Cell</i> , 2020 , 182, 447-462.e14	56.2	103
92	Interleukin-22-mediated host glycosylation prevents <i>Clostridioides difficile</i> infection by modulating the metabolic activity of the gut microbiota. <i>Nature Medicine</i> , 2020 , 26, 608-617	50.5	58
91	Aim2-mediated/IFN- β -independent regulation of gastric metaplastic lesions via CD8+ T cells. <i>JCI Insight</i> , 2020 , 5,	9.9	12
90	Dietary L-serine confers a competitive fitness advantage to Enterobacteriaceae in the inflamed gut. <i>Nature Microbiology</i> , 2020 , 5, 116-125	26.6	39
89	Lipopolysaccharide O structure of adherent and invasive <i>Escherichia coli</i> regulates intestinal inflammation via complement C3. <i>PLoS Pathogens</i> , 2020 , 16, e1008928	7.6	6
88	Microbial adaptation to the healthy and inflamed gut environments. <i>Gut Microbes</i> , 2020 , 12, 1857505	8.8	8

87	Hyaluronic acid-bilirubin nanomedicine for targeted modulation of dysregulated intestinal barrier, microbiome and immune responses in colitis. <i>Nature Materials</i> , 2020 , 19, 118-126	27	151
86	CD4+ Tissue-resident Memory T Cells Expand and Are a Major Source of Mucosal Tumour Necrosis Factor γ In Active Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 905-915	1.5	19
85	Citrobacter rodentium Induces Tissue-Resident Memory CD4 T Cells. <i>Infection and Immunity</i> , 2019 , 87,	3.7	11
84	A specific gene-microbe interaction drives the development of Crohn's disease-like colitis in mice. <i>Science Immunology</i> , 2019 , 4,	28	50
83	Fecal microbiota transplantation prevents <i>Candida albicans</i> from colonizing the gastrointestinal tract. <i>Microbiology and Immunology</i> , 2019 , 63, 155-163	2.7	14
82	IL-10 produced by macrophages regulates epithelial integrity in the small intestine. <i>Scientific Reports</i> , 2019 , 9, 1223	4.9	37
81	Flagellin-mediated activation of IL-33-ST2 signaling by a pathobiont promotes intestinal fibrosis. <i>Mucosal Immunology</i> , 2019 , 12, 632-643	9.2	32
80	Gut pathobionts underlie intestinal barrier dysfunction and liver T helper 17 cell immune response in primary sclerosing cholangitis. <i>Nature Microbiology</i> , 2019 , 4, 492-503	26.6	126
79	The regenerating family member 3 β instigates IL-17A-mediated neutrophil recruitment downstream of NOD1/2 signalling for controlling colonisation resistance independently of microbiota community structure. <i>Gut</i> , 2019 , 68, 1190-1199	19.2	8
78	Regional Control of Regulatory Immune Cells in the Intestine. <i>Current Pathobiology Reports</i> , 2018 , 6, 29-34	2	4
77	Expression and regulation of proton-coupled oligopeptide transporters in colonic tissue and immune cells of mice. <i>Biochemical Pharmacology</i> , 2018 , 148, 163-173	6	17
76	Indoleamine 2,3-Dioxygenase 1, Increased in Human Gastric Pre-Neoplasia, Promotes Inflammation and Metaplasia in Mice and Is Associated With Type II Hypersensitivity/Autoimmunity. <i>Gastroenterology</i> , 2018 , 154, 140-153.e17	13.3	15
75	Bile acid metabolism regulated by the gut microbiota promotes non-alcoholic steatohepatitis-associated hepatocellular carcinoma in mice. <i>Oncotarget</i> , 2018 , 9, 9925-9939	3.3	64
74	Regional control of regulatory immune cells in the intestine. <i>Current Pathobiology Reports</i> , 2018 , 6, 29-34		2
73	The Role of Dietary Nutrients in Inflammatory Bowel Disease. <i>Frontiers in Immunology</i> , 2018 , 9, 3183	8.4	77
72	Microbiota-Derived Lactate Accelerates Intestinal Stem-Cell-Mediated Epithelial Development. <i>Cell Host and Microbe</i> , 2018 , 24, 833-846.e6	23.4	143
71	IL-22 Controls Iron-Dependent Nutritional Immunity Against Systemic Bacterial Infections. <i>Science Immunology</i> , 2017 , 2,	28	30
70	Commensal <i>Lactobacillus</i> Controls Immune Tolerance during Acute Liver Injury in Mice. <i>Cell Reports</i> , 2017 , 21, 1215-1226	10.6	44

69	Quantitative proteomics identifies STEAP4 as a critical regulator of mitochondrial dysfunction linking inflammation and colon cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E9608-E9617	11.5	45
68	Host-microbial Cross-talk in Inflammatory Bowel Disease. <i>Immune Network</i> , 2017 , 17, 1-12	6.1	85
67	Gut microbiota-mediated generation of saturated fatty acids elicits inflammation in the liver in murine high-fat diet-induced steatohepatitis. <i>BMC Gastroenterology</i> , 2017 , 17, 136	3	29
66	Intestinal Dysbiosis and Biotin Deprivation Induce Alopecia through Overgrowth of <i>Lactobacillus murinus</i> in Mice. <i>Cell Reports</i> , 2017 , 20, 1513-1524	10.6	50
65	Mesenchymal Cell-Specific MyD88 Signaling Promotes Systemic Dissemination of via Inflammatory Monocytes. <i>Journal of Immunology</i> , 2017 , 199, 1362-1371	5.3	3
64	Diet-dependent, microbiota-independent regulation of IL-10-producing lamina propria macrophages in the small intestine. <i>Scientific Reports</i> , 2016 , 6, 27634	4.9	30
63	A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. <i>Cell</i> , 2016 , 167, 1339-1353.e21	56.2	1149
62	Regulation of virulence: the rise and fall of gastrointestinal pathogens. <i>Journal of Gastroenterology</i> , 2016 , 51, 195-205	6.9	33
61	The Innate Immune System: A Trigger for Many Chronic Inflammatory Intestinal Diseases. <i>Inflammatory Intestinal Diseases</i> , 2016 , 1, 70-77	2.5	8
60	Pathogenic role of the gut microbiota in gastrointestinal diseases. <i>Intestinal Research</i> , 2016 , 14, 127-38	4.1	86
59	Functional Characterization of Inflammatory Bowel Disease-Associated Gut Dysbiosis in Gnotobiotic Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016 , 2, 468-481	7.9	123
58	Nod2-mediated recognition of the microbiota is critical for mucosal adjuvant activity of cholera toxin. <i>Nature Medicine</i> , 2016 , 22, 524-30	50.5	59
57	Increased Expression of DUOX2 Is an Epithelial Response to Mucosal Dysbiosis Required for Immune Homeostasis in Mouse Intestine. <i>Gastroenterology</i> , 2015 , 149, 1849-59	13.3	79
56	Humoral Immunity in the Gut Selectively Targets Phenotypically Virulent Attaching-and-Effacing Bacteria for Intraluminal Elimination. <i>Cell Host and Microbe</i> , 2015 , 17, 617-27	23.4	89
55	Distinct Commensals Induce Interleukin-1 β via NLRP3 Inflammasome in Inflammatory Monocytes to Promote Intestinal Inflammation in Response to Injury. <i>Immunity</i> , 2015 , 42, 744-55	32.3	192
54	Th17 Cell Induction by Adhesion of Microbes to Intestinal Epithelial Cells. <i>Cell</i> , 2015 , 163, 367-80	56.2	612
53	Intestinal macrophages arising from CCR2(+) monocytes control pathogen infection by activating innate lymphoid cells. <i>Nature Communications</i> , 2015 , 6, 8010	17.4	51
52	Regulation of the immune system by the resident intestinal bacteria. <i>Gastroenterology</i> , 2014 , 146, 1477-83	8.3	176

51	Interleukin-22 regulates the complement system to promote resistance against pathobionts after pathogen-induced intestinal damage. <i>Immunity</i> , 2014 , 41, 620-32	32.3	100
50	Tryptophan catabolism restricts IFN- β -expressing neutrophils and <i>Clostridium difficile</i> immunopathology. <i>Journal of Immunology</i> , 2014 , 193, 807-16	5.3	42
49	Macrophages and dendritic cells emerge in the liver during intestinal inflammation and predispose the liver to inflammation. <i>PLoS ONE</i> , 2014 , 9, e84619	3.7	16
48	Cross-talk between ROR γ ⁺ innate lymphoid cells and intestinal macrophages induces mucosal IL-22 production in Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1426-34	4.5	43
47	TAC1 deficiency enhances antibody avidity and clearance of an intestinal pathogen. <i>Journal of Clinical Investigation</i> , 2014 , 124, 4857-66	15.9	26
46	Role of the gut microbiota in the development and function of lymphoid cells. <i>Journal of Immunology</i> , 2013 , 190, 1389-95	5.3	98
45	Role of the gut microbiota in immunity and inflammatory disease. <i>Nature Reviews Immunology</i> , 2013 , 13, 321-35	36.5	1263
44	Control of pathogens and pathobionts by the gut microbiota. <i>Nature Immunology</i> , 2013 , 14, 685-90	19.1	866
43	A single strain of <i>Clostridium butyricum</i> induces intestinal IL-10-producing macrophages to suppress acute experimental colitis in mice. <i>Cell Host and Microbe</i> , 2013 , 13, 711-22	23.4	171
42	Activated hepatic stellate cells mediate the differentiation of macrophages. <i>Hepatology Research</i> , 2013 , 43, 658-69	5.1	37
41	TGR5 signalling inhibits the production of pro-inflammatory cytokines by in vitro differentiated inflammatory and intestinal macrophages in Crohn's disease. <i>Immunology</i> , 2013 , 139, 19-29	7.8	113
40	Establishment of novel prediction system of intestinal absorption in humans using human intestinal tissues. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 2564-71	3.9	20
39	Clinical strategies for the blockade of IL-18 in inflammatory bowel diseases. <i>Current Drug Targets</i> , 2013 , 14, 1392-9	3	27
38	Multiple effects of dendritic cell depletion on murine norovirus infection. <i>Journal of General Virology</i> , 2013 , 94, 1761-1768	4.9	19
37	Bile acids induce monocyte differentiation toward interleukin-12 hypo-producing dendritic cells via a TGR5-dependent pathway. <i>Immunology</i> , 2012 , 136, 153-62	7.8	78
36	NLRC4-driven production of IL-1 β discriminates between pathogenic and commensal bacteria and promotes host intestinal defense. <i>Nature Immunology</i> , 2012 , 13, 449-56	19.1	293
35	Regulated virulence controls the ability of a pathogen to compete with the gut microbiota. <i>Science</i> , 2012 , 336, 1325-9	33.3	418
34	A complex microworld in the gut: Harnessing pathogen-commensal relations. <i>Nature Medicine</i> , 2012 , 18, 1190-1	50.5	24

33	Both exogenous commensal and endogenous self antigens stimulate T cell proliferation under lymphopenic conditions. <i>Cellular Immunology</i> , 2012 , 272, 117-23	4.4	12
32	Microbiota-induced IL-1 β but not IL-6, is critical for the development of steady-state TH17 cells in the intestine. <i>Journal of Experimental Medicine</i> , 2012 , 209, 251-8	16.6	253
31	Protective role of commensals against <i>Clostridium difficile</i> infection via an IL-1 β -mediated positive-feedback loop. <i>Journal of Immunology</i> , 2012 , 189, 3085-91	5.3	98
30	The ever-expanding function of NOD2: autophagy, viral recognition, and T cell activation. <i>Trends in Immunology</i> , 2011 , 32, 73-9	14.4	57
29	The activation of the NLRC4 inflammasome by pathogenic bacteria breaks intestinal phagocytic cells energy and promotes host defense. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, S67	4.5	
28	Intracellular bacteria recognition contributes to maximal interleukin (IL)-12 production by IL-10-deficient macrophages. <i>Clinical and Experimental Immunology</i> , 2011 , 164, 137-44	6.2	5
27	The Nod2 sensor promotes intestinal pathogen eradication via the chemokine CCL2-dependent recruitment of inflammatory monocytes. <i>Immunity</i> , 2011 , 34, 769-80	32.3	172
26	NFIL3 is a regulator of IL-12 p40 in macrophages and mucosal immunity. <i>Journal of Immunology</i> , 2011 , 186, 4649-55	5.3	75
25	Nucleotide-binding oligomerization domain 1 mediates recognition of <i>Clostridium difficile</i> and induces neutrophil recruitment and protection against the pathogen. <i>Journal of Immunology</i> , 2011 , 186, 4872-80	5.3	138
24	Monocyte chemoattractant protein-1 contributes to gut homeostasis and intestinal inflammation by composition of IL-10-producing regulatory macrophage subset. <i>Journal of Immunology</i> , 2010 , 184, 2671-6	5.3	100
23	Imbalance of NKp44(+)NKp46(-) and NKp44(-)NKp46(+) natural killer cells in the intestinal mucosa of patients with Crohn's disease. <i>Gastroenterology</i> , 2010 , 139, 882-92, 892.e1-3	13.3	177
22	TL1A produced by lamina propria macrophages induces Th1 and Th17 immune responses in cooperation with IL-23 in patients with Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 568-75	4.5	94
21	Competition between colitogenic Th1 and Th17 cells contributes to the amelioration of colitis. <i>European Journal of Immunology</i> , 2010 , 40, 2409-22	6.1	35
20	Human CD14+ macrophages in intestinal lamina propria exhibit potent antigen-presenting ability. <i>Journal of Immunology</i> , 2009 , 183, 1724-31	5.3	99
19	Retinoic acid contributes to the induction of IL-12-hypoproducing dendritic cells. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, 1548-56	4.5	41
18	Dietary histidine ameliorates murine colitis by inhibition of proinflammatory cytokine production from macrophages. <i>Gastroenterology</i> , 2009 , 136, 564-74.e2	13.3	108
17	Th1/Th17 immune response is induced by mesenteric lymph node dendritic cells in Crohn's disease. <i>Gastroenterology</i> , 2009 , 137, 1736-45	13.3	182
16	Homeostatic (IL-7) and effector (IL-17) cytokines as distinct but complementary target for an optimal therapeutic strategy in inflammatory bowel disease. <i>Current Opinion in Gastroenterology</i> , 2009 , 25, 306-13	3	24

15	Imbalance in intestinal microflora constitution could be involved in the pathogenesis of inflammatory bowel disease. <i>International Journal of Medical Microbiology</i> , 2008 , 298, 463-72	3.7	229
14	IL23 differentially regulates the Th1/Th17 balance in ulcerative colitis and Crohn's disease. <i>Gut</i> , 2008 , 57, 1682-9	19.2	401
13	Nonpathogenic <i>Escherichia coli</i> strain Nissle 1917 inhibits signal transduction in intestinal epithelial cells. <i>Infection and Immunity</i> , 2008 , 76, 214-20	3.7	49
12	Unique CD14 intestinal macrophages contribute to the pathogenesis of Crohn disease via IL-23/IFN-gamma axis. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2269-80	15.9	430
11	Tetomilast suppressed production of proinflammatory cytokines from human monocytes and ameliorated chronic colitis in IL-10-deficient mice. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 1483-90	4.5	16
10	Lamina propria c-kit+ immune precursors reside in human adult intestine and differentiate into natural killer cells. <i>Gastroenterology</i> , 2007 , 133, 559-73	13.3	72
9	Exclusive increase of CX3CR1+CD28-CD4+ T cells in inflammatory bowel disease and their recruitment as intraepithelial lymphocytes. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 837-46	4.5	61
8	Inhibition of neutrophil elastase prevents the development of murine dextran sulfate sodium-induced colitis. <i>Journal of Gastroenterology</i> , 2006 , 41, 318-24	6.9	52
7	Nonpathogenic <i>Escherichia coli</i> strain Nissle1917 prevents murine acute and chronic colitis. <i>Inflammatory Bowel Diseases</i> , 2005 , 11, 455-63	4.5	55
6	A novel apoptosis-inducing monoclonal antibody (anti-LHK) against a cell surface antigen on colon cancer cells. <i>Journal of Gastroenterology</i> , 2005 , 40, 945-55	6.9	2
5	Abnormally differentiated subsets of intestinal macrophage play a key role in Th1-dominant chronic colitis through excess production of IL-12 and IL-23 in response to bacteria. <i>Journal of Immunology</i> , 2005 , 175, 6900-8	5.3	174
4	Inactivation of multiple tumor-suppressor genes involved in negative regulation of the cell cycle, MTS1/p16INK4A/CDKN2, MTS2/p15INK4B, p53, and Rb genes in primary lymphoid malignancies. <i>Blood</i> , 1996 , 87, 4949-4958	2.2	120
3	Loss of the cyclin-dependent kinase 4-inhibitor (p16; MTS1) gene is frequent in and highly specific to lymphoid tumors in primary human hematopoietic malignancies. <i>Blood</i> , 1995 , 86, 1548-1556	2.2	111
2	Role of the gut microbiota in immunity and inflammatory disease		1
1	Natural IgA and TNFRSF13B polymorphism: a double edged sword fueling balancing selection		1