

Xin-Ming Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3344695/publications.pdf>

Version: 2024-02-01

418
papers

23,054
citations

9234

74
h-index

15218

126
g-index

557
all docs

557
docs citations

557
times ranked

17506
citing authors

#	ARTICLE	IF	CITATIONS
1	The Model of Emissions of Gases and Aerosols from Nature version 2.1 (MEGAN2.1): an extended and updated framework for modeling biogenic emissions. <i>Geoscientific Model Development</i> , 2012, 5, 1471-1492.	1.3	2,535
2	The health effects of ambient PM _{2.5} and potential mechanisms. <i>Ecotoxicology and Environmental Safety</i> , 2016, 128, 67-74.	2.9	660
3	Particle-associated polycyclic aromatic hydrocarbons in urban air of Hong Kong. <i>Atmospheric Environment</i> , 2003, 37, 5307-5317.	1.9	537
4	Systematic review of Chinese studies of short-term exposure to air pollution and daily mortality. <i>Environment International</i> , 2013, 54, 100-111.	4.8	413
5	Synthesis of Nanoparticles with Novel Technology: A High-Gravity Reactive Precipitation. <i>Industrial & Engineering Chemistry Research</i> , 2000, 39, 948-954.	1.8	409
6	Persistent organic pollutants in environment of the Pearl River Delta, China: an overview. <i>Chemosphere</i> , 2003, 52, 1411-1422.	4.2	370
7	Volatile organic compounds in 43 Chinese cities. <i>Atmospheric Environment</i> , 2005, 39, 5979-5990.	1.9	345
8	Air pollution and control action in Beijing. <i>Journal of Cleaner Production</i> , 2016, 112, 1519-1527.	4.6	329
9	Volatile organic compounds (VOCs) in urban atmosphere of Hong Kong. <i>Chemosphere</i> , 2002, 48, 375-382.	4.2	295
10	Enhanced photocatalytic performance of nanosized coupled ZnO/SnO ₂ photocatalysts for methyl orange degradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 168, 47-52.	2.0	245
11	Concentration Levels, Compositional Profiles, and Gas-Particle Partitioning of Polybrominated Diphenyl Ethers in the Atmosphere of an Urban City in South China. <i>Environmental Science & Technology</i> , 2006, 40, 1190-1196.	4.6	223
12	Atmospheric polycyclic aromatic hydrocarbons observed over the North Pacific Ocean and the Arctic area: Spatial distribution and source identification. <i>Atmospheric Environment</i> , 2007, 41, 2061-2072.	1.9	187
13	Simultaneous removal of SO ₂ , NO and Hg ⁰ by wet scrubbing using urea + KMnO ₄ solution. <i>Fuel Processing Technology</i> , 2013, 106, 645-653.	3.7	180
14	Preparation and photocatalytic activity of ZnO/TiO ₂ /SnO ₂ mixture. <i>Journal of Solid State Chemistry</i> , 2005, 178, 3500-3506.	1.4	176
15	Variations of ground-level O ₃ and its precursors in Beijing in summertime between 2005 and 2011. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6089-6101.	1.9	168
16	Seasonal variations and chemical characteristics of PM _{2.5} in Wuhan, central China. <i>Science of the Total Environment</i> , 2015, 518-519, 97-105.	3.9	158
17	Urban roadside aromatic hydrocarbons in three cities of the Pearl River Delta, People's Republic of China. <i>Atmospheric Environment</i> , 2002, 36, 5141-5148.	1.9	155
18	Observations of atmospheric mercury in China: a critical review. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 9455-9476.	1.9	152

#	ARTICLE	IF	CITATIONS
19	Industrial sector-based volatile organic compound (VOC) source profiles measured in manufacturing facilities in the Pearl River Delta, China. <i>Science of the Total Environment</i> , 2013, 456-457, 127-136.	3.9	151
20	Mixing state of biomass burning particles by single particle aerosol mass spectrometer in the urban area of PRD, China. <i>Atmospheric Environment</i> , 2011, 45, 3447-3453.	1.9	150
21	Nitrogen isotopic signature of soil-released nitric oxide (NO) after fertilizer application. <i>Atmospheric Environment</i> , 2008, 42, 4747-4754.	1.9	149
22	The major components of particles emitted during recycling of waste printed circuit boards in a typical e-waste workshop of South China. <i>Atmospheric Environment</i> , 2010, 44, 4440-4445.	1.9	149
23	Tracer-based estimation of secondary organic carbon in the Pearl River Delta, south China. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	149
24	An estimation of CO ₂ emission via agricultural crop residue open field burning in China from 1996 to 2013. <i>Journal of Cleaner Production</i> , 2016, 112, 2625-2631.	4.6	141
25	Spatial and Seasonal Trends in Biogenic Secondary Organic Aerosol Tracers and Water-Soluble Organic Carbon in the Southeastern United States. <i>Environmental Science & Technology</i> , 2008, 42, 5171-5176.	4.6	139
26	Characterization of ambient volatile organic compounds at a landfill site in Guangzhou, South China. <i>Chemosphere</i> , 2003, 51, 1015-1022.	4.2	136
27	Source Apportionment Using Radiocarbon and Organic Tracers for PM _{2.5} Carbonaceous Aerosols in Guangzhou, South China: Contrasting Local- and Regional-Scale Haze Events. <i>Environmental Science & Technology</i> , 2014, 48, 12002-12011.	4.6	132
28	The influence of temperature and aerosol acidity on biogenic secondary organic aerosol tracers: Observations at a rural site in the central Pearl River Delta region, South China. <i>Atmospheric Environment</i> , 2011, 45, 1303-1311.	1.9	131
29	Heterogeneous reactions of mineral dust aerosol: implications for tropospheric oxidation capacity. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 11727-11777.	1.9	129
30	Impacts of aerosols on summertime tropospheric photolysis frequencies and photochemistry over Central Eastern China. <i>Atmospheric Environment</i> , 2011, 45, 1817-1829.	1.9	127
31	Emission of volatile organic sulfur compounds (VOSCs) during aerobic decomposition of food wastes. <i>Atmospheric Environment</i> , 2010, 44, 5065-5071.	1.9	122
32	Source attributions of hazardous aromatic hydrocarbons in urban, suburban and rural areas in the Pearl River Delta (PRD) region. <i>Journal of Hazardous Materials</i> , 2013, 250-251, 403-411.	6.5	120
33	Characteristics of nonmethane hydrocarbons (NMHCs) in industrial, industrial-urban, and industrial-suburban atmospheres of the Pearl River Delta (PRD) region of south China. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	119
34	Exposure to hazardous volatile organic compounds, PM ₁₀ and CO while walking along streets in urban Guangzhou, China. <i>Atmospheric Environment</i> , 2004, 38, 6177-6184.	1.9	117
35	Ambient levels of carbonyl compounds and their sources in Guangzhou, China. <i>Atmospheric Environment</i> , 2005, 39, 1789-1800.	1.9	117
36	Species profiles and normalized reactivity of volatile organic compounds from gasoline evaporation in China. <i>Atmospheric Environment</i> , 2013, 79, 110-118.	1.9	115

#	ARTICLE	IF	CITATIONS
37	The Campaign on Atmospheric Aerosol Research Network of China: CARE-China. <i>Bulletin of the American Meteorological Society</i> , 2015, 96, 1137-1155.	1.7	115
38	Characterization and Source Apportionment of Water-Soluble Organic Matter in Atmospheric Fine Particles (PM _{2.5}) with High-Resolution Aerosol Mass Spectrometry and GC-MS. <i>Environmental Science & Technology</i> , 2011, 45, 4854-4861.	4.6	114
39	Role of aryl hydrocarbon receptor in cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2013, 1836, 197-210.	3.3	113
40	Improvement of a Global High-Resolution Ammonia Emission Inventory for Combustion and Industrial Sources with New Data from the Residential and Transportation Sectors. <i>Environmental Science & Technology</i> , 2017, 51, 2821-2829.	4.6	113
41	Novel preparation of nanosized ZnO-SnO ₂ with high photocatalytic activity by homogeneous co-precipitation method. <i>Materials Letters</i> , 2005, 59, 3641-3644.	1.3	110
42	Emission of PAHs, NPAHs and OPAHs from residential honeycomb coal briquette combustion. <i>Energy & Fuels</i> , 2014, 28, 636-642.	2.5	109
43	Headspace liquid-phase microextraction using ionic liquid as extractant for the preconcentration of dichlorodiphenyltrichloroethane and its metabolites at trace levels in water samples. <i>Analytica Chimica Acta</i> , 2006, 572, 165-171.	2.6	107
44	VOCs and OVOCs distribution and control policy implications in Pearl River Delta region, China. <i>Atmospheric Environment</i> , 2013, 76, 125-135.	1.9	107
45	Emission characterization, environmental impact, and control measure of PM _{2.5} emitted from agricultural crop residue burning in China. <i>Journal of Cleaner Production</i> , 2017, 149, 629-635.	4.6	107
46	Volatile organic compounds in roadside microenvironments of metropolitan Hong Kong. <i>Atmospheric Environment</i> , 2002, 36, 2039-2047.	1.9	103
47	Process analysis and sensitivity study of regional ozone formation over the Pearl River Delta, China, during the PRIDE-PRD2004 campaign using the Community Multiscale Air Quality modeling system. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 4423-4437.	1.9	102
48	Polybrominated Diphenyl Ethers in Airborne Particulates Collected during a Research Expedition from the Bohai Sea to the Arctic. <i>Environmental Science & Technology</i> , 2005, 39, 7803-7809.	4.6	99
49	Acute toxicity and genotoxicity of two novel pesticides on amphibian, <i>Rana N. Hallowell</i> . <i>Chemosphere</i> , 2004, 56, 457-463.	4.2	98
50	Secondary organic aerosols over oceans via oxidation of isoprene and monoterpenes from Arctic to Antarctic. <i>Scientific Reports</i> , 2013, 3, 2280.	1.6	98
51	Phase distribution, sources and risk assessment of PAHs, NPAHs and OPAHs in a rural site of Pearl River Delta region, China. <i>Atmospheric Pollution Research</i> , 2014, 5, 210-218.	1.8	98
52	Improved single-drop microextraction for high sensitive analysis. <i>Journal of Chromatography A</i> , 2007, 1139, 7-13.	1.8	96
53	On the relationship between ozone and its precursors in the Pearl River Delta: application of an observation-based model (OBM). <i>Environmental Science and Pollution Research</i> , 2010, 17, 547-560.	2.7	95
54	Introduction to the special issue "In-depth study of air pollution sources and processes within Beijing and its surrounding region (APHH-Beijing)". <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 7519-7546.	1.9	95

#	ARTICLE	IF	CITATIONS
55	Assessing photochemical ozone formation in the Pearl River Delta with a photochemical trajectory model. <i>Atmospheric Environment</i> , 2010, 44, 4199-4208.	1.9	94
56	Fine particles (PM _{2.5}) at a CAWNET background site in Central China: Chemical compositions, seasonal variations and regional pollution events. <i>Atmospheric Environment</i> , 2014, 86, 193-202.	1.9	92
57	Indoor and outdoor carbonyl compounds in the hotel ballrooms in Guangzhou, China. <i>Atmospheric Environment</i> , 2004, 38, 103-112.	1.9	91
58	Haze insights and mitigation in China: An overview. <i>Journal of Environmental Sciences</i> , 2014, 26, 2-12.	3.2	91
59	Spatial distributions of secondary organic aerosols from isoprene, monoterpenes, <i>l</i> -caryophyllene, and aromatics over China during summer. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 11,877-11,891.	1.2	91
60	Secondary organic aerosol formation from photochemical aging of light-duty gasoline vehicle exhausts in a smog chamber. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 9049-9062.	1.9	90
61	Design and characterization of a smog chamber for studying gas-phase chemical mechanisms and aerosol formation. <i>Atmospheric Measurement Techniques</i> , 2014, 7, 301-313.	1.2	89
62	Emission factor of ammonia (NH ₃) from on-road vehicles in China: tunnel tests in urban Guangzhou. <i>Environmental Research Letters</i> , 2014, 9, 064027.	2.2	89
63	Organosulfates from Pinene and Isoprene over the Pearl River Delta, South China: Seasonal Variation and Implication in Formation Mechanisms. <i>Environmental Science & Technology</i> , 2014, 48, 9236-9245.	4.6	89
64	Emission factors of fine particles, carbonaceous aerosols and traces gases from road vehicles: Recent tests in an urban tunnel in the Pearl River Delta, China. <i>Atmospheric Environment</i> , 2015, 122, 876-884.	1.9	89
65	Assessing the genotoxicity of imidacloprid and RH-5849 in human peripheral blood lymphocytes in vitro with comet assay and cytogenetic tests. <i>Ecotoxicology and Environmental Safety</i> , 2005, 61, 239-246.	2.9	86
66	Preliminary measurements of aromatic VOCs in public transportation modes in Guangzhou, China. <i>Environment International</i> , 2003, 29, 429-435.	4.8	85
67	Ambient halocarbon mixing ratios in 45 Chinese cities. <i>Atmospheric Environment</i> , 2006, 40, 7706-7719.	1.9	84
68	Airborne submicron particulate (PM ₁) pollution in Shanghai, China: Chemical variability, formation/dissociation of associated semi-volatile components and the impacts on visibility. <i>Science of the Total Environment</i> , 2014, 473-474, 199-206.	3.9	84
69	Spatiotemporal patterns and source implications of aromatic hydrocarbons at six rural sites across China's developed coastal regions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 6669-6687.	1.2	84
70	Photocatalytic degradation of mixed gaseous carbonyl compounds at low level on adsorptive TiO ₂ /SiO ₂ photocatalyst using a fluidized bed reactor. <i>Chemosphere</i> , 2006, 64, 423-431.	4.2	83
71	Vertical distribution of PAHs in the indoor and outdoor PM _{2.5} in Guangzhou, China. <i>Building and Environment</i> , 2005, 40, 329-341.	3.0	81
72	Polycyclic aromatic hydrocarbons in PM _{2.5} in Guangzhou, southern China: Spatiotemporal patterns and emission sources. <i>Journal of Hazardous Materials</i> , 2012, 239-240, 78-87.	6.5	81

#	ARTICLE	IF	CITATIONS
73	Oxygen vacancies-enriched CoFe ₂ O ₄ for peroxydisulfate activation: The reactivity between radical-nonradical coupling way and bisphenol A. <i>Journal of Hazardous Materials</i> , 2021, 418, 126357.	6.5	81
74	A review of experimental techniques for aerosol hygroscopicity studies. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 12631-12686.	1.9	80
75	Characterization and source analysis of water-soluble inorganic ionic species in PM _{2.5} in Taiyuan city, China. <i>Atmospheric Research</i> , 2017, 184, 48-55.	1.8	79
76	Leachates of municipal solid waste incineration bottom ash from Macao: Heavy metal concentrations and genotoxicity. <i>Chemosphere</i> , 2007, 67, 1133-1137.	4.2	78
77	Levoglucosan indicates high levels of biomass burning aerosols over oceans from the Arctic to Antarctic. <i>Scientific Reports</i> , 2013, 3, 3119.	1.6	78
78	Impacts of seasonal and regional variability in biogenic VOC emissions on surface ozone in the Pearl River delta region, China. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 11803-11817.	1.9	78
79	Air quality improvement in response to intensified control strategies in Beijing during 2013â€“2019. <i>Science of the Total Environment</i> , 2020, 744, 140776.	3.9	78
80	Ambient air benzene at background sites in China's most developed coastal regions: Exposure levels, source implications and health risks. <i>Science of the Total Environment</i> , 2015, 511, 792-800.	3.9	77
81	Aromatic hydrocarbons as ozone precursors before and after outbreak of the 2008 financial crisis in the Pearl River Delta region, south China. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	74
82	Enhanced trimethylamine-containing particles during fog events detected by single particle aerosol mass spectrometry in urban Guangzhou, China. <i>Atmospheric Environment</i> , 2012, 55, 121-126.	1.9	74
83	Ozone pollution around a coastal region of South China Sea: interaction between marine and continental air. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4277-4295.	1.9	74
84	Decadal changes in emissions of volatile organic compounds (VOCs) from on-road vehicles with intensified automobile pollution control: Case study in a busy urban tunnel in south China. <i>Environmental Pollution</i> , 2018, 233, 806-819.	3.7	74
85	Indoor and outdoor carbonyl compounds and BTEX in the hospitals of Guangzhou, China. <i>Science of the Total Environment</i> , 2006, 368, 574-584.	3.9	73
86	Determination of phenols in environmental water samples by ionic liquid-based headspace liquid-phase microextraction coupled with high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2007, 30, 42-47.	1.3	73
87	Mixing state of individual submicron carbon-containing particles during spring and fall seasons in urban Guangzhou, China: a case study. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 4723-4735.	1.9	73
88	Chemical and stable carbon isotopic composition of PM _{2.5} from on-road vehicle emissions in the PRD region and implications for vehicle emission control policy. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 3097-3108.	1.9	73
89	Sources and spatial distribution of particulate polycyclic aromatic hydrocarbons in Shanghai, China. <i>Science of the Total Environment</i> , 2017, 584-585, 307-317.	3.9	73
90	Characterization of photochemical pollution at different elevations in mountainous areas in Hong Kong. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 3881-3898.	1.9	72

#	ARTICLE	IF	CITATIONS
91	Severe haze episodes and seriously polluted fog water in Ji'nan, China. <i>Science of the Total Environment</i> , 2014, 493, 133-137.	3.9	71
92	Formation of secondary aerosols from gasoline vehicle exhaust when mixing with SO ₂ . <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 675-689.	1.9	70
93	Aerosol scattering coefficients and major chemical compositions of fine particles observed at a rural site in the central Pearl River Delta, South China. <i>Journal of Environmental Sciences</i> , 2012, 24, 72-77.	3.2	69
94	Significant Production of Secondary Organic Aerosol from Emissions of Heated Cooking Oils. <i>Environmental Science and Technology Letters</i> , 2018, 5, 32-37.	3.9	69
95	Impacts of Siberian Biomass Burning on Organic Aerosols over the North Pacific Ocean and the Arctic: Primary and Secondary Organic Tracers. <i>Environmental Science & Technology</i> , 2013, 47, 3149-3157.	4.6	68
96	Seasonal variation of secondary organic aerosol tracers in Central Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 8781-8793.	1.9	68
97	Heterogeneous activation of peroxymonosulfate for bisphenol A degradation using CoFe ₂ O ₄ derived by hybrid cobalt-ion hexacyanoferrate nanoparticles. <i>Chemical Engineering Journal</i> , 2021, 404, 127052.	6.6	67
98	Ionic composition of submicron particles (PM _{1.0}) during the long-lasting haze period in January 2013 in Wuhan, central China. <i>Journal of Environmental Sciences</i> , 2014, 26, 810-817.	3.2	66
99	Open burning of rice, corn and wheat straws: primary emissions, photochemical aging, and secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 14821-14839.	1.9	66
100	Accumulation and translocation of ¹⁹⁸ Hg in four crop species. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 334-340.	2.2	65
101	Composition profiles of organic aerosols from Chinese residential cooking: case study in urban Guangzhou, south China. <i>Journal of Atmospheric Chemistry</i> , 2015, 72, 1-18.	1.4	65
102	Source apportionment of atmospheric PAHs and their toxicity using PMF: Impact of gas/particle partitioning. <i>Atmospheric Environment</i> , 2015, 103, 114-120.	1.9	65
103	Atmospheric Photosensitization: A New Pathway for Sulfate Formation. <i>Environmental Science & Technology</i> , 2020, 54, 3114-3120.	4.6	65
104	Partitioning soil respiration of subtropical forests with different successional stages in south China. <i>Forest Ecology and Management</i> , 2007, 243, 178-186.	1.4	64
105	Mechanistic Insights on the Photosensitized Chemistry of a Fatty Acid at the Air/Water Interface. <i>Environmental Science & Technology</i> , 2016, 50, 11041-11048.	4.6	64
106	Volatile organic compounds at a rural site in Beijing: influence of temporary emission control and wintertime heating. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 12663-12682.	1.9	64
107	Evaluating the sensitivity of radical chemistry and ozone formation to ambient VOCs and NO _x and O ₃ in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 2125-2147.	1.9	64
108	Release of Isoprene and Monoterpenes during the Aerobic Decomposition of Orange Wastes from Laboratory Incubation Experiments. <i>Environmental Science & Technology</i> , 2008, 42, 3265-3270.	4.6	63

#	ARTICLE	IF	CITATIONS
109	Abundance, composition and source of atmospheric PM _{2.5} at a remote site in the Tibetan Plateau, China. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 65, 20281.	0.8	63
110	Soil uptake of carbonyl sulfide in subtropical forests with different successional stages in south China. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	62
111	Elevated levels of OH observed in haze events during wintertime in central Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14847-14871.	1.9	62
112	Observation of biogenic secondary organic aerosols in the atmosphere of a mountain site in central China: temperature and relative humidity effects. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 11535-11549.	1.9	61
113	Sources of C ₂ -C ₄ alkenes, the most important ozone nonmethane hydrocarbon precursors in the Pearl River Delta region. <i>Science of the Total Environment</i> , 2015, 502, 236-245.	3.9	61
114	Volatile organic compounds in a multi-storey shopping mall in Guangzhou, South China. <i>Atmospheric Environment</i> , 2005, 39, 7374-7383.	1.9	60
115	Brominated Flame Retardants, Polychlorinated Biphenyls, and Organochlorine Pesticides in Bird Eggs from the Yellow River Delta, North China. <i>Environmental Science & Technology</i> , 2009, 43, 6956-6962.	4.6	59
116	PM 2.5 induced apoptosis in endothelial cell through the activation of the p53-bax-caspase pathway. <i>Chemosphere</i> , 2017, 177, 135-143.	4.2	59
117	Nitric oxide emission from a typical vegetable field in the Pearl River Delta, China. <i>Atmospheric Environment</i> , 2007, 41, 9498-9505.	1.9	58
118	Modelling VOC source impacts on high ozone episode days observed at a mountain summit in Hong Kong under the influence of mountain-valley breezes. <i>Atmospheric Environment</i> , 2013, 81, 166-176.	1.9	58
119	A comprehensive study of hygroscopic properties of calcium- and magnesium-containing salts: implication for hygroscopicity of mineral dust and sea salt aerosols. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2115-2133.	1.9	58
120	Particle number concentration, size distribution and chemical composition during haze and photochemical smog episodes in Shanghai. <i>Journal of Environmental Sciences</i> , 2014, 26, 1894-1902.	3.2	57
121	A case study of the highly time-resolved evolution of aerosol chemical and optical properties in urban Shanghai, China. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 3931-3944.	1.9	56
122	Roadside and rooftop measurements of polycyclic aromatic hydrocarbons in PM _{2.5} in urban Guangzhou: Evaluation of vehicular and regional combustion source contributions. <i>Atmospheric Environment</i> , 2011, 45, 7184-7191.	1.9	53
123	Changes in visibility with PM _{2.5} composition and relative humidity at a background site in the Pearl River Delta region. <i>Journal of Environmental Sciences</i> , 2016, 40, 10-19.	3.2	53
124	Primary particulate emissions and secondary organic aerosol (SOA) formation from idling diesel vehicle exhaust in China. <i>Science of the Total Environment</i> , 2017, 593-594, 462-469.	3.9	53
125	Temporal distribution and source apportionment of PM _{2.5} chemical composition in Xinjiang, NW-China. <i>Atmospheric Research</i> , 2019, 218, 257-268.	1.8	53
126	Significant Increase of Aromatics-Derived Secondary Organic Aerosol during Fall to Winter in China. <i>Environmental Science & Technology</i> , 2017, 51, 7432-7441.	4.6	52

#	ARTICLE	IF	CITATIONS
127	An ozone episode in the Pearl River Delta: Field observation and model simulation. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	51
128	Multi-pollutant emissions from the burning of major agricultural residues in China and the related health-economic effects. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 4957-4988.	1.9	50
129	Measurement report: Important contributions of oxygenated compounds to emissions and chemistry of volatile organic compounds in urban air. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14769-14785.	1.9	50
130	Atmospheric Hexachlorocyclohexanes in the North Pacific Ocean and the Adjacent Arctic Region: Spatial Patterns, Chiral Signatures, and Sea-Air Exchanges. <i>Environmental Science & Technology</i> , 2007, 41, 5204-5209.	4.6	49
131	Source and mixing state of iron-containing particles in Shanghai by individual particle analysis. <i>Chemosphere</i> , 2014, 95, 9-16.	4.2	49
132	Spatial and seasonal variations of isoprene secondary organic aerosol in China: Significant impact of biomass burning during winter. <i>Scientific Reports</i> , 2016, 6, 20411.	1.6	49
133	Household air pollution and personal exposure to nitrated and oxygenated polycyclic aromatics (PAHs) in rural households: Influence of household cooking energies. <i>Indoor Air</i> , 2017, 27, 169-178.	2.0	49
134	Implications of changing urban and rural emissions on non-methane hydrocarbons in the Pearl River Delta region of China. <i>Atmospheric Environment</i> , 2008, 42, 3780-3794.	1.9	48
135	Variation of secondary coatings associated with elemental carbon by single particle analysis. <i>Atmospheric Environment</i> , 2014, 92, 162-170.	1.9	48
136	Compositions and sources of organic acids in fine particles (PM _{2.5}) over the Pearl River Delta region, south China. <i>Journal of Environmental Sciences</i> , 2014, 26, 110-121.	3.2	48
137	Characteristics of individual particles in the atmosphere of Guangzhou by single particle mass spectrometry. <i>Atmospheric Research</i> , 2015, 153, 286-295.	1.8	48
138	Characterizations of volatile organic compounds during high ozone episodes in Beijing, China. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 1879-1889.	1.3	47
139	Particulate Matter Measurement Indoors: A Review of Metrics, Sensors, Needs, and Applications. <i>Environmental Science & Technology</i> , 2019, 53, 11644-11656.	4.6	47
140	Occurrence and Ordination of Dichlorodiphenyltrichloroethane and Hexachlorocyclohexane in Agricultural Soils from Guangzhou, China. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 54, 155-166.	2.1	46
141	Photoenhanced Uptake of NO ₂ and HONO Formation on Real Urban Grime. <i>Environmental Science and Technology Letters</i> , 2019, 6, 413-417.	3.9	46
142	Trends of ambient fine particles and major chemical components in the Pearl River Delta region: Observation at a regional background site in fall and winter. <i>Science of the Total Environment</i> , 2014, 497-498, 274-281.	3.9	44
143	Attributing risk burden of PM _{2.5} -bound polycyclic aromatic hydrocarbons to major emission sources: Case study in Guangzhou, south China. <i>Atmospheric Environment</i> , 2016, 142, 313-323.	1.9	44
144	Seasonal cycles of secondary organic aerosol tracers in rural Guangzhou, Southern China: The importance of atmospheric oxidants. <i>Environmental Pollution</i> , 2018, 240, 884-893.	3.7	44

#	ARTICLE	IF	CITATIONS
145	A review on evolution of nitrogen-containing species during selective pyrolysis of waste wood-based panels. <i>Fuel</i> , 2019, 253, 1214-1228.	3.4	44
146	Relative contributions of secondary organic aerosol formation from toluene, xylenes, isoprene, and monoterpenes in Hong Kong and Guangzhou in the Pearl River Delta, China: an emission-based box modeling study. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 507-519.	1.2	43
147	Aromatic Photo-oxidation, A New Source of Atmospheric Acidity. <i>Environmental Science & Technology</i> , 2020, 54, 7798-7806.	4.6	43
148	Contemporary or Fossil Origin: Split of Estimated Secondary Organic Carbon in the Southeastern United States. <i>Environmental Science & Technology</i> , 2008, 42, 9122-9128.	4.6	42
149	In situ chemical composition measurement of individual cloud residue particles at a mountain site, southern China. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8473-8488.	1.9	42
150	The size-dependent effects of silica nanoparticles on endothelial cell apoptosis through activating the p53-caspase pathway. <i>Environmental Pollution</i> , 2018, 233, 218-225.	3.7	42
151	Filter-based measurement of light absorption by brown carbon in PM2.5 in a megacity in South China. <i>Science of the Total Environment</i> , 2018, 633, 1360-1369.	3.9	42
152	Sensitivity analysis of an updated bidirectional air-surface exchange model for elemental mercury vapor. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6273-6287.	1.9	41
153	Evolution of biomass burning smoke particles in the dark. <i>Atmospheric Environment</i> , 2015, 120, 244-252.	1.9	41
154	Physiochemical properties of carbonaceous aerosol from agricultural residue burning: Density, volatility, and hygroscopicity. <i>Atmospheric Environment</i> , 2016, 140, 94-105.	1.9	41
155	Insight into the in-cloud formation of oxalate based on in situ measurement by single particle mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 13891-13901.	1.9	41
156	Ambient PM2.5-bound polycyclic aromatic hydrocarbons (PAHs) in rural Beijing: Unabated with enhanced temporary emission control during the 2014 APEC summit and largely aggravated after the start of wintertime heating. <i>Environmental Pollution</i> , 2018, 238, 532-542.	3.7	41
157	Tracer-based source apportionment of polycyclic aromatic hydrocarbons in PM2.5 in Guangzhou, southern China, using positive matrix factorization (PMF). <i>Environmental Science and Pollution Research</i> , 2013, 20, 2398-2409.	2.7	40
158	Measuring OVOCs and VOCs by PTR-MS in an urban roadside microenvironment of Hong Kong: relative humidity and temperature dependence, and field intercomparisons. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 5763-5779.	1.2	40
159	From headwaters to estuary: Distribution and fate of halogenated flame retardants (HFRs) in a river basin near the largest HFR manufacturing base in China. <i>Science of the Total Environment</i> , 2018, 621, 1370-1377.	3.9	40
160	Cyclic organosilicon compounds in ambient air in Guangzhou, Macau and Nanhai, Pearl River Delta. <i>Applied Geochemistry</i> , 2001, 16, 1447-1454.	1.4	39
161	Size-segregated chemical characteristics of aerosol during haze in an urban area of the Pearl River Delta region, China. <i>Urban Climate</i> , 2013, 4, 74-84.	2.4	39
162	Concentration, size distribution and dry deposition of amines in atmospheric particles of urban Guangzhou, China. <i>Atmospheric Environment</i> , 2017, 171, 279-288.	1.9	39

#	ARTICLE	IF	CITATIONS
163	Investigation of water adsorption and hygroscopicity of atmospherically relevant particles using a commercial vapor sorption analyzer. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 3821-3832.	1.2	39
164	Semivolatile Organic Compounds (SOCs) in Fine Particulate Matter (PM _{2.5}) during Clear, Fog, and Haze Episodes in Winter in Beijing, China. <i>Environmental Science & Technology</i> , 2018, 52, 5199-5207.	4.6	39
165	Size-resolved hygroscopic behavior of atmospheric aerosols during heavy aerosol pollution episodes in Beijing in December 2016. <i>Atmospheric Environment</i> , 2018, 194, 188-197.	1.9	39
166	Mechanisms of lung toxicity induced by biomass burning aerosols. <i>Particle and Fibre Toxicology</i> , 2020, 17, 4.	2.8	39
167	On-road vehicle emissions of glyoxal and methylglyoxal from tunnel tests in urban Guangzhou, China. <i>Atmospheric Environment</i> , 2016, 127, 55-60.	1.9	38
168	Gas-to-particle partitioning of atmospheric amines observed at a mountain site in southern China. <i>Atmospheric Environment</i> , 2018, 195, 1-11.	1.9	38
169	Inflammation Response of Water-Soluble Fractions in Atmospheric Fine Particulates: A Seasonal Observation in 10 Large Chinese Cities. <i>Environmental Science & Technology</i> , 2019, 53, 3782-3790.	4.6	38
170	Penguins and vegetations on Ardley Island, Antarctica: evolution in the past 2,400 years. <i>Polar Biology</i> , 2007, 30, 1475-1481.	0.5	37
171	Characteristics of atmospheric carbonyls and VOCs in Forest Park in South China. <i>Environmental Monitoring and Assessment</i> , 2008, 137, 275-285.	1.3	37
172	Total gaseous mercury in Pearl River Delta region, China during 2008 winter period. <i>Atmospheric Environment</i> , 2011, 45, 834-838.	1.9	37
173	Exchange of carbonyl sulfide (OCS) and dimethyl sulfide (DMS) between rice paddy fields and the atmosphere in subtropical China. <i>Agriculture, Ecosystems and Environment</i> , 2008, 123, 116-124.	2.5	36
174	Secondary organic aerosol formation from photo-oxidation of toluene with NO _x and SO ₂ : Chamber simulation with purified air versus urban ambient air as matrix. <i>Atmospheric Environment</i> , 2017, 150, 67-76.	1.9	36
175	Oxalate Formation Enhanced by Fe-Containing Particles and Environmental Implications. <i>Environmental Science & Technology</i> , 2019, 53, 1269-1277.	4.6	36
176	Photocatalytic degradation of gaseous trichloroethene using immobilized ZnO/SnO ₂ coupled oxide in a flow-through photocatalytic reactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 251-258.	1.6	35
177	Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	35
178	Role of ammonia in forming secondary aerosols from gasoline vehicle exhaust. <i>Science China Chemistry</i> , 2015, 58, 1377-1384.	4.2	35
179	PM _{2.5} acidity at a background site in the Pearl River Delta region in fall-winter of 2007-2012. <i>Journal of Hazardous Materials</i> , 2015, 286, 484-492.	6.5	35
180	Primary and secondary organic aerosol from heated cooking oil emissions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 11363-11374.	1.9	35

#	ARTICLE	IF	CITATIONS
181	Water adsorption and hygroscopic growth of six anemophilous pollen species: the effect of temperature. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2247-2258.	1.9	35
182	Unexpectedly High Indoor HONO Concentrations Associated with Photochemical NO ₂ Transformation on Glass Windows. <i>Environmental Science & Technology</i> , 2020, 54, 15680-15688.	4.6	35
183	Optical Properties of Secondary Organic Aerosol Produced by Nitrate Radical Oxidation of Biogenic Volatile Organic Compounds. <i>Environmental Science & Technology</i> , 2021, 55, 2878-2889.	4.6	35
184	Chemical characterization of oxygenated organic compounds in the gas phase and particle phase using iodide CIMS with FIGAERO in urban air. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8455-8478.	1.9	35
185	GENOTOXICITY OF TOTAL AND FRACTIONATED EXTRACTABLE ORGANIC MATTER IN FINE AIR PARTICULATE MATTER FROM URBAN GUANGZHOU: COMPARISON BETWEEN HAZE AND NONHAZE EPISODES. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 206.	2.2	34
186	Carbon isotope analysis for source identification of atmospheric formaldehyde and acetaldehyde in Dinghushan Biosphere Reserve in South China. <i>Atmospheric Environment</i> , 2009, 43, 3489-3495.	1.9	34
187	Fates and ecological effects of current-use pesticides (CUPs) in a typical river-estuarine system of Laizhou Bay, North China. <i>Environmental Pollution</i> , 2019, 252, 573-579.	3.7	34
188	Organosulfur Compounds Formed from Heterogeneous Reaction between SO ₂ and Particulate-Bound Unsaturated Fatty Acids in Ambient Air. <i>Environmental Science and Technology Letters</i> , 2019, 6, 318-322.	3.9	34
189	How efficiently can HEPA purifiers remove priority fine and ultrafine particles from indoor air?. <i>Environment International</i> , 2020, 144, 106001.	4.8	34
190	Assessing indoor gas phase oxidation capacity through real-time measurements of HONO and NO _x in Guangzhou, China. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 1393-1402.	1.7	33
191	Impact of anthropogenic emissions on biogenic secondary organic aerosol: observation in the Pearl River Delta, southern China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14403-14415.	1.9	33
192	Measurements of traffic-dominated pollutant emissions in a Chinese megacity. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 8737-8761.	1.9	33
193	Characterization of submicron particles by time-of-flight aerosol chemical speciation monitor (ToF-ACSM) during wintertime: aerosol composition, sources, and chemical processes in Guangzhou, China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 7595-7615.	1.9	33
194	Source apportionment and dynamic changes of carbonaceous aerosols during the haze bloom-decay process in China based on radiocarbon and organic molecular tracers. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 2985-2996.	1.9	32
195	Dramatic increase in reactive volatile organic compound (VOC) emissions from ships at berth after implementing the fuel switch policy in the Pearl River Delta Emission Control Area. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1887-1900.	1.9	32
196	The single-particle mixing state and cloud scavenging of black carbon: a case study at a high-altitude mountain site in southern China. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 14975-14985.	1.9	31
197	Evolution of Indoor Cooking Emissions Captured by Using Secondary Electrospray Ionization High-Resolution Mass Spectrometry. <i>Environmental Science and Technology Letters</i> , 2020, 7, 76-81.	3.9	31
198	Development of a Compound-Specific Isotope Analysis Method for Atmospheric Formaldehyde and Acetaldehyde. <i>Environmental Science & Technology</i> , 2005, 39, 6202-6207.	4.6	30

#	ARTICLE	IF	CITATIONS
199	Primary emissions and secondary organic aerosol formation from in-use diesel vehicle exhaust: Comparison between idling and cruise mode. <i>Science of the Total Environment</i> , 2020, 699, 134357.	3.9	30
200	Source apportionment of VOCs in a typical medium-sized city in North China Plain and implications on control policy. <i>Journal of Environmental Sciences</i> , 2021, 107, 26-37.	3.2	30
201	Indoor radon levels in selected hot spring hotels in Guangdong, China. <i>Science of the Total Environment</i> , 2005, 339, 63-70.	3.9	29
202	Chemical characteristics of submicron particulates (PM1.0) in Wuhan, Central China. <i>Atmospheric Research</i> , 2015, 161-162, 169-178.	1.8	29
203	Spatial and seasonal variations of secondary organic aerosol from terpenoids over China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 14,661.	1.2	29
204	The importance of non-fossil sources in carbonaceous aerosols in a megacity of central China during the 2013 winter haze episode: A source apportionment constrained by radiocarbon and organic tracers. <i>Atmospheric Environment</i> , 2016, 144, 60-68.	1.9	29
205	Palladium Nanoparticles on Covalent Organic Framework Supports as Catalysts for Suzuki-Miyaura Cross-Coupling Reactions. <i>ACS Applied Nano Materials</i> , 2021, 4, 6239-6249.	2.4	29
206	Characteristics and Formation Mechanisms of Sulfate and Nitrate in Size-segregated Atmospheric Particles from Urban Guangzhou, China. <i>Aerosol and Air Quality Research</i> , 2019, 19, 1284-1293.	0.9	29
207	Stabilization for the secondary species contribution to PM2.5 in the Pearl River Delta (PRD) over the past decade, China: A meta-analysis. <i>Atmospheric Environment</i> , 2020, 242, 117817.	1.9	28
208	Legacy and novel halogenated flame retardants in seawater and atmosphere of the Bohai Sea: Spatial trends, seasonal variations, and influencing factors. <i>Water Research</i> , 2020, 184, 116117.	5.3	28
209	High secondary formation of nitrogen-containing organics (NOCs) and its possible link to oxidized organics and ammonium. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1469-1481.	1.9	28
210	Secondary Organic Aerosol Formation From Isoprene Epoxides in the Pearl River Delta, South China: IEPOX and HMML Derived Tracers. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 6999-7012.	1.2	27
211	Pollutants emitted from typical Chinese vessels: Potential contributions to ozone and secondary organic aerosols. <i>Journal of Cleaner Production</i> , 2019, 238, 117862.	4.6	27
212	Molecular composition and photochemical evolution of water-soluble organic carbon (WSOC) extracted from field biomass burning aerosols using high-resolution mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 6115-6128.	1.9	27
213	Evidence for the Formation of Imidazole from Carbonyls and Reduced Nitrogen Species at the Individual Particle Level in the Ambient Atmosphere. <i>Environmental Science and Technology Letters</i> , 2021, 8, 9-15.	3.9	27
214	On mineral dust aerosol hygroscopicity. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 13611-13626.	1.9	27
215	The formation and mitigation of nitrate pollution: comparison between urban and suburban environments. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4539-4556.	1.9	27
216	Soil nitric oxide emissions from two subtropical humid forests in south China. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	26

#	ARTICLE	IF	CITATIONS
217	Uncertainties of isoprene emissions in the MEGAN model estimated for a coniferous and broad-leaved mixed forest in Southern China. <i>Atmospheric Environment</i> , 2014, 98, 105-110.	1.9	26
218	The abrupt climate change near 4,400 yr BP on the cultural transition in Yuchisi, China and its global linkage. <i>Scientific Reports</i> , 2016, 6, 27723.	1.6	26
219	Oxidative potential of gas phase combustion emissions - An underestimated and potentially harmful component of air pollution from combustion processes. <i>Atmospheric Environment</i> , 2017, 158, 227-235.	1.9	26
220	Water Soluble Organic Nitrogen (WSO _N) in Ambient Fine Particles Over a Megacity in South China: Spatiotemporal Variations and Source Apportionment. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 13,045.	1.2	26
221	Hygroscopic Properties of Saline Mineral Dust From Different Regions in China: Geographical Variations, Compositional Dependence, and Atmospheric Implications. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 10844-10857.	1.2	26
222	Comparison between idling and cruising gasoline vehicles in primary emissions and secondary organic aerosol formation during photochemical ageing. <i>Science of the Total Environment</i> , 2020, 722, 137934.	3.9	26
223	Autumn and Wintertime Polycyclic Aromatic Hydrocarbons in PM _{2.5} and PM _{2.5-10} from Urumqi, China. <i>Aerosol and Air Quality Research</i> , 2013, 13, 407-414.	0.9	26
224	Development of a Compound-Specific Carbon Isotope Analysis Method for Atmospheric Formaldehyde via NaHSO ₃ and Cysteamine Derivatization. <i>Analytical Chemistry</i> , 2006, 78, 1206-1211.	3.2	25
225	Summertime carbonaceous aerosols collected in the marine boundary layer of the Arctic Ocean. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	25
226	Odorous Volatile Organic Sulfides in Wastewater Treatment Plants in Guangzhou, China. <i>Water Environment Research</i> , 2008, 80, 324-330.	1.3	25
227	Rainwater trifluoroacetic acid (TFA) in Guangzhou, South China: Levels, wet deposition fluxes and source implication. <i>Science of the Total Environment</i> , 2014, 468-469, 272-279.	3.9	25
228	Emission of oxygenated volatile organic compounds (OVOCs) during the aerobic decomposition of orange wastes. <i>Journal of Environmental Sciences</i> , 2015, 33, 69-77.	3.2	25
229	Real-time monitoring of respiratory absorption factors of volatile organic compounds in ambient air by proton transfer reaction time-of-flight mass spectrometry. <i>Journal of Hazardous Materials</i> , 2016, 320, 547-555.	6.5	25
230	Effect of traffic restriction on reducing ambient volatile organic compounds (VOCs): Observation-based evaluation during a traffic restriction drill in Guangzhou, China. <i>Atmospheric Environment</i> , 2017, 161, 61-70.	1.9	25
231	Pyrolysis of hydrothermally pretreated biowastes: The controllability on the formation of NO precursors. <i>Chemical Engineering Journal</i> , 2020, 393, 124727.	6.6	25
232	Light-Enhanced Heterogeneous Conversion of NO ₂ to HONO on Solid Films Consisting of Fluorene and Fluorene/Na ₂ SO ₄ : An Impact on Urban and Indoor Atmosphere. <i>Environmental Science & Technology</i> , 2020, 54, 11079-11086.	4.6	25
233	Real-time Characterization of Aerosol Compositions, Sources, and Aging Processes in Guangzhou During PRIDE-GBA 2018 Campaign. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD035114.	1.2	25
234	Spatio-temporal variations and input patterns on the legacy and novel brominated flame retardants (BFRs) in coastal rivers of North China. <i>Environmental Pollution</i> , 2021, 283, 117093.	3.7	25

#	ARTICLE	IF	CITATIONS
235	Determination of thiophanate-methyl and chlorotoluron in water samples by improved single-drop microextraction coupled with high-performance liquid chromatography. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 461-471.	1.8	24
236	In situ detection of the chemistry of individual fog droplet residues in the Pearl River Delta region, China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 9105-9116.	1.2	24
237	Low-NO atmospheric oxidation pathways in a polluted megacity. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 1613-1625.	1.9	24
238	Measurements of higher alkanes using NO ₂ and chemical ionization in PTR-ToF-MS: important contributions of higher alkanes to secondary organic aerosols in China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14123-14138.	1.9	24
239	Ozone episodes during and after the 2018 Chinese National Day holidays in Guangzhou: Implications for the control of precursor VOCs. <i>Journal of Environmental Sciences</i> , 2022, 114, 322-333.	3.2	24
240	Direct observations indicate photodegradable oxygenated volatile organic compounds (OVOCs) as larger contributors to radicals and ozone production in the atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4117-4128.	1.9	24
241	Contribution of ²²² Rn-bearing water to indoor radon and indoor air quality assessment in hot spring hotels of Guangdong, China. <i>Journal of Environmental Radioactivity</i> , 2011, 102, 400-406.	0.9	23
242	Real-time and single-particle volatility of elemental carbon-containing particles in the urban area of Pearl River Delta region, China. <i>Atmospheric Environment</i> , 2015, 118, 194-202.	1.9	23
243	Volatile organic compound emissions from straw-amended agricultural soils and their relations to bacterial communities: A laboratory study. <i>Journal of Environmental Sciences</i> , 2016, 45, 257-269.	3.2	23
244	Aromatic hydrocarbons in a controlled ecological life support system during a 4-person-180-day integrated experiment. <i>Science of the Total Environment</i> , 2018, 610-611, 905-911.	3.9	23
245	Measurement report: Emissions of intermediate-volatility organic compounds from vehicles under real-world driving conditions in an urban tunnel. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 10005-10013.	1.9	23
246	Sources of primary and secondary organic aerosol and their diurnal variations. <i>Journal of Hazardous Materials</i> , 2014, 264, 536-544.	6.5	22
247	Cutting down on the ozone and SOA formation as well as health risks of VOCs emitted from e-waste dismantlement by integration technique. <i>Journal of Environmental Management</i> , 2019, 249, 107755.	3.8	22
248	Emissions of nitrogen oxides and volatile organic compounds from liquefied petroleum gas-fueled taxis under idle and cruising modes. <i>Environmental Pollution</i> , 2020, 267, 115623.	3.7	22
249	Photochemistry of ozone pollution in autumn in Pearl River Estuary, South China. <i>Science of the Total Environment</i> , 2021, 754, 141812.	3.9	22
250	Contribution of Vehicle Emission and NO ₂ Surface Conversion to Nitrous Acid (HONO) in Urban Environments: Implications from Tests in a Tunnel. <i>Environmental Science & Technology</i> , 2021, 55, 15616-15624.	4.6	22
251	Atmospheric DDTs over the North Pacific Ocean and the adjacent Arctic region: Spatial distribution, congener patterns and source implication. <i>Atmospheric Environment</i> , 2009, 43, 4319-4326.	1.9	21
252	Fast screening compositions of PM _{2.5} by ATR-FTIR: Comparison with results from IC and OC/EC analyzers. <i>Journal of Environmental Sciences</i> , 2018, 71, 76-88.	3.2	21

#	ARTICLE	IF	CITATIONS
253	Application of smog chambers in atmospheric process studies. <i>National Science Review</i> , 2022, 9, nwab103.	4.6	21
254	Oxidation Flow Reactor Results in a Chinese Megacity Emphasize the Important Contribution of S/IVOCs to Ambient SOA Formation. <i>Environmental Science & Technology</i> , 2022, 56, 6880-6893.	4.6	21
255	Preliminary Study of Organic Pollutants in Air of Guangzhou, Hong Kong, and Macao. <i>ACS Symposium Series</i> , 1997, , 164-176.	0.5	20
256	High Concentrations of Atmospheric Isocyanic Acid (HNCO) Produced from Secondary Sources in China. <i>Environmental Science & Technology</i> , 2020, 54, 11818-11826.	4.6	20
257	Dietary supplementation with <i>Bacillus</i> mixture modifies the intestinal ecosystem of weaned piglets in an overall beneficial way. <i>Journal of Applied Microbiology</i> , 2021, 130, 233-246.	1.4	20
258	Detection of organosulfates and nitrooxy-organosulfates in Arctic and Antarctic atmospheric aerosols, using ultra-high resolution FT-ICR mass spectrometry. <i>Science of the Total Environment</i> , 2021, 767, 144339.	3.9	20
259	Decabromodiphenyl Ether versus Decabromodiphenyl Ethane: Source, Fate, and Influencing Factors in a Coastal Sea Nearing Source Region. <i>Environmental Science & Technology</i> , 2021, 55, 7376-7385.	4.6	20
260	Real-world emissions of carbonyls from vehicles in an urban tunnel in south China. <i>Atmospheric Environment</i> , 2021, 258, 118491.	1.9	20
261	Chemical Characteristics and Source Apportionment of PM _{2.5} during Winter in the Southern Part of Urumqi, China. <i>Aerosol and Air Quality Research</i> , 2019, 19, 1325-1337.	0.9	20
262	Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. <i>Journal of Environmental Sciences</i> , 2012, 24, 131-141.	3.2	19
263	Ambient CFCs and HCFC-22 observed concurrently at 84 sites in the Pearl River Delta region during the 2008-2009 grid studies. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 7699-7717.	1.2	19
264	Parent, Alkylated, and Sulfur/Oxygen-Containing Polycyclic Aromatic Hydrocarbons in Mainstream Smoke from 13 Brands of Chinese Cigarettes. <i>Environmental Science & Technology</i> , 2015, 49, 9012-9019.	4.6	19
265	Vertical profiles of biogenic volatile organic compounds as observed online at a tower in Beijing. <i>Journal of Environmental Sciences</i> , 2020, 95, 33-42.	3.2	19
266	The large proportion of black carbon (BC)-containing aerosols in the urban atmosphere. <i>Environmental Pollution</i> , 2020, 263, 114507.	3.7	19
267	Nationwide increase of polycyclic aromatic hydrocarbons in ultrafine particles during winter over China revealed by size-segregated measurements. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14581-14595.	1.9	19
268	Fullerenes-extracted soot: a new adsorbent for collecting volatile organic compounds in ambient air. <i>Journal of Chromatography A</i> , 2000, 886, 313-317.	1.8	18
269	Emission of volatile organic sulfur compounds from a heavily polluted river in Guangzhou, South China. <i>Environmental Monitoring and Assessment</i> , 2008, 143, 121-130.	1.3	18
270	Effects of straw return on C ₂ –C ₅ non-methane hydrocarbon (NMHC) emissions from agricultural soils. <i>Atmospheric Environment</i> , 2015, 100, 210-217.	1.9	18

#	ARTICLE	IF	CITATIONS
271	Impacts of methanesulfonate on the cloud condensation nucleation activity of sea salt aerosol. <i>Atmospheric Environment</i> , 2019, 201, 13-17.	1.9	18
272	Heterogeneous reaction of NO ₂ with hematite, goethite and magnetite: Implications for nitrate formation and iron solubility enhancement. <i>Chemosphere</i> , 2020, 242, 125273.	4.2	18
273	Decrease in ambient volatile organic compounds during the COVID-19 lockdown period in the Pearl River Delta region, south China. <i>Science of the Total Environment</i> , 2022, 823, 153720.	3.9	18
274	Abundance and Fractional Solubility of Aerosol Iron During Winter at a Coastal City in Northern China: Similarities and Contrasts Between Fine and Coarse Particles. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	18
275	Seasonal and Diurnal Variations of Atmospheric Non-Methane Hydrocarbons in Guangzhou, China. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 1859-1873.	1.2	17
276	Coke workers' exposure to volatile organic compounds in northern China: a case study in Shanxi Province. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 359.	1.3	17
277	Determination of Amines Associated with Particles by Gas Chromatography-mass Spectrometry. <i>Chinese Journal of Analytical Chemistry</i> , 2017, 45, 477-482.	0.9	17
278	In-cloud formation of secondary species in iron-containing particles. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 1195-1206.	1.9	17
279	Enhanced Wet Deposition of Water-Soluble Organic Nitrogen During the Harvest Season: Influence of Biomass Burning and In-Cloud Scavenging. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD032699.	1.2	17
280	Torrefaction of waste wood-based panels: More understanding from the combination of upgrading and denitrogenation properties. <i>Fuel Processing Technology</i> , 2020, 206, 106462.	3.7	17
281	The real part of the refractive indices and effective densities for chemically segregated ambient aerosols in Guangzhou measured by a single-particle aerosol mass spectrometer. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 2631-2640.	1.9	16
282	Phase Transitions and Hygroscopic Growth of Mg(ClO ₄) ₂ , NaClO ₄ , and NaClO ₄ ·H ₂ O: Implications for the Stability of Aqueous Water in Hyperarid Environments on Mars and on Earth. <i>ACS Earth and Space Chemistry</i> , 2018, 2, 159-167.	1.2	16
283	Impacts of water partitioning and polarity of organic compounds on secondary organic aerosol over eastern China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 7291-7306.	1.9	16
284	Interactions of organosulfates with water vapor under sub- and supersaturated conditions. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 7135-7148.	1.9	16
285	Emissions and light absorption of carbonaceous aerosols from on-road vehicles in an urban tunnel in south China. <i>Science of the Total Environment</i> , 2021, 790, 148220.	3.9	16
286	The ecosystem evolution of penguin colonies in the past 8,500 years on Vestfold Hills, East Antarctica. <i>Polar Biology</i> , 2010, 33, 1399-1406.	0.5	15
287	Air-soil exchange of dimethyl sulfide, carbon disulfide, and dimethyl disulfide in three subtropical forests in south China. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	15
288	Recent Advances in Quantifying Wet Scavenging Efficiency of Black Carbon Aerosol. <i>Atmosphere</i> , 2019, 10, 175.	1.0	15

#	ARTICLE	IF	CITATIONS
289	Seasonal variation of amine-containing particles in urban Guangzhou, China. <i>Atmospheric Environment</i> , 2020, 222, 117102.	1.9	15
290	Wet and Dry Nitrogen Depositions in the Pearl River Delta, South China: Observations at Three Typical Sites With an Emphasis on Water-Soluble Organic Nitrogen. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2019JD030983.	1.2	15
291	A review of measurement techniques for aerosol effective density. <i>Science of the Total Environment</i> , 2021, 778, 146248.	3.9	15
292	Black Carbon Involved Photochemistry Enhances the Formation of Sulfate in the Ambient Atmosphere: Evidence From In Situ Individual Particle Investigation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD035226.	1.2	15
293	Morphology, composition and mixing state of individual airborne particles: Effects of the 2017 Action Plan in Beijing, China. <i>Journal of Cleaner Production</i> , 2021, 329, 129748.	4.6	15
294	Genotoxicity of the sediments collected from Pearl River in China and their polycyclic aromatic hydrocarbons (PAHs) and heavy metals. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 5651-5661.	1.3	14
295	Secondary aerosol formation and oxidation capacity in photooxidation in the presence of Al ₂ O ₃ seed particles and SO ₂ . <i>Science China Chemistry</i> , 2015, 58, 1426-1434.	4.2	14
296	Water uptake and hygroscopicity of perchlorates and implications for the existence of liquid water in some hyperarid environments. <i>RSC Advances</i> , 2017, 7, 46866-46873.	1.7	14
297	Concentration characteristics, source apportionment, and oxidative damage of PM _{2.5} -bound PAHs in petrochemical region in Xinjiang, NW China. <i>Environmental Science and Pollution Research</i> , 2018, 25, 22629-22640.	2.7	14
298	Effect of Inorganic Salts on N-Containing Organic Compounds Formed by Heterogeneous Reaction of NO ₂ with Oleic Acid. <i>Environmental Science & Technology</i> , 2021, 55, 7831-7840.	4.6	14
299	Tropospheric aerosol hygroscopicity in China. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 13877-13903.	1.9	14
300	A vacuum ultraviolet ion source (VUV-IS) for iodide chemical ionization mass spectrometry: a substitute for radioactive ion sources. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 3683-3696.	1.2	14
301	Isoprene Mixing Ratios Measured at Twenty Sites in China During 2012–2014: Comparison With Model Simulation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD033523.	1.2	14
302	Measurement report: Particle-size-dependent fluorescence properties of water-soluble organic compounds (WSOCs) and their atmospheric implications for the aging of WSOCs. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 465-479.	1.9	14
303	pH-Dependent Chemical Transformations of Humic-Like Substances and Further Cognitions Revealed by Optical Methods. <i>Environmental Science & Technology</i> , 2022, 56, 7578-7587.	4.6	14
304	Carbon isotope analysis of acetaldehyde and acetone by cysteamine derivatization. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 1809-1812.	0.7	13
305	Persistent halogenated compounds in captive Chinese alligators (<i>Alligator sinensis</i>) from China. <i>Chemosphere</i> , 2014, 110, 23-30.	4.2	13
306	Distinct potential aerosol masses under different scenarios of transport at a suburban site of Beijing. <i>Journal of Environmental Sciences</i> , 2016, 39, 52-61.	3.2	13

#	ARTICLE	IF	CITATIONS
307	Evaluating the effectiveness of multiple emission control measures on reducing volatile organic compounds in ambient air based on observational data: A case study during the 2010 Guangzhou Asian Games. <i>Science of the Total Environment</i> , 2020, 723, 138171.	3.9	13
308	Significant Contribution of Primary Sources to Water-Soluble Organic Carbon During Spring in Beijing, China. <i>Atmosphere</i> , 2020, 11, 395.	1.0	13
309	Atmospheric PM2.5 blocking up autophagic flux in HUVECs via inhibiting Sntaxin-17 and LAMP2. <i>Ecotoxicology and Environmental Safety</i> , 2021, 208, 111450.	2.9	13
310	Identification of PM2.5 sources contributing to both Brown carbon and reactive oxygen species generation in winter in Beijing, China. <i>Atmospheric Environment</i> , 2021, 246, 118069.	1.9	13
311	Humidity and PM2.5 composition determine atmospheric light extinction in the arid region of northwest China. <i>Journal of Environmental Sciences</i> , 2021, 100, 279-286.	3.2	13
312	Using highly time-resolved online mass spectrometry to examine biogenic and anthropogenic contributions to organic aerosol in Beijing. <i>Faraday Discussions</i> , 2021, 226, 382-408.	1.6	13
313	Ambient naphthalene and methylnaphthalenes observed at an urban site in the Pearl River Delta region: Sources and contributions to secondary organic aerosol. <i>Atmospheric Environment</i> , 2021, 252, 118295.	1.9	13
314	Importance of Oxidants and Temperature in the Formation of Biogenic Organosulfates and Nitrooxy Organosulfates. <i>ACS Earth and Space Chemistry</i> , 2021, 5, 2291-2306.	1.2	13
315	Surface atmosphere fluxes of volatile organic compounds in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 15101-15125.	1.9	13
316	Design and characterization of a semi-open dynamic chamber for measuring biogenic volatile organic compound (BVOC) emissions from plants. <i>Atmospheric Measurement Techniques</i> , 2022, 15, 79-93.	1.2	13
317	Degradation of toluene gas at the surface of ZnO/SnO ₂ photocatalysts in a baffled bed reactor. <i>Research on Chemical Intermediates</i> , 2009, 35, 827-838.	1.3	12
318	Polycyclic Aromatic Hydrocarbons in PM2.5 and PM2.5-10 in Urumqi, China: Temporal Variations, Health Risk, and Sources. <i>Atmosphere</i> , 2018, 9, 412.	1.0	12
319	Heterogeneous Reaction of CaCO ₃ With NO ₂ at Different Relative Humidities: Kinetics, Mechanisms, and Impacts on Aerosol Hygroscopicity. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD034826.	1.2	12
320	Importance of secondary organic aerosol formation of α -pinene, limonene, and β -cresol comparing day- and nighttime radical chemistry. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8479-8498.	1.9	12
321	Evaluation on the enhanced solid biofuel from co-hydrothermal carbonization of pharmaceutical biowastes with lignite. <i>Fuel</i> , 2022, 318, 123626.	3.4	12
322	Budget of nitrous acid (HONO) at an urban site in the fall season of Guangzhou, China. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 8951-8971.	1.9	12
323	Development of a compound-specific isotope analysis method for acetone via 2,4-dinitrophenylhydrazine derivatization. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 2669-2672.	0.7	11
324	Ecosystem evolution of seal colony and the influencing factors in the 20th century on Fildes Peninsula, West Antarctica. <i>Journal of Environmental Sciences</i> , 2011, 23, 1431-1436.	3.2	11

#	ARTICLE	IF	CITATIONS
325	Ozonolysis of α -phellandrene – Part 1: Gas- and particle-phase characterisation. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 6583-6609.	1.9	11
326	Ozonolysis of α -phellandrene – Part 2: Compositional analysis of secondary organic aerosol highlights the role of stabilised Criegee intermediates. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4673-4693.	1.9	11
327	Source-oriented characterization of single particles from in-port ship emissions in Guangzhou, China. <i>Science of the Total Environment</i> , 2020, 724, 138179.	3.9	11
328	Unexpected enhancement of ozone exposure and health risks during National Day in China. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 10347-10356.	1.9	11
329	Secondary organic aerosols produced from photochemical oxidation of secondarily evaporated biomass burning organic gases: Chemical composition, toxicity, optical properties, and climate effect. <i>Environment International</i> , 2021, 157, 106801.	4.8	11
330	Impact of in-cloud aqueous processes on the chemical compositions and morphology of individual atmospheric aerosols. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14063-14075.	1.9	11
331	Photochemistry of Volatile Organic Compounds in the Yellow River Delta, China: Formation of O_3 and Peroxyacyl Nitrates. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD035296.	1.2	11
332	Measurement report: Molecular characteristics of cloud water in southern China and insights into aqueous-phase processes from Fourier transform ion cyclotron resonance mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 16631-16644.	1.9	11
333	Atmospheric Processing of Particulate Imidazole Compounds Driven by Photochemistry. <i>Environmental Science and Technology Letters</i> , 2022, 9, 265-271.	3.9	11
334	Chapter 6 Sources and Occurrence of Persistent Organic Pollutants in the Pearl River Delta, South China. <i>Developments in Environmental Science</i> , 2007, 7, 289-311.	0.5	10
335	Soil nitric oxide emissions after nitrogen and phosphorus additions in two subtropical humid forests. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	10
336	Characteristics, loss and gain of atmospheric carbonyl compounds in winters of 2008–2010 in Pearl River Delta region, China. <i>Journal of Atmospheric Chemistry</i> , 2013, 70, 53-67.	1.4	10
337	Physical and observable characteristics of cloud-to-ground lightning over the Pearl River Delta region of South China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 5986-5999.	1.2	10
338	Occurrence of Decabromodiphenyl Ethane in Captive Chinese Alligators (<i>Alligator sinensis</i>) from China. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 94, 12-16.	1.3	10
339	Exposure to hazardous air pollutants in underground car parks in Guangzhou, China. <i>Air Quality, Atmosphere and Health</i> , 2017, 10, 555-563.	1.5	10
340	Leakage Rates of Refrigerants CFC-12, HCFC-22, and HFC-134a from Operating Mobile Air Conditioning Systems in Guangzhou, China: Tests inside a Busy Urban Tunnel under Hot and Humid Weather Conditions. <i>Environmental Science and Technology Letters</i> , 2017, 4, 481-486.	3.9	10
341	High cancer risk from inhalation exposure to PAHs in Fenhe Plain in winter: A particulate size distribution-based study. <i>Atmospheric Environment</i> , 2019, 216, 116924.	1.9	10
342	Volatile Organic Compounds in a Petrochemical Region in Arid of NW China: Chemical Reactivity and Source Apportionment. <i>Atmosphere</i> , 2019, 10, 641.	1.0	10

#	ARTICLE	IF	CITATIONS
343	13-year nitrogen addition increases nonstructural carbon pools in subtropical forest trees in southern China. <i>Forest Ecology and Management</i> , 2021, 481, 118748.	1.4	10
344	Effects of pH on light absorption properties of water-soluble organic compounds in particulate matter emitted from typical emission sources. <i>Journal of Hazardous Materials</i> , 2022, 424, 127688.	6.5	10
345	Physical and chemical characterization of urban grime: An impact on the NO ₂ uptake coefficients and N-containing product compounds. <i>Science of the Total Environment</i> , 2022, 838, 155973.	3.9	10
346	Carbonyl sulfide and dimethyl sulfide fluxes in an urban lawn and adjacent bare soil in Guangzhou, China. <i>Journal of Environmental Sciences</i> , 2011, 23, 784-789.	3.2	9
347	Reaction of NO ₂ with Selected Conjugated Alkenes. <i>Journal of Physical Chemistry A</i> , 2013, 117, 14132-14140.	1.1	9
348	Hygroscopicity and optical properties of alkylammonium sulfates. <i>Journal of Environmental Sciences</i> , 2014, 26, 37-43.	3.2	9
349	Exposure to Particle Matters and Hazardous Volatile Organic Compounds in Selected Hot Spring Hotels in Guangdong, China. <i>Atmosphere</i> , 2016, 7, 54.	1.0	9
350	Effect of cloud-to-ground lightning and meteorological conditions on surface NO _x and O ₃ in Hong Kong. <i>Atmospheric Research</i> , 2016, 182, 132-141.	1.8	9
351	Evaluation of surfactant performance in in situ foam flushing for remediation of dichlorodiphenyltrichloroethane-contaminated soil. <i>International Journal of Environmental Science and Technology</i> , 2017, 14, 631-638.	1.8	9
352	Decreased Human Respiratory Absorption Factors of Aromatic Hydrocarbons at Lower Exposure Levels: The Dual Effect in Reducing Ambient Air Toxics. <i>Environmental Science and Technology Letters</i> , 2017, 4, 463-469.	3.9	9
353	One-year characterization of organic aerosol markers in urban Beijing: Seasonal variation and spatiotemporal comparison. <i>Science of the Total Environment</i> , 2020, 743, 140689.	3.9	9
354	Predominant effects of emission reduction by recording 8-year water-soluble ions in precipitation in Taiyuan, North China. <i>Atmospheric Pollution Research</i> , 2020, 11, 1922-1932.	1.8	9
355	Distribution of the Soil PAHs and Health Risk Influenced by Coal Usage Processes in Taiyuan City, Northern China. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6319.	1.2	9
356	Tuning of the Oxygen Species Linker on the Surface of Polymeric Carbon Nitride to Promote the Photocatalytic Hydrogen Evolution Performance. <i>ChemSusChem</i> , 2020, 13, 3605-3613.	3.6	9
357	pH-Responsive Fluorescence EEM to Titrate the Interaction between Fluorophores and Acid/Base Groups in Water-Soluble Organic Compounds of PM _{2.5} . <i>Environmental Science and Technology Letters</i> , 2021, 8, 108-113.	3.9	9
358	Emission factors of ammonia for on-road vehicles in urban areas from a tunnel study in south China with laser-absorption based measurements. <i>Environmental Pollution</i> , 2021, 280, 116972.	3.7	9
359	Non-methane hydrocarbons in a controlled ecological life support system. <i>Chemosphere</i> , 2018, 193, 207-212.	4.2	8
360	Monocarboxylic and dicarboxylic acids over oceans from the East China Sea to the Arctic Ocean: Roles of ocean emissions, continental input and secondary formation. <i>Science of the Total Environment</i> , 2018, 640-641, 284-292.	3.9	8

#	ARTICLE	IF	CITATIONS
361	Does atmospheric processing produce toxic Pb-containing compounds? A case study in suburban Beijing by single particle mass spectrometry. <i>Journal of Hazardous Materials</i> , 2020, 382, 121014.	6.5	8
362	Electrochemical recovery of low concentrated platinum (Pt) on nickel hexacyanoferrate nanoparticles film. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 111, 246-251.	2.7	8
363	Filter-based absorption enhancement measurement for internally mixed black carbon particles over southern China. <i>Science of the Total Environment</i> , 2021, 762, 144194.	3.9	8
364	Seasonal Variations of Carbonyls and Their Contributions to the Ozone Formation in Urban Atmosphere of Taiyuan, China. <i>Atmosphere</i> , 2021, 12, 510.	1.0	8
365	Photochemical Aging of Atmospheric Fine Particles as a Potential Source for Gas-Phase Hydrogen Peroxide. <i>Environmental Science & Technology</i> , 2021, 55, 15063-15071.	4.6	8
366	Measurement report: Hygroscopic growth of ambient fine particles measured at five sites in China. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 6773-6786.	1.9	8
367	Improvement of 2,4-dinitrophenylhydrazine derivatization method for carbon isotope analysis of atmospheric acetone. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 1322-1326.	0.7	7
368	Measurement of aerosol effective density by single particle mass spectrometry. <i>Science China Earth Sciences</i> , 2016, 59, 320-327.	2.3	7
369	Enrichment of submicron sea-salt-containing particles in small cloud droplets based on single-particle mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 10469-10479.	1.9	7
370	Facilitating charge transfer via a giant magnetoresistance effect for high-efficiency photocatalytic hydrogen production. <i>Chemical Communications</i> , 2019, 55, 14478-14481.	2.2	7
371	Large Variations in Hygroscopic Properties of Unconventional Mineral Dust. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 1823-1830.	1.2	7
372	The reductions of oxalate and its precursors in cloud droplets relative to wet particles. <i>Atmospheric Environment</i> , 2020, 235, 117632.	1.9	7
373	PM2.5-bound unresolved complex mixtures (UCM) in the Pearl River Delta region: Abundance, atmospheric processes and sources. <i>Atmospheric Environment</i> , 2020, 226, 117407.	1.9	7
374	Volatile Organic Compounds Monitored Online at Three Photochemical Assessment Monitoring Stations in the Pearl River Delta (PRD) Region during Summer 2016: Sources and Emission Areas. <i>Atmosphere</i> , 2021, 12, 327.	1.0	7
375	Technical note: Measurement of chemically resolved volume equivalent diameter and effective density of particles by AAC-SPAMS. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 5605-5613.	1.9	7
376	Substantial changes of chemical composition and sources of fine particles during the period of COVID-19 pandemic in Taiyuan, Northern China. <i>Air Quality, Atmosphere and Health</i> , 2022, 15, 47-58.	1.5	7
377	Distribution and sources of PM2.5-bound free silica in the atmosphere of hyper-arid regions in Hotan, North-West China. <i>Science of the Total Environment</i> , 2022, 810, 152368.	3.9	7
378	N ₂ O ₅ uptake onto saline mineral dust: a potential missing source of tropospheric ClNO ₂ in inland China. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 1845-1859.	1.9	7

#	ARTICLE	IF	CITATIONS
379	Characteristics of Volatile Organic Compounds in the Pearl River Delta Region, China: Chemical Reactivity, Source, and Emission Regions. <i>Atmosphere</i> , 2022, 13, 9.	1.0	7
380	Contribution of aboveground plants, the rhizosphere and root-free-soils to total COS and DMS fluxes at three key growth stages in rice paddies. <i>Agriculture, Ecosystems and Environment</i> , 2013, 179, 11-17.	2.5	6
381	Methyl iodine over oceans from the Arctic Ocean to the maritime Antarctic. <i>Scientific Reports</i> , 2016, 6, 26007.	1.6	6
382	Carbonaceous Aerosol Emitted from Biofuel Household Stove Combustion in South China. <i>Atmosphere</i> , 2020, 11, 112.	1.0	6
383	Stage-resolved in-cloud scavenging of submicron and BC-containing particles: A case study. <i>Atmospheric Environment</i> , 2021, 244, 117883.	1.9	6
384	Higher contribution of coking sources to ozone formation potential from volatile organic compounds in summer in Taiyuan, China. <i>Atmospheric Pollution Research</i> , 2021, 12, 101083.	1.8	6
385	Particles liquid water and acidity determine formation of secondary inorganic ions in Urumqi, NW China. <i>Atmospheric Research</i> , 2021, 260, 105622.	1.8	6
386	Observational Insights into Isoprene Secondary Organic Aerosol Formation through the Epoxide Pathway at Three Urban Sites from Northern to Southern China. <i>Environmental Science & Technology</i> , 2022, , .	4.6	6
387	Hygroscopicity and cloud condensation nucleation activities of hydroxyalkylsulfonates. <i>Science of the Total Environment</i> , 2022, 830, 154767.	3.9	6
388	Carbon isotopic characterization of formaldehyde emitted by vehicles in Guangzhou, China. <i>Atmospheric Environment</i> , 2014, 86, 148-154.	1.9	5
389	Effect of lightning activities on surface atmospheric NO, O ₃ and submicron particles based on artificially triggered lightning technology: A case study. <i>Atmospheric Pollution Research</i> , 2019, 10, 1435-1442.	1.8	5
390	Comprehensive characterization of hygroscopic properties of methanesulfonates. <i>Atmospheric Environment</i> , 2020, 224, 117349.	1.9	5
391	Source, fate and budget of Dechlorane Plus (DP) in a typical semi-closed sea, China. <i>Environmental Pollution</i> , 2021, 269, 116214.	3.7	5
392	Secondary organic aerosol formation from photooxidation of C ₃ H ₆ under the presence of NH ₃ : Effects of seed particles. <i>Environmental Research</i> , 2022, 211, 113064.	3.7	5
393	The optical properties and in-situ observational evidence for the formation of brown carbon in clouds. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4827-4839.	1.9	5
394	An Overview of the Isoprenoid Emissions From Tropical Plant Species. <i>Frontiers in Plant Science</i> , 2022, 13, .	1.7	5
395	A novel method for the stable carbon isotope analysis of atmospheric formaldehyde by means of cysteamine derivatization. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 2469-2472.	0.7	4
396	Determination of trace volatile fatty acids in ambient air by capillary gas chromatography–mass spectrometry in SIM mode. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 1107-1115.	1.8	4

#	ARTICLE	IF	CITATIONS
397	Polycyclic Aromatic Hydrocarbons, Heavy Metals, and Genotoxicity of the Suburban Soils from Guangzhou, China. <i>Polycyclic Aromatic Compounds</i> , 2013, 33, 501-518.	1.4	4
398	The Potential of Alkyl Amides as Novel Biomarkers and Their Application to Paleocultural Deposits in China. <i>Scientific Reports</i> , 2017, 7, 14667.	1.6	4
399	A case study on the characterization of non-methane hydrocarbons over the South China Sea: Implication of land-sea air exchange. <i>Science of the Total Environment</i> , 2020, 717, 134754.	3.9	4
400	Observations of speciated isoprene nitrates in Beijing: implications for isoprene chemistry. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 6315-6330.	1.9	4
401	Constraining Emission Estimates of CFC-11 in Eastern China Based on Local Observations at Surface Stations and Mount Tai. <i>Environmental Science and Technology Letters</i> , 0, , .	3.9	4
402	Temporal Distribution and Source Apportionment of Composition of Ambient PM _{2.5} in Urumqi, North-West China. <i>Atmosphere</i> , 2022, 13, 781.	1.0	4
403	Evolution of light absorption properties during photochemical aging of straw open burning aerosols. <i>Science of the Total Environment</i> , 2022, 838, 156431.	3.9	4
404	Characteristics and possible origins of atmospheric monoterpenes from nonliving plants in Guangzhou. <i>Science Bulletin</i> , 1999, 44, 747-750.	1.7	3
405	Nitric Oxide Emission Following Wetting of Dry Soils in Subtropical Humid Forests. <i>Pedosphere</i> , 2009, 19, 692-699.	2.1	3
406	Application of a Fluorescent Probe for the Online Measurement of PM-Bound Reactive Oxygen Species in Chamber and Ambient Studies. <i>Sensors</i> , 2019, 19, 4564.	2.1	3
407	Contributions of aerosol chemical composition and sources to light extinction during haze and non-haze days in Taiyuan, China. <i>Atmospheric Pollution Research</i> , 2021, 12, 101140.	1.8	3
408	Chemical composition and sources of amines in PM _{2.5} in an urban site of PRD, China. <i>Environmental Research</i> , 2022, 212, 113261.	3.7	3
409	Influence of meteorological parameters and oxidizing capacity on characteristics of airborne particulate amines in an urban area of the Pearl River Delta, China. <i>Environmental Research</i> , 2022, 212, 113212.	3.7	3
410	Evident elevation of atmospheric monoterpenes due to degradation-induced species changes in a semi-arid grassland. <i>Science of the Total Environment</i> , 2016, 541, 1499-1503.	3.9	2
411	Methane emissions from on-road vehicles in China: a case study in an urban tunnel. <i>Environmental Research Communications</i> , 2020, 2, 061005.	0.9	2
412	Size Distribution and Optical Properties of Ambient Aerosols during Autumn in Orleans, France. <i>Aerosol and Air Quality Research</i> , 2014, 14, 744-755.	0.9	2
413	Purge and trap method to determine alpha factors of VOC liquid-phase mass transfer coefficients. <i>Science Bulletin</i> , 2000, 45, 76-79.	1.7	1
414	Tuning of the Oxygen Species Linker on the Surface of Polymeric Carbon Nitride to Promote the Photocatalytic Hydrogen Evolution Performance. <i>ChemSusChem</i> , 2020, 13, 3543-3543.	3.6	1

#	ARTICLE	IF	CITATIONS
415	Anthropogenic Sources Apportionment of Volatile Organic Compounds in the Atmosphere of Pearl River Delta, South China. , 2008, , .		0
416	Characteristics of Non-Methane Hydrocarbons in the Atmosphere of Guangzhou. Applied Mechanics and Materials, 0, 66-68, 59-64.	0.2	0
417	Variation of Particle-Induced Oxidative Potential of PM2.5 in Xinjiang, NW-China. Atmosphere, 2021, 12, 1028.	1.0	0
418	Role of Manganese Doping TiO2 Hollow Spheres under Vacuum Ultraviolet Irradiation. Kinetics and Catalysis, 2021, 62, 74-81.	0.3	0