

# Kyu-Man Han

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3344876/publications.pdf>

Version: 2024-02-01

185  
papers

5,188  
citations

101543

36  
h-index

123424

61  
g-index

190  
all docs

190  
docs citations

190  
times ranked

7152  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the Patient Health Questionnaire-9 Korean version in the elderly population: the Ansan Geriatric study. <i>Comprehensive Psychiatry</i> , 2008, 49, 218-223.	3.1	344
2	Addressing the Side Effects of Contemporary Antidepressant Drugs: A Comprehensive Review. <i>Chonnam Medical Journal</i> , 2018, 54, 101.	0.9	181
3	Current Clinical Applications of Diffusion-Tensor Imaging in Neurological Disorders. <i>Journal of</i>		

#	ARTICLE	IF	CITATIONS
19	Brain-derived neurotrophic factor promoter methylation and cortical thickness in recurrent major depressive disorder. <i>Scientific Reports</i> , 2016, 6, 21089.	3.3	71
20	Usefulness of the 15-item geriatric depression scale (GDS-15) for classifying minor and major depressive disorders among community-dwelling elders. <i>Journal of Affective Disorders</i> , 2019, 259, 370-375.	4.1	70
21	Effect of the COMT val158met polymorphism on white matter connectivity in patients with major depressive disorder. <i>Neuroscience Letters</i> , 2013, 545, 35-39.	2.1	68
22	Social capital, socioeconomic status, and depression in community-living elderly. <i>Journal of Psychiatric Research</i> , 2018, 98, 133-140.	3.1	68
23	Social participation and depressive symptoms in community-dwelling older adults: Emotional social support as a mediator. <i>Journal of Psychiatric Research</i> , 2021, 137, 589-596.	3.1	68
24	How Inflammation Affects the Brain in Depression: A Review of Functional and Structural MRI Studies.		

#	ARTICLE	IF	CITATIONS
37	Imaging genetics studies on monoaminergic genes in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 311-319.	4.8	37
38	Modafinil for the treatment of attention-deficit/hyperactivity disorder: A meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 84, 292-300.	3.1	37
39	Interactive effects of genetic polymorphisms and childhood adversity on brain morphologic changes in depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 4-13.	4.8	37
40	Neural substrates for late-life depression: A selective review of structural neuroimaging studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110010.	4.8	37
41	Study design and methods of the Ansan Geriatric Study (AGE study). <i>BMC Neurology</i> , 2009, 9, 10.	1.8	35
42	Local gyrification index in patients with major depressive disorder and its association with tryptophan hydroxylase-2 (TPH2) polymorphism. <i>Human Brain Mapping</i> , 2017, 38, 1299-1310.	3.6	35
43	The effects of 5-HTTLPR and BDNF Val66Met polymorphisms on neurostructural changes in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018, 273, 25-34.	1.8	35
44	A Pharmacogenomic-based Antidepressant Treatment for Patients with Major Depressive Disorder: Results from an 8-week, Randomized, Single-blinded Clinical Trial. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 469-480.	2.0	35
45	Vilazodone for the Treatment of Depression: An Update. <i>Chonnam Medical Journal</i> , 2016, 52, 91.	0.9	34
46	Tinnitus, depression, and suicidal ideation in adults: A nationally representative general population sample. <i>Journal of Psychiatric Research</i> , 2018, 98, 124-132.	3.1	34
47	Normative data and psychometric properties of the Patient Health Questionnaire-9 in a nationally representative Korean population. <i>BMC Psychiatry</i> , 2020, 20, 194.	2.6	33
48	Comparative efficacy and acceptability of pharmacological interventions for the treatment and prevention of delirium: A systematic review and network meta-analysis. <i>Journal of Psychiatric Research</i> , 2020, 125, 164-176.	3.1	33
49	Chronic medical conditions and metabolic syndrome as risk factors for incidence of major depressive disorder: A longitudinal study based on 4.7 million adults in South Korea. <i>Journal of Affective Disorders</i> , 2019, 257, 486-494.	4.1	31
50	Aripiprazole augmentation versus antidepressant switching for patients with major depressive disorder: A 6-week, randomized, rater-blinded, prospective study. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 84-94.	3.1	30
51	Usefulness of the Patient Health Questionnaire-9 for Korean Medical Students. <i>Academic Psychiatry</i> , 2014, 38, 661-667.	0.9	28
52	Assessing reporting quality of randomized controlled trial abstracts in psychiatry: Adherence to CONSORT for abstracts: A systematic review. <i>PLoS ONE</i> , 2017, 12, e0187807.	2.5	28
53	Usefulness of long-acting injectable risperidone during 12-month maintenance therapy of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1219-1223.	4.8	27
54	The potential role of atypical antipsychotics for the treatment of posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2014, 56, 72-81.	3.1	27

#	ARTICLE	IF	CITATIONS
55	Serum FAM19A5 levels: A novel biomarker for neuroinflammation and neurodegeneration in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 852-859.	4.1	27
56	Vilazodone for the Treatment of Major Depressive Disorder: Focusing on Its Clinical Studies and Mechanism of Action. <i>Psychiatry Investigation</i> , 2015, 12, 155.	1.6	26
57	Emotional labor and depressive mood in service and sales workers: Interactions with gender and job autonomy. <i>Psychiatry Research</i> , 2018, 267, 490-498.	3.3	25
58	Validation of the Korean version of the Generalized Anxiety Disorder 7 self-rating Scale. <i>Asia-Pacific Psychiatry</i> , 2020, , e12421.	2.2	25
59	Genome-wide association study of antidepressant response: involvement of the inorganic cation transmembrane transporter activity pathway. <i>BMC Psychiatry</i> , 2016, 16, 106.	2.6	24
60	ARNNet: Antidepressant Response Prediction Network for Major Depressive Disorder. <i>Genes</i> , 2019, 10, 907.	2.4	23
61	Standardization of the Korean Version of the Posttraumatic Embitterment Disorder Self-Rating Scale. <i>Psychiatry Investigation</i> , 2012, 9, 368.	1.6	23
62	Outpatient Follow-Up Visit after Hospital Discharge Lowers Risk of Rehospitalization in Patients with Schizophrenia: A Nationwide Population-Based Study. <i>Psychiatry Investigation</i> , 2015, 12, 425.	1.6	23
63	Alterations in functional brain networks in depressed patients with a suicide attempt history. <i>Neuropsychopharmacology</i> , 2020, 45, 964-974.	5.4	22
64	Venlafaxine versus Mirtazapine in the Treatment of Undifferentiated Somatoform Disorder. <i>Clinical Drug Investigation</i> , 2008, 28, 251-261.	2.2	21
65	Association analysis for corticotropin releasing hormone polymorphisms with the risk of major depressive disorder and the response to antidepressants. <i>Behavioural Brain Research</i> , 2015, 292, 116-124.	2.2	21
66	Plasma ATG5 is increased in Alzheimer's disease. <i>Scientific Reports</i> , 2019, 9, 4741.	3.3	21
67	Social support moderates association between posttraumatic growth and trauma-related psychopathologies among victims of the Sewol Ferry Disaster. <i>Psychiatry Research</i> , 2019, 272, 507-514.	3.3	21
68	Impact of tryptophan hydroxylase 2 G-703T polymorphism on anger-related personality traits and orbitofrontal cortex. <i>Behavioural Brain Research</i> , 2012, 231, 105-110.	2.2	20
69	Aripiprazole augmentation, antidepressant combination or switching therapy in patients with major depressive disorder who are partial- or non-responsive to current antidepressants: A multi-center, naturalistic study. <i>Journal of Psychiatric Research</i> , 2014, 49, 75-82.	3.1	20
70	Perspectives on the Happiness of Community-Dwelling Elderly in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 50.	1.6	20
71	Association between Serotonin Transporter-Linked Polymorphic Region and Escitalopram Antidepressant Treatment Response in Korean Patients with Major Depressive Disorder. <i>Neuropsychobiology</i> , 2012, 66, 221-229.	1.9	19
72	Mental health service use in adults with suicidal ideation within a nationally representative sample of the Korean population. <i>Journal of Affective Disorders</i> , 2016, 193, 339-347.	4.1	19

#	ARTICLE	IF	CITATIONS
73	Interaction effects of oxytocin receptor gene polymorphism and depression on hippocampal volume. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 18-23.	1.8	19
74	Whole-exome sequencing identifies variants associated with structural MRI markers in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2019, 249, 159-168.	4.1	19
75	Investigational dopamine antagonists for the treatment of schizophrenia. <i>Expert Opinion on Investigational Drugs</i> , 2017, 26, 687-698.	4.1	18
76	Association between weekend catch-up sleep and high-sensitivity C-reactive protein levels in adults: a population-based study. <i>Sleep</i> , 2020, 43, .	1.1	17
77	Do We Need to Consider Ethno-cultural Variation in the Use of Atypical Antipsychotics for Asian Patients with Major Depressive Disorder?. <i>CNS Drugs</i> , 2013, 27, 47-51.	5.9	16
78	Optimizing the Use of Aripiprazole Augmentation in the Treatment of Major Depressive Disorder: From Clinical Trials to Clinical Practice. <i>Chonnam Medical Journal</i> , 2015, 51, 66.	0.9	16
79	Increase in the prescription rate of antidepressants after the Sewol Ferry disaster in Ansan, South Korea. <i>Journal of Affective Disorders</i> , 2017, 219, 31-36.	4.1	16
80	Depression and Cognitive Function in Mild Cognitive Impairment: A 1-Year Follow-Up Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017, 30, 280-288.	2.3	16
81	Efficacy of antidepressants: bias in randomized clinical trials and related issues. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 15-25.	3.1	16
82	Long working hours and depressive symptoms: moderation by gender, income, and job status. <i>Journal of Affective Disorders</i> , 2021, 286, 99-107.	4.1	16
83	CYP2D6 P34S Polymorphism and Outcomes of Escitalopram Treatment in Koreans with Major Depression. <i>Psychiatry Investigation</i> , 2013, 10, 286.	1.6	16
84	Association of Depression With Atrial Fibrillation in South Korean Adults. <i>JAMA Network Open</i> , 2022, 5, e2141772.	5.9	16
85	Diagnosis and treatment of dementia in primary care. <i>Journal of the Korean Medical Association</i> , 2013, 56, 1104.	0.3	15
86	Influence of Bcl I C/G (rs41423247) on hippocampal shape and white matter integrity of the parahippocampal cingulum in major depressive disorder. <i>Psychoneuroendocrinology</i> , 2016, 72, 147-155.	2.7	15
87	Precision medicine for psychopharmacology: a general introduction. <i>Expert Review of Neurotherapeutics</i> , 2016, 16, 831-839.	2.8	15
88	The Impact of a Single Nucleotide Polymorphism in SIGMAR1 on Depressive Symptoms in Major Depressive Disorder and Bipolar Disorder. <i>Advances in Therapy</i> , 2017, 34, 713-724.	2.9	15
89	Measurement-based Treatment of Residual Symptoms Using Clinically Useful Depression Outcome Scale: Korean Validation Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 28-34.	2.0	15
90	Increased plasma complement factor H is associated with geriatric depression. <i>International Psychogeriatrics</i> , 2019, 31, 101-108.	1.0	15

#	ARTICLE	IF	CITATIONS
91	Pathways to care for people with dementia: An international multicentre study. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 163-173.	2.7	15
92	Standardization of the Korean Version of the Patient Health Questionnaire-4 (PHQ-4). <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 104-111.	2.0	15
93	Fluoxetine versus sertraline in the treatment of patients with undifferentiated somatoform disorder: A randomized, open-label, 12-week, parallel-group trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 437-444.	4.8	14
94	Neuroplasticity, Neurotransmission and Brain-Related Genes in Major Depression and Bipolar Disorder: Focus on Treatment Outcomes in an Asiatic Sample. <i>Advances in Therapy</i> , 2018, 35, 1656-1670.	2.9	14
95	Cerebral amyloid accumulation is associated with distinct structural and functional alterations in the brain of depressed elders with mild cognitive impairment. <i>Journal of Affective Disorders</i> , 2021, 281, 459-466.	4.1	14
96	Depression, suicide, and Korean society. <i>Journal of the Korean Medical Association</i> , 2011, 54, 358.	0.3	13
97	Uptake of Web-Based Clinical Resources from the MacArthur Initiative on Depression and Primary Care. <i>Community Mental Health Journal</i> , 2013, 49, 166-171.	2.0	13
98	Evidence-Based, Pharmacological Treatment Guideline for Depression in Korea, Revised Edition. <i>Journal of Korean Medical Science</i> , 2014, 29, 468.	2.5	13
99	Vesicular monoamine transporter 1 gene polymorphism and white matter integrity in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 138-145.	4.8	13
100	Alterations in the brainstem volume of patients with major depressive disorder and their relationship with antidepressant treatment. <i>Journal of Affective Disorders</i> , 2017, 208, 68-75.	4.1	13
101	Abelson Helper Integration Site-1 Gene Variants on Major Depressive Disorder and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 481.	1.6	13
102	Psychiatric Symptoms in a Patient with Influenza A (H1N1) Treated with Oseltamivir (Tamiflu): A Case Report. <i>Clinical Psychopharmacology and Neuroscience</i> , 2015, 13, 209-211.	2.0	13
103	Possible association between G-protein $\beta 3$ subunit C825T polymorphism and antipsychotic-induced restless legs syndrome in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2007, 19, 351-356.	2.1	12
104	Management of Chronic Depressive Patients with Residual Symptoms. <i>CNS Drugs</i> , 2013, 27, 53-57.	5.9	12
105	Reduced CXCL1/GRO chemokine plasma levels are a possible biomarker of elderly depression. <i>Journal of Affective Disorders</i> , 2019, 249, 410-417.	4.1	12
106	Elevation of plasma soluble amyloid precursor protein beta in Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 103995.	3.0	12
107	Volumetric alterations in subregions of the amygdala in adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2021, 295, 108-115.	4.1	12
108	Genes Involved in Neurodevelopment, Neuroplasticity and Major Depression: No Association for <i>CACNA1C</i> , <i>CHRNA7</i> and <i>MAPK1</i> . <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 364-368.	2.0	12

#	ARTICLE	IF	CITATIONS
109	The Potential Utility of Aripiprazole Augmentation for Major Depressive Disorder with Mixed Features Specifier: A Retrospective Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 495-502.	2.0	12
110	Association between work-family conflict and depressive symptoms in female workers: An exploration of potential moderators. <i>Journal of Psychiatric Research</i> , 2022, 151, 113-121.	3.1	12
111	Posttraumatic Growth and Resilience: Assessment and Clinical Implications. <i>Journal of Korean Neuropsychiatric Association</i> , 2015, 54, 32.	0.5	11
112	The Influence of AHI1 Variants on the Diagnosis and Treatment Outcome in Schizophrenia. <i>International Journal of Molecular Sciences</i> , 2015, 16, 2517-2529.	4.1	11
113	The association between substance P and white matter integrity in medication-naïve patients with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 9707.	3.3	11
114	Intimate partner violence and incidence of depression in married women: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019, 245, 305-311.	4.1	11
115	Can botulinum toxin improve mood in depressed patients?. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 1049-1051.	2.8	10
116	Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1907-1915.	2.7	10
117	Association of metabolic syndrome and its components with suicidal ideation and depression in adults: A nationally representative sample of the Korean population. <i>Journal of Affective Disorders</i> , 2019, 249, 319-326.	4.1	10
118	A study combining whole-exome sequencing and structural neuroimaging analysis for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 262, 31-39.	4.1	10
119	Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. <i>Journal of Affective Disorders</i> , 2021, 291, 375-383.	4.1	10
120	A Korean validation study of the Clinically Useful Anxiety Outcome Scale: Comorbidity and differentiation of anxiety and depressive disorders. <i>PLoS ONE</i> , 2017, 12, e0179247.	2.5	10
121	Alterations in the Occipital Cortex of Drug-Naïve Adults With Major Depressive Disorder: A Surface-Based Analysis of Surface Area and Cortical Thickness. <i>Psychiatry Investigation</i> , 2021, 18, 1025-1033.	1.6	10
122	Development of an International Schedule for the Assessment and Staging of Care for Dementia. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 139-151.	2.6	9
123	Decreased cortical gyrification in patients with bipolar disorder. <i>Psychological Medicine</i> , 2022, 52, 2232-2244.	4.5	9
124	Comparison of shape alterations of the thalamus and caudate nucleus between drug-naïve major depressive disorder patients and healthy controls. <i>Journal of Affective Disorders</i> , 2020, 264, 279-285.	4.1	9
125	Association of Prefrontal Cortex Thinning with High Impulsivity in Healthy Adults. <i>Psychiatry Investigation</i> , 2021, 18, 570-579.	1.6	9
126	A Meta-Analysis Comparing Open-Label versus Placebo-Controlled Clinical Trials for Aripiprazole Augmentation in the Treatment of Major Depressive Disorder: Lessons and Promises. <i>Psychiatry Investigation</i> , 2014, 11, 371.	1.6	9



#	ARTICLE	IF	CITATIONS
127	Sleep Irregularity in the Previous Week Influences the First-Night Effect in Polysomnographic Studies. <i>Psychiatry Investigation</i> , 2016, 13, 203.	1.6	9
128	Effectiveness and Tolerability of Switching to Aripiprazole Once Monthly from Antipsychotic Polypharmacy and/or Other Long Acting Injectable Antipsychotics for Patients with Schizophrenia in Routine Practice: A Retrospective, Observation Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 153-158.	2.0	9
129	The relationship between somatic symptoms and depression. <i>Neuroendocrinology Letters</i> , 2014, 35, 463-9.	0.2	9
130	Paliperidone in the treatment of delirium: results of a prospective open-label pilot trial. <i>Acta Neuropsychiatrica</i> , 2011, 23, 179-183.	2.1	8
131	Schizophrenia relapse and the clinical usefulness of once-monthly aripiprazole depot injection. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1605.	2.2	8
132	Eye Movement Desensitization and Reprocessing to Facilitate Posttraumatic Growth: A Prospective Clinical Pilot Study on Ferry Disaster Survivors. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 320-327.	2.0	8
133	Effect of physical activity on suicidal ideation differs by gender and activity level. <i>Journal of Affective Disorders</i> , 2019, 257, 116-122.	4.1	8
134	Reduced plasma Fetuin-A is a promising biomarker of depression in the elderly. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 901-910.	3.2	8
135	Development of Neuroimaging-Based Biomarkers in Major Depression. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1305, 85-99.	1.6	8
136	Gender discrimination in workplace and depressive symptoms in female employees in South Korea. <i>Journal of Affective Disorders</i> , 2022, 306, 269-275.	4.1	8
137	The impact of 3D and 2D TV watching on neurophysiological responses and cognitive functioning in adults. <i>European Journal of Public Health</i> , 2015, 25, 1047-1052.	0.3	7
138	Local shape volume alterations in subcortical structures of suicide attempters with major depressive disorder. <i>Human Brain Mapping</i> , 2020, 41, 4925-4934.	3.6	7
139	&lt;p&gt;Definition and Identification of Patients with Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2929-2941.	2.2	7
140	Consideration of Long-Acting Injectable Antipsychotics for Polypharmacy Regimen in the Treatment of Schizophrenia: Put It on the Table or Not?. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 434-448.	2.0	7
141	Cortical Thickness and Surface Area Abnormalities in Bipolar I and II Disorders. <i>Psychiatry Investigation</i> , 2021, 18, 850-863.	1.6	6
142	Exploring Hidden Issues in the Use of Antipsychotic Polypharmacy in the Treatment of Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 600-609.	2.0	6
143	Cognitive performance norms from the Korean genome and epidemiology study (KoGES). <i>International Psychogeriatrics</i> , 2017, 29, 1909-1924.	1.0	5
144	Hot Genes in Schizophrenia: How Clinical Datasets Could Help to Refine their Role. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 273-286.	2.3	5

#	ARTICLE	IF	CITATIONS
145	How to approach to suicide prevention. Journal of the Korean Medical Association, 2019, 62, 79.	0.3	5
146	&lt;p&gt;Management of Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia&lt;/p&gt;. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2943-2959.	2.2	5
147	Prospective study on microstructure in medication-naïve adolescents with first-episode major depressive disorder. Journal of Affective Disorders, 2021, 293, 268-275.	4.1	5
148	Comorbid Zolpidem Dependence and Over-the-Counter Compound Analgesic Abuse. Clinical Psychopharmacology and Neuroscience, 2019, 17, 323-325.	2.0	5
149	<i>ZNF804A</i> Gene Variants Have a Cross-diagnostic Influence on Psychosis and Treatment Improvement in Mood Disorders. Clinical Psychopharmacology and Neuroscience, 2020, 18, 231-240.	2.0	5
150	Acute Efficacy and Safety of Escitalopram Versus Desvenlafaxine and Vortioxetine in the Treatment of Depression With Cognitive Complaint: A Rater-Blinded Randomized Comparative Study. Psychiatry Investigation, 2022, 19, 268-280.	1.6	5
151	Oral scopolamine augmentation for major depression. Expert Review of Neurotherapeutics, 2013, 13, 19-21.	2.8	4
152	Additional Reduction of Residual Symptoms with Aripiprazole Augmentation in the Patients with Partially Remitted Major Depressive Disorder. Clinical Psychopharmacology and Neuroscience, 2021, 19, 243-253.	2.0	4
153	Natural Course of Posttraumatic Symptoms in Late-Adolescent Maritime Disaster Survivors: Results of A 12-Month Follow-Up Study. Psychiatry Investigation, 2018, 15, 574-583.	1.6	4
154	Emotional Changes and Protective Factors of Emotional Workers in the Public and Private Sector. Psychiatry Investigation, 2020, 17, 645-653.	1.6	4
155	Evidence-Based Korean Pharmacological Treatment Guideline for Depression, Revised Edition (I) : Initial Choice of Antidepressant Treatment. Journal of Korean Neuropsychiatric Association, 2013, 52, 253.	0.5	4
156	Association of DNA Methylation of the NLRP3 Gene with Changes in Cortical Thickness in Major Depressive Disorder. International Journal of Molecular Sciences, 2022, 23, 5768.	4.1	4
157	Dilemma for enhancing psychiatrists's adherence to guideline (evidence)-based practice. Expert Review of Neurotherapeutics, 2013, 13, 751-754.	2.8	3
158	Genetic Variants Within Key Nodes of the Cascade of Antipsychotic Mechanisms: Effects on Antipsychotic Response and Schizophrenia Psychopathology in a Naturalistic Treatment Setting in Two Independent Korean and Italian Samples. Advances in Therapy, 2017, 34, 1482-1497.	2.9	3
159	Genetic Variants Within Molecular Targets of Antipsychotic Treatment: Effects on Treatment Response, Schizophrenia Risk, and Psychopathological Features. Journal of Molecular Neuroscience, 2018, 64, 62-74.	2.3	3
160	Promising neural diagnostic biomarkers and predictors of treatment outcomes for psychiatric disorders: Novel neuroimaging approaches. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 91, 1-3.	4.8	3
161	Changes in cortical thickness and volume of cerebellar subregions in patients with bipolar disorders. Journal of Affective Disorders, 2020, 271, 74-80.	4.1	3
162	The Behavioral Effects of Combination Therapy of Memantine and Acetylcholinesterase Inhibitors Compared with Acetylcholinesterase Inhibitors Alone in Patients with Moderate Alzheimer's Dementia: A Double-Blind Randomized Placebo-Controlled Trial. Psychiatry Investigation, 2021, 18, 233-240.	1.6	3

#	ARTICLE	IF	CITATIONS
163	Big Data and Discovery Sciences in Psychiatry. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1192, 3-15.	1.6	3
164	The Development of Evidence-Based Guideline for Diagnosis and Management of Headache in Korea. <i>Psychiatry Investigation</i> , 2019, 16, 199-205.	1.6	3
165	The Indirect Effect of Prefrontal Gray Matter Volume on Suicide Attempts among Individuals with Major Depressive Disorder. <i>Experimental Neurobiology</i> , 2022, 31, 97-104.	1.6	3
166	Sickness absence indicating depressive symptoms of working population in South Korea. <i>Journal of Affective Disorders</i> , 2018, 227, 443-449.	4.1	2
167	Possible Modulatory Role of ARC Gene Variants in Mood Disorders. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 46-52.	2.0	2
168	Changes in Brain Electrical Activity According to Post-traumatic Stress Symptoms in Survivors of the Sewol Ferry Disaster: A 1-year Longitudinal Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 537-544.	2.0	2
169	Brain amyloid accumulation possibly exacerbates concurrent mild cognitive impairment with subthreshold depression in older adults: A 1-year follow-up study. <i>Journal of Affective Disorders</i> , 2021, 295, 93-100.	4.1	2
170	Evidence-Based Korean Pharmacological Treatment Guideline for Depression, Revised Edition (III) : Dose Increment, Switching, Combination, and Augmentation Strategy in Antidepressant Therapy. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 386.	0.5	2
171	Evidence-Based Korean Pharmacological Treatment Guideline for Depression, Revised Edition (II) : Antidepressant Efficacy Compared with Placebo, Difference in Efficacy of Antidepressants, and Appropriate Time of Efficacy Judgment in Antidepressant Therapy. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 372.	0.5	2
172	Epistatic Interactions between CREB and CREM Variants in Affective Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 200.	1.6	2
173	The associations of TAC1 gene polymorphisms with major depressive disorder. <i>Molecular and Cellular Toxicology</i> , 2019, 15, 129-136.	1.7	1
174	Clinical Benefit and Utility of Switching to Aripiprazole Once Monthly in Patients with Antipsychotic Polypharmacy or Long Acting Injectable Antipsychotics for Patients with Schizophrenia in Routine Practice: A Retrospective, Observation Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 233-242.	2.0	1
175	The neural circuit model of depression and the therapeutic mechanism of cognitive behavioral therapy : A review of functional brain magnetic resonance imaging studies. <i>Cognitive Behavior Therapy in Korea</i> , 2021, 21, 665-688.	0.1	1
176	A Pharmacogenomic-based Antidepressant Treatment for Patients with Major Depressive Disorder: Results from an 8-week, Randomized, Single-blinded Clinical Trial. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 469-480.	2.0	1
177	Paroxetine for patients with undifferentiated somatoform disorder: A prospective, open-label, 8-week pilot study. <i>Current Therapeutic Research</i> , 2008, 69, 221-231.	1.2	0
178	Association of chronic divalproex sodium use and brain atrophy in Alzheimer's disease. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 155-158.	2.8	0
179	PS227. Psychometric Properties of the Korean Version of the Clinically Useful Depression Outcome Scale (CUDOS) in Psychiatric Outpatients. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 83-83.	2.1	0
180	PM449. Hot genes in schizophrenia: case-control, pharmacogenetics and exploratory analyses in two independent samples. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 63-63.	2.1	0

#	ARTICLE	IF	CITATIONS
181	Diagnostic and Therapeutic Model for Korean Major Depressive Disorder Using Multi-Modal Data. Journal of KIISE, 2019, 46, 71-76.	0.1	0
182	Comparison of Morning and Evening/Night Dosing on the Efficacy of Escitalopram in Major Depressive Disorder at Naturalistic Setting. Chronobiology in Medicine, 2019, 1, 152-156.	0.4	0
183	Geriatric mental health system for the management of geriatric depression and dementia in Korea. Psychiatria Et Neurologia Japonica - Seishin Shinkeigaku Zasshi, 2006, 108, 1176-7.	0.1	0
184	Pharmacotherapy for late-life depression. Journal of the Korean Medical Association, 2022, 65, 176-184.	0.3	0
185	Associations between cognitive impairment and cortical thickness alterations in patients with euthymic and depressive bipolar disorder. Psychiatry Research - Neuroimaging, 2022, 322, 111462.	1.8	0