

Toshiaki Yoshioka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3344935/publications.pdf>

Version: 2024-02-01

267
papers

6,903
citations

66343

42
h-index

114465

63
g-index

269
all docs

269
docs citations

269
times ranked

4886
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrogen production from biomass and plastic mixtures by pyrolysis-gasification. International Journal of Hydrogen Energy, 2014, 39, 10883-10891.	7.1	210
2	Kinetics of Hydrolysis of Poly(ethylene terephthalate) Powder in Sulfuric Acid by a Modified Shrinking-Core Model. Industrial & Engineering Chemistry Research, 2001, 40, 75-79.	3.7	181
3	Hydrolysis of waste PET by sulfuric acid at 150°C for a chemical recycling. Journal of Applied Polymer Science, 1994, 52, 1353-1355.	2.6	161
4	New insights into the capture performance and mechanism of hazardous metals Cr ³⁺ and Cd ²⁺ onto an effective layered double hydroxide based material. Journal of Hazardous Materials, 2022, 426, 128062.	12.4	155
5	Pyrolysis of poly(ethylene terephthalate) in a fluidised bed plant. Polymer Degradation and Stability, 2004, 86, 499-504.	5.8	154
6	Kinetics of Hydrolysis of PET Powder in Nitric Acid by a Modified Shrinking-Core Model. Industrial & Engineering Chemistry Research, 1998, 37, 336-340.	3.7	146
7	Low-temperature catalytic upgrading of waste polyolefinic plastics into liquid fuels and waxes. Applied Catalysis B: Environmental, 2021, 285, 119805.	20.2	137
8	Pyrolysis of tetrabromobisphenol-A containing paper laminated printed circuit boards. Chemosphere, 2008, 71, 872-878.	8.2	121
9	Pyrolysis gases produced from individual and mixed PE, PP, PS, PVC, and PET—Part I: Production and physical properties. Fuel, 2018, 221, 346-360.	6.4	106
10	Novel Ni–Mg–Al–Ca catalyst for enhanced hydrogen production for the pyrolysis–gasification of a biomass/plastic mixture. Journal of Analytical and Applied Pyrolysis, 2015, 113, 15-21.	5.5	101
11	Recovery of indium from In ₂ O ₃ and liquid crystal display powder via a chloride volatilization process using polyvinyl chloride. Thermochimica Acta, 2009, 493, 105-108.	2.7	97
12	Uptake of heavy metal ions from aqueous solution using Mg–Al layered double hydroxides intercalated with citrate, malate, and tartrate. Separation and Purification Technology, 2008, 62, 330-336.	7.9	80
13	New method of treating dilute mineral acids using magnesium–aluminum oxide. Water Research, 2003, 37, 1545-1550.	11.3	71
14	Dechlorination of poly(vinyl chloride) using NaOH in ethylene glycol under atmospheric pressure. Polymer Degradation and Stability, 2008, 93, 1138-1141.	5.8	69
15	Chemical modification of poly(vinyl chloride) by nucleophilic substitution. Polymer Degradation and Stability, 2009, 94, 107-112.	5.8	69
16	Interactions of beech wood–polyethylene mixtures during co-pyrolysis. Journal of Analytical and Applied Pyrolysis, 2016, 122, 531-540.	5.5	65
17	Thermal decomposition of individual and mixed plastics in the presence of CaO or Ca(OH) ₂ . Journal of Analytical and Applied Pyrolysis, 2015, 113, 584-590.	5.5	64
18	Effects of metal oxides on the pyrolysis of poly(ethylene terephthalate). Journal of Analytical and Applied Pyrolysis, 2005, 73, 139-144.	5.5	62

#	ARTICLE	IF	CITATIONS
19	Recyclable Mg-Al layered double hydroxides for fluoride removal: Kinetic and equilibrium studies. <i>Journal of Hazardous Materials</i> , 2015, 300, 475-482.	12.4	62
20	Pyrolytic hydrolysis of polycarbonate in the presence of earth-alkali oxides and hydroxides. <i>Polymer Degradation and Stability</i> , 2009, 94, 1119-1124.	5.8	61
21	Feedstock Recycling & Waste Plastic Pyrolysis. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 243-253.	0.6	61
22	Dechlorination behaviour of flexible poly(vinyl chloride) in NaOH/EG solution. <i>Polymer Degradation and Stability</i> , 2008, 93, 1822-1825.	5.8	58
23	Feedstock recycling of waste polymeric material. <i>Journal of Material Cycles and Waste Management</i> , 2011, 13, 265-282.	3.0	58
24	New Treatment Methods for Waste Water Containing Chloride Ion Using Magnesium-Aluminum Oxide. <i>Chemistry Letters</i> , 2000, 29, 1136-1137.	1.3	57
25	Aromatic hydrocarbon selectivity as a function of CaO basicity and aging during CaO-catalyzed PET pyrolysis using tandem μ -reactor-GC/MS. <i>Chemical Engineering Journal</i> , 2018, 332, 169-173.	12.7	57
26	Kinetic studies of the decomposition of flame retardant containing high-impact polystyrene. <i>Polymer Degradation and Stability</i> , 2010, 95, 1129-1137.	5.8	54
27	Preparation of Mg-Al layered double hydroxide doped with Fe ²⁺ and its application to Cr(VI) removal. <i>Separation and Purification Technology</i> , 2014, 122, 12-16.	7.9	54
28	Enhancement of bio-oil production via pyrolysis of wood biomass by pretreatment with H ₂ SO ₄ . <i>Bioresource Technology</i> , 2015, 178, 76-82.	9.6	53
29	New Treatment Method for Dilute Hydrochloric Acid Using Magnesium-Aluminum Oxide. <i>Bulletin of the Chemical Society of Japan</i> , 2002, 75, 595-599.	3.2	49
30	A novel method to delaminate nitrate-intercalated Mg-Al layered double hydroxides in water and application in heavy metals removal from waste water. <i>Chemosphere</i> , 2018, 203, 281-290.	8.2	49
31	Effect of temperature management on the hydrolytic degradation of PET in a calcium oxide filled tube reactor. <i>Chemical Engineering Journal</i> , 2011, 166, 523-528.	12.7	47
32	Strategy for separation and treatment of disaster waste: a manual for earthquake and tsunami disaster waste management in Japan. <i>Journal of Material Cycles and Waste Management</i> , 2013, 15, 290-299.	3.0	47
33	Thermal decomposition of tetrabromobisphenol-A containing printed circuit boards in the presence of calcium hydroxide. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 282-293.	3.0	47
34	TGA-MS investigation of brominated products from the degradation of brominated flame retardants in high-impact polystyrene. <i>Chemosphere</i> , 2011, 85, 368-373.	8.2	46
35	Kinetic and equilibrium studies of urea adsorption onto activated carbon: Adsorption mechanism. <i>Journal of Dispersion Science and Technology</i> , 2017, 38, 1063-1066.	2.4	46
36	Elimination behavior of nitrogen oxides from a NO ₃ ⁻ -intercalated Mg-Al layered double hydroxide during thermal decomposition. <i>Thermochimica Acta</i> , 2010, 499, 106-110.	2.7	45

#	ARTICLE	IF	CITATIONS
37	Pyrolysis of Mixed Plastics in a Fluidized Bed of Hard Burnt Lime. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 5459-5466.	3.7	45
38	Removal of antimonate ions from an aqueous solution by anion exchange with magnesium–aluminum layered double hydroxide and the formation of a brandholzite-like structure. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012, 47, 1146-1151.	1.7	45
39	Adsorption of urea, creatinine, and uric acid onto spherical activated carbon. <i>Separation and Purification Technology</i> , 2020, 237, 116367.	7.9	45
40	Pyrolysis gases produced from individual and mixed PE, PP, PS, PVC, and PET—Part II: Fuel characteristics. <i>Fuel</i> , 2018, 221, 361-373.	6.4	44
41	Causticization of sodium carbonate with rock-salt type magnesium aluminium oxide formed by the thermal decomposition of hydrotalcite-like layered double hydroxide. <i>Journal of Chemical Technology and Biotechnology</i> , 1993, 57, 137-140.	3.2	43
42	Steam Hydrolysis of Poly(bisphenol A carbonate) in a Fluidized Bed Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 4215-4223.	3.7	43
43	Effects of hard- and soft-segment composition on pyrolysis characteristics of MDI, BD, and PTMG-based polyurethane elastomers. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 126, 337-345.	5.5	43
44	Analysis of Two Stages Dehydrochlorination of Poly(vinyl chloride) Using TG-MS. <i>Chemistry Letters</i> , 2000, 29, 322-323.	1.3	42
45	Solubility parameters for determining optimal solvents for separating PVC from PVC-coated PET fibers. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 612-622.	3.0	42
46	Chemical recycling of rigid-PVC by oxygen oxidation in NaOH solutions at elevated temperatures. <i>Polymer Degradation and Stability</i> , 2000, 67, 285-290.	5.8	41
47	Hybrid inorganic/organic composites of Mg–Al layered double hydroxides intercalated with citrate, malate, and tartrate prepared by co-precipitation. <i>Materials Research Bulletin</i> , 2009, 44, 840-845.	5.2	41
48	Replacing conventional fuels in USA, Europe, and UK with plastic pyrolysis gases — Part I: Experiments and graphical interchangeability methods. <i>Energy Conversion and Management</i> , 2016, 126, 1118-1127.	9.2	41
49	The removal of chloride from solutions with various cations using magnesium–aluminum oxide. <i>Separation and Purification Technology</i> , 2005, 42, 25-29.	7.9	40
50	Chemical modification of rigid poly(vinyl chloride) by the substitution with nucleophiles. <i>Journal of Applied Polymer Science</i> , 2010, 116, 36-44.	2.6	40
51	Photocatalytic properties of CdS and CdS–ZnS mixtures incorporated into the interlayer of layered compounds. <i>Journal of Chemical Technology and Biotechnology</i> , 1993, 58, 315-319.	3.2	39
52	Kinetics of uptake of Cu ²⁺ and Cd ²⁺ by Mg–Al layered double hydroxides intercalated with citrate, malate, and tartrate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 355, 172-177.	4.7	39
53	Treatment of hydrochloric acid with magnesium–aluminum oxide at ambient temperatures. <i>Separation and Purification Technology</i> , 2006, 51, 272-276.	7.9	38
54	Uptake of Sc ³⁺ and La ³⁺ from aqueous solution using ethylenediaminetetraacetate-intercalated Cu–Al layered double hydroxide reconstructed from Cu–Al oxide. <i>Solid State Sciences</i> , 2011, 13, 366-371.	3.2	38

#	ARTICLE	IF	CITATIONS
55	Antibacterial effect of thiocyanate substituted poly(vinyl chloride). Journal of Polymer Research, 2011, 18, 945-947.	2.4	38
56	High-value products from the catalytic hydrolysis of polycarbonate waste. Polymer Journal, 2010, 42, 438-442.	2.7	37
57	Equilibrium and kinetics studies on As(V) and Sb(V) removal by Fe ²⁺ -doped Mg-Al layered double hydroxides. Journal of Environmental Management, 2015, 151, 303-309.	7.8	37
58	Catalytic Pyrolysis of Poly(ethylene terephthalate) in the Presence of Metal Oxides for Aromatic Hydrocarbon Recovery Using Tandem 1/4-Reactor-GC/MS. Energy & Fuels, 2020, 34, 2492-2500.	5.1	37
59	Chemical Recycling of Polycarbonate to Raw Materials by Thermal Decomposition with Calcium Hydroxide/Steam. Chemistry Letters, 2005, 34, 282-283.	1.3	36
60	Basic study on the determination of total boron by conversion to tetrafluoroborate ion (BF ₄ ⁻) followed by ion chromatography. Analytica Chimica Acta, 2006, 570, 65-72.	5.4	36
61	Removal of HCl, SO ₂ , and NO by treatment of acid gas with Mg-Al oxide slurry. Chemosphere, 2011, 82, 587-591.	8.2	36
62	Removal of boron and fluoride in wastewater using Mg-Al layered double hydroxide and Mg-Al oxide. Journal of Environmental Management, 2017, 188, 58-63.	7.8	36
63	New treatment method for boron in aqueous solutions using Mg-Al layered double hydroxide: Kinetics and equilibrium studies. Journal of Hazardous Materials, 2015, 293, 54-63.	12.4	35
64	A combined kinetic and thermodynamic approach for interpreting the complex interactions during chloride volatilization of heavy metals in municipal solid waste fly ash. Waste Management, 2019, 87, 204-217.	7.4	35
65	Simultaneous Recovery of Benzene-Rich Oil and Metals by Steam Pyrolysis of Metal-Poly(ethylene) Terephthalate. Journal of Applied Polymer Science, 2019, 143, 47507.	10.0	34
66	Sintering of Ceria-Doped Tetragonal Zirconia Crystallized in Organic Solvents, Water, and Air. Journal of the American Ceramic Society, 1992, 75, 552-556.	3.8	33
67	Ball Mill-Assisted Dechlorination of Flexible and Rigid Poly(vinyl chloride) in NaOH/EG Solution. Industrial & Engineering Chemistry Research, 2008, 47, 8619-8624.	3.7	33
68	Effects of steam on the thermal dehydrochlorination of poly(vinyl chloride) resin and flexible poly(vinyl chloride) under atmospheric pressure. Polymer Degradation and Stability, 2015, 117, 8-15.	5.8	33
69	Practical dechlorination of polyvinyl chloride wastes in NaOH/ethylene glycol using an up-scale ball mill reactor and validation by discrete element method simulations. Waste Management, 2019, 99, 31-41.	7.4	33
70	Dechlorination of poly(vinylidene chloride) in NaOH/ethylene glycol as a function of NaOH concentration, temperature, and solvent. Polymer Degradation and Stability, 2008, 93, 1979-1984.	5.8	32
71	Preparation and characterization of Mg-Al layered double hydroxides intercalated with benzenesulfonate and benzenedisulfonate. Microporous and Mesoporous Materials, 2008, 114, 410-415.	4.4	32
72	Removal of hydrogen chloride from gaseous streams using magnesium-aluminum oxide. Chemosphere, 2008, 73, 844-847.	8.2	32

#	ARTICLE	IF	CITATIONS
73	Adsorption of Cu ²⁺ and Ni ²⁺ by tripolyphosphate-crosslinked chitosan-modified montmorillonite. <i>Journal of Solid State Chemistry</i> , 2019, 277, 143-148.	2.9	32
74	Latest Trends and Challenges in Feedstock Recycling of Polyolefinic Plastics. <i>Journal of the Japan Petroleum Institute</i> , 2020, 63, 345-364.	0.6	32
75	Dehydrochlorination behavior of a chloride ion-intercalated hydrotalcite-like compound during thermal decomposition. <i>Applied Clay Science</i> , 2007, 35, 173-179.	5.2	31
76	High Selective Conversion of Poly(ethylene terephthalate) into Oil Using Ca(OH) ₂ . <i>Chemistry Letters</i> , 2004, 33, 282-283.	1.3	30
77	Alkaline hydrolysis of PVC-coated PET fibers for simultaneous recycling of PET and PVC. <i>Journal of Material Cycles and Waste Management</i> , 2018, 20, 439-449.	3.0	30
78	Simultaneous recovery of H ₂ -rich syngas and removal of HCN during pyrolytic recycling of polyurethane by Ni/Mg/Al catalysts. <i>Chemical Engineering Journal</i> , 2019, 361, 408-415.	12.7	30
79	Close Packing of Cellulose and Chitosan in Regenerated Cellulose Fibers Improves Carbon Yield and Structural Properties of Respective Carbon Fibers. <i>Biomacromolecules</i> , 2020, 21, 4326-4335.	5.4	30
80	Lactic acid as a substrate for fermentative hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 16967-16973.	7.1	29
81	Removal of arsenic from an aqueous solution by coprecipitation with manganese oxide. <i>Journal of Environmental Chemical Engineering</i> , 2014, 2, 2045-2049.	6.7	29
82	Adsorption isotherms and kinetics of arsenic removal from aqueous solution by Mg-Al layered double hydroxide intercalated with nitrate ions. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017, 120, 703-714.	1.7	29
83	Ni-Al layered double hydroxides modified with citrate, malate, and tartrate: Preparation by coprecipitation and uptake of Cu ²⁺ from aqueous solution. <i>Journal of Physics and Chemistry of Solids</i> , 2011, 72, 846-851.	4.0	28
84	Preparation of Cu-Al layered double hydroxide intercalated with ethylenediaminetetraacetate by coprecipitation and its uptake of rare earth ions from aqueous solution. <i>Solid State Sciences</i> , 2013, 17, 28-34.	3.2	28
85	A novel process for the removal of bromine from styrene polymers containing brominated flame retardant. <i>Polymer Degradation and Stability</i> , 2015, 112, 86-93.	5.8	28
86	Pyrolysis of sugarcane bagasse pretreated with sulfuric acid. <i>Journal of the Energy Institute</i> , 2019, 92, 1149-1157.	5.3	28
87	Beech Wood Pyrolysis in Polyethylene Melt as a Means of Enhancing Levoglucosan and Methoxyphenol Production. <i>Scientific Reports</i> , 2019, 9, 1955.	3.3	28
88	Temperature-dependent pyrolysis behavior of polyurethane elastomers with different hard- and soft-segment compositions. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020, 145, 104754.	5.5	28
89	Photochemical Reduction of Nitrate to Ammonia Using Layered Hydrous Titanate/Cadmium Sulphide Nanocomposites. <i>Journal of Chemical Technology and Biotechnology</i> , 1996, 67, 345-349.	3.2	26
90	Impact of Common Plastics on Cellulose Pyrolysis. <i>Energy & Fuels</i> , 2019, 33, 6837-6841.	5.1	26

#	ARTICLE	IF	CITATIONS
91	A new strategy for CO ₂ utilization with waste plastics: conversion of hydrogen carbonate into formate using polyvinyl chloride in water. <i>Green Chemistry</i> , 2020, 22, 352-358.	9.0	26
92	Removal of antimonate ions and simultaneous formation of a brandholzite-like compound from magnesium–aluminum oxide. <i>Separation and Purification Technology</i> , 2011, 80, 235-239.	7.9	25
93	Recovery of glass fibers from glass fiber reinforced plastics by pyrolysis. <i>Journal of Material Cycles and Waste Management</i> , 2013, 15, 122-128.	3.0	25
94	Pyrolysis versus hydrolysis behavior during steam decomposition of polyesters using ¹⁸ O-labeled steam. <i>RSC Advances</i> , 2015, 5, 61828-61837.	3.6	25
95	Treatment of hydrochloric acid using Mg–Al layered double hydroxide intercalated with carbonate. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 39, 21-26.	5.8	25
96	Temperature Dependence on the Activation Energy of Dechlorination in Thermal Degradation of Polyvinylchloride. <i>Chemistry Letters</i> , 2005, 34, 70-71.	1.3	24
97	Impact of brominated flame retardants on the thermal degradation of high-impact polystyrene. <i>Polymer Degradation and Stability</i> , 2013, 98, 306-315.	5.8	24
98	Latest Trends in Pyrolysis Gas Chromatography for Analytical and Applied Pyrolysis of Plastics. <i>Analytical Sciences</i> , 2021, 37, 145-157.	1.6	24
99	Preparation of Mg–Al layered double hydroxides intercalated with alkyl sulfates and investigation of their capacity to take up N,N-dimethylaniline from aqueous solutions. <i>Solid State Sciences</i> , 2009, 11, 2060-2064.	3.2	23
100	Decomposition of Gaseous Terephthalic Acid in the Presence of CaO. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 1831-1836.	3.7	23
101	Removal of toxic HCN and recovery of H ₂ -rich syngas via catalytic reforming of product gas from gasification of polyimide over Ni/Mg/Al catalysts. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 123, 330-339.	5.5	23
102	Diagnosing chlorine industrial metabolism by evaluating the potential of chlorine recovery from polyvinyl chloride wastes—A case study in Japan. <i>Resources, Conservation and Recycling</i> , 2018, 133, 354-361.	10.8	23
103	Removal of tetrafluoroborate ion from aqueous solution using magnesium–aluminum oxide produced by the thermal decomposition of a hydrotalcite-like compound. <i>Chemosphere</i> , 2007, 69, 832-835.	8.2	22
104	Treatment of gaseous hydrogen chloride using Mg–Al layered double hydroxide intercalated with carbonate ion. <i>Chemosphere</i> , 2010, 81, 658-662.	8.2	22
105	Use of Mg–Al oxide for boron removal from an aqueous solution in rotation: Kinetics and equilibrium studies. <i>Journal of Environmental Management</i> , 2016, 165, 280-285.	7.8	22
106	Separation of copper and polyvinyl chloride from thin waste electric cables: A combined PVC-swelling and centrifugal approach. <i>Waste Management</i> , 2019, 89, 27-36.	7.4	22
107	Metal recovery from wire scrap via a chloride volatilization process: Poly(vinyl chloride) derived chlorine as volatilization agent. <i>Thermochimica Acta</i> , 2013, 562, 65-69.	2.7	21
108	Lead removal from cathode ray tube glass by the action of calcium hydroxide and poly(vinyl chloride). <i>Thermochimica Acta</i> , 2014, 596, 49-55.	2.7	21

#	ARTICLE	IF	CITATIONS
109	Kinetics and equilibrium studies on Mg-Al oxide for removal of fluoride in aqueous solution and its use in recycling. <i>Journal of Environmental Management</i> , 2015, 156, 252-256.	7.8	21
110	Simultaneous recovery of high-purity copper and polyvinyl chloride from thin electric cables by plasticizer extraction and ball milling. <i>RSC Advances</i> , 2018, 8, 6893-6903.	3.6	21
111	Impacts of Pyrolytic Interactions during the Co-pyrolysis of Biomass/Plastic: Synergies in Lignocellulose-Polyethylene System. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2019, 98, 202-219.	0.2	21
112	Kinetics of the dehydrochlorination of poly(vinyl chloride) in the presence of NaOH and various diols as solvents. <i>Polymer Degradation and Stability</i> , 2009, 94, 1595-1597.	5.8	20
113	Electrodialysis for NaCl/EG solution using ion-exchange membranes. <i>Journal of Material Cycles and Waste Management</i> , 2013, 15, 111-114.	3.0	20
114	Replacing conventional fuels in USA, Europe, and UK with plastic pyrolysis gases – Part II: Multi-index interchangeability methods. <i>Energy Conversion and Management</i> , 2016, 126, 1128-1145.	9.2	20
115	Kinetic and equilibrium analyses of lactate adsorption by Cu-Al and Mg-Al layered double hydroxides (Cu-Al LDH and Mg-Al LDH) and Cu-Al and Mg-Al layered double oxides (Cu-Al LDO and Mg-Al LDO). <i>Nano Structures Nano Objects</i> , 2021, 25, 100656.	3.5	20
116	Efficient dehalogenation of automobile shredder residue in NaOH/ethylene glycol using a ball mill. <i>Chemosphere</i> , 2009, 74, 287-292.	8.2	19
117	Selective Uptake of Aromatic Compounds from Aqueous Solutions by Mg-Al Layered Double Hydroxide Intercalated with 2,7-Naphthalenedisulfonate. <i>Chemistry Letters</i> , 2009, 38, 522-523.	1.3	19
118	Recovery of benzene-rich oil from the degradation of metal- and metal oxide-containing poly(ethylene Tj ETQq0 0 0 rgBT /Overlock 10 T	3.6	19
119	Deducing targets of emerging technologies based on ex ante life cycle thinking: Case study on a chlorine recovery process for polyvinyl chloride wastes. <i>Resources, Conservation and Recycling</i> , 2019, 151, 104500.	10.8	19
120	Separation mechanism of polyvinyl chloride and copper components from swollen electric cables by mechanical agitation. <i>Waste Management</i> , 2019, 93, 54-62.	7.4	19
121	Enhancement of gasification and liquefaction during fast co-pyrolysis of cedar wood and polyethylene through control of synergistic interactions. <i>Bioresource Technology Reports</i> , 2020, 11, 100431.	2.7	19
122	Selective production of benzene and naphthalene from poly(butylene terephthalate) and poly(ethylene Tj ETQq0 0 0 rgBT /Overlock 10 T and Stability, 2006, 91, 1002-1009.	5.8	18
123	Dehydrochlorination of poly(vinyl chloride) with Ca(OH) ₂ in ethylene glycol and the effect of ball milling. <i>Journal of Polymer Research</i> , 2011, 18, 1687-1691.	2.4	18
124	Elucidation of the Mechanism of Reaction between S ₂ O ₈ ²⁻ , Selenite and Mn ²⁺ in Aqueous Solution and Limestone-Gypsum FGD Liquor. <i>Environmental Science & Technology</i> , 2013, 47, 11311-11317.	10.0	18
125	Treatment of Cr(VI) in aqueous solution by Ni-Al and Co-Al layered double hydroxides: Equilibrium and kinetic studies. <i>Journal of Water Process Engineering</i> , 2015, 8, e75-e80.	5.6	18
126	Pyrolysis and hydrolysis behaviors during steam pyrolysis of polyimide. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 120, 75-81.	5.5	18

#	ARTICLE	IF	CITATIONS
127	Uptake of Ni ²⁺ and Cu ²⁺ by Zn-Al layered double hydroxide intercalated with carboxymethyl-modified cyclodextrin: Equilibrium and kinetic studies. <i>Materials Chemistry and Physics</i> , 2019, 233, 288-295.	4.0	18
128	Treatment of HCl gas by cyclic use of Mg-Al layered double hydroxide intercalated with CO ₃ ²⁻ . <i>Atmospheric Pollution Research</i> , 2020, 11, 290-295.	3.8	18
129	Preparation of organic acid anion-modified magnesium hydroxides by coprecipitation: A novel material for the uptake of heavy metal ions from aqueous solutions. <i>Journal of Physics and Chemistry of Solids</i> , 2009, 70, 1104-1108.	4.0	17
130	Chemical modification of flexible and rigid poly(vinyl chloride) by nucleophilic substitution with thiocyanate using a phase-transfer catalyst. <i>Materials Chemistry and Physics</i> , 2010, 124, 163-167.	4.0	17
131	Uptake of Nd ³⁺ and Sr ²⁺ by Li-Al layered double hydroxide intercalated with triethylenetetramine-hexaacetic acid: kinetic and equilibrium studies. <i>RSC Advances</i> , 2015, 5, 79447-79455.	3.6	17
132	Uptake of Nd ³⁺ and Sr ²⁺ by Li-Al layered double hydroxides intercalated with ethylenediaminetetraacetate. <i>Materials Chemistry and Physics</i> , 2016, 177, 8-11.	4.0	17
133	Enhanced production of phenol and debromination by co-pyrolysis of the non-metallic fraction of printed circuit boards and waste tires. <i>Green Chemistry</i> , 2021, 23, 6392-6404.	9.0	17
134	Uptake of benzenecarboxylate ions by magnesium aluminium oxides. <i>Journal of Chemical Technology and Biotechnology</i> , 1992, 55, 385-390.	3.2	16
135	Steam Pyrolysis of Polyimides: Effects of Steam on Raw Material Recovery. <i>Environmental Science & Technology</i> , 2015, 49, 13558-13565.	10.0	16
136	Effect of H ₂ O ₂ on the treatment of NO and NO ₂ using a Mg-Al oxide slurry. <i>Chemosphere</i> , 2015, 120, 378-382.	8.2	16
137	Hydrothermal synthesis of hardened diatomite-based adsorbents with analcime formation for methylene blue adsorption. <i>RSC Advances</i> , 2016, 6, 26765-26774.	3.6	16
138	Validation of a deplasticizer-ball milling method for separating Cu and PVC from thin electric cables: A simulation and experimental approach. <i>Waste Management</i> , 2018, 82, 220-230.	7.4	16
139	Uptake of heavy metal cations by chitosan-modified montmorillonite: Kinetics and equilibrium studies. <i>Materials Chemistry and Physics</i> , 2019, 236, 121784.	4.0	16
140	Evolution of carbon nanostructure during pyrolysis of homogeneous chitosan-cellulose composite fibers. <i>Carbon</i> , 2021, 185, 27-38.	10.3	16
141	Synergistic effects during co-pyrolysis of milled wood lignin and polyolefins at the gas phase and liquid/solid phase contacting modes. <i>Chemical Engineering Journal</i> , 2022, 431, 134030.	12.7	16
142	Dehydrochlorination and recovery of hydrochloric acid by thermal treatment of a chloride ion-intercalated hydrotalcite-like compound. <i>Applied Clay Science</i> , 2007, 37, 215-219.	5.2	15
143	Preparation of Mg-Al Layered Double Hydroxide Intercalated with 2,7-Naphthalene Disulfonate and Its Selective Uptake of Aromatic Compounds from Aqueous Solutions. <i>Bulletin of the Chemical Society of Japan</i> , 2009, 82, 1436-1440.	3.2	15
144	Upgrading of poly(vinyl chloride) by chemical modifications using sodium sulfide. <i>Journal of Material Cycles and Waste Management</i> , 2010, 12, 264-270.	3.0	15

#	ARTICLE	IF	CITATIONS
145	Improvement of the Benzene Yield During Pyrolysis of Terephthalic Acid Using a CaO Fixed-Bed Reactor. Industrial & Engineering Chemistry Research, 2011, 50, 6594-6600.	3.7	15
146	Hydrolytic degradation of poly(ethylene terephthalate) in a pyrolytic two step process to obtain benzene rich oil. Journal of Applied Polymer Science, 2011, 120, 3687-3694.	2.6	15
147	Mechanism and kinetics of aqueous boron removal using MgO. Journal of Water Process Engineering, 2018, 26, 237-241.	5.6	15
148	Mg ²⁺ /Al layered double hydroxide intercalated with CO ₃ ²⁻ and its recyclability for treatment of SO ₂ . Applied Clay Science, 2019, 183, 105349.	5.2	15
149	Heavy metal removal from municipal solid waste fly ash through chloride volatilization using poly(vinyl chloride) as chlorinating agent. Journal of Material Cycles and Waste Management, 2020, 22, 1270-1283.	3.0	15
150	Combining pyrolysis ² two-dimensional gas chromatography ² time-of-flight mass spectrometry with hierarchical cluster analysis for rapid identification of pyrolytic interactions: Case study of co-pyrolysis of PVC and biomass components. Chemical Engineering Research and Design, 2020, 143, 91-100.	5.6	15
151	Prediction of pyrolyzate yields by response surface methodology: A case study of cellulose and polyethylene co-pyrolysis. Bioresource Technology, 2021, 337, 125435.	9.6	15
152	Special Articles on Chemistry and Technology for Recycling Inorganic and Organic Materials. Oxidation of Poly(vinyl chloride) Powder by Molecular Oxygen in Alkaline Solutions at High Temperatures.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1992, 1992, 534-541.	0.1	14
153	Determination of Fluoride Using ion-selective Electrodes in the Presence of Aluminum. Analytical Sciences, 2009, 25, 1437-1443.	1.6	14
154	Effect of heating rate on the pyrolysis of high-impact polystyrene containing brominated flame retardants: fate of brominated flame retardants. Journal of Material Cycles and Waste Management, 2012, 14, 259-265.	3.0	14
155	Preparation of Zn ²⁺ /Al layered double hydroxide intercalated with triethylenetetramine-hexaacetic acid by coprecipitation: uptake of rare-earth metal ions from aqueous solutions. RSC Advances, 2014, 4, 45995-46001.	3.6	14
156	Thermal decomposition of SO ₄ ²⁻ -intercalated Mg ²⁺ /Al layered double hydroxide. Journal of Thermal Analysis and Calorimetry, 2012, 110, 641-646.	3.6	13
157	Removal of chloride from ethylene glycol solution using alumina/zeolite membrane as a physical boundary between the organic and aqueous phases. Journal of Material Cycles and Waste Management, 2013, 15, 404-408.	3.0	13
158	Selective phenol recovery via simultaneous hydrogenation/dealkylation of isopropyl- and isopropenyl-phenols employing an H ₂ generator combined with tandem micro-reactor GC/MS. Scientific Reports, 2018, 8, 13994.	3.3	13
159	Morphology of barium sulfate synthesized with barium(II) ²⁺ aminocarboxylate chelating precursors. CrystEngComm, 2001, 3, 21-26.	2.6	12
160	Formation and decomposition of tetrafluoroborate ions in the presence of aluminum. Journal of Material Cycles and Waste Management, 2010, 12, 136-146.	3.0	12
161	Kinetics of Cr(VI) removal by Mg ²⁺ /Al layered double hydroxide doped with Fe ²⁺ . Journal of Water Process Engineering, 2014, 4, 134-136.	5.6	12
162	Equilibrium and kinetic studies of Se(^{vi}) removal by Mg ²⁺ /Al layered double hydroxide doped with Fe ²⁺ . RSC Advances, 2014, 4, 61817-61822.	3.6	12

#	ARTICLE	IF	CITATIONS
163	Simultaneous removal of Cl^- and SO_4^{2-} from seawater using Mg-Al oxide: kinetics and equilibrium studies. <i>Applied Water Science</i> , 2017, 7, 129-136.	5.6	12
164	Treatment of NO_x using recyclable CO_3^{2-} -intercalated Mg-Al layered double hydroxide. <i>Atmospheric Pollution Research</i> , 2019, 10, 1866-1872.	3.8	12
165	Application of Mg-Al layered double hydroxide for treating acidic mine wastewater: a novel approach to sludge reduction. <i>Chemistry and Ecology</i> , 2019, 35, 128-142.	1.6	12
166	Influence of CO_2 gas on the rate and kinetics of HCl , SO_2 , and NO_2 gas removal by Mg-Al layered double hydroxide intercalated with CO_3^{2-} . <i>Applied Clay Science</i> , 2020, 195, 105725.	5.2	12
167	Impact of Ni/Mg/Al Catalyst Composition on Simultaneous H_2 -Rich Syngas Recovery and Toxic HCN Removal through a Two-Step Polyurethane Pyrolysis and Steam Reforming Process. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 9023-9033.	3.7	12
168	Adsorption of urea, creatinine, and uric acid from three solution types using spherical activated carbon and its recyclability. <i>Chinese Journal of Chemical Engineering</i> , 2020, 28, 2993-3001.	3.5	12
169	Mitigation of bromine-containing products during pyrolysis of polycarbonate-based tetrabromobisphenol A in the presence of copper(I) oxide. <i>Journal of Hazardous Materials</i> , 2021, 409, 124972.	12.4	12
170	Investigation of the mechanism of Cu(II) removal using Mg-Al layered double hydroxide intercalated with carbonate: Equilibrium and pH studies and solid-state analyses. <i>Inorganic Chemistry Communication</i> , 2021, 132, 108839.	3.9	12
171	Synthesis of Hydrotalcite from Seawater and Its Application to Phosphorus Removal. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2002, 177, 1503-1506.	1.6	11
172	Chemical modification and dechlorination of polyvinyl chloride by substitution with thiocyanate as a nucleophile. <i>Polymer Engineering and Science</i> , 2010, 50, 69-75.	3.1	11
173	Kinetics and equilibrium studies on the treatment of nitric acid with Mg-Al oxide obtained by thermal decomposition of Mg-Al layered double hydroxide. <i>Journal of Hazardous Materials</i> , 2010, 180, 105-112.	9.4	11
174	Equilibrium and kinetics studies on the adsorption of substituted phenols by a Cu-Al layered double hydroxide intercalated with 1-naphthol-3,8-disulfonate. <i>Journal of Alloys and Compounds</i> , 2016, 670, 322-328.	5.5	11
175	Synthesis of $\text{MnO}_2/\text{Mg-Al}$ layered double hydroxide and evaluation of its NO -removal performance. <i>Journal of Alloys and Compounds</i> , 2021, 867, 159038.	5.5	11
176	Dehydrochlorination Behavior of Agricultural PVC Polymer Films in Alkaline Solution at Elevated Temperatures.. <i>Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal</i> , 1997, 1997, 64-68.	0.1	10
177	Study for Recycling of Ceria-Based Glass Polishing Powder II~Recovery of Hydroxysodalite from the Alkali Waste Solution Containing SiO_2 and Al_2O_3 . <i>Industrial & Engineering Chemistry Research</i> , 2000, 39, 4148-4151.	3.7	10
178	Effect of a phase-transfer catalyst on the chemical modification of poly(vinyl chloride) by substitution with thiocyanate as a nucleophile. <i>Materials Chemistry and Physics</i> , 2009, 118, 362-366.	4.0	10
179	Preparation of Mg-Al layered double hydroxides intercalated with 1,3,6-naphthalenetrisulfonate and 3-amino-2,7-naphthalenedisulfonate and assessment of their selective uptake of aromatic compounds from aqueous solutions. <i>Solid State Sciences</i> , 2010, 12, 946-951.	3.2	10
180	Thermal decomposition behavior of Cu-Al layered double hydroxide, and ethylenediaminetetraacetate-intercalated Cu-Al layered double hydroxide reconstructed from Cu-Al oxide for uptake of Y^{3+} from aqueous solution. <i>Materials Research Bulletin</i> , 2012, 47, 4216-4219.	5.2	10

#	ARTICLE	IF	CITATIONS
181	Cu-Al layered double hydroxides intercalated with 1-naphthol-3,8-disulfonate and dodecyl sulfate: adsorption of substituted phenols from aqueous media. <i>New Journal of Chemistry</i> , 2015, 39, 6315-6322.	2.8	10
182	Synthesis of Li-Al layered double hydroxide intercalated with amino tris(methylene phosphonic acid) and kinetic and equilibrium studies of the uptake of Nd ³⁺ and Sr ²⁺ ions. <i>Applied Surface Science</i> , 2016, 366, 523-528.	6.1	10
183	Recycling of PVC pipes and fittings in Japan: proactive approach of industry to and its impacts on legal/technical frameworks. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 21-31.	3.0	10
184	Identification of number and type of cations in water-soluble Cs ⁺ and Na ⁺ calix[4]arene-bis-crown-6 complexes by using ESI-TOF-MS. <i>Chemosphere</i> , 2018, 197, 181-184.	8.2	10
185	Degradation of PVC waste into a flexible polymer by chemical modification using DINP moieties. <i>RSC Advances</i> , 2019, 9, 28870-28875.	3.6	10
186	Removal of Mn and Cd contained in mine wastewater by Mg-Al-layered double hydroxides. <i>Journal of Material Cycles and Waste Management</i> , 2019, 21, 1232-1241.	3.0	10
187	Chemical Feedstock Recovery from Hard-to-Recycle Plastics through Pyrolysis-Based Approaches and Pyrolysis-Gas Chromatography. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 2370-2380.	3.2	10
188	Dechlorination of polyvinyl chloride in NaOH/ethylene glycol solution by microwave heating. <i>Journal of Material Cycles and Waste Management</i> , 2009, 11, 19-22.	3.0	9
189	Effect of compatibility between solvent and poly(vinyl chloride) on dechlorination of poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.4	9
190	Removal of SO ₂ with a Mg-Al oxide slurry via reconstruction of a Mg-Al layered double hydroxide. <i>Chemosphere</i> , 2012, 88, 250-254.	8.2	9
191	Simultaneous removal of SO ₂ and NO ₂ using a Mg-Al oxide slurry treatment. <i>Chemosphere</i> , 2013, 93, 2889-2893.	8.2	9
192	Direct Gas-Phase Derivatization by Employing Tandem 1/4-Reactor-Gas Chromatography/Mass Spectrometry: Case Study of Trifluoroacetylation of 4,4'-Methylenedianiline. <i>Analytical Chemistry</i> , 2020, 92, 14924-14929.	6.5	9
193	One-pot wet ball-milling for waste wire-harness recycling. <i>Journal of Material Cycles and Waste Management</i> , 2021, 23, 461-469.	3.0	9
194	Combined UV-irradiation and pyrolysis-GC/MS approach for evaluating the deterioration behavior of ethylene vinyl acetate. <i>Polymer Degradation and Stability</i> , 2021, 190, 109623.	5.8	9
195	An integrated utilization strategy of printed circuit boards and waste tire by fast co-pyrolysis: Value-added products recovery and heteroatoms transformation. <i>Journal of Hazardous Materials</i> , 2022, 430, 128420.	12.4	9
196	Preparation of a hydrotalcite-like compound using calcined dolomite and polyaluminum chloride. <i>Journal of Materials Science</i> , 2007, 42, 2194-2197.	3.7	8
197	Developments in an industry-led R&D program for recycling PVC products in Japan. <i>Journal of Material Cycles and Waste Management</i> , 2014, 16, 385-397.	3.0	8
198	Catalytic Degradation of Poly(ethylene terephthalate) for Benzene-rich Oil Recovery Using Metal Hydroxides. <i>Chemistry Letters</i> , 2014, 43, 637-639.	1.3	8

#	ARTICLE	IF	CITATIONS
199	Kinetic and equilibrium studies on the uptake of Nd ³⁺ and Sr ²⁺ by Li ⁺ -Al layered double hydroxide intercalated with 1-hydroxyethane-1,1-diphosphonic acid. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 36, 96-101.	5.8	8
200	Fate of bisphenol A pyrolysates at low pyrolytic temperatures. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 125, 193-200.	5.5	8
201	Highly efficient recovery of high-purity Cu, PVC, and phthalate plasticizer from waste wire harnesses through PVC swelling and rod milling. <i>Reaction Chemistry and Engineering</i> , 2020, 5, 1805-1813.	3.7	8
202	Simultaneous recovery of high-purity Cu and poly(vinyl chloride) from waste wire harness via swelling followed by ball milling. <i>Scientific Reports</i> , 2020, 10, 10754.	3.3	8
203	Adsorption of various metals by carboxymethyl- β -cyclodextrin-modified Zn-Al layered double hydroxides. <i>Applied Clay Science</i> , 2020, 187, 105479.	5.2	8
204	Synthesis of layered double hydroxide nanosheets in an aqueous solvent and their Ni ²⁺ uptake characteristics. <i>Applied Clay Science</i> , 2021, 200, 105911.	5.2	8
205	Removal of sulfate from wastewater via synthetic Mg-Al layered double hydroxide: An adsorption, kinetics, and thermodynamic study. <i>Journal of the Indian Chemical Society</i> , 2021, 98, 100185.	2.8	8
206	Sustainable Advance of Cl Recovery from Polyvinyl Chloride Waste Based on Experiment, Simulation, and Ex Ante Life-Cycle Assessment. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 14112-14123.	6.7	8
207	Effect of intercalated aromatic sulfonates on uptake of aromatic compounds from aqueous solutions by modified Mg-Al layered double hydroxide. <i>Materials Research Bulletin</i> , 2010, 45, 751-753.	5.2	7
208	Chemical modification of poly(vinyl chloride) using sodium trisulfide. <i>Journal of Polymer Research</i> , 2015, 22, 1.	2.4	7
209	Effects of Acetic Acid Pretreatment and Pyrolysis Temperatures on Product Recovery from Fijian Sugarcane Bagasse. <i>Waste and Biomass Valorization</i> , 2020, 11, 6347-6357.	3.4	7
210	Adsorption of SeO ₄ ²⁻ by delaminated Mg-Al layered double hydroxide nanosheets. <i>Inorganic Chemistry Communication</i> , 2020, 122, 108266.	3.9	7
211	Treatment of NO by a combination of MnO ₂ and a CO ₃ ²⁻ -intercalated Mg-Al layered double hydroxide. <i>SN Applied Sciences</i> , 2020, 2, 1.	2.9	7
212	Effect of the nucleophilicity and solvent on the chemical modification of flexible poly(vinyl chloride) by substitution. <i>Polymer Engineering and Science</i> , 2011, 51, 1108-1115.	3.1	6
213	Specific uptake of aromatic compounds from aqueous solution by montmorillonite modified with tetraphenylphosphonium. <i>Journal of Physics and Chemistry of Solids</i> , 2012, 73, 120-123.	4.0	6
214	Nucleophilic substitution of poly(vinyl chloride) with iminoacetic acid and n-dodecanethiol. <i>Journal of Material Cycles and Waste Management</i> , 2014, 16, 519-524.	3.0	6
215	Continuous treatment of boron and fluoride in aqueous solutions using a column loaded with granulated Mg-Al layered double hydroxides intercalated with nitrates. <i>Journal of Water Process Engineering</i> , 2015, 8, 195-201.	5.6	6
216	Kinetics and equilibrium studies on the uptake of Nd ³⁺ by Zn-Al layered double hydroxide intercalated with triethylenetetramine-hexaacetic acid. <i>Materials Chemistry and Physics</i> , 2017, 191, 96-98.	4.0	6

#	ARTICLE	IF	CITATIONS
217	New principals on the adsorption of alkyl compound by Mg-Al oxide: Adsorption kinetics and equilibrium studies. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 513, 348-354.	4.7	6
218	Analysis of Fâ ⁺ removal from aqueous solutions using MgO. Journal of Water Process Engineering, 2018, 25, 54-57.	5.6	6
219	Lactate adsorption by layered double hydroxides in aqueous solution and cell culture medium. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 612, 125975.	4.7	6
220	Combined Experiment, Simulation, and Ex-ante LCA Approach for Sustainable Cl Recovery from NaCl/Ethylene Glycol by Electrodialysis. Industrial & Engineering Chemistry Research, 2020, 59, 20112-20122.	3.7	6
221	Synthesis of Hydrotalcite using Magnesium from Seawater and Dolomite. Molecular Crystals and Liquid Crystals, 2000, 341, 407-412.	0.3	5
222	Feedstock Recycling of PET. , 2006, , 641-661.		5
223	Treatment of NO and NO ₂ with a Mg-Al oxide slurry. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 86-91.	1.7	5
224	A Novel Approach for Determining the Proportions of Pyrolysis and Hydrolysis in the Degradation of Poly(ethylene terephthalate) in ¹⁸ O-Labeled Steam. Chemistry Letters, 2013, 42, 212-214.	1.3	5
225	Recycling of Waste Plastics. , 2015, , 195-214.		5
226	Machine learning-based discrete element reaction model for predicting the dechlorination of poly (vinyl chloride) in NaOH/ethylene glycol solvent with ball milling. Chemical Engineering Journal Advances, 2020, 3, 100025.	5.2	5
227	Preparation of Zn-Al layered double hydroxide intercalated with carboxymethyl- β -cyclodextrin by anion exchange method and its Ni ²⁺ adsorption property. Soft Materials, 2021, 19, 139-147.	1.7	5
228	Desorption of Cl ⁻ from Mg-Al layered double hydroxide intercalated with Cl ⁻ using CO ₂ gas and water. Chinese Journal of Chemical Engineering, 2021, 29, 131-134.	3.5	5
229	Ammonia adsorption by L-type zeolite and Prussian blue from aqueous and culture solutions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 622, 126595.	4.7	5
230	Improving levoglucosan and hydrocarbon production through gas-phase synergy during cellulose and polyolefin co-pyrolysis. Sustainable Energy and Fuels, 2022, 6, 1469-1478.	4.9	5
231	Comparison of Mg-Al layered double hydroxides intercalated with OH ⁻ and CO ₃ ²⁻ for the removal of HCl, SO ₂ , and NO ₂ . Journal of Porous Materials, 2022, 29, 723-728.	2.6	5
232	Effects of pH and concentration on ability of Cl ⁻ and NO ₃ ⁻ to intercalate into a hydrotalcite-like compound during its synthesis. Bulletin of Materials Science, 2008, 31, 625-629.	1.7	4
233	Treatment of gaseous hydrochloric acid with magnesium-aluminum oxide using batch operation. Desalination, 2011, 280, 424-427.	8.2	4
234	Thermodynamic equilibrium analyses of the uptake of aromatic compounds from an aqueous solution by magnesium-aluminum (Mg-Al) layered double hydroxide intercalated with 1-naphthol-3,8-disulfonate. Solid State Sciences, 2013, 20, 75-79.	3.2	4

#	ARTICLE	IF	CITATIONS
235	Kinetics and equilibrium studies on the removal of aromatic sulfonates from aqueous solution by Mg ²⁺ /Al oxide. <i>New Journal of Chemistry</i> , 2015, 39, 4078-4085.	2.8	4
236	Thermogravimetric Investigation of the Lead Volatilization from Waste Cathode-Ray Tube Glass. <i>Recycling</i> , 2016, 1, 111-121.	5.0	4
237	Optimization of separation and logistics for recycling materials from wallpaper hanging sites. <i>Journal of Material Cycles and Waste Management</i> , 2018, 20, 2068-2076.	3.0	4
238	Practical dehalogenation of automobile shredder residue in NaOH/ethylene glycol with an up-scale ball mill reactor. <i>Journal of Material Cycles and Waste Management</i> , 2020, 22, 1620-1629.	3.0	4
239	Regeneration of carbonate-intercalated Mg ²⁺ /Al layered double hydroxides (CO ₃ ²⁻ -Mg ²⁺ /Al LDHs) by CO ₂ -induced desorption of anions (X) from X ⁺ -Mg ²⁺ /Al LDH (X = Cl, SO ₄ , or NO ₃): A kinetic study. <i>Chemical Engineering Research and Design</i> , 2021, 165, 207-213.	5.6	4
240	Removal of cesium ions from A-type zeolites using sodium tetrakis(4-fluorophenyl)borate and sodium tetraphenylborate. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 327, 337-344.	1.5	4
241	Quantification of Cellulose Pyrolyzates via a Tube Reactor and a Pyrolyzer-Gas Chromatograph/Flame Ionization Detector-Based System. <i>ACS Omega</i> , 2021, 6, 12022-12026.	3.5	4
242	Bench-scale PVC swelling and rod milling of waste wire harnesses for recovery of Cu, PVC, and plasticizers. <i>Journal of Material Cycles and Waste Management</i> , 2022, 24, 12-23.	3.0	4
243	Determination of Total Fluoride in Boron-containing Solutions. <i>Analytical Sciences</i> , 2010, 26, 603-606.	1.6	3
244	Preparation of Mg ²⁺ /Al layered double hydroxide intercalated with Coomassie Brilliant Blue R anion and its uptake of aromatic compounds from aqueous solutions. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012, 47, 2035-2039.	1.7	3
245	The Latest Trends and Challenges in Research and Development of Plastic Recycling: Feedstock Recycling. <i>Kagaku Kogaku Ronbunshu</i> , 2017, 43, 178-184.	0.3	3
246	Equilibrium studies of the adsorption of aromatic disulfonates by Mg ²⁺ /Al oxide. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 114, 129-132.	4.0	3
247	Exhaust gas treatment using MnO ₂ /Mg ²⁺ /Al layered double hydroxide: Assessment of its mixed gas removal performance and regeneration. <i>Chemical Engineering Research and Design</i> , 2022, 178, 602-608.	5.6	3
248	Study of dynamics and mechanism of HCl, SO ₂ , or NO removal by MnO ₂ /Mg ²⁺ /Al layered double hydroxide. <i>Inorganic Chemistry Communication</i> , 2022, 135, 109108.	3.9	3
249	Evaluation of Keratin/Cellulose Blend Fibers as Precursors for Carbon Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8314-8325.	6.7	3
250	The effects of KI/Se(VI) molar ratio and initial concentration of Se(VI) on the reduction of Se(VI) to Se(IV) by KI. <i>Environmental Chemistry Letters</i> , 2008, 6, 247-249.	16.2	2
251	Sodium hydroxide-assisted dechlorination of a poly(vinylidene chloride)-containing wrapping film in ethylene glycol solution. <i>Polymer Degradation and Stability</i> , 2010, 95, 2663-2665.	5.8	2
252	Treatment of waste H ₂ SO ₄ with Mg ²⁺ /Al oxide obtained by calcination of NO ₃ ⁻ -intercalated Mg ²⁺ /Al layered double hydroxide: Kinetics and equilibrium. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012, 47, 711-717.	1.7	2

#	ARTICLE	IF	CITATIONS
253	Equilibrium studies of the uptake of aromatic compounds from an aqueous solution by montmorillonite modified with tetraphenylphosphonium and amyltriphenylphosphonium. Journal of Alloys and Compounds, 2015, 625, 8-12.	5.5	2
254	Investigation of Sludge Volume from Abandoned Mine Wastewater Treatment by Layered Double Hydroxides: A Case Study Targeting As and Fe. Mine Water and the Environment, 2020, 39, 881-887.	2.0	2
255	Effect of the specific surface area of MgO on the treatment of boron and fluorine. Applied Water Science, 2020, 10, 1.	5.6	2
256	Current Issues and Future Prospects in Plastic Recycling. Material Cycles and Waste Management Research, 2018, 29, 152-162.	0.0	2
257	Synthesis of linear and cyclic organic sulfonic acid-modified Cu-Al layered double hydroxides and their adsorption properties. Journal of Alloys and Compounds, 2022, 918, 165537.	5.5	2
258	Reduction Rate of Sodium Nitrate by Lead Drops with Wet-Ballmilling.. Kagaku Kogaku Ronbunshu, 1997, 23, 548-554.	0.3	1
259	A Summary of <I>Strategies for Separation and Treatment of Disaster Waste</I> Manual and Future Directions. Material Cycles and Waste Management Research, 2012, 23, 10-21.	0.0	1
260	Management of the Disaster Waste Treatment by Sendai City. Material Cycles and Waste Management Research, 2012, 23, 31-39.	0.0	1
261	Kinetics and adsorption isotherm of ammonia uptake by cation exchange resins and treatment of mixed aqueous lactate&ammonia by Mg&Al layered double oxide and the resins. Journal of Water Process Engineering, 2021, 41, 102027.	5.6	1
262	Thermal decomposition behavior of MnO ₂ /Mg-Al layered double hydroxide after removal and recovery of acid gas. Results in Chemistry, 2022, 4, 100310.	2.0	1
263	Recycling of Waste Chemical Conversion Treatment Sludge to Positive Electrode Material of Lithium-ion Secondary Battery. Journal of the Japan Society of Material Cycles and Waste Management, 2016, 27, 188-195.	0.0	0
264	Adsorption of Cu ²⁺ and Ni ²⁺ by oxalic acid-crosslinked chitosan-modified montmorillonite. Soft Materials, 2020, 18, 411-420.	1.7	0
265	Current Status and Planning for Disaster Waste Treatment in Miyagi Prefecture. Material Cycles and Waste Management Research, 2012, 23, 421-428.	0.0	0
266	Characteristics of Plastics and Suggestions for a Local Plastic Recycling System. Material Cycles and Waste Management Research, 2014, 25, 124-132.	0.0	0
267	Feedstock Recovery through Co-pyrolysis of Wood Biomass/Waste Plastics Mixtures. Material Cycles and Waste Management Research, 2017, 28, 4-12.	0.0	0