

Chang-Lae Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3345150/publications.pdf>

Version: 2024-02-01

100
papers

2,973
citations

185998

28
h-index

174990

52
g-index

101
all docs

101
docs citations

101
times ranked

4003
citing authors

#	ARTICLE	IF	CITATIONS
1	Numerical and experimental study of tribological properties of glass/polymer-based micro ball bearings. <i>Wear</i> , 2022, 488-489, 204173.	1.5	1
2	Tribological properties of the hierarchically structured graphene oxide composite coatings reinforced with polyvinyl alcohol. <i>Wear</i> , 2022, 490-491, 204212.	1.5	2
3	Molecular weight tuning optimizes poly(2-methoxyethyl acrylate) dispersion to enhance the aging resistance and anti-fouling behavior of denture base resin. <i>Biomaterials Science</i> , 2022, 10, 2224-2236.	2.6	5
4	One-step method to enhance biotribological properties and biocompatibility of DLC coating by ion beam irradiation. <i>Friction</i> , 2022, 10, 1114-1126.	3.4	8
5	Friction and wear reduction effect of glass bubbles embedded in PDMS surface. <i>Journal of Mechanical Science and Technology</i> , 2022, 36, 1997-2005.	0.7	7
6	Friction and Wear Characteristics of Polydimethylsiloxane under Water-Based Lubrication Conditions. <i>Materials</i> , 2022, 15, 3262.	1.3	10
7	Fabrication of TiO ₂ / KH550 / PEG Super-Hydrophilic Coating on Glass Surface without UV/Plasma Treatment for Self-Cleaning and Anti-Fogging Applications. <i>Materials</i> , 2022, 15, 3292.	1.3	8
8	Effect of V-Groove Surface Pattern on the Tribological Properties of Epoxy. <i>Tribology Transactions</i> , 2021, 64, 302-312.	1.1	2
9	Tribological Performance Investigation of a Commercial Engine Oil Incorporating Reduced Graphene Oxide as Additive. <i>Nanomaterials</i> , 2021, 11, 386.	1.9	10
10	Friction and wear behaviors of bare and diamond-like carbon/chromium bi-layer coated SKH51 steel at low temperatures. <i>Surface and Coatings Technology</i> , 2021, 412, 127018.	2.2	9
11	Effect of Glass Bubbles on Friction and Wear Characteristics of PDMS-Based Composites. <i>Coatings</i> , 2021, 11, 603.	1.2	8
12	Assessment of the Physical, Mechanical, and Tribological Properties of PDMS Thin Films Based on Different Curing Conditions. <i>Materials</i> , 2021, 14, 4489.	1.3	12
13	Formation and Growth of Intermetallic Compounds during Reactions between Liquid Gallium and Solid Nickel. <i>Materials</i> , 2021, 14, 5694.	1.3	6
14	Formation of wear-resistant graphite/diamond-like carbon nanocomposite coatings on Ti using accelerated C60-ions. <i>Surface and Coatings Technology</i> , 2021, 424, 127670.	2.2	6
15	Propagating acoustic waves on a culture substrate regulate the directional collective cell migration. <i>Microsystems and Nanoengineering</i> , 2021, 7, 90.	3.4	13
16	Formation of discrete periodic nanolayered coatings through tailoring of nanointerfaces—Toward zero macroscale wear. <i>Science Advances</i> , 2021, 7, eabk1224.	4.7	11
17	Mechanism of Heat-Induced Fusion of Silver Nanowires. <i>Scientific Reports</i> , 2020, 10, 9271.	1.6	16
18	Effect of friction on the contact stress of a coated polymer gear. <i>Friction</i> , 2020, 8, 1169-1177.	3.4	21

#	ARTICLE	IF	CITATIONS
19	Changes in tribological and antibacterial properties of poly(methyl methacrylate)-based 3D-printed intra-oral appliances by incorporating nanodiamonds. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 110, 103992.	1.5	25
20	3D touchless multiorder reflection structural color sensing display. <i>Science Advances</i> , 2020, 6, eabb5769.	4.7	81
21	In vitro study of a novel multi-substituted hydroxyapatite nanopowder synthesized by an ultra-fast, efficient and green microwave-assisted method. <i>Materials Science and Engineering C</i> , 2020, 117, 111310.	3.8	19
22	Superior surface protection governed by optimized interface characteristics in WC/DLC multilayer coating. <i>Surface and Coatings Technology</i> , 2020, 385, 125446.	2.2	13
23	Molecular dynamics investigation on the nano-mechanical behaviour of C60 fullerene and its crystallized structure. <i>Nanoscale</i> , 2020, 12, 9849-9858.	2.8	10
24	Enhanced biolubrication on biomedical devices using hyaluronic acid-silica nanohybrid hydrogels. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 184, 110503.	2.5	3
25	Increased elasticity and damping capacity of diamond-like carbon coatings by immobilized C ₆₀ fullerene clusters. <i>Nanoscale</i> , 2019, 11, 2863-2870.	2.8	12
26	Design of a Tribotester Based on Non-Contact Displacement Measurements. <i>Micromachines</i> , 2019, 10, 748.	1.4	2
27	RF magnetron sputtering mediated NiTi/Ag coating on Ti-alloy substrate with enhanced biocompatibility and durability. <i>Materials Science and Engineering C</i> , 2019, 99, 304-314.	3.8	14
28	Tribological Self-healing Coating based on Hydrogel. <i>Mechanisms and Machine Science</i> , 2019, , 3771-3774.	0.3	0
29	Study on Electroconductive Tribological Properties of Ag-Based Composite Coating. <i>International Journal of Precision Engineering and Manufacturing</i> , 2019, 20, 1405-1413.	1.1	4
30	Hard, Flexible, and Transparent Nanolayered SiN _x /BN Periodical Coatings. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 9685-9690.	4.0	10
31	Ion-beam irradiation of DLC-based nanocomposite: Creation of a highly biocompatible surface. <i>Applied Surface Science</i> , 2019, 469, 896-903.	3.1	19
32	Lubrication of Carbon-based Coatings. <i>Mechanisms and Machine Science</i> , 2019, , 3775-3778.	0.3	0
33	Highly durable and biocompatible periodical Si/DLC nanocomposite coatings. <i>Nanoscale</i> , 2018, 10, 4852-4860.	2.8	23
34	Fabrication of polytetrafluoroethylene-carbon nanotube composite coatings for friction and wear reduction. <i>Polymer Composites</i> , 2018, 39, E710.	2.3	16
35	Development of polyimide films reinforced with boron nitride and boron nitride nanosheets for transparent flexible device applications. <i>Nano Research</i> , 2018, 11, 2366-2378.	5.8	45
36	Microsphere-Based Nanoindentation for the Monitoring of Cellular Cortical Stiffness Regulated by MT1- α -MMP. <i>Small</i> , 2018, 14, e1803000.	5.2	6

#	ARTICLE	IF	CITATIONS
37	60 years of Rabinowiczâ€™ criterion for adhesive wear. Friction, 2018, 6, 341-348.	3.4	14
38	A Study on Frictional Characteristics of PDMS Under Various Conditions. Journal of the Korean Society for Precision Engineering, 2018, 35, 803-807.	0.1	12
39	Roughâ€™Surfaceâ€™Enabled Capacitive Pressure Sensors with 3D Touch Capability. Small, 2017, 13, 1700368.	5.2	142
40	Nanostructured Î²-type titanium alloy fabricated by ultrasonic nanocrystal surface modification. Ultrasonics Sonochemistry, 2017, 39, 698-706.	3.8	50
41	Development of flexible polymer sheet with high surface durability using discretely embedded micro-balls. CIRP Annals - Manufacturing Technology, 2017, 66, 527-530.	1.7	9
42	Tribology of multilayer coatings for wear reduction: A review. Friction, 2017, 5, 248-262.	3.4	145
43	Smart wearable heaters with high durability, flexibility, water-repellent and shape memory characteristics. Composites Science and Technology, 2017, 152, 173-180.	3.8	32
44	A highly flexible transparent conductive electrode based on nanomaterials. NPG Asia Materials, 2017, 9, e438-e438.	3.8	92
45	Durability and Self-healing Effects of Hydrogel Coatings with respect to Contact Condition. Scientific Reports, 2017, 7, 6896.	1.6	24
46	Review of 4D printing materials and their properties. International Journal of Precision Engineering and Manufacturing - Green Technology, 2017, 4, 349-357.	2.7	125
47	Functional Multi-Nanolayer Coatings of Amorphous Carbon/Tungsten Carbide with Exceptional Mechanical Durability and Corrosion Resistance. ACS Applied Materials & Interfaces, 2017, 9, 30149-30160.	4.0	35
48	Design and Construction of a Micro-Tribotester for Precise In-Situ Wear Measurements. Micromachines, 2017, 8, 103.	1.4	20
49	Investigation of mechanical behavior of single- and multi-layer graphene by using molecular dynamics simulation. International Journal of Precision Engineering and Manufacturing, 2016, 17, 1693-1701.	1.1	18
50	Wear Reduction of Borosilicate Glass Microballs Using Vapor-Phase Lubrication With n-Pentanol. Tribology Transactions, 2016, 59, 507-512.	1.1	4
51	Frictional behavior between silicon and steel coated with graphene oxide in dry sliding and water lubrication conditions. International Journal of Precision Engineering and Manufacturing - Green Technology, 2016, 3, 91-97.	2.7	39
52	Investigation of micro-abrasion characteristics of thin metallic coatings by in-situ SEM scratch test. International Journal of Precision Engineering and Manufacturing, 2016, 17, 1139-1147.	1.1	10
53	Highly Sensitive Pressure Sensor Based on Bioinspired Porous Structure for Realâ€™Time Tactile Sensing. Advanced Electronic Materials, 2016, 2, 1600356.	2.6	264
54	Self-healing Characteristics of Collagen Coatings with Respect to Surface Abrasion. Scientific Reports, 2016, 6, 20563.	1.6	31

#	ARTICLE	IF	CITATIONS
55	Pressure Sensors: Highly Sensitive Pressure Sensor Based on Bioinspired Porous Structure for Real-Time Tactile Sensing (Adv. Electron. Mater. 12/2016). Advanced Electronic Materials, 2016, 2, .	2.6	1
56	Ultra-thin carbon-based nanocomposite coatings for superior wear resistance under lubrication with nano-diamond additives. RSC Advances, 2016, 6, 56918-56929.	1.7	15
57	Highly wear-resistant and biocompatible carbon nanocomposite coatings for dental implants. Biomaterials, 2016, 102, 130-136.	5.7	41
58	Nano-lubrication: A review. International Journal of Precision Engineering and Manufacturing, 2016, 17, 829-841.	1.1	40
59	Fundamental investigation of micro-scale wear characteristics of ultra-fine gold wires under low contact force and long sliding distance. Wear, 2016, 348-349, 1-9.	1.5	2
60	Surface damage behavior of polyurethane O-rings in automated material handling system for glass panels. International Journal of Precision Engineering and Manufacturing, 2016, 17, 43-50.	1.1	5
61	Flexible Solar Cells: Mechanically Recoverable and Highly Efficient Perovskite Solar Cells: Investigation of Intrinsic Flexibility of Organic-Inorganic Perovskite (Adv. Energy Mater. 22/2015). Advanced Energy Materials, 2015, 5, n/a-n/a.	10.2	3
62	Water Lubrication of Stainless Steel using Reduced Graphene Oxide Coating. Scientific Reports, 2015, 5, 17034.	1.6	84
63	High-performance alternating current electroluminescent layers solution blended with mechanically and electrically robust nonradiating polymers. Journal of Polymer Science, Part B: Polymer Physics, 2015, 53, 1629-1640.	2.4	4
64	Mechanically Recoverable and Highly Efficient Perovskite Solar Cells: Investigation of Intrinsic Flexibility of Organic-Inorganic Perovskite. Advanced Energy Materials, 2015, 5, 1501406.	10.2	131
65	Tribological Properties of Graphene Oxide Nanosheet Coating Fabricated by Using Electrodynamic Spraying Process. Tribology Letters, 2015, 57, 1.	1.2	27
66	Toward Zero Micro/Macro-Scale Wear Using Periodic Nano-Layered Coatings. ACS Applied Materials & Interfaces, 2015, 7, 18136-18144.	4.0	42
67	Frictional Characteristics of Sub-100- μm Borosilicate Glass Balls for Actuator Applications. Journal of Microelectromechanical Systems, 2015, 24, 2161-2169.	1.7	4
68	Highly efficient perovskite solar cells based on mechanically durable molybdenum cathode. Nano Energy, 2015, 17, 131-139.	8.2	48
69	Friction and Deformation Behaviors of $\sim 60\text{-}\mu\text{m}$ Stainless Steel Micro-balls for Application in Small Precision Devices. Tribology Letters, 2015, 59, 1.	1.2	3
70	Non-volatile organic memory with sub-millimetre bending radius. Nature Communications, 2014, 5, 3583.	5.8	196
71	Tribology of graphene: A review. International Journal of Precision Engineering and Manufacturing, 2014, 15, 577-585.	1.1	167
72	Self-Healing Phenomenon and Dynamic Hardness of C ₆₀ -Based Nanocomposite Coatings. Nano Letters, 2014, 14, 2536-2540.	4.5	17

#	ARTICLE	IF	CITATIONS
73	Effect of Ag content on the microstructure, tribological and corrosion properties of amorphous carbon coatings on 316L SS. <i>Surface and Coatings Technology</i> , 2014, 240, 128-136.	2.2	48
74	Vapor phase lubrication using high molecular weight lubricant for friction reduction of metals. <i>International Journal of Precision Engineering and Manufacturing</i> , 2014, 15, 867-873.	1.1	12
75	Ultra-thin nano-patterned wear-protective diamond-like carbon coatings deposited on glass using a C 60 ion beam. <i>Carbon</i> , 2014, 80, 534-543.	5.4	27
76	Tribological properties of nanostructured DLC coatings deposited by C60 ion beam. <i>Tribology International</i> , 2013, 60, 127-135.	3.0	49
77	Minimum lubrication technique using silicone oil for friction reduction of stainless steel. <i>International Journal of Precision Engineering and Manufacturing</i> , 2013, 14, 875-880.	1.1	31
78	Fundamental Investigation of the Wear Progression of Silicon Atomic Force Microscope Probes. <i>Tribology Letters</i> , 2013, 52, 315-325.	1.2	18
79	Sliding and rolling frictional behavior of a single ZnO nanowire during manipulation with an AFM. <i>Nanoscale</i> , 2013, 5, 6081.	2.8	36
80	Friction and Wear Characteristics of C/Si Bi-layer Coatings Deposited on Silicon Substrate by DC Magnetron Sputtering. <i>Tribology Letters</i> , 2012, 48, 123-131.	1.2	30
81	Characterization of durability of coatings for cell phone cover by wear, erosion, and pull-off tests. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012, 13, 1633-1639.	1.1	3
82	Nano-scale wear: A review. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012, 13, 1709-1718.	1.1	68
83	Effect of elevated annealing temperature on the microstructure and nano-hardness of ZnO films deposited by the sol-gel process. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012, 13, 2005-2009.	1.1	9
84	Development of rotary tool for removal of intravascular blood clots. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012, 13, 413-419.	1.1	2
85	Characteristics of Progressive Damage of ZnO Nanowires during Contact Sliding under Relatively Low Loads. <i>Journal of Nanomaterials</i> , 2011, 2011, 1-7.	1.5	0
86	Assessment of adhesion between thin film and silicon based on a scratch test. <i>Journal of Mechanical Science and Technology</i> , 2010, 24, 97-101.	0.7	20
87	Adhesion characteristics of the snail foot under various surface conditions. <i>International Journal of Precision Engineering and Manufacturing</i> , 2010, 11, 623-628.	1.1	9
88	Investigation of penetration force of living cell using an atomic force microscope. <i>Journal of Mechanical Science and Technology</i> , 2009, 23, 1932-1938.	0.7	24
89	Nano-scale friction: A review. <i>International Journal of Precision Engineering and Manufacturing</i> , 2009, 10, 141-151.	1.1	78
90	Comparison of Indentation and Scribing Behaviors of Crystalline and Initially Deformed Silicon Tips by Molecular Dynamics Simulation. <i>IEEE Transactions on Magnetics</i> , 2009, 45, 2328-2331.	1.2	3

#	ARTICLE	IF	CITATIONS
91	Tribological characteristics of ZnO nanowires investigated by atomic force microscope. Applied Physics A: Materials Science and Processing, 2008, 92, 267-274.	1.1	13
92	Tribological characteristics of probe tip and PZT media for AFM-based recording technology. IEEE Transactions on Magnetics, 2005, 41, 849-854.	1.2	28
93	Nano-mechanical and tribological characteristics of ultra-thin amorphous carbon film investigated by afm. Journal of Mechanical Science and Technology, 2004, 18, 1772-1781.	0.4	3
94	Fundamental Investigation of Micro Wear Rate Using an Atomic Force Microscope. Tribology Letters, 2003, 15, 135-144.	1.2	95
95	Head-disk interface in near-field recording disks. , 2002, , .		0
96	Near-Field Magneto-Optical Media. Transactions of the Magnetics Society of Japan, 2002, 2, 348-351.	0.5	0
97	Design of Optical Flying Head for Near-Field Recording. Transactions of the Magnetics Society of Japan, 2002, 2, 341-344.	0.5	0
98	Micro-Patterning of Silicon by Frictional Interaction and Chemical Reaction. Journal of Tribology, 1998, 120, 353-357.	1.0	4
99	Experimental Investigation of the Influence of Machining Condition on the Contact Sliding Behavior of Metals. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 1998, 120, 395-400.	1.3	9
100	Tribological characteristics of probe tip and PZT media for AFM-based recording technology. , 0, , .		0