

# Zafar Iqbal

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3345855/zafar-iqbal-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58  
papers

2,051  
citations

28  
h-index

45  
g-index

58  
ext. papers

2,355  
ext. citations

3.5  
avg, IF

4.43  
L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 58 | Acaricide resistance in cattle ticks and approaches to its management: the state of play. <i>Veterinary Parasitology</i> , <b>2014</b> , 203, 6-20  | 2.8 | 188       |
| 57 | Anthelmintic activity of medicinal plants with particular reference to their use in animals in the Indo-Pakistan subcontinent. <i>Small Ruminant Research</i> , <b>2000</b> , 38, 99-107                  | 1.7 | 144       |
| 56 | Anthelmintic resistance: the state of play revisited. <i>Life Sciences</i> , <b>2006</b> , 79, 2413-31  | 6.8 | 139       |
| 55 | Anthelmintic activity of <i>Chenopodium album</i> (L) and <i>Caesalpinia crista</i> (L) against trichostrongylid nematodes of sheep. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 86-91       | 5   | 102       |
| 54 | Anthelmintic activity of <i>Artemisia brevifolia</i> in sheep. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 93, 265-8  | 5   | 93        |
| 53 | Anthelmintic activity of <i>Calotropis procera</i> (Ait.) Ait. F. flowers in sheep. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 102, 256-61   | 5   | 90        |
| 52 | A study of ticks and tick-borne livestock pathogens in Pakistan. <i>PLoS Neglected Tropical Diseases</i> , <b>2017</b> , 11, e0005681   | 4.8 | 68        |
| 51 | Investigation of traditional medicinal floral knowledge of Sarban Hills, Abbottabad, KP, Pakistan. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 179, 208-33  | 5   | 64        |
| 50 | An inventory of the ethnobotanicals used as anthelmintics in the southern Punjab (Pakistan). <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 152-4   | 5   | 60        |
| 49 | Anthelmintic activity of <i>Ziziphus nummularia</i> (bark) and <i>Acacia nilotica</i> (fruit) against Trichostrongylid nematodes of sheep. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 123, 325-9 | 5   | 57        |
| 48 | Ethnoveterinary practices for the treatment of parasitic diseases in livestock in Cholistan desert (Pakistan). <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 118, 213-9                             | 5   | 56        |
| 47 | In vivo anthelmintic activity of ginger against gastrointestinal nematodes of sheep. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 106, 285-7   | 5   | 53        |
| 46 | Gastrointestinal helminthiasis: prevalence and associated determinants in domestic ruminants of district Toba Tek Singh, Punjab, Pakistan. <i>Parasitology Research</i> , <b>2010</b> , 107, 787-94       | 2.4 | 50        |
| 45 | An account of the botanical anthelmintics used in traditional veterinary practices in Sahiwal district of Punjab, Pakistan. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 119, 185-90               | 5   | 50        |
| 44 | In vitro and in vivo acaricidal activity of a herbal extract. <i>Veterinary Parasitology</i> , <b>2012</b> , 186, 431-6   | 2.8 | 48        |
| 43 | Bovine fasciolosis: prevalence, effects of treatment on productivity and cost benefit analysis in five districts of Punjab, Pakistan. <i>Research in Veterinary Science</i> , <b>2009</b> , 87, 70-5      | 2.5 | 47        |
| 42 | In vitro and In vivo anthelmintic activity of <i>Nicotiana tabacum</i> L. leaves against gastrointestinal nematodes of sheep. <i>Phytotherapy Research</i> , <b>2006</b> , 20, 46-8                       | 6.7 | 44        |

|    |  |      |    |
|----|--|------|----|
| 41 | Ethnoveterinary practices of owners of pneumatic-cart pulling camels in Faisalabad City (Pakistan). <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 97, 241-6  | 5    | 43 |
| 40 | Studies on wheat bran Arabinoxylan for its immunostimulatory and protective effects against avian coccidiosis. <i>Carbohydrate Polymers</i> , <b>2012</b> , 90, 333-9  | 10.3 | 39 |
| 39 | Direct and indirect anthelmintic effects of condensed tannins in sheep. <i>Veterinary Parasitology</i> , <b>2007</b> , 144, 125-31   | 2.8  | 39 |
| 38 | Strobilurin biosynthesis in Basidiomycete fungi. <i>Nature Communications</i> , <b>2018</b> , 9, 3940  | 17.4 | 38 |
| 37 | Immunostimulatory and protective effects of Aloe vera against coccidiosis in industrial broiler chickens. <i>Veterinary Parasitology</i> , <b>2012</b> , 186, 170-7  | 2.8  | 35 |
| 36 | Anticoccidial activity of Curcuma longa L. in broilers. <i>Brazilian Archives of Biology and Technology</i> , <b>2010</b> , 53, 63-67  | 1.8  | 34 |
| 35 | Point prevalence of gastrointestinal helminthiasis in ruminants in southern Punjab, Pakistan. <i>Journal of Helminthology</i> , <b>2007</b> , 81, 323-8  | 1.6  | 33 |
| 34 | Anticoccidial activity of herbal complex in broiler chickens challenged with Eimeria tenella. <i>Parasitology</i> , <b>2012</b> , 139, 237-43  | 2.7  | 32 |
| 33 | An inventory of the ethnoveterinary practices for reproductive disorders in cattle and buffaloes, Sargodha district of Pakistan. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 117, 393-402                                    | 5    | 31 |
| 32 | Anthelmintic activity of Swertia chirata against gastrointestinal nematodes of sheep. <i>Fitoterapia</i> , <b>2006</b> , 77, 463-5   | 3.2  | 31 |
| 31 | Prevalence and associated risk factors for bovine tick infestation in two districts of lower Punjab, Pakistan. <i>Preventive Veterinary Medicine</i> , <b>2009</b> , 92, 386-91  | 3.1  | 30 |
| 30 | The global burden of fasciolosis in domestic animals with an outlook on the contribution of new approaches for diagnosis and control. <i>Parasitology Research</i> , <b>2013</b> , 112, 2421-30                                      | 2.4  | 27 |
| 29 | Anthelmintic activity of Trianthema portulacastrum L. and Musa paradisiaca L. against gastrointestinal nematodes of sheep. <i>Veterinary Parasitology</i> , <b>2011</b> , 179, 92-9  | 2.8  | 27 |
| 28 | Small ruminant resistance against gastrointestinal nematodes: a case of Haemonchus contortus. <i>Parasitology Research</i> , <b>2011</b> , 109, 1483-500   | 2.4  | 26 |
| 27 | Efficacy of crude neem seed kernel extracts against natural infestation of Sarcoptes scabiei var. ovis. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 115, 284-7   | 5    | 23 |
| 26 | Anticoccidial effects of acetic acid on performance and pathogenic parameters in broiler chickens challenged with Eimeria tenella. <i>Pesquisa Veterinaria Brasileira</i> , <b>2011</b> , 31, 99-103                                 | 0.4  | 21 |
| 25 | In vivo anthelmintic activity of Butea monosperma against Trichostrongylid nematodes in sheep. <i>Fitoterapia</i> , <b>2006</b> , 77, 137-40   | 3.2  | 21 |
| 24 | Prevalence, associated determinants, and in vivo chemotherapeutic control of hard ticks (Acari: Ixodidae) infesting domestic goats (Capra hircus) of lower Punjab, Pakistan. <i>Parasitology Research</i> , <b>2011</b> , 108, 601-9 | 2.4  | 18 |

|    |  |     |    |
|----|--|-----|----|
| 23 | In vitro and in vivo efficacies of ivermectin and cypermethrin against the cattle tick <i>Hyalomma anatolicum anatolicum</i> (Acari: Ixodidae). <i>Parasitology Research</i> , <b>2009</b> , 105, 1133-8                             | 2.4 | 17 |
| 22 | Anthelmintic Activity of <i>Vernonia anthelmintica</i> . Seeds Against Trichostrongylid Nematodes of Sheep. <i>Pharmaceutical Biology</i> , <b>2006</b> , 44, 563-567  | 3.8 | 17 |
| 21 | Studies on <i>Emblica officinalis</i> derived tannins for their immunostimulatory and protective activities against coccidiosis in industrial broiler chickens. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 378473    | 2.2 | 16 |
| 20 | Syringe test (modified larval immersion test): a new bioassay for testing acaricidal activity of plant extracts against <i>Rhipicephalus microplus</i> . <i>Veterinary Parasitology</i> , <b>2012</b> , 188, 362-7                   | 2.8 | 15 |
| 19 | Multiple anthelmintic resistance and the possible contributory factors in Beetal goats in an irrigated area (Pakistan). <i>Research in Veterinary Science</i> , <b>2010</b> , 88, 267-72   | 2.5 | 14 |
| 18 | Comparitive efficacy of five anthelmintics against trichostrongylid nematodes in sheep. <i>Canadian Journal of Animal Science</i> , <b>2006</b> , 86, 471-477  | 0.9 | 10 |
| 17 | Investigations into the biosynthesis of the antifungal strobilurins. <i>Organic and Biomolecular Chemistry</i> , <b>2018</b> , 16, 5524-5532   | 3.9 | 9  |
| 16 | Oxytocin induced oxidative stress in lactating <i>Bubalis bubalis</i> (Nili Ravi). <i>BMC Veterinary Research</i> , <b>2013</b> , 9, 169   | 2.7 | 9  |
| 15 | Prevalence of multiple anthelmintic resistant gastrointestinal nematodes in dairy goats in a desolated tract (Pakistan). <i>Parasitology Research</i> , <b>2008</b> , 103, 29-35   | 2.4 | 9  |
| 14 | Prevalence and associated risk factors of haemoparasites, and their effects on hematological profile in domesticated chickens in District Layyah, Punjab, Pakistan. <i>Preventive Veterinary Medicine</i> , <b>2017</b> , 143, 49-53 | 3.1 | 7  |
| 13 | Diversity of flora used for the cure of equine diseases in selected peri-urban areas of Punjab, Pakistan. <i>Journal of Ethnobiology and Ethnomedicine</i> , <b>2013</b> , 9, 70   | 3.9 | 7  |
| 12 | Anticoccidial activity of hydrochloric acid (HCl) against <i>Eimeria tenella</i> in broiler chickens. <i>Pesquisa Veterinaria Brasileira</i> , <b>2011</b> , 31, 425-429   | 0.4 | 6  |
| 11 | Effects of Extraction System on antioxidant attributes of mungbean [ <i>Vigna radiata</i> (L.) Wilczek]. <i>International Journal of Food Properties</i> , <b>2013</b> , 16, 527-535   | 3   | 3  |
| 10 | Usage and Significance of Fennel ( <i>Foeniculum vulgare</i> Mill.) Seeds in Eastern Medicine <b>2011</b> , 461-467  |     | 2  |
| 9  | Emergence season of <i>Hypoderma lineatum</i> warbles in southern Punjab, Pakistan. <i>Animal Science Journal</i> , <b>2007</b> , 78, 206-210  | 1.8 | 2  |
| 8  | Antifungal activity of compounds isolated from and their molecular docking studies with tomatinase. <i>Natural Product Research</i> , <b>2020</b> , 34, 2642-2646  | 2.3 | 2  |
| 7  | Herbicidal activity of pure compound isolated from rhizosphere inhabiting <i>Aspergillus flavus</i> . <i>Natural Product Research</i> , <b>2018</b> , 32, 1212-1215  | 2.3 | 1  |
| 6  | <i>Aspergillus flavus</i> originated pure compound as a potential antibacterial. <i>BMC Microbiology</i> , <b>2021</b> , 21, 322   | 4.5 | 1  |

|   |  |     |   |
|---|--|-----|---|
| 5 | Comparative anthelmintic efficacy of <i>Arundo donax</i> , <i>Areca catechu</i> , and <i>Ferula assa-foetida</i> against <i>Haemonchus contortus</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , <b>2021</b> , 30, e001221         | 1.3 | 1 |
| 4 | Evaluation of biological response modification and immunotherapeutic activities of barley-derived arabinoxylans against coccidiosis in commercial broilers. <i>Turkish Journal of Veterinary and Animal Sciences</i> , <b>2018</b> , 42, 55-64 | 0.6 | 1 |
| 3 | Ethnoveterinary Practices of Medicinal Plants Among Tribes of Tribal District of North Waziristan, Khyber Pakhtunkhwa, Pakistan.. <i>Frontiers in Veterinary Science</i> , <b>2022</b> , 9, 815294   | 3.1 | 1 |
| 2 | Inventory of Traditional Veterinary Botanicals from around the World <b>2010</b> , 125-164   |     |   |
| 1 | Small organic molecules accelerate the expansion of regulatory T cells. <i>Bioorganic Chemistry</i> , <b>2021</b> , 111, 104908  | 5.1 |   |