

# Lalramliana

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3346968/publications.pdf>

Version: 2024-02-01

33  
papers

193  
citations

1040056

9  
h-index

1281871

11  
g-index

33  
all docs

33  
docs citations

33  
times ranked

144  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of indigenous entomopathogenic nematodes from Meghalaya, India against the larvae of taro leaf beetle, <i>Aplosomyx chalybaeus</i> (Hope). <i>Journal of Parasitic Diseases</i> , 2012, 36, 149-154.	1.0	15
2	Soil moisture effects on the activity of three entomopathogenic nematodes (Steinernematidae and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	1.0	14
3	Characterization of a new isolate of entomopathogenic nematode, <i>Steinernema sangi</i> (Rhabditida,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i> Mizoram, northeastern India. <i>Journal of Parasitic Diseases</i> , 2017, 41, 1123-1131.	1.0	13
4	<i>Chordodes mizoramensis</i> (Nematomorpha, Gordiida), a new species of horsehair worm from Mizoram, North-East India. <i>ZooKeys</i> , 2011, 75, 1-8.	1.1	11
5	&lt;p&gt;&lt;strong&gt;&lt;em&gt;<i>Schistura maculosa&lt;/i&gt;&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;, a new species of loach (Teleostei) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i>	0.5	11
6	Effects of storage temperature on survival and infectivity of three indigenous entomopathogenic nematodes strains (Steinernematidae and Heterorhabditidae) from Meghalaya, India. <i>Journal of Parasitic Diseases</i> , 2016, 40, 1150-1154.	1.0	11
7	Morphological and molecular characterization of entomopathogenic nematode, <i>Heterorhabditis baujardi</i> (Rhabditida, Heterorhabditidae) from Mizoram, northeastern India. <i>Journal of Parasitic Diseases</i> , 2018, 42, 341-349.	1.0	11
8	&lt;strong&gt;&lt;em&gt;<i>Pethia rutila&lt;/i&gt;&lt;/em&gt;&lt;/strong&gt; (Teleostei: Cyprinidae), a new species from Mizoram, Northeast India&lt;/strong&gt;. <i>Zootaxa</i> , 2014, 3827, 366.	0.5	10
9	<i>Channa aurantipectoralis</i> , a new species of snakehead from Mizoram, North-eastern India (Teleostei) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i>	0.5	9
10	DNA barcoding revealed a new species of <i>Neolissochilus</i> Rainboth, 1985 from the Kaladan River of Mizoram, North East India. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 52-59.	0.7	9
11	<i>Pseudolaguvia virgulata</i> , a new sisorid catfish (Teleostei: Sisoridae) from Mizoram, northeastern India. <i>Zootaxa</i> , 2010, 2518, .	0.5	7
12	Evaluation of the efficacy of three indigenous strains of entomopathogenic nematodes from Meghalaya, India against mustard sawfly, <i>Athalia lugens proxima</i> Klug (Hymenoptera: Tenthredinidae). <i>Journal of Parasitic Diseases</i> , 2012, 36, 175-180.	1.0	6
13	&lt;i&gt;<i>Glyptothorax radiolus&lt;/i&gt;&lt;/i&gt;, a new species of sisorid catfish (Osteichthyes: Siluriformes) from northeastern India, with a redescription of &lt;i&gt;<i>G. striatus&lt;/i&gt;&lt;/i&gt; McClelland 1842. <i>Zootaxa</i> , 2013, 3682, 501-12.	0.5	6
14	<p><strong><em>Psilorhynchus</em> <em>khopai</em>, a new fish species (Teleostei) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> 222 Td (	0.5	6
15	&lt;p class="HeadingRunIn"&gt;&lt;strong&gt;&lt;em&gt;<i>Psilorhynchus kaladanensis&lt;/i&gt;&lt;/em&gt;&lt;/strong&gt; a new species (Teleostei: Psilorhynchidae) from Mizoram, northeastern India&lt;/strong&gt;&lt;/p&gt;. <i>Zootaxa</i> , 2015, 3962, 171.	0.5	6
16	Susceptibility of the fall armyworm, <i>Spodoptera frugiperda</i> (J.E. Smith, 1797) (Lepidoptera: Noctuidae), to four species of entomopathogenic nematodes (Steinernematidae and Heterorhabditidae) from Mizoram, North-Eastern India. <i>Egyptian Journal of Biological Pest Control</i> , 2021, 31, .	1.8	6
17	A new diminutive sisorid catfish (Actinopterygii: Siluriformes) from northeastern India. <i>Zootaxa</i> , 2016, 4105, 546-56.	0.5	5
18	&lt;i&gt;<i>Pseudolaguvia nubila&lt;/i&gt;&lt;/i&gt;, a new sisorid catfish (Teleostei: Sisoridae) from northeastern India. <i>Zootaxa</i> , 2013, 3647, .	0.5	4

#	ARTICLE	IF	CITATIONS
19	<i>Olyra saginata</i> , a new species of bagrid catfish (Actinopterygii: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382	0.5	4
20	New records of Indian Nematomorpha, with the description of a new species from the genus <i>Chordodes</i> . <i>Zootaxa</i> , 2016, 4158, 272.	0.5	4
21	Characterization and screening of antifungal activity of bacteria associated with entomopathogenic nematodes from Mizoram, North-Eastern India. <i>Journal of Environmental Biology</i> , 2020, 41, 942-950.	0.5	4
22	<i>Schistura andrewi</i> , a new species of loach (Teleostei: Nemacheilidae) from Mizoram, northeastern India. <i>Zootaxa</i> , 2014, 3860, 253-60.	0.5	3
23	<i>Laubuka parafasciata</i> , a new cyprinid fish species (Teleostei: Cyprinidae) from Mizoram northeastern India. <i>Zootaxa</i> , 2017, 4244, 269-276.	0.5	3
24	<i>Garra dampansensis</i> , a new ray-finned fish species (Cypriniformes: Cyprinidae) from Mizoram, northeastern India. <i>Journal of Threatened Taxa</i> , 2013, 5, 4368-4377.	0.3	3
25	<i>Eutropiichthys cetosus</i> , a new riverine catfish (Teleostei: Schilbeidae) from northeastern India. <i>Journal of Threatened Taxa</i> , 2014, 6, 6073-6081.	0.3	3
26	<i>Physoschistura chhimtuipuiensis</i> , a new species of loach (Teleostei: Nemacheilidae) from Mizoram, north-eastern India. <i>Zootaxa</i> , 2016, 4173, 192.	0.5	2
27	<i>Badis kaladanensis</i> , a new fish species (Teleostei: Badidae) from Mizoram, northeast India. <i>PLoS ONE</i> , 2021, 16, e0246466.	2.5	2
28	Integrative taxonomy peeps a new torrent catfish species of genus <i>Amblyceps</i> (Siluriformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	2.3	2
29	A new country record of <i>Raorchestes cangyuanensis</i> Wu, Suwannapoom, Xu, Murphy & Che 2019 and additional record of <i>Kurixalus yangi</i> Yu, Hui, Rao & Yang 2018 (Anura: Rhacophoridae: Rhacophorinae) from India. <i>Zootaxa</i> . 2021, 4974, 383-390.	0.5	1
30	Ichthyofauna of Dampa Tiger Reserve Rivers, Mizoram, North-Eastern India. <i>Journal of Environmental Biology</i> , 2020, 41, 884-895.	0.5	1
31	Evaluation of pathogenicity of indigenous entomopathogenic nematodes (Steinernematidae and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382	0.5	1
32	Studies on the distribution and diversity of helminth infection in <i>Xenentodon cancila</i> (Hamilton, 1822) in Mizoram, Northeast India. <i>Journal of Environmental Biology</i> , 2020, 41, 832-839.	0.5	0
33	<i>Pseudolaguvia nubila</i> , a new sisorid catfish (Teleostei: Sisoridae) from northeastern India. <i>Zootaxa</i> , 2013, 3647, 518-26.	0.5	0