

Cheol Kwak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3347124/publications.pdf>

Version: 2024-02-01

207
papers

3,201
citations

159585

30
h-index

289244

40
g-index

209
all docs

209
docs citations

209
times ranked

4748
citing authors

#	ARTICLE	IF	CITATIONS
1	Establishment of Prospective Registry of Active Surveillance for Prostate Cancer: The Korean Urological Oncology Society Database. <i>World Journal of Men's Health</i> , 2023, 41, 110.	3.3	1
2	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2022, 106, 138-146.	1.3	4
3	Next-generation Proteomics-Based Discovery, Verification, and Validation of Urine Biomarkers for Bladder Cancer Diagnosis. <i>Cancer Research and Treatment</i> , 2022, 54, 882-893.	3.0	10
4	Immunotherapy for prostate cancer: Requirements for a successful regime transfer. <i>Investigative and Clinical Urology</i> , 2022, 63, 3.	2.0	8
5	Isolation and Genomic Analysis of Single Circulating Tumor Cell Using Human Telomerase Reverse Transcriptase and Desmoglein-2. <i>Small Methods</i> , 2022, , 2100938.	8.6	1
6	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	1.0	4
7	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
8	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	2.0	0
9	Isolation and Genomic Analysis of Single Circulating Tumor Cell Using Human Telomerase Reverse Transcriptase and Desmoglein-2 (Small Methods 4/2022). <i>Small Methods</i> , 2022, 6, .	8.6	0
10	Clinical determinants of recurrence in pTa bladder cancer following transurethral resection of bladder tumor. <i>BMC Cancer</i> , 2022, 22, .	2.6	6
11	Fumarate modulates phospholipase A2 receptor autoimmunity-induced podocyte injury in membranous nephropathy. <i>Kidney International</i> , 2021, 99, 443-455.	5.2	18
12	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 470-476.	1.0	4
13	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , 2021, 123, 204-213.	1.7	18
14	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	2.0	3
15	Stratifying risk for multiple, recurrent, and large (≥ 3 cm) Ta, G1/G2 tumors in non-muscle-invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 408-415.	2.0	4
16	A comparison of the survival outcomes of robotic-assisted radical prostatectomy and radiation therapy in patients over 75 years old with non-metastatic prostate cancer: A Korean multicenter study. <i>Investigative and Clinical Urology</i> , 2021, 62, 535.	2.0	3
17	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. <i>International Journal of Urology</i> , 2021, 28, 417-423.	1.0	3
18	Comprehensive metabolomic profiling in early IgA nephropathy patients reveals urine glycine as a prognostic biomarker. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 5177-5190.	3.6	15

#	ARTICLE	IF	CITATIONS
19	A Retrospective, Multicenter, Long-Term Follow-Up Analysis of the Prognostic Characteristics of Recurring Non-Metastatic Renal Cell Carcinoma After Partial or Radical Nephrectomy. <i>Frontiers in Oncology</i> , 2021, 11, 653002.	2.8	4
20	PDLIM2 Suppression Inhibit Proliferation and Metastasis in Kidney Cancer. <i>Cancers</i> , 2021, 13, 2991.	3.7	4
21	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	2.4	5
22	Investigation of Information Acquisition Channel for Prostate Cancer High-Risk Group. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 174-182.	0.1	1
23	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e26826.	1.0	2
24	Machine learning-based prediction of acute kidney injury after nephrectomy in patients with renal cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 15704.	3.3	12
25	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	2.4	2
26	Prostate-specific membrane antigen-mediated theragnostics in prostate cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 497.	2.0	4
27	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	2.5	1
28	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 817781.	2.8	1
29	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020, 78, 221-228.	1.9	10
30	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	1.0	3
31	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	2.5	24
32	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020, 104, 199-204.	1.3	4
33	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	2.6	6
34	The prognostic role of preoperative serum albumin/globulin ratio in patients with non-metastatic renal cell carcinoma undergoing partial or radical nephrectomy. <i>Scientific Reports</i> , 2020, 10, 11999.	3.3	15
35	Efficacy of neoadjuvant atezolizumab treatment in patients with advanced urothelial bladder cancer according to the BASQ classification: a study protocol for an open-label, two-cohort, phase II trial. <i>BMJ Open</i> , 2020, 10, e035530.	1.9	3
36	Role of multiparametric magnetic resonance imaging to predict postoperative Gleason score upgrading in prostate cancer with Gleason score 3 + 4. <i>World Journal of Urology</i> , 2020, 39, 1825-1830.	2.2	6

#	ARTICLE	IF	CITATIONS
37	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6089.	4.1	21
38	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5658.	4.1	15
39	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020, 20, 125.	1.4	6
40	Crosstalk between Prostate Cancer Cells and Tumor-Associated Fibroblasts Enhances the Malignancy by Inhibiting the Tumor Suppressor PLZF. <i>Cancers</i> , 2020, 12, 1083.	3.7	3
41	Intraoperative allogeneic blood transfusion is associated with adverse oncological outcomes in patients with surgically treated non-metastatic clear cell renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1551-1561.	2.2	4
42	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	2.3	1
43	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	2.4	7
44	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020, 10, 10157.	3.3	3
45	Robust Association between Acute Kidney Injury after Radical Nephrectomy and Long-term Renal Function. <i>Journal of Clinical Medicine</i> , 2020, 9, 619.	2.4	8
46	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 6967.	3.3	3
47	Enzalutamide in chemotherapy-naive patients with metastatic castration-resistant prostate cancer: A retrospective Korean multicenter study in a real-world setting. <i>Investigative and Clinical Urology</i> , 2020, 61, 19.	2.0	6
48	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020, 61, 127.	2.0	8
49	Impact of perioperative blood transfusion on oncologic outcomes in patients with nonmetastatic renal cell carcinoma treated with curative nephrectomy: A retrospective analysis of a large, single-institutional cohort. <i>Investigative and Clinical Urology</i> , 2020, 61, 136.	2.0	6
50	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , 2020, 61, 260.	2.0	5
51	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020, 61, 269.	2.0	7
52	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020, 61, 475.	2.0	7
53	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	1.4	1
54	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020, 53, 634-639.	2.4	5

#	ARTICLE	IF	CITATIONS
55	Treatment strategy for papillary renal cell carcinoma type 2: a case series of seven patients treated based on next generation sequencing data. <i>Annals of Translational Medicine</i> , 2020, 8, 1389.	1.7	0
56	Clinical outcomes and costs of robotic surgery in prostate cancer: a multiinstitutional study in Korea. <i>Prostate International</i> , 2019, 7, 19-24.	2.3	14
57	Adjuvant Treatments for Advanced Stage, Non-metastatic Upper Tract Urothelial Carcinoma: A Multicenter Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 819-827.	0.8	12
58	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1059.	2.4	11
59	Prostate specific antigen (PSA) persistence 6 weeks after radical prostatectomy and pelvic lymph node dissection as predictive factor of radiographic progression in node-positive prostate cancer patients. <i>Journal of Cancer</i> , 2019, 10, 2237-2242.	2.5	15
60	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 859.	2.8	25
61	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	2.6	14
62	Late Recurrence of Bladder Cancer following Radical Cystectomy: Characteristics and Outcomes. <i>Urologia Internationalis</i> , 2019, 103, 291-296.	1.3	8
63	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18
64	The association between intraoperative urine output and postoperative acute kidney injury differs between partial and radical nephrectomy. <i>Scientific Reports</i> , 2019, 9, 760.	3.3	9
65	The Cancer of the Bladder Risk Assessment (COBRA) score for predicting cancer-specific survival after radical cystectomy for urothelial carcinoma of the bladder: External validation in a cohort of Korean patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 470-477.	1.6	4
66	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 158.	2.8	13
67	The Efficacy of Lymph Node Embolization Using N-Butyl Cyanoacrylate Compared to Ethanol Sclerotherapy in the Management of Symptomatic Lymphorrhea after Pelvic Surgery. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 195-202.e1.	0.5	31
68	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?. <i>Medicine (United States)</i> , 2019, 98, e17377.	1.0	0
69	Importance of androgen-deprivation therapy during enzalutamide treatment in men with metastatic castration-resistant prostate cancer following chemotherapy: results from retrospective, multicenter data. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 150-158.	3.9	6
70	Effects of Variant Histology on the Oncologic Outcomes of Patients With Upper Urinary Tract Carcinoma After Radical Nephroureterectomy: A Propensity Score-Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e394-e407.	1.9	14
71	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019, 37, 1867-1877.	2.2	24
72	Gender- and cholesterol-specific predictive value of body mass index in renal cell carcinoma: A multicenter study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, e36-e42.	1.1	2

#	ARTICLE	IF	CITATIONS
73	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	2.0	25
74	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	2.0	2
75	Is Primary Androgen Deprivation Therapy a Suitable Option for Asian Patients With Prostate Cancer Compared With Radical Prostatectomy?. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 441-449.	4.9	1
76	Predictors for the detection of prostate cancer and clinically significant prostate cancer using TRUS-guided biopsy in patients with negative initial biopsy results. <i>World Journal of Urology</i> , 2018, 36, 1047-1053.	2.2	1
77	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e831-e841.	1.9	13
78	Comparison of the Effect of Naftopidil 75 mg and Tamsulosin 0.2 mg on the Bladder Storage Symptom With Benign Prostatic Hyperplasia: Prospective, Multi-institutional Study. <i>Urology</i> , 2018, 111, 145-150.	1.0	5
79	Sex-Specific Prognostic Significance of Obesity in Nonmetastatic Clear-Cell Renal-Cell Carcinoma in Korea: A Large Multicenter Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e173-e179.	1.9	7
80	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018, 33, e325.	2.5	13
81	Should intravesical Bacillus Calmette-Guérin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	2.5	7
82	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
83	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	2.0	18
84	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
85	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018, 101, 400-408.	1.3	3
86	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	3.3	9
87	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018, 59, 10.	2.0	14
88	Histone demethylase KDM7A controls androgen receptor activity and tumor growth in prostate cancer. <i>International Journal of Cancer</i> , 2018, 143, 2849-2861.	5.1	37
89	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	7
90	Age-dependent prognostic value of body mass index for non-metastatic clear cell renal cell carcinoma: A large multicenter retrospective analysis. <i>Journal of Surgical Oncology</i> , 2018, 118, 199-205.	1.7	9

#	ARTICLE	IF	CITATIONS
91	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018, 200, 989-995.	0.4	16
92	Comparison of intraoperative handling and wound healing between (NEOSORBÂ® plus) and coated polyglactin 910 suture (NEOSORBÂ®): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018, 18, 45.	1.3	7
93	Outcomes of pathologic stage T3a renal cell carcinoma up-staged from small renal tumor: emphasis on partial nephrectomy. <i>BMC Cancer</i> , 2018, 18, 427.	2.6	31
94	Psychometric validation study of the Korean version of the Functional Assessment of Cancer Therapy-Vanderbilt Cystectomy Index. <i>PLoS ONE</i> , 2018, 13, e0190570.	2.5	1
95	Comparisons of oncological outcomes and perioperative complications between laparoscopic and open radical nephrectomies in patients with clinical T2 renal cell carcinoma (â‰¥7cm). <i>PLoS ONE</i> , 2018, 13, e0191786.	2.5	4
96	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	2.8	21
97	Selection Criteria for Active Surveillance of Patients with Prostate Cancer in Korea: A Multicenter Analysis of Pathology after Radical Prostatectomy. <i>Cancer Research and Treatment</i> , 2018, 50, 265-274.	3.0	10
98	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 984-991.	3.0	19
99	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	1.6	0
100	De Ritis ratio (aspartate transaminase/alanine transaminase ratio) as a significant prognostic factor after surgical treatment in patients with clear-cell localized renal cell carcinoma: a propensity score-matched study. <i>BJU International</i> , 2017, 119, 261-267.	2.5	53
101	Surgical treatment of renal cell carcinoma: Can morphological features of inferior vena cava tumor thrombus on computed tomography or magnetic resonance imaging be a prognostic factor?. <i>International Journal of Urology</i> , 2017, 24, 102-109.	1.0	11
102	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e633-e643.	1.9	6
103	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017, 24, 2047-2054.	1.5	39
104	Can partial nephrectomy provide equal oncological efficiency and safety compared with radical nephrectomy in patients with renal cell carcinoma (â‰¥4 cm)? A propensity score-matched study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 379-385.	1.6	36
105	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e411-e420.	1.9	10
106	Comparison of bone mineral loss by combined androgen block agonist versus GnRH in patients with prostate cancer: A 12 month-prospective observational study. <i>Scientific Reports</i> , 2017, 7, 39562.	3.3	8
107	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated non-muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017, 7, 1380.	3.3	5
108	The De Ritis (aspartate transaminase/alanine transaminase) ratio as a predictor of oncological outcomes in patients after surgery for upper urinary tract urothelial carcinoma. <i>International Urology and Nephrology</i> , 2017, 49, 1383-1390.	1.4	28

#	ARTICLE	IF	CITATIONS
109	Progression to T1 High Grade (T1HG) from a Lower Stage/Grade is Associated with Poorer Survival Outcomes than Initial Diagnosis with T1HG Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 2413-2419.	1.5	1
110	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e819-e825.	1.9	14
111	Variant histology as a significant predictor of survival after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 458.e9-458.e15.	1.6	31
112	Preoperative Cholesterol Level Is Associated With Worse Pathological Outcomes and Postoperative Survival in Localized Renal Cell Carcinoma Patients: A Propensity Score-Matched Study. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e935-e941.	1.9	12
113	Roles of fluid shear stress and retinoic acid in the differentiation of primary cultured human podocytes. <i>Experimental Cell Research</i> , 2017, 354, 48-56.	2.6	28
114	Dose, duration and strain of bacillus Calmette-Guerin in the treatment of nonmuscle invasive bladder cancer. <i>Medicine (United States)</i> , 2017, 96, e8300.	1.0	23
115	RNF20 Suppresses Tumorigenesis by Inhibiting the SREBP1c-PTTG1 Axis in Kidney Cancer. <i>Molecular and Cellular Biology</i> , 2017, 37, .	2.3	40
116	Impact of Gleason score on biochemical recurrence in patients with pT3aNO/Nx prostate cancer with positive surgical margins: a multicenter study from the Prostate Cancer Research Committee. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2393-2400.	2.5	5
117	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1055-e1061.	1.9	26
118	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
119	Clinical Significance of Subclassification of Papillary Renal Cell Carcinoma: Comparison of Clinicopathologic Parameters and Oncologic Outcomes Between Papillary Histologic Subtypes 1 and 2 Using the Korean Renal Cell Carcinoma Database. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e181-e186.	1.9	16
120	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 321.	4.1	25
121	Primary Tumor Characteristics Are Important Prognostic Factors for Sorafenib-Treated Patients with Metastatic Renal Cell Carcinoma: A Retrospective Multicenter Study. <i>BioMed Research International</i> , 2017, 2017, 1-13.	1.9	4
122	Papillary Urothelial Neoplasm of Low Malignant Potential (PUNLMP) After Initial TUR-BT: Comparative Analyses with Noninvasive Low-Grade Papillary Urothelial Carcinoma (LGPUC). <i>Journal of Cancer</i> , 2017, 8, 2885-2891.	2.5	15
123	Concurrent treatment with simvastatin and NF- κ B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF- κ B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0184644.	2.5	31
124	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. <i>PLoS ONE</i> , 2017, 12, e0189354.	2.5	11
125	Establishment of Korean prostate cancer database by the Korean Urological Oncology Society. <i>Investigative and Clinical Urology</i> , 2017, 58, 434.	2.0	7
126	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017, 58, 12.	2.0	15

#	ARTICLE	IF	CITATIONS
127	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. <i>Oncotarget</i> , 2017, 8, 12891-12901.	1.8	49
128	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. <i>Oncotarget</i> , 2017, 8, 59690-59697.	1.8	20
129	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. <i>Oncotarget</i> , 2017, 8, 81204-81214.	1.8	23
130	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFkB-LIN28B-let7 miRNA signaling pathway.. <i>Journal of Clinical Oncology</i> , 2017, 35, 269-269.	1.6	1
131	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 7464-7476.	1.8	28
132	Impact of preoperative thrombocytosis on prognosis after surgical treatment in pathological T1 and T2 renal cell carcinoma: results of a multi-institutional comprehensive study. <i>Oncotarget</i> , 2017, 8, 64449-64458.	1.8	6
133	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 100614-100630.	1.8	19
134	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 262-262.	1.6	0
135	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	2.0	30
136	Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	20
137	Perioperative Blood Transfusion as a Significant Predictor of Biochemical Recurrence and Survival after Radical Prostatectomy in Patients with Prostate Cancer. <i>PLoS ONE</i> , 2016, 11, e0154918.	2.5	16
138	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. <i>PLoS ONE</i> , 2016, 11, e0166183.	2.5	40
139	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1976.	2.5	20
140	Renal cell carcinoma in end-stage renal disease: Multi-institutional comparative analysis of survival. <i>International Journal of Urology</i> , 2016, 23, 465-471.	1.0	10
141	<i>PDLIM2</i> suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. <i>Prostate</i> , 2016, 76, 273-285.	2.3	20
142	Is lymphovascular invasion a powerful predictor for biochemical recurrence in pT3 N0 prostate cancer? Results from the K-CaP database. <i>Scientific Reports</i> , 2016, 6, 25419.	3.3	17
143	Efficacy of Partial Nephrectomy for Renal Tumors >4 cm: Comparison With Renal Tumors <4 cm. <i>International Surgery</i> , 2016, 101, 7-13.	0.1	0
144	Risk of metastasis for T1a renal cell carcinoma. <i>World Journal of Urology</i> , 2016, 34, 553-559.	2.2	32

#	ARTICLE	IF	CITATIONS
145	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. <i>Clinical Cancer Research</i> , 2016, 22, 1086-1094.	7.0	27
146	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2016, 23, 335-342.	1.5	50
147	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. <i>Oncotarget</i> , 2016, 7, 45479-45488.	1.8	29
148	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. <i>Cancer Research and Treatment</i> , 2016, 48, 621-631.	3.0	9
149	Quality-adjusted survival comparison between androgen deprivation with radiation therapy versus radiation therapy alone for locally advanced prostate cancer: Decision analysis from RTOG 85-31 trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 265-265.	1.6	0
150	The Characteristics of Recurrent Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy without Bladder Cuff Excision. <i>Yonsei Medical Journal</i> , 2015, 56, 375.	2.2	13
151	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. <i>PLoS ONE</i> , 2015, 10, e0120552.	2.5	5
152	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. <i>PLoS ONE</i> , 2015, 10, e0133371.	2.5	7
153	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. <i>Journal of Korean Medical Science</i> , 2015, 30, 1143.	2.5	14
154	Prognostic Value of Body Mass Index According to Histologic Subtype in Nonmetastatic Renal Cell Carcinoma: A Large Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 461-468.	1.9	19
155	The Impact of PBRM1 Expression as a Prognostic and Predictive Marker in Metastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2015, 194, 1112-1119.	0.4	19
156	The prognostic impact of perioperative blood transfusion on survival in patients with bladder urothelial carcinoma treated with radical cystectomy. <i>Korean Journal of Urology</i> , 2015, 56, 295.	1.2	20
157	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 3745-3750.	1.5	27
158	Perioperative and long-term renal functional outcomes of robotic versus laparoscopic partial nephrectomy: a multicenter matched-pair comparison. <i>World Journal of Urology</i> , 2015, 33, 1579-1584.	2.2	38
159	Effect of Sex on Prognosis of Urothelial Carcinoma: Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e113-e121.	1.9	12
160	Prostate-specific antigen kinetic profiles during androgen deprivation therapy as prognostic factors in castration-resistant prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 203.e1-203.e9.	1.6	11
161	Diabetes Mellitus as an Independent Predictor of Survival of Patients Surgically Treated for Renal Cell Carcinoma: A Propensity Score Matching Study. <i>Journal of Urology</i> , 2015, 194, 1554-1560.	0.4	19
162	Are urothelial carcinomas of the upper urinary tract a distinct entity from urothelial carcinomas of the urinary bladder? Behavior of urothelial carcinoma after radical surgery with respect to anatomical location: a case control study. <i>BMC Cancer</i> , 2015, 15, 149.	2.6	15

#	ARTICLE	IF	CITATIONS
163	Preoperative Chronic Kidney Disease Status is an Independent Prognostic Factor in Patients with Renal Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 4098-4103.	1.5	16
164	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015, 38, 126-133.	0.4	9
165	Overall survival and renal function after partial and radical nephrectomy among older patients with localised renal cell carcinoma: A propensity-matched multicentre study. <i>European Journal of Cancer</i> , 2015, 51, 489-497.	2.8	38
166	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015, 15, 447.	2.6	53
167	S100A3 Suppression Inhibits In Vitro and In Vivo Tumor Growth and Invasion of Human Castration-resistant Prostate Cancer Cells. <i>Urology</i> , 2015, 85, 273.e9-273.e15.	1.0	19
168	Efficacy and Safety of Sorafenib Therapy on Metastatic Renal Cell Carcinoma in Korean Patients: Results from a Retrospective Multicenter Study. <i>PLoS ONE</i> , 2015, 10, e0135165.	2.5	5
169	Clinicohistological characteristics of renal cell carcinoma in children: A multicentre study. <i>Canadian Urological Association Journal</i> , 2015, 9, 705.	0.6	7
170	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11323-31.	0.5	5
171	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	2.5	14
172	Inhibition of Autophagy Potentiates Atorvastatin-Induced Apoptotic Cell Death in Human Bladder Cancer Cells in Vitro. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8106-8121.	4.1	39
173	Different methods of hilar clamping during partial nephrectomy: Impact on renal function. <i>International Journal of Urology</i> , 2014, 21, 232-236.	1.0	12
174	Abiraterone acetate and prednisolone for metastatic castration-resistant prostate cancer failing androgen deprivation and docetaxel-based chemotherapy: A phase II bridging study in Korean and Taiwanese patients. <i>International Journal of Urology</i> , 2014, 21, 1239-1244.	1.0	11
175	Current Status of Renal Biopsy for Small Renal Masses. <i>Korean Journal of Urology</i> , 2014, 55, 568.	1.2	12
176	Reassessment of Prognostic Heterogeneity of pT3 Renal Pelvic Urothelial Carcinoma: Analysis in Terms of Proposed pT3 Subclassification Systems. <i>Journal of Urology</i> , 2014, 192, 1064-1071.	0.4	17
177	Cytotoxic Effects of Escin on Human Castration-resistant Prostate Cancer Cells Through the Induction of Apoptosis and G2/M Cell Cycle Arrest. <i>Urology</i> , 2014, 84, 982.e1-982.e7.	1.0	30
178	Risk Prediction Models of Locoregional Failure After Radical Cystectomy for Urothelial Carcinoma: External Validation in a Cohort of Korean Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 1032-1037.	0.8	23
179	Post-treatment neutrophil-to-lymphocyte ratio in predicting prognosis in patients with metastatic clear cell renal cell carcinoma receiving sunitinib as first line therapy. <i>SpringerPlus</i> , 2014, 3, 243.	1.2	31
180	External Validation of Online Predictive Models for Prediction of Cancer-specific Mortality and All-cause Mortality in Patients with Urothelial Carcinoma of the Urinary Bladder. <i>Annals of Surgical Oncology</i> , 2014, 21, 3132-3141.	1.5	14

#	ARTICLE	IF	CITATIONS
181	A case of reninoma with variant angina. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 106-108.	2.2	2
182	Effect of Gleason scores of lymph node metastases on prognosis of patients with prostate cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6141-8.	0.5	2
183	Prognostic implication of extrarenal metabolic tumor burden in advanced renal cell carcinoma treated with targeted therapy after nephrectomy. <i>Annals of Nuclear Medicine</i> , 2013, 27, 748-755.	2.2	20
184	Simvastatin Induces Apoptosis in Castrate Resistant Prostate Cancer Cells by Deregulating Nuclear Factor- κ B Pathway. <i>Journal of Urology</i> , 2013, 189, 1547-1552.	0.4	34
185	Lymphovascular invasion as a prognostic factor in the upper urinary tract urothelial carcinoma: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2013, 49, 2665-2680.	2.8	44
186	Extramammary Paget Disease of External Genitalia: Surgical Excision and Follow-up Experiences With 19 Patients. <i>Korean Journal of Urology</i> , 2013, 54, 834.	1.2	14
187	Influence of nutritional deficiency on prognosis of renal cell carcinoma (<scp>RCC</scp>). <i>BJU International</i> , 2013, 112, 775-780.	2.5	38
188	Impact of Prostate Volume on Oncological and Functional Outcomes After Radical Prostatectomy: Robot-Assisted Laparoscopic Versus Open Retropubic. <i>Korean Journal of Urology</i> , 2013, 54, 15.	1.2	23
189	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2013, 31, e15614-e15614.	1.6	0
190	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: Comparison with Western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012, 19, 846-852.	1.0	24
191	Late recurrence of renal cell carcinoma >5 years after surgery: clinicopathological characteristics and prognosis. <i>BJU International</i> , 2012, 110, E553-8.	2.5	65
192	Is there a Role of the Histologic Subtypes of Papillary Renal Cell Carcinoma as a Prognostic Factor?. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 664-670.	1.3	18
193	Chronic pulmonary disease negatively influences the prognosis of patients with advanced prostate cancer. <i>World Journal of Urology</i> , 2009, 27, 643-652.	2.2	5
194	Young Age Is Independent Prognostic Factor for Cancer-Specific Survival of Low-Stage Clear Cell Renal Cell Carcinoma. <i>Urology</i> , 2009, 73, 137-141.	1.0	37
195	Prostate Specific Antigen Half-Time and Prostate Specific Antigen Doubling Time as Predictors of Response to Androgen Deprivation Therapy for Metastatic Prostate Cancer. <i>Journal of Urology</i> , 2009, 181, 2520-2525.	0.4	36
196	No role of adjuvant systemic therapy after complete metastasectomy in metastatic renal cell carcinoma?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007, 25, 310-316.	1.6	14
197	Sarcomatoid differentiation as a prognostic factor for immunotherapy in metastatic renal cell carcinoma. <i>Journal of Surgical Oncology</i> , 2007, 95, 317-323.	1.7	46
198	Prevention of nephrolithiasis by <i>Lactobacillus</i> in stone-forming rats: a preliminary study. <i>Urological Research</i> , 2006, 34, 265-270.	1.5	28

#	ARTICLE	IF	CITATIONS
199	Effective local control of prostate cancer by intratumoral injection of ¹⁶⁶ Ho-chitosan complex (DW-166HC) in rats. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1400-1405.	6.4	14
200	Effect of circumcision on urinary tract infection after successful antireflux surgery. <i>BJU International</i> , 2004, 94, 627-629.	2.5	37
201	Initial Tumor Stage and Grade as a Predictive Factor for Recurrence in Patients With Stage T1 Grade 3 Bladder Cancer. <i>Journal of Urology</i> , 2004, 171, 149-152.	0.4	43
202	Urinary Oxalate Levels and the Enteric Bacterium <i>Oxalobacter formigenes</i> in Patients with Calcium Oxalate Urolithiasis. <i>European Urology</i> , 2003, 44, 475-481.	1.9	75
203	Molecular Epidemiology of Fecal <i>Oxalobacter formigenes</i> in Healthy Adults Living in Seoul, Korea. <i>Journal of Endourology</i> , 2003, 17, 239-243.	2.1	14
204	Prognostic Significance of The Nadir Prostate Specific Antigen Level After Hormone Therapy for Prostate Cancer. <i>Journal of Urology</i> , 2002, 168, 995-1000.	0.4	105
205	Prognostic significance of the nadir prostate specific antigen level after hormone therapy for prostate cancer. <i>Journal of Urology</i> , 2002, 168, 995-1000.	0.4	66
206	Phase I Clinical Trial of Prostate-Specific Membrane Antigen-Targeting ⁶⁸ Ga-NGUL PET/CT in Healthy Volunteers and Patients with Prostate Cancer. <i>Korean Journal of Radiology</i> , 0, 23, .	3.4	2
207	High Carbohydrate Antigen 19-9 Levels Indicate Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	0