

Lidia M Yshii

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3347831/lidia-m-yshii-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

867
citations

16
h-index

29
g-index

37
ext. papers

1,139
ext. citations

8.4
avg, IF

3.99
L-index

#	Paper	IF	Citations
27	AAV-mediated delivery of an anti-BACE1 VHH alleviates pathology in an Alzheimer's disease model. <i>EMBO Molecular Medicine</i> , 2022 , e09824	12	2
26	Intratumoral DNA-based delivery of checkpoint-inhibiting antibodies and interleukin 12 triggers T cell infiltration and anti-tumor response. <i>Cancer Gene Therapy</i> , 2021 ,	5.4	2
25	The potential anti-inflammatory and anti-nociceptive effects of rat hemopressin (PVNFKFLSH) in experimental arthritis. <i>European Journal of Pharmacology</i> , 2021 , 890, 173636	5.3	1
24	Immunological Bases of Paraneoplastic Cerebellar Degeneration and Therapeutic Implications. <i>Frontiers in Immunology</i> , 2020 , 11, 991	8.4	15
23	Tumor necrosis factor receptor-associated factor 6 interaction with alpha-synuclein enhances cell death through the Nuclear Factor- κ B pathway. <i>IBRO Reports</i> , 2020 , 9, 218-223	2	1
22	Microglia Require CD4 ⁺ T Cells to Complete the Fetal-to-Adult Transition. <i>Cell</i> , 2020 , 182, 625-640.e24	56.2	77
21	IFN- γ is a therapeutic target in paraneoplastic cerebellar degeneration. <i>JCI Insight</i> , 2019 , 4,	9.9	5
20	CD8 T cell-mediated endotheliopathy is a targetable mechanism of neuro-inflammation in Susac syndrome. <i>Nature Communications</i> , 2019 , 10, 5779	17.4	46
19	CD4 ⁺ and CD8 ⁺ T cells are both needed to induce paraneoplastic neurological disease in a mouse model. <i>Onc Immunology</i> , 2017 , 6, e1260212	7.2	12
18	Inflammatory CNS disease caused by immune checkpoint inhibitors: status and perspectives. <i>Nature Reviews Neurology</i> , 2017 , 13, 755-763	15	95
17	Alpha 2 Na,K-ATPase silencing induces loss of inflammatory response and ouabain protection in glial cells. <i>Scientific Reports</i> , 2017 , 7, 4894	4.9	13
16	CD8 T cell-mediated killing of orexinergic neurons induces a narcolepsy-like phenotype in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10956-61	11.5	79
15	CTLA4 blockade elicits paraneoplastic neurological disease in a mouse model. <i>Brain</i> , 2016 , 139, 2923-2934	11.2	55
14	Effects of intermittent fasting on age-related changes on Na,K-ATPase activity and oxidative status induced by lipopolysaccharide in rat hippocampus. <i>Neurobiology of Aging</i> , 2015 , 36, 1914-23	5.6	32
13	Neurons and T cells: Understanding this interaction for inflammatory neurological diseases. <i>European Journal of Immunology</i> , 2015 , 45, 2712-20	6.1	23
12	Suppression of MAPK attenuates neuronal cell death induced by activated glia-conditioned medium in alpha-synuclein overexpressing SH-SY5Y cells. <i>Journal of Neuroinflammation</i> , 2015 , 12, 193	10.1	8
11	Migration of encephalitogenic CD8 T cells into the central nervous system is dependent on the α 4 β 1-integrin. <i>European Journal of Immunology</i> , 2015 , 45, 3302-12	6.1	34

10	Peripheral neurokinin-1 receptors contribute to kaolin-induced acute monoarthritis in rats. <i>NeuroImmunoModulation</i> , 2015 , 22, 373-84	2.5	5
9	Time-dependent effects of training on cardiovascular control in spontaneously hypertensive rats: role for brain oxidative stress and inflammation and baroreflex sensitivity. <i>PLoS ONE</i> , 2014 , 9, e94927	3.7	62
8	Signaling function of Na,K-ATPase induced by ouabain against LPS as an inflammation model in hippocampus. <i>Journal of Neuroinflammation</i> , 2014 , 11, 218	10.1	31
7	Intermittent fasting attenuates lipopolysaccharide-induced neuroinflammation and memory impairment. <i>Journal of Neuroinflammation</i> , 2014 , 11, 85	10.1	111
6	Influence of N-methyl-D-aspartate receptors on ouabain activation of nuclear factor- κ B in the rat hippocampus. <i>Journal of Neuroscience Research</i> , 2012 , 90, 213-28	4.4	29
5	PAR(2) and temporomandibular joint inflammation in the rat. <i>Journal of Dental Research</i> , 2010 , 89, 1123-8	8.1	13
4	Characterization of the mechanisms underlying the inflammatory response to <i>Polistes lanio lanio</i> (paper wasp) venom in mouse dorsal skin. <i>Toxicon</i> , 2009 , 53, 42-52	2.8	21
3	Cocaine induces cell death and activates the transcription nuclear factor kappa-B in PC12 cells. <i>Molecular Brain</i> , 2009 , 2, 3	4.5	49
2	Amyloid beta-peptide activates nuclear factor-kappaB through an N-methyl-D-aspartate signaling pathway in cultured cerebellar cells. <i>Journal of Neuroscience Research</i> , 2008 , 86, 845-60	4.4	28
1	Pivotal role of endogenous tachykinins and the NK1 receptor in mediating leukocyte accumulation, in the absence of oedema formation, in response to TNF α in the cutaneous microvasculature. <i>Journal of Neuroimmunology</i> , 2006 , 171, 99-109	3.5	16