

Serge Poiradeau

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3347935/serge-poiradeau-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

5,768
citations

44
h-index

70
g-index

192
ext. papers

6,703
ext. citations

3.8
avg, IF

5.28
L-index

#	Paper	IF	Citations
178	Risk factors and burden of osteoarthritis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016, 59, 134-138	3.8	276
177	A checklist to evaluate a report of a nonpharmacological trial (CLEAR NPT) was developed using consensus. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1233-40	5.7	246
176	Myostatin antibody (LY2495655) in older weak fallers: a proof-of-concept, randomised, phase 2 trial. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 948-57	18.1	200
175	Capacity of the clinical picture to characterize low back pain relieved by facet joint anesthesia. Proposed criteria to identify patients with painful facet joints. <i>Spine</i> , 1998, 23, 1972-6; discussion 1977	3.3	176
174	Validity, reliability, and responsiveness of the fingertip-to-floor test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 1566-70	2.8	158
173	General practitioners' fear-avoidance beliefs influence their management of patients with low back pain. <i>Pain</i> , 2006, 124, 330-337	8	151
172	Assessing disability and quality of life in systemic sclerosis: construct validities of the Cochin Hand Function Scale, Health Assessment Questionnaire (HAQ), Systemic Sclerosis HAQ, and Medical Outcomes Study 36-Item Short Form Health Survey. <i>Arthritis and Rheumatism</i> , 2007, 57, 94-102		147
171	French translation and validation of 3 functional disability scales for neck pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 376-82	2.8	129
170	Fear-avoidance beliefs and pain avoidance in low back pain--translating research into clinical practice. <i>Spine Journal</i> , 2011, 11, 895-903	4	125
169	Validation of the French version of the fear avoidance belief questionnaire. <i>Spine</i> , 2004, 29, 908-13	3.3	119
168	The burden of musculoskeletal conditions. <i>PLoS ONE</i> , 2014, 9, e90633	3.7	117
167	Reliability, validity, and sensitivity to change of the Cochin hand functional disability scale in hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 570-7	6.2	105
166	Splint for base-of-thumb osteoarthritis: a randomized trial. <i>Annals of Internal Medicine</i> , 2009, 150, 661-9	8	100
165	Phenotypic characteristics of rabbit intervertebral disc cells. Comparison with cartilage cells from the same animals. <i>Spine</i> , 1999, 24, 837-44	3.3	95
164	Determinants of satisfaction 1 year after total hip arthroplasty: the role of expectations fulfilment. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 53	2.8	93
163	Algo-functional assessment of knee osteoarthritis: comparison of the test-retest reliability and construct validity of the WOMAC and Lequesne indexes. <i>Osteoarthritis and Cartilage</i> , 2002, 10, 602-10	6.2	89
162	Three-dimensional scapular kinematics and scapulohumeral rhythm in patients with glenohumeral osteoarthritis or frozen shoulder. <i>Journal of Biomechanics</i> , 2008, 41, 326-32	2.9	87

161	Relation of inflammatory modic changes to intradiscal steroid injection outcome in chronic low back pain. <i>European Spine Journal</i> , 2007 , 16, 925-31	2.7	84
160	The Scleroderma Patient-centered Intervention Network (SPIN) Cohort: protocol for a cohort multiple randomised controlled trial (cmRCT) design to support trials of psychosocial and rehabilitation interventions in a rare disease context. <i>BMJ Open</i> , 2013 , 3,	3	82
159	Barriers to home-based exercise program adherence with chronic low back pain: Patient expectations regarding new technologies. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016 , 59, 107-13	3.8	82
158	Patients' and practitioners' views of knee osteoarthritis and its management: a qualitative interview study. <i>PLoS ONE</i> , 2011 , 6, e19634	3.7	76
157	High-sensitivity C-reactive protein in chronic low back pain with vertebral end-plate Modic signal changes. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1311-5		72
156	Reliability, validity and responsiveness of the French version of the questionnaire Quick Disability of the Arm, Shoulder and Hand in shoulder disorders. <i>Manual Therapy</i> , 2009 , 14, 206-12		67
155	3-D scapular kinematics during arm elevation: effect of motion velocity. <i>Clinical Biomechanics</i> , 2006 , 21, 932-41	2.2	66
154	Sensitivity of anulus fibrosus cells to interleukin 1 beta. Comparison with articular chondrocytes. <i>Spine</i> , 2000 , 25, 17-23	3.3	65
153	Chondroscopy: a new method for scoring chondropathy. <i>Seminars in Arthritis and Rheumatism</i> , 1993 , 22, 289-97	5.3	65
152	Magnetic resonance imaging of shoulders with idiopathic adhesive capsulitis: reliability of measures. <i>European Radiology</i> , 2005 , 15, 2415-22	8	64
151	Cyclic tensile stretch modulates proteoglycan production by intervertebral disc annulus fibrosus cells through production of nitrite oxide. <i>Journal of Cellular Biochemistry</i> , 2003 , 90, 148-57	4.7	62
150	Translation, adaptation and validation of the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC. <i>Osteoarthritis and Cartilage</i> , 2004 , 12, 459-68	6.2	59
149	Troublesome heterotopic ossification after central nervous system damage: a survey of 570 surgeries. <i>PLoS ONE</i> , 2011 , 6, e16632	3.7	59
148	Pharmacologic induction of heme oxygenase 1 reduces acute inflammatory arthritis in mice. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2585-94		58
147	Validation of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH). <i>Joint Bone Spine</i> , 2008 , 75, 195-200	2.9	53
146	Impact of quality scales on levels of evidence inferred from a systematic review of exercise therapy and low back pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1745-52	2.8	53
145	A pilot study on the recovery from paresis after lumbar disc herniation. <i>Spine</i> , 2002 , 27, 1426-31; discussion 1431	3.3	53
144	Rehabilitation (exercise and strength training) and osteoarthritis: A critical narrative review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016 , 59, 190-195	3.8	52

143	Non-pharmacological approaches for the treatment of osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 93-106	5.3	50
142	Comparison of patient and surgeon expectations of total hip arthroplasty. <i>PLoS ONE</i> , 2012 , 7, e30195	3.7	50
141	Nonpharmacological treatments in early rheumatoid arthritis: clinical practice guidelines based on published evidence and expert opinion. <i>Joint Bone Spine</i> , 2006 , 73, 396-402	2.9	48
140	Effect of a simple information booklet on pain persistence after an acute episode of low back pain: a non-randomized trial in a primary care setting. <i>PLoS ONE</i> , 2007 , 2, e706	3.7	48
139	Assessment of the test-retest reliability and construct validity of a modified WOMAC index in knee osteoarthritis. <i>Joint Bone Spine</i> , 2004 , 71, 121-7	2.9	47
138	From Modic 1 vertebral-endplate subchondral bone signal changes detected by MRI to the concept of 'active discopathy'. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1488-94	2.4	46
137	The ability of the Cochin rheumatoid arthritis hand functional scale to detect change during the course of disease. <i>Arthritis and Rheumatism</i> , 2000 , 13, 296-303		46
136	Intradiscal Glucocorticoid Injection for Patients With Chronic Low Back Pain Associated With Active Discopathy: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2017 , 166, 547-556	8	45
135	Comparison of visual and ultrasound based techniques to measure head repositioning in healthy and neck-pain subjects. <i>Manual Therapy</i> , 2009 , 14, 270-7		44
134	Correlates of pain intensity in men and women with hip and knee osteoarthritis. Results of a national survey: The French ARTHRIX study. <i>Clinical Journal of Pain</i> , 2009 , 25, 767-72	3.5	44
133	Barriers to Effective Postmenopausal Osteoporosis Treatment: A Qualitative Study of Patients' and Practitioners' Views. <i>PLoS ONE</i> , 2016 , 11, e0158365	3.7	44
132	Evidence and recommendations for use of intra-articular injections for knee osteoarthritis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016 , 59, 184-189	3.8	44
131	The ability to change of three questionnaires for neck pain. <i>Joint Bone Spine</i> , 2004 , 71, 317-26	2.9	41
130	Reliability, validity, and responsiveness of the modified Kapandji index for assessment of functional mobility of the rheumatoid hand. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003 , 84, 1032-8	2.8	41
129	Patient preference disability questionnaire in systemic sclerosis: a cross-sectional survey. <i>Arthritis and Rheumatism</i> , 2008 , 59, 968-73		40
128	Cervical range of motion and cephalic kinesthesia: ultrasonographic analysis by age and sex. <i>Spine</i> , 2007 , 32, E254-61	3.3	39
127	Assessment of the test-retest reliability and construct validity of a modified Lequesne index in knee osteoarthritis. <i>Joint Bone Spine</i> , 2003 , 70, 521-5	2.9	39
126	Personalized Physical Therapy Versus Usual Care for Patients With Systemic Sclerosis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 1050-1059	4.7	38

125	Association of gender with clinical expression, quality of life, disability, and depression and anxiety in patients with systemic sclerosis. <i>PLoS ONE</i> , 2011, 6, e17551	3.7	36
124	Respective contribution of chronic conditions to disability in France: results from the national Disability-Health Survey. <i>PLoS ONE</i> , 2012, 7, e44994	3.7	35
123	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. <i>Rheumatology</i> , 2017, 56, 1302-1311	3.9	34
122	Fear-avoidance beliefs about back pain in patients with acute LBP. <i>Clinical Journal of Pain</i> , 2007, 23, 720-725	3.5	34
121	Reliability of a modified Modic classification of bone marrow changes in lumbar spine MRI. <i>Joint Bone Spine</i> , 2009, 76, 286-9	2.9	33
120	Monolayer anulus fibrosus cell cultures in a mechanically active environment: local culture condition adaptations and cell phenotype study. <i>Translational Research</i> , 2000, 136, 412-21	3.0	
119	Clinical, functional and health-related quality of life correlates of clinically significant symptoms of anxiety and depression in patients with systemic sclerosis: a cross-sectional survey. <i>PLoS ONE</i> , 2014, 9, e90484	3.7	30
118	Beneficial effects of information leaflets before spinal steroid injection. <i>Joint Bone Spine</i> , 2002, 69, 597-603	2.8	29
117	Kinematic patterns in normal and degenerative shoulders. Part II: Review of 3-D scapular kinematic patterns in patients with shoulder pain, and clinical implications. <i>Annals of Physical and Rehabilitation Medicine</i> , 2018, 61, 46-53	3.8	26
116	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018, 57, 1623-1631	3.9	26
115	New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S23-9	2.2	26
114	Is physical activity, practiced as recommended for health benefit, a risk factor for osteoarthritis? <i>Annals of Physical and Rehabilitation Medicine</i> , 2016, 59, 196-206	3.8	26
113	Employment status and socio-economic burden in systemic sclerosis: a cross-sectional survey. <i>Rheumatology</i> , 2010, 49, 982-9	3.9	25
112	Sensitivity to change in systemic sclerosis of the McMaster-Toronto Arthritis Patient Preference Disability Questionnaire (MACTAR): shift in patient priorities over time. <i>Journal of Rheumatology</i> , 2010, 37, 359-64	4.1	25
111	Development and validation of a questionnaire assessing fears and beliefs of patients with knee osteoarthritis: the Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). <i>PLoS ONE</i> , 2013, 8, e53886	3.7	24
110	Patients' views and needs about systemic sclerosis and its management: a qualitative interview study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 230	2.8	23
109	Role of bracing in the management of knee osteoarthritis. <i>Current Opinion in Rheumatology</i> , 2010, 22, 218-22	5.3	23
108	Relationship of glenohumeral elevation and 3-dimensional scapular kinematics with disability in patients with shoulder disorders. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 456-60	3.4	23

107	Implication of cytosolic phospholipase A2 (cPLA2) in the regulation of human synoviocyte NADPH oxidase (Nox2) activity. <i>Life Sciences</i> , 2007 , 81, 1050-8	6.8	23
106	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1195-200	4.7	23
105	Evaluation of the benefits of low back pain patients' education workshops during spa therapy. <i>Joint Bone Spine</i> , 2013 , 80, 82-7	2.9	22
104	Modified 3D scapular kinematic patterns for activities of daily living in painful shoulders with restricted mobility: a comparison with contralateral unaffected shoulders. <i>Journal of Biomechanics</i> , 2012 , 45, 1305-11	2.9	22
103	Specific scapular kinematic patterns to differentiate two forms of dynamic scapular winging. <i>Clinical Biomechanics</i> , 2013 , 28, 941-7	2.2	21
102	Prevalence of simple and complex sacral perineural Tarlov cysts in a French cohort of adults and children. <i>Journal of Neuroradiology</i> , 2017 , 44, 38-43	3.1	21
101	Frequency and interrelations of risk factors for chronic low back pain in a primary care setting. <i>PLoS ONE</i> , 2009 , 4, e4874	3.7	21
100	Assessment of ankylosing spondylitis criteria in patients with chronic low back pain and vertebral endplate Modic I signal changes. <i>Journal of Rheumatology</i> , 2010 , 37, 2334-9	4.1	20
99	Lombalgie chronique : facteurs de passage ^ la chronicit. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009 , 76, 537-542	0.1	20
98	The trunk as a part of the kinematic chain for arm elevation in healthy subjects and in patients with frozen shoulder. <i>Brain Research</i> , 2008 , 1191, 107-15	3.7	19
97	Pelvic mobility when bending forward in standing position: validity and reliability of 2 motion analysis devices. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001 , 82, 221-6	2.8	19
96	Eosinophilia-myalgia linked with L-tryptophan. <i>Lancet, The</i> , 1990 , 335, 420-1	40	17
95	Management of pain induced by exercise and mobilization during physical therapy programs: views of patients and care providers. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 172	2.8	16
94	Disk degeneration and disk herniation: the contribution of mechanical stress. <i>Joint Bone Spine</i> , 2001 , 68, 543-6	2.9	16
93	Neither pre-operative education or a minimally invasive procedure have any influence on the recovery time after total hip replacement. <i>International Orthopaedics</i> , 2015 , 39, 1475-81	3.8	15
92	Using Optimal Test Assembly Methods for Shortening Patient-Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scale-6: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1704-1713	4.7	15
91	Lack of effectiveness of antibiotics in chronic low back pain with Modic 1 changes. <i>Joint Bone Spine</i> , 2017 , 84, 507-508	2.9	15
90	Correlation of force control with regional spinal DTI in patients with cervical spondylosis without signs of spinal cord injury on conventional MRI. <i>European Radiology</i> , 2016 , 26, 733-42	8	14

89	A new description of scapulothoracic motion during arm movements in healthy subjects. <i>Manual Therapy</i> , 2015, 20, 46-55		14
88	Patients', relatives', and practitioners' views of pulmonary arterial hypertension: A qualitative study. <i>Presse Medicale</i> , 2016, 45, e11-27	2.2	14
87	Patient-preference disability assessment for disabling chronic low back pain: a cross-sectional survey. <i>Spine</i> , 2009, 34, 1052-9	3.3	14
86	Association of accelerated switch from vertebral end-plate Modic I to Modic 0 signal changes with clinical benefit of intradiscal corticosteroid injection for chronic low back pain. <i>Arthritis and Rheumatism</i> , 2011, 63, 2828-31		13
85	Translation and French cultural adaptation of a decision making tool for patients orientation after total hip or knee arthroplasty. <i>Annals of Physical and Rehabilitation Medicine</i> , 2009, 52, 694-703	3.8	13
84	Effects of pro- and anti-inflammatory cytokines and nitric oxide donors on hyaluronic acid synthesis by synovial cells from patients with rheumatoid arthritis. <i>Clinical Science</i> , 2004, 107, 291-6	6.5	13
83	Kinematic analysis of the shoulder complex after anatomic and reverse total shoulder arthroplasty: A cross-sectional study. <i>Musculoskeletal Science and Practice</i> , 2017, 29, 84-90	2.4	12
82	Intervertebral disc and vertebral endplate subchondral changes associated with Modic 1 changes of the lumbar spine: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 34	2.8	12
81	Evolution of pain at 3 months by oral resveratrol in knee osteoarthritis (ARTHROL): protocol for a multicentre randomised double-blind placebo-controlled trial. <i>BMJ Open</i> , 2017, 7, e017652	3	11
80	Precision of 3D scapular kinematic measurements for analytic arm movements and activities of daily living. <i>Manual Therapy</i> , 2013, 18, 473-80		11
79	Low influenza vaccination rate among patients with systemic sclerosis. <i>Rheumatology</i> , 2010, 49, 600-6	3.9	11
78	Systemic sclerosis: Sexual dysfunction and lower urinary tract symptoms in 73 patients. <i>Presse Medicale</i> , 2016, 45, e79-89	2.2	10
77	Elaboration and validation of a questionnaire assessing patient expectations about management of knee osteoarthritis by their physicians: the Knee Osteoarthritis Expectations Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 552-9	2.4	10
76	Impact of self-care programs for lower limb osteoarthritis and influence of patients' beliefs. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 434-50	3.8	10
75	Traduction française des recommandations de l'Osteoarthritis Research Society International (OARSI) sur la prise en charge de la gonarthrose et de la coxarthrose. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009, 76, 279-288	0.1	10
74	Responsiveness of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH) in patients with orthopaedic and medical shoulder disorders. <i>Joint Bone Spine</i> , 2008, 75, 579-84	2.9	10
73	Knee arthroplasty: disabilities in comparison to the general population and to hip arthroplasty using a French national longitudinal survey. <i>PLoS ONE</i> , 2008, 3, e2561	3.7	10
72	Patient acceptable symptom state and minimal clinically important difference for patient-reported outcomes in systemic sclerosis: A secondary analysis of a randomized controlled trial comparing personalized physical therapy to usual care. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 694-700	5.3	10

71	Development and Preliminary Psychometrics of the Exercise Therapy Burden Questionnaire for Patients With Chronic Conditions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2188-2195.e6 ^{2,8}	9
70	Changes over Time and Responsiveness of the Cochin Hand Function Scale and Mouth Handicap in Systemic Sclerosis Scale in Patients with Systemic Sclerosis: A Prospective Observational Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016 , 95, e189-e197	2.6 9
69	Anatomical specificities of the degenerated cervical spine: a narrative review of clinical implications, with special focus on targeted spinal injections. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016 , 59, 276-81	3.8 9
68	The role of magnetic resonance imaging for the diagnosis of lipoma arborescens in polyarthritic patients with persistent single-joint effusion. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 431	1.1 9
67	Home-based cycling program tailored to older people with lumbar spinal stenosis: Barriers and facilitators. <i>Annals of Physical and Rehabilitation Medicine</i> , 2018 , 61, 144-150	3.8 8
66	Evaluation of physiotherapy in a prospective cohort of early axial spondyloarthritis. Data from the DESIR cohort. <i>Joint Bone Spine</i> , 2016 , 83, 185-90	2.9 8
65	Intensive spa and exercise therapy program for returning to work for low back pain patients: a randomized controlled trial. <i>Scientific Reports</i> , 2017 , 7, 17956	4.9 8
64	McMaster-Toronto Arthritis Patient Preference Disability Questionnaire sensitivity to change in low back pain: influence of shifts in priorities. <i>PLoS ONE</i> , 2011 , 6, e20274	3.7 8
63	Differences in patients with systemic sclerosis recruited from associations and tertiary care settings. <i>Presse Medicale</i> , 2010 , 39, e205-9	2.2 8
62	Evolution of disability in adults with hip arthroplasty: a national longitudinal study. <i>Arthritis and Rheumatism</i> , 2007 , 57, 364-71	8
61	Réducation dans les cervicalgies communes : ce que je fais, ce que je discute et pourquoi ? Fondement sur les preuves et stratégies du clinicien. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008 , 75, 763-769	0.1 8
60	Social and personal consequences of disability in adults with hip and knee arthroplasty. A French national community based survey. <i>Journal of Rheumatology</i> , 2004 , 31, 759-66	4.1 8
59	Kinetic DTI of the cervical spine: diffusivity changes in healthy subjects. <i>Neuroradiology</i> , 2016 , 58, 929-35 ^{3,2}	7
58	Rehabilitation therapy in chronic low back pain. <i>Joint Bone Spine</i> , 2000 , 67, 582-7	2.9 7
57	Construction of an ICF core set and ICF-based questionnaire assessing activities and participation in patients with systemic sclerosis. <i>Rheumatology</i> , 2019 , 58, 2260-2272	3.9 6
56	Bone mineral density and bone remodeling markers in chronic low back pain patients with active discopathy: A case-control exploratory study. <i>PLoS ONE</i> , 2018 , 13, e0196536	3.7 6
55	Hypoxia induces nitric oxide synthase in rheumatoid synoviocytes: consequences on NADPH oxidase regulation. <i>Free Radical Research</i> , 2012 , 46, 628-36	4 6
54	Development and validation of an Arabic rheumatoid hand disability scale. <i>Disability and Rehabilitation</i> , 2004 , 26, 655-61	2.4 6

53	La discopathie destructrice rapide. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000 , 67, 266-269	0.1	6
52	Psychometric validation of the Hand Disability in Systemic Sclerosis-Digital Ulcers (HDISS-DU [®]) patient-reported outcome instrument. <i>Arthritis Research and Therapy</i> , 2020 , 22, 3	5.7	6
51	Evaluation of the impact of a nurse-led program of patient self-assessment and self-management in axial spondyloarthritis: results of a prospective, multicentre, randomized, controlled trial (COMEDSPA). <i>Rheumatology</i> , 2021 , 60, 888-895	3.9	6
50	Evaluation of the impact of a nurse-led program of systematic screening of comorbidities in patients with axial spondyloarthritis: The results of the COMEDSPA prospective, controlled, one year randomized trial. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 701-708	5.3	5
49	Recent advances in kinematics of the shoulder complex in healthy people. <i>Annals of Physical and Rehabilitation Medicine</i> , 2018 , 61, 56-59	3.8	4
48	Tumor necrosis factor- β blockade in recurrent and disabling chronic sciatica associated with post-operative peridural lumbar fibrosis: results of a double-blind, placebo randomized controlled study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 330	5.7	4
47	Intradiscal corticosteroid injections in spondylotic cervical radiculopathy. <i>European Radiology</i> , 2007 , 17, 1156-61	8	4
46	Biochimie et biologie du disque intervertbral. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000 , 67, 214-218.	1	4
45	Long-term disability assessment after surgical treatment of low grade spondylolisthesis. <i>Journal of Spinal Disorders</i> , 2001 , 14, 411-6		4
44	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4	3
43	Contribution of chronic diseases to educational disparity in disability in France: results from the cross-sectional "disability-health" survey. <i>Archives of Public Health</i> , 2019 , 77, 2	2.6	3
42	Patient-preference disability assessment for disabling knee osteoarthritis: Validity and responsiveness of the McMaster-Toronto Arthritis Patient Preference Disability Questionnaire. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016 , 59, 255-62	3.8	3
41	Agreement among physiotherapists in assessing patient performance of exercises for low-back pain. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 265	2.8	3
40	Sensibilité au changement de trois questionnaires d'évaluation des cervicalgies. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004 , 71, 603-612	0.1	3
39	Sources anatomiques de la douleur cervicale. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004 , 71, 650-652.	1	3
38	Intra-articular botulinum toxin A for base-of-thumb osteoarthritis: protocol for a randomised trial (RHIBOT). <i>BMJ Open</i> , 2018 , 8, e022337	3	2
37	Congenital lumbar spinal stenosis associated with Marfan syndrome. <i>Joint Bone Spine</i> , 2012 , 79, 199-200.	2	2
36	Mesures d'évaluation rapportées par le patient pour le retentissement fonctionnel dans la lombalgie commune. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011 , 78, S66-S69	0.1	2

35	Validation de la version française du questionnaire Disability of the Arm, Shoulder and Hand (DASH). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 274-279	0.1	2
34	Contraintes mécaniques et disque intervertébral lombaire. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000, 67, 219-224	0.1	2
33	Place de la rééducation dans la prise en charge des connectivites et des rhumatismes inflammatoires chroniques. <i>Revue Du Rhumatisme Monographies</i> , 2017, 84, 61-73	0	1
32	Responders to intradiscal glucocorticoid among patients with chronic low back pain and active discopathy. <i>Rheumatology</i> , 2019, 58, 1689-1690	3.9	1
31	Évaluation des bénéfices d'ateliers d'éducation thérapeutique chez des patients atteints de lombalgie au cours d'une cure thermale. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2013, 80, 72-77	0.1	1
30	Traitemennt des lomboradiculalgies. <i>EMC - Rhumatologie-Orthopédie</i> , 2004, 1, 328-342		1
29	Effets bénéfiques de l'utilisation d'une notice d'information avant une injection rachidienne de stéroïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2002, 69, 1235-1242	0.1	1
28	Évaluation analytique des moyens thérapeutiques dans la lombalgie : prise en charge physique et fonctionnelle. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2001, 68, 154-159	0.1	1
27	La discarthrose. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000, 67, 261-265	0.1	1
26	Biochimie et biologie du disque intervertébral. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000, 67, 214-218.	1	1
25	Qualités métrologiques de l'indice d'incapacité fonctionnelle de Cochin adapté à la main rhumatoïde. <i>Annales De Réadaptation Et De Médecine Physique: Revue Scientifique De La Société Française De Réadaptation Fonctionnelle De Réadaptation Et De Médecine Physique</i> , 2000, 43, 106-115		1
24	Lumbosacral immobilization following glucocorticoid intradiscal injection in patients with chronic low back pain and active discopathy: A feasibility study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2020, 33, 931-937	1.4	
23	Uncocervicarthrose : dégénérescence discale cervicale et uncarthrose. <i>Revue Du Rhumatisme Monographies</i> , 2013, 80, 239-246	0	
22	Focal chondropathy of the far posterior femoral condyle: An unusual cause of posterior knee pain. <i>Annals of Physical and Rehabilitation Medicine</i> , 2017, 60, 120-122	3.8	
21	Peurs, croyances et attitudes d'abstention au cours de la lombalgie. <i>Revue Du Rhumatisme Monographies</i> , 2014, 81, 46-51	0	
20	Sthrose rachidienne lombaire congénitale associée au syndrome de Marfan. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012, 79, 283-284	0.1	
19	Rainville et al respond. <i>Spine Journal</i> , 2012, 12, 175	4	
18	Orthèses et ergothérapie dans les affections rhumatologiques de la main et du poignet. <i>Revue Du Rhumatisme Monographies</i> , 2012, 79, 193-199	0	

LIST OF PUBLICATIONS

17	Fiabilité de la classification de Modic modifiée pour les modifications de l'aspect de la moelle osseuse du rachis lombaire en IRM. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009, 76, 453-457	0.1
16	Est-il raisonnable de prescrire une rééducation lombaire après 75 ans ?. <i>Revue Du Rhumatisme Monographies</i> , 2011, 78, 36-37	0
15	Cinématique tridimensionnelle de la scapula : intérêt dans la rééducation de l'épaule ?. <i>Revue Du Rhumatisme Monographies</i> , 2010, 77, 264-267	0
14	Moyens de prévention du passage à la chronicité des lombalgies. <i>Douleurs</i> , 2008, 9, 13-14	0.1
13	Sensibilité au changement de la version française du questionnaire Disability of the Arm, Shoulder and Hand (F-DASH) chez les patients atteints de pathologies orthopédiques et médicales de l'épaule. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 851-857	0.1
12	Traitemennt des lomboradiculalgies. <i>EMC - Appareil Locomoteur</i> , 2006, 1, 1-10	
11	Rééducation dans la pelvispondylite rhumatismale. <i>EMC - Kinéithérapie - Médecine Physique - Réadaptation</i> , 2006, 1, 1-12	
10	Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice Womac dans l'arthrose du genou. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004, 71, 208-215	0.1
9	Tratamiento de las lumborradiculalgias. <i>EMC - Aparato Locomotor</i> , 2004, 37, 1-11	0
8	Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice algofonctionnel de Lequesne dans l'arthrose du genou. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2003, 70, 1105-1111	0.1
7	Déhiscence discale et hernie discale : rôle des contraintes mécaniques. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2001, 68, 908-912	0.1
6	Contraintes mécaniques et disque intervertébral lombaire. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000, 67, 219-224	0.1
5	La discarthrose. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2000, 67, 261-265	0.1
4	Rôle de l'activité physique dans la prévention du risque de fracture ostéoporotique. <i>Revue Du Podologue</i> , 2014, 10, 13-17	0
3	Les risques d'arthrose des membres inférieurs liés à la pratique d'activités physiques et sportives. <i>Revue Du Podologue</i> , 2014, 10, 14-18	0
2	Development of a new patient-reported outcome measure assessing activities and participation in people with lumbar spinal stenosis: The Cochin Spinal Stenosis 19-item questionnaire. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 92-100	4.4
1	Inefficacité des antibiotiques dans la lombalgie chronique avec discopathie active de type Modic 1. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2018, 85, 306-307	0.1