Giuseppe Liotta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3348536/publications.pdf

Version: 2024-02-01

393982 433756 1,143 67 19 31 citations h-index g-index papers 70 70 70 1694 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Excessive Early Mortality in the First Year of Treatment in HIV Type 1-Infected Patients Initiating Antiretroviral Therapy in Resource-Limited Settings. AIDS Research and Human Retroviruses, 2008, 24, 555-560.	0.5	95
2	Extended antenatal use of triple antiretroviral therapy for prevention of mother-to-child transmission of HIV-1 correlates with favorable pregnancy outcomes. Aids, 2011, 25, 1611-1618.	1.0	80
3	Triple Antiretroviral Prophylaxis Administered During Pregnancy and After Delivery Significantly Reduces Breast Milk Viral Load. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 286-291.	0.9	61
4	Maternal Antiretroviral Therapy for the Prevention of Mother-To-Child Transmission of HIV in Malawi: Maternal and Infant Outcomes Two Years after Delivery. PLoS ONE, 2013, 8, e68950.	1.1	56
5	Association between CYP2B6 polymorphisms and Nevirapine-induced SJS/TEN: a pharmacogenetics study. European Journal of Clinical Pharmacology, 2013, 69, 1909-1916.	0.8	55
6	Assessment of frailty in community-dwelling older adults residents in the Lazio region (Italy): A model to plan regional community-based services. Archives of Gerontology and Geriatrics, 2017, 68, 1-7.	1.4	46
7	Impact of COVID-19 on older adults and role of long-term care facilities during early stages of epidemic in Italy. Scientific Reports, 2021, 11, 12530.	1.6	46
8	Is social connectedness a risk factor for the spreading of COVID-19 among older adults? The Italian paradox. PLoS ONE, 2020, 15, e0233329.	1.1	44
9	Antiretroviral Prophylaxis for Breastfeeding Transmission in Malawi: Drug Concentrations, Virological Efficacy and Safety. Antiviral Therapy, 2012, 17, 1511-1519.	0.6	37
10	Frailty as the Future Core Business of Public Health: Report of the Activities of the A3 Action Group of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA). International Journal of Environmental Research and Public Health, 2018, 15, 2843.	1.2	36
11	Concentrations of tenofovir, lamivudine and efavirenz in mothers and children enrolled under the Option B-Plus approach in Malawi. Journal of Antimicrobial Chemotherapy, 2016, 71, 1027-1030.	1.3	32
12	Social Interventions to Prevent Heat-Related Mortality in the Older Adult in Rome, Italy: A Quasi-Experimental Study. International Journal of Environmental Research and Public Health, 2018, 15, 715.	1.2	31
13	Noncommunicable Diseases Burden and Risk Factors in a Cohort of HIV+ Elderly Patients in Malawi. AIDS Research and Human Retroviruses, 2019, 35, 1106-1111.	0.5	30
14	Analysis of survival in a sample of elderly patients from Ragusa, Italy on the basis of a primary care level multidimensional evaluation. Archives of Gerontology and Geriatrics, 2005, 40, 147-156.	1.4	29
15	Cost-Effectiveness of Using HAART in Prevention of Mother-To-Child Transmission in the DREAM-Project Malawi. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 631-634.	0.9	29
16	Extended antenatal antiretroviral use correlates with improved infant outcomes throughout the first year of life. Aids, 2010, 24, 2819-2826.	1.0	28
17	Frailty as a predictor of mortality and hospital services use in older adults: a cluster analysis in a cohort study. European Journal of Public Health, 2018, 28, 842-846.	0.1	27
18	Reduction of Maternal Mortality with Highly Active Antiretroviral Therapy in a Large Cohort of HIV-Infected Pregnant Women in Malawi and Mozambique. PLoS ONE, 2013, 8, e71653.	1.1	23

#	Article	IF	CITATIONS
19	Predictors of Adverse Outcomes in HIV-1–infected Children Receiving Combination Antiretroviral Treatment. Pediatric Infectious Disease Journal, 2014, 33, 295-300.	1.1	20
20	Elimination of Mother-To-Child Transmission of HIV Infection: The Drug Resource Enhancement against AIDS and Malnutrition Model. International Journal of Environmental Research and Public Health, 2015, 12, 13224-13239.	1.2	20
21	Tackling frailty and functional decline: Background of the action group A3 of the European innovation partnership for active and healthy ageing. Maturitas, 2018, 115, 69-73.	1.0	20
22	Cost of hospital care for the older adults according to their level of frailty. A cohort study in the Lazio region, Italy. PLoS ONE, 2019, 14, e0217829.	1.1	20
23	Implementing anti-retroviral triple therapy to prevent HIV mother-to-child transmission: a public health approach in resource-limited settings. European Journal of Pediatrics, 2007, 166, 1305-1307.	1.3	19
24	Prognostic Value of Virological and Immunological Responses After 6 Months of Antiretroviral Treatment in Adults With HIV-1 Infection in Sub-Saharan Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 236-244.	0.9	19
25	Predicting Trends in HIV-1 Sexual Transmission in Sub-Saharan Africa Through the Drug Resource Enhancement Against AIDS and Malnutrition Model: Antiretrovirals for 5 Reduction of Population Infectivity, Incidence and Prevalence at the District Level. Clinical Infectious Diseases, 2012, 55, 268-275.	2.9	15
26	Emergence of lamivudine resistance hepatitis B virus mutations in pregnant women infected with HBV and HIV receiving antiretroviral prophylaxis for the prevention of motherâ€toâ€infant transmission in Malawi. Journal of Medical Virology, 2012, 84, 1553-1557.	2.5	13
27	Accumulation of HIV-1 drug resistance in patients on a standard thymidine analogue-based first line antiretroviral therapy after virological failure: implications for the activity of next-line regimens from a longitudinal study in Mozambique. BMC Infectious Diseases, 2017, 17, 605.	1.3	13
28	Impact of the Community-Based Active Monitoring Program on the Long Term Care Services Use and In-Patient Admissions of the Over-74 Population. Advances in Aging Research, 2015, 04, 187-194.	0.3	13
29	The impact of HBV or HCV infection in a cohort of HIV-infected pregnant women receiving a nevirapine-based antiretroviral regimen in Malawi. BMC Infectious Diseases, 2014, 14, 180.	1.3	12
30	Nutritional Rehabilitation of HIV-Exposed Infants in Malawi: Results from the Drug Resources Enhancement Against AIDS and Malnutrition Program. International Journal of Environmental Research and Public Health, 2012, 9, 421-434.	1.2	10
31	Creating a Culture of Health in Planning and Implementing Innovative Strategies Addressing Non-communicable Chronic Diseases. Frontiers in Sociology, 2019, 4, 9.	1.0	10
32	Does the Coronavirus (COVID-19) Pandemic Call for a New Model of Older People Care?. Frontiers in Public Health, 2020, 8, 311.	1.3	10
33	Predictors of Emergency Room Access and Not Urgent Emergency Room Access by the Frail Older Adults. Frontiers in Public Health, 2021, 9, 721634.	1.3	10
34	Virological Response and Drug Resistance 1 and 2 Years Post-Partum in HIV-Infected Women Initiated on Life-Long Antiretroviral Therapy in Malawi. AIDS Research and Human Retroviruses, 2016, 32, 737-742.	0.5	9
35	Retention, transfer out and loss to follow-up two years after delivery in a cohort of HIV+ pregnant women in Malawi. International Journal of STD and AIDS, 2016, 27, 462-468.	0.5	8
36	Growth indices in breastfed infants pre and postnatally exposed to tenofovir compared with tenofovir-unexposed infants. Aids, 2015, 30, 1.	1.0	8

#	Article	IF	CITATIONS
37	Is total lymphocyte count a reliable predictor of the CD4 lymphocyte cell count in resource-limited settings?. Aids, 2004, 18, 1082-1083.	1.0	7
38	CMV infection in a cohort of HIV-exposed infants born to mothers receiving antiretroviral therapy during pregnancy and breastfeeding. Medical Microbiology and Immunology, 2017, 206, 23-29.	2.6	7
39	Determinants of acute hospital care use by elderly patients in Italy from 1996 to 2006. Archives of Gerontology and Geriatrics, 2012, 54, e364-e369.	1.4	6
40	Cost-Effectiveness and Quality of Care of a Comprehensive ART Program in Malawi. Medicine (United) Tj ETQq0	0 0 orgBT /	Overlock 10 T
41	Immune Activation and Microbial Translocation Markers in HIV-Exposed Uninfected Malawian Infants in the First Year of Life. Journal of Tropical Pediatrics, 2019, 65, 617-625.	0.7	6
42	Dynamics of immunoglobulin G subclasses during the first two years of life in Malawian infants born to HIV-positive mothers. BMC Pediatrics, 2020, 20, 181.	0.7	6
43	The Effectiveness of Intervening on Social Isolation to Reduce Mortality during Heat Waves in Aged Population: A Retrospective Ecological Study. International Journal of Environmental Research and Public Health, 2021, 18, 11587.	1.2	6
44	Levels of bone markers in a population of infants exposedin uteroand during breastfeeding to tenofovir within an Option B+ programme in Malawi. Journal of Antimicrobial Chemotherapy, 2016, 71, 3206-3211.	1.3	5
45	Antibody response to hepatitis B vaccine in HIVâ€exposed infants in Malawi and correlation with HBV infection acquisition. Journal of Medical Virology, 2018, 90, 1172-1176.	2.5	5
46	Admission to the Long-Term Care Facilities and Institutionalization Rate in Community-Dwelling Frail Adults: An Observational Longitudinal Cohort Study. Healthcare (Switzerland), 2022, 10, 317.	1.0	5
47	Drug resistance mutations 18 months after discontinuation of nevirapine-based ART for prevention of mother-to-child transmission of HIV in Malawi. Journal of Antimicrobial Chemotherapy, 2015, 70, 2881-2884.	1.3	4
48	Soluble $<$ scp $>$ CD $<$ /scp $>$ 14 levels in plasma and breastmilk of Malawian $<$ scp $>$ HIV $<$ /scp $>$ + women: Lack of association with morbidity and mortality in their exposed infants. American Journal of Reproductive Immunology, 2018, 79, e12812.	1.2	4
49	lgG abnormalities in HIV-positive Malawian women initiating antiretroviral therapy during pregnancy persist after 24 months of treatment. International Journal of Infectious Diseases, 2019, 88, 1-7.	1.5	4
50	Dried blood spots for the quantitative evaluation of IgG isotypes and correlation with serum samples in HIV-exposed uninfected (HEU) infants. Journal of Immunological Methods, 2021, 493, 113019.	0.6	4
51	Sensitivity and Specificity of a Short Questionnaire to Screen Frailty in the Community-Dwelling Older Population. Advances in Aging Research, 2018, 07, 52-63.	0.3	4
52	Characteristics of nursing homes and early preventive measures associated with risk of infection from COVID-19 in Lazio region, Italy: a retrospective case–control study. BMJ Open, 2022, 12, e061784.	0.8	4
53	High CMV IgG antibody levels are associated to a lower CD4+ RESPONSE to antiretroviral therapy in HIV-infected women. Journal of Clinical Virology, 2017, 96, 17-19.	1.6	3
54	Deficit of IgG2 in HIV-positive pregnant women is responsible of inadequate IgG2 levels in their HIV-uninfected children in Malawi. Medical Microbiology and Immunology, 2018, 207, 175-182.	2.6	3

#	Article	IF	CITATIONS
55	HIV-exposed infants with EBV infection have a reduced persistence of the immune response to the HBV vaccine. AIDS Research and Therapy, 2021, 18, 48.	0.7	3
56	Limited Risk of Drug Resistance After Discontinuation of Antiretroviral Prophylaxis for the Prevention of Breastfeeding Transmission of HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 301-304.	0.9	2
57	Viro-immunological response and emergence of resistance in HIV-infected women receiving combination antiretroviral regimens for the prevention of mother-to-child transmission in Malawi. Journal of Antimicrobial Chemotherapy, 2014, 69, 749-752.	1.3	2
58	Impact of Extended Combination Antiretroviral Therapy on the Decline of HIV Prevalence in Pregnant Women in Malawi. Journal of the International Association of Providers of AIDS Care, 2016, 15, 172-177.	0.6	2
59	Anti-Streptococcus pneumoniae and rotavirus IgG levels in HIV-positive women do not correlate with maternal status and infant morbidity and mortality. Journal of Medical Microbiology, 2015, 64, 795-797.	0.7	2
60	Pro-active monitoring and social interventions at community level mitigate the impact of coronavirus (COVID-19) epidemic on older adults' mortality in Italy: A retrospective cohort analysis. PLoS ONE, 2022, 17, e0261523.	1.1	2
61	ABCC10 rs2125739 polymorphism and nevirapine-induced hepatotoxicity. Pharmacogenetics and Genomics, 2013, 23, 38-39.	0.7	1
62	Seroprevalence of Brucella Infection in a Cohort of HIV-Positive Malawian Pregnant Women Living in Urban Areas. Vector-Borne and Zoonotic Diseases, 2022, , .	0.6	1
63	Lack of new HBV infections over 2 years of follow-up in HIV-positive women receiving ART up to 6 or 24 months after delivery. Journal of Infection in Developing Countries, 2018, 12, 394-396.	0.5	0
64	Title is missing!. , 2020, 15, e0233329.		0
65	Title is missing!. , 2020, 15, e0233329.		0
66	Title is missing!. , 2020, 15, e0233329.		0
67	Title is missing!. , 2020, 15, e0233329.		О