

# Sang Yoon Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3348940/publications.pdf>

Version: 2024-02-01

164  
papers

3,570  
citations

117453

34  
h-index

223531

46  
g-index

166  
all docs

166  
docs citations

166  
times ranked

5396  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Value of Lymph Node Density in Node-Positive Patients with Oral Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 2310-2317.	0.7	92
2	Changing Trends in Clinical Manifestations of Laryngeal Tuberculosis. <i>Laryngoscope</i> , 2000, 110, 1950-1953.	1.1	90
3	Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 330-334.	0.3	84
4	Establishment and Characterization of Nine New Head and Neck Cancer Cell Lines. <i>Acta Oto-Laryngologica</i> , 1997, 117, 775-784.	0.3	83
5	Use of 18F-FDG PET for Primary Treatment Strategy in Patients with Squamous Cell Carcinoma of the Oropharynx. <i>Journal of Nuclear Medicine</i> , 2007, 48, 752-757.	2.8	80
6	Accuracy of Core Needle Biopsy Versus Fine Needle Aspiration Cytology for Diagnosing Salivary Gland Tumors. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 136-143.	0.4	77
7	Pretreatment albumin level predicts survival in head and neck squamous cell carcinoma. <i>Laryngoscope</i> , 2017, 127, E437-E442.	1.1	73
8	Size control of self-assembled nanoparticles by an emulsion/solvent evaporation method. <i>Colloid and Polymer Science</i> , 2006, 284, 506-512.	1.0	60
9	Radioresistant Cancer Cells Can Be Conditioned to Enter Senescence by mTOR Inhibition. <i>Cancer Research</i> , 2013, 73, 4267-4277.	0.4	55
10	Induced Phenotype Targeted Therapy: Radiation-Induced Apoptosis-Targeted Chemotherapy. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	55
11	Prognostic value of body composition on recurrence and survival of advanced-stage head and neck cancer. <i>European Journal of Cancer</i> , 2019, 116, 98-106.	1.3	54
12	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , 2016, 122, 131-140.	2.0	53
13	Risk factors for central neck lymph node metastasis of clinically noninvasive, node-negative papillary thyroid microcarcinoma. <i>American Journal of Surgery</i> , 2014, 208, 412-418.	0.9	52
14	A comparison of the 7th and 8th editions of the AJCC staging system in terms of predicting recurrence and survival in patients with papillary thyroid carcinoma. <i>Oral Oncology</i> , 2018, 87, 158-164.	0.8	51
15	Oligomeric bile acid-mediated oral delivery of low molecular weight heparin. <i>Journal of Controlled Release</i> , 2014, 175, 17-24.	4.8	50
16	Risk Factors and Survival Associated with Distant Metastasis in Patients with Carcinoma of the Salivary Gland. <i>Annals of Surgical Oncology</i> , 2016, 23, 4376-4383.	0.7	50
17	Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 460-468.	0.7	50
18	Functional transformations of bile acid transporters induced by high-affinity macromolecules. <i>Scientific Reports</i> , 2014, 4, 4163.	1.6	47

#	ARTICLE	IF	CITATIONS
19	Patterns and treatment of neck metastases in patients with salivary gland cancers. <i>Journal of Surgical Oncology</i> , 2015, 111, 1000-1006.	0.8	46
20	Prognostic value of glucosylceramide synthase and P-glycoprotein expression in oral cavity cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 883-889.	1.0	46
21	Prolonged autophagy by MTOR inhibitor leads radioresistant cancer cells into senescence. <i>Autophagy</i> , 2013, 9, 1631-1632.	4.3	45
22	Prognostic factors and oncologic outcomes of 56 salivary duct carcinoma patients in a single institution: High rate of systemic failure warrants targeted therapy. <i>Oral Oncology</i> , 2014, 50, e64-e66.	0.8	44
23	Treatment Efficacy of Voice Therapy for Vocal Fold Polyps and Factors Predictive of Its Efficacy. <i>Journal of Voice</i> , 2017, 31, 120.e9-120.e13.	0.6	44
24	Oral delivery of a potent anti-angiogenic heparin conjugate by chemical conjugation and physical complexation using deoxycholic acid. <i>Biomaterials</i> , 2014, 35, 6543-6552.	5.7	43
25	Overexpression of glutathione peroxidase 1 predicts poor prognosis in oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2257-2265.	1.2	43
26	Albumin-binding caspase-cleavable prodrug that is selectively activated in radiation exposed local tumor. <i>Biomaterials</i> , 2016, 94, 1-8.	5.7	42
27	<sup>18</sup> F-FDG PET/CT surveillance for the detection of recurrence in patients with head and neck cancer. <i>European Journal of Cancer</i> , 2017, 72, 62-70.	1.3	41
28	<sup>18</sup> F FDG PET/CT versus CT/MR Imaging and the Prognostic Value of Contralateral Neck Metastases in Patients with Head and Neck Squamous Cell Carcinoma. <i>Radiology</i> , 2016, 279, 481-491.	3.6	40
29	Efficacy of head and neck computed tomography for skeletal muscle mass estimation in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 95, 95-99.	0.8	40
30	Combined [ <sup>18</sup> F]fluorodeoxyglucose positron emission tomography and computed tomography for detecting contralateral neck metastases in patients with head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2011, 47, 376-380.	0.8	39
31	Evaluation of <sup>18</sup> F-FDG PET/CT and CT/MRI with Histopathologic Correlation in Patients Undergoing Salvage Surgery for Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 2579-2584.	0.7	39
32	Impact of <sup>18</sup> F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. <i>European Journal of Cancer</i> , 2016, 63, 88-96.	1.3	39
33	Doxorubicin/heparin composite nanoparticles for caspase-activated prodrug chemotherapy. <i>Biomaterials</i> , 2016, 101, 131-142.	5.7	39
34	Nodal Factors Predictive of Recurrence After Thyroidectomy and Neck Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 88-95.	2.4	39
35	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1031-1040.	1.2	38
36	Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 716-723.	0.9	37

#	ARTICLE	IF	CITATIONS
37	Multifocality of papillary thyroid carcinoma as a risk factor for disease recurrence. <i>Oral Oncology</i> , 2019, 94, 106-110.	0.8	37
38	The Feasibility of 18F-FDG PET scans 1 month after completing radiotherapy of squamous cell carcinoma of the head and neck. <i>Journal of Nuclear Medicine</i> , 2007, 48, 373-8.	2.8	37
39	Antiangiogenic and anticancer effect of an orally active low molecular weight heparin conjugates and its application to lung cancer chemoprevention. <i>Journal of Controlled Release</i> , 2015, 199, 122-131.	4.8	35
40	p53/BNIP3-dependent mitophagy limits glycolytic shift in radioresistant cancer. <i>Oncogene</i> , 2019, 38, 3729-3742.	2.6	33
41	Risk Factors for Recurrence After Treatment of N1b Papillary Thyroid Carcinoma. <i>Annals of Surgery</i> , 2019, 269, 966-971.	2.1	33
42	LHT7, a chemically modified heparin, inhibits multiple stages of angiogenesis by blocking VEGF, FGF2 and PDGF-B signaling pathways. <i>Biomaterials</i> , 2015, 37, 271-278.	5.7	31
43	An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. <i>Oncologist</i> , 2016, 21, 1091-1098.	1.9	31
44	Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2017, 116, 450-458.	0.8	30
45	Highly potent monomethyl auristatin E prodrug activated by caspase-3 for the chemoradiotherapy of triple-negative breast cancer. <i>Biomaterials</i> , 2019, 192, 109-117.	5.7	29
46	Diagnostic Accuracies of Laryngeal Diseases Using a Convolutional Neural Network-Based Image Classification System. <i>Laryngoscope</i> , 2021, 131, 2558-2566.	1.1	29
47	Histogram Analysis of Apparent Diffusion Coefficients for Occult Tonsil Cancer in Patients with Cervical Nodal Metastasis from an Unknown Primary Site at Presentation. <i>Radiology</i> , 2016, 278, 146-155.	3.6	28
48	Lymph node density as an independent predictor of cancer-specific mortality in patients with lymph node-positive laryngeal squamous cell carcinoma after laryngectomy. <i>Head and Neck</i> , 2015, 37, 1319-1325.	0.9	27
49	Is Diffusion-Weighted MRI Useful for Differentiation of Small Non-Necrotic Cervical Lymph Nodes in Patients with Head and Neck Malignancies?. <i>Korean Journal of Radiology</i> , 2014, 15, 810.	1.5	26
50	Treatment Outcomes and Risk Factors for Recurrence After Definitive Surgery of Locally Invasive Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 262-270.	2.4	26
51	Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. <i>Head and Neck</i> , 2018, 40, 596-604.	0.9	25
52	Metronomic oral doxorubicin in combination of Chk1 inhibitor MK-8776 for p53-deficient breast cancer treatment. <i>Biomaterials</i> , 2018, 182, 35-43.	5.7	25
53	Chest radiography or chest CT plus head and neck CT versus 18F-FDG PET/CT for detection of distant metastasis and synchronous cancer in patients with head and neck cancer. <i>Oral Oncology</i> , 2019, 88, 109-114.	0.8	25
54	A heparin conjugate, LHbisD4, inhibits lymphangiogenesis and attenuates lymph node metastasis by blocking VEGF-C signaling pathway. <i>Biomaterials</i> , 2017, 139, 56-66.	5.7	25

#	ARTICLE	IF	CITATIONS
55	Voice Changes in Elderly Adults: Prevalence and the Effect of Social, Behavioral, and Health Status on Voice Quality. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1608-1614.	1.3	24
56	Optimization of a Stable Linker Involved DEVD Peptide-Doxorubicin Conjugate That Is Activated upon Radiation-Induced Caspase-3-Mediated Apoptosis. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 6435-6447.	2.9	24
57	Prognostic factors and outcome analysis of salivary duct carcinoma. <i>Auris Nasus Larynx</i> , 2015, 42, 472-477.	0.5	24
58	Pretreatment tumor SUVmax predicts disease-specific and overall survival in patients with head and neck soft tissue sarcoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 33-40.	3.3	24
59	<sup>18</sup> F-FDG PET/CT vs <sup>18</sup> F-FDG PET/CT. human papillomavirus, p16 and Epstein-Barr virus detection in cervical metastatic lymph nodes for identifying primary tumors. <i>International Journal of Cancer</i> , 2017, 140, 1405-1412.	2.3	23
60	Phosphorylation of PI3K regulatory subunit p85 contributes to resistance against PI3K inhibitors in radioresistant head and neck cancer. <i>Oral Oncology</i> , 2018, 78, 56-63.	0.8	23
61	Number of positive lymph nodes better predicts survival for oral cavity cancer. <i>Journal of Surgical Oncology</i> , 2019, 119, 675-682.	0.8	23
62	Epigenetic regulation of p62/SQSTM1 overcomes the radioresistance of head and neck cancer cells via autophagy-dependent senescence induction. <i>Cell Death and Disease</i> , 2021, 12, 250.	2.7	23
63	Differences in the Recurrence and Survival of Patients with Symptomatic and Asymptomatic Papillary Thyroid Carcinoma: An Observational Study of 11,265 Person-Years of Follow-Up. <i>Thyroid</i> , 2016, 26, 1472-1479.	2.4	21
64	A Randomized, Multicenter, Phase II Study of Cetuximab With Docetaxel and Cisplatin as Induction Chemotherapy in Unresectable, Locally Advanced Head and Neck Cancer. <i>Oncologist</i> , 2015, 20, 1119-1120.	1.9	20
65	Assembly of polymer micelles through the sol-gel transition for effective cancer therapy. <i>Journal of Controlled Release</i> , 2017, 255, 258-269.	4.8	20
66	Pluronic/Heparin Nanoparticles for Chemo-Photodynamic Combination Cancer Therapy through Photoinduced Caspase-3 Activation. <i>ACS Applied Nano Materials</i> , 2018, 1, 2943-2952.	2.4	20
67	<sup>18</sup> F-FDG PET/CT versus CT/MR imaging for detection of neck lymph node metastasis in palpably node-negative oral cavity cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 237-244.	1.2	20
68	Complex adaptive therapeutic strategy (CATS) for cancer. <i>Journal of Controlled Release</i> , 2014, 175, 43-47.	4.8	19
69	Extranodal extension and thickness of metastatic lymph node as a significant prognostic marker of recurrence and survival in head and neck squamous cell carcinoma. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015, 43, 769-778.	0.7	19
70	Recurrence in patients with clinically early-stage papillary thyroid carcinoma according to tumor size and surgical extent. <i>American Journal of Surgery</i> , 2016, 212, 419-425.e1.	0.9	19
71	Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. <i>Quality of Life Research</i> , 2016, 25, 165-174.	1.5	19
72	Prediction of distant metastasis and survival in adenoid cystic carcinoma using quantitative <sup>18</sup> F-FDG PET/CT measurements. <i>Oral Oncology</i> , 2018, 77, 98-104.	0.8	19

#	ARTICLE	IF	CITATIONS
73	Overexpression of cysteine-glutamate transporter and CD44 for prediction of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2018, 40, 2340-2346.	0.9	19
74	Recurrence and cancer-specific survival according to the expression of IL-4R $\alpha$ and IL-13R $\alpha$ 1 in patients with oral cavity cancer. <i>European Journal of Cancer</i> , 2015, 51, 177-185.	1.3	18
75	The novel strategy for concurrent chemoradiotherapy by conjugating the apoptotic cell-binding moiety to caspase-3 activated doxorubicin prodrug. <i>Journal of Controlled Release</i> , 2019, 296, 241-249.	4.8	18
76	Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 925-931.	0.9	18
77	A Hearing Preservation Technique for the Resection of Extensive Jugular Foramen Tumors. <i>Laryngoscope</i> , 2001, 111, 2071-2076.	1.1	17
78	Composition of inflammatory cells regulating the response to concurrent chemoradiation therapy for HPV (+) tonsil cancer. <i>Oral Oncology</i> , 2015, 51, 1113-1119.	0.8	17
79	Risk Factors for Lateral Neck Recurrence of N0/N1a Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 3609-3616.	0.7	17
80	Metastatic lymph node burden predictive of survival in patients undergoing primary surgery for laryngeal and hypopharyngeal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2565-2572.	1.2	17
81	Risk factors for survival and distant metastasis in 125 patients with head and neck adenoid cystic carcinoma undergoing primary surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1343-1350.	1.2	17
82	Incidence and risk factors for morbidity and mortality in elderly head and neck cancer patients undergoing major oncological surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1343-1351.	1.2	15
83	Multi-stage inhibition in breast cancer metastasis by orally active triple conjugate, LHTD4 (low) Tj ETQq1 1 0.784314,rgBT /Oyerlock 10	5.7	15
84	Detection of Local Recurrence in Patients with Head and Neck Squamous Cell Carcinoma Using Voxel-Based Color Maps of Initial and Final Area under the Curve Values Derived from DCE-MRI. <i>American Journal of Neuroradiology</i> , 2019, 40, 1392-1401.	1.2	15
85	Caspase-cleavable peptide-doxorubicin conjugate in combination with CD47-antagonizing nanocage therapeutics for immune-mediated elimination of colorectal cancer. <i>Biomaterials</i> , 2021, 277, 121105.	5.7	15
86	Preoperative Contrast-Enhanced CT Versus 18F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1020-1027.	0.7	14
87	Epithelial-Mesenchymal Transition: Clinical Implications for Nodal Metastasis and Prognosis of Tongue Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 80-86.	1.1	14
88	Prognostic value of neutrophil-to-lymphocyte ratio in older patients with head and neck cancer. <i>Journal of Geriatric Oncology</i> , 2020, 11, 417-422.	0.5	14
89	Radiotherapy-associated Furin Expression and Tumor Invasiveness in Recurrent Laryngeal Cancer. <i>Anticancer Research</i> , 2016, 36, 5117-5126.	0.5	14
90	Tumoral accumulation of long-circulating, self-assembled nanoparticles and its visualization by gamma scintigraphy. <i>Macromolecular Research</i> , 2008, 16, 15-20.	1.0	13

#	ARTICLE	IF	CITATIONS
91	Development of TRAIL Resistance by Radiation-Induced Hypermethylation of DR4 CpG Island in Recurrent Laryngeal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 1203-1211.	0.4	13
92	Aspirin use and head and neck cancer survival: an observational study of 11,623 person-years follow-up. <i>International Journal of Clinical Oncology</i> , 2018, 23, 52-58.	1.0	13
93	The impact of skeletal muscle depletion on older adult patients with head and neck cancer undergoing primary surgery. <i>Journal of Geriatric Oncology</i> , 2021, 12, 128-133.	0.5	13
94	Initial Nutritional Status and Clinical Outcomes in Patients with Deep Neck Infection. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 293-300.	1.1	13
95	Basaloid Squamous Cell Carcinoma of the Head and Neck: Subclassification into Basal, Ductal, and Mixed Subtypes Based on Comparison of Clinico-pathologic Features and Expression of p53, Cyclin D1, Epidermal Growth Factor Receptor, p16, and Human Papillomavirus. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 374-380.	0.4	13
96	Primary squamous cell carcinoma of the salivary gland: immunohistochemical analysis and comparison with metastatic squamous cell carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 489-496.	0.4	13
97	Expression of Lysyl Oxidase Predictive of Distant Metastasis of Laryngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 489-497.	1.1	12
98	EphA3 maintains radioresistance in head and neck cancers through epithelial mesenchymal transition. <i>Cellular Signalling</i> , 2018, 47, 122-130.	1.7	12
99	Detection of distant metastasis and prognostic prediction of recurrent salivary gland carcinomas using <sup>18</sup> F-FDG PET/CT. <i>Oral Diseases</i> , 2018, 24, 940-947.	1.5	12
100	Clinical values for abnormal <sup>18</sup> F-FDG uptake in the head and neck region of patients with head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , 2014, 83, 1455-1460.	1.2	11
101	Effect of $\beta$ -catenin silencing in overcoming radioresistance of head and neck cancer cells by antagonizing the effects of AMPK on Ku70/Ku80. <i>Head and Neck</i> , 2016, 38, E1909-17.	0.9	11
102	Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2018, 92, 69-76.	1.3	11
103	Positive lymph node number and extranodal extension for predicting recurrence and survival in patients with salivary gland cancer. <i>Head and Neck</i> , 2020, 42, 1994-2001.	0.9	11
104	Caspase-3 mediated switch therapy of self-triggered and long-acting prodrugs for metastatic TNBC. <i>Journal of Controlled Release</i> , 2022, 346, 136-147.	4.8	11
105	Retinoic acid 4-hydroxylase-mediated catabolism of all-trans retinoic acid and the cell proliferation in head and neck squamous cell carcinoma. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 477-481.	1.5	10
106	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 295-304.	1.2	10
107	Metronomic chemotherapy using orally active carboplatin/deoxycholate complex to maintain drug concentration within a tolerable range for effective cancer management. <i>Journal of Controlled Release</i> , 2017, 249, 42-52.	4.8	10
108	Metabolic tumor volume and total lesion glycolysis predict tumor progression and survival after salvage surgery for recurrent oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 1846-1853.	0.9	10

#	ARTICLE	IF	CITATIONS
109	Prediction of pharyngocutaneous fistula and survival after salvage laryngectomy for laryngohypopharyngeal carcinoma. <i>Head and Neck</i> , 2019, 41, 3002-3008.	0.9	10
110	p53-dependent glutamine usage determines susceptibility to oxidative stress in radioresistant head and neck cancer cells. <i>Cellular Signalling</i> , 2021, 77, 109820.	1.7	10
111	Albumin metabolism targeted peptide-drug conjugate strategy for targeting pan-KRAS mutant cancer. <i>Journal of Controlled Release</i> , 2022, 344, 26-38.	4.8	10
112	Radiological tumor thickness as a risk factor for local recurrence in early glottic cancer treated with laser cordectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 153-160.	0.8	9
113	De novo head and neck cancer arising in solid organ transplantation recipients: The Asan Medical Center experience. <i>Auris Nasus Larynx</i> , 2018, 45, 838-845.	0.5	9
114	Periostin Plays a Key Role in Radioresistance of Head and Neck Cancer Cells <i>via</i> Epithelial-to-Mesenchymal Transition. <i>Anticancer Research</i> , 2020, 40, 2627-2635.	0.5	9
115	Comparison of Squamous Cell Carcinoma of the Tongue between Young and Old Patients. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 369-377.	0.4	9
116	Radiotherapy-assisted tumor selective metronomic oral chemotherapy. <i>International Journal of Cancer</i> , 2017, 141, 1912-1920.	2.3	8
117	Pre-treatment metabolic tumor volume predicts tumor metastasis and progression in high-grade salivary gland carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2485-2493.	1.2	8
118	Lymph node ratio predictive of recurrence, distant metastasis, and survival in submandibular gland carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1055-1062.	1.2	8
119	Thyroid stimulating hormone suppression and recurrence after thyroid lobectomy for papillary thyroid carcinoma. <i>Endocrine</i> , 2022, 75, 487-494.	1.1	8
120	Short-Term Treatment Results for Unilateral Vocal Fold Palsy Induced by Mediastinal Lesions. <i>Journal of Voice</i> , 2014, 28, 809-815.	0.6	7
121	Treatment Efficacy of Voice Therapy Following Injection Laryngoplasty for Unilateral Vocal Fold Paralysis. <i>Journal of Voice</i> , 2020, , .	0.6	7
122	Post-treatment 18F-FDG PET/CT for predicting survival and recurrence in patients with advanced-stage head and neck cancer undergoing curative surgery. <i>Oral Oncology</i> , 2020, 107, 104750.	0.8	7
123	Design of a Multicomponent Peptide-Woven Nanocomplex for Delivery of siRNA. <i>PLoS ONE</i> , 2015, 10, e0118310.	1.1	7
124	The role of CIP2A as a therapeutic target of rapamycin in radioresistant head and neck cancer with TP53 mutation. <i>Head and Neck</i> , 2019, 41, 3362-3371.	0.9	6
125	Clinically Node-Negative Parotid Gland Cancers: Prognostic Factors of Survival and Surgical Extent. <i>Oncology</i> , 2020, 98, 102-110.	0.9	6
126	Dual Coaptation of Facial Nerve Using Masseteric Branch of Trigeminal Nerve for Iatrogenic Facial Palsy: Preliminary Reports. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 505-511.	0.6	6



#	ARTICLE	IF	CITATIONS
127	MDM2-dependent Sirt1 degradation is a prerequisite for Sirt6-mediated cell death in head and neck cancers. <i>Experimental and Molecular Medicine</i> , 2021, 53, 422-431.	3.2	6
128	Accurate sequential detection of primary tumor and metastatic lymphatics using a temperature-induced phase transition nanoparticulate system. <i>International Journal of Nanomedicine</i> , 2014, 9, 2955.	3.3	5
129	Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. <i>Acta Oto-Laryngologica</i> , 2016, 136, 703-710.	0.3	5
130	Increased Immunoglobulin G4-positive Plasma Cells in Lymphadenoma of the Salivary Gland: An Immunohistochemical Comparison Among Lymphoepithelial Lesions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 420-424.	0.6	5
131	Prognostic value of <sup>18</sup> F-FDG PET/CT parameters in patients who undergo salvage treatments for recurrent squamous cell carcinoma of the larynx and hypopharynx. <i>Journal of Surgical Oncology</i> , 2018, 118, 644-650.	0.8	5
132	Risk factors for competing non-cancer mortality after definitive treatment for advanced-stage head and neck cancer. <i>Oral Diseases</i> , 2018, 24, 1217-1225.	1.5	5
133	Prediction of cervical metastasis and survival in cN0 oral cavity cancer using tumour 18F-FDG PET/CT functional parameters. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 3341-3348.	1.2	5
134	Predictors of recurrence after total thyroidectomy plus neck dissection and radioactive iodine ablation for high-risk papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 122, 906-913.	0.8	5
135	Risk Factors and Survival Outcomes for Patients With Anastomotic Leakage After Surgery for Head and Neck Squamous Cell Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 36.	1.1	5
136	Early Ambulation to Prevent Delirium After Long-Time Head and Neck Cancer Surgery. <i>Frontiers in Surgery</i> , 2022, 9, 880092.	0.6	5
137	Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with <i>De Novo</i> Sarcomas. <i>Korean Journal of Pathology</i> , 2014, 48, 346-350.	1.2	4
138	Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 178-185.	0.2	4
139	The Different Clinical Aspects of Pediatric Primary Airway Tumors in the Larynx, Trachea, and Bronchi. <i>Journal of Korean Medical Science</i> , 2017, 32, 1304.	1.1	4
140	Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. <i>Acta Oto-Laryngologica</i> , 2018, 138, 392-399.	0.3	4
141	Clinical utility of <sup>18</sup> F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 810-815.	0.3	4
142	Predictors of survival and recurrence after primary surgery for cervical metastasis of unknown primary. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 925-933.	1.2	4
143	Tristetraprolin Posttranscriptionally Downregulates TRAIL Death Receptors. <i>Cells</i> , 2020, 9, 1851.	1.8	4
144	Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 642-647.	0.9	4

#	ARTICLE	IF	CITATIONS
145	Feedback amplification of senolysis using caspase-3-cleavable peptide-doxorubicin conjugate and 2DG. <i>Journal of Controlled Release</i> , 2022, 346, 158-168.	4.8	4
146	Clinical implications of nonspecific pulmonary nodules identified during the initial evaluation of patients with head and neck squamous cell carcinoma. <i>European Radiology</i> , 2017, 27, 3725-3732.	2.3	3
147	Association Between Fibroblast Growth Factor Receptor 1 Gene Amplification and Human Papillomavirus Prevalence in Tonsillar Squamous Cell Carcinoma With Clinicopathologic Analysis. <i>Journal of Histochemistry and Cytochemistry</i> , 2018, 66, 511-522.	1.3	3
148	Idiopathic Unilateral Vocal Fold Paralysis in Older Patients: Characteristics in the Disease Course and Implication of Computed Tomography for Evaluation of Etiology. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2018, 127, 823-828.	0.6	3
149	Tumor-related leukocytosis predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. <i>Oral Diseases</i> , 2019, 25, 1511-1518.	1.5	3
150	Clinicopathological characteristics of young never smoker females with oral cavity squamous cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e23871.	0.4	3
151	Homotypic Interaction of Stabilin-2 Plays a Critical Role in Lymph Node Metastasis of Tongue Cancer. <i>Anticancer Research</i> , 2016, 36, 6611-6618.	0.5	3
152	Lymphadenoma of the salivary gland: A novel classification based on immunohistochemical comparison of benign and malignant lymphoepithelial neoplasms. <i>Basic and Applied Pathology</i> , 2008, 1, 18-22.	0.2	2
153	Second Cancer Incidence and Risk Factors in Patients With Salivary Gland Cancers. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014, 140, 118.	1.2	2
154	The Significance of Immunohistochemical Staining, Including that for Glucose Transporter Protein Isoform 1, as Related to the Clinical and Angiographic Features of Adult Soft-Tissue Hemangioma and Arteriovenous Malformation in the Head and Neck. <i>Journal of the Korean Society of Radiology</i> , 2009, 60, 83.	0.1	2
155	Risk factors for survival of head and neck soft tissue sarcomas: A comparison between 7th and 8th edition AJCC staging systems. <i>Oral Oncology</i> , 2020, 106, 104705.	0.8	1
156	Oncocytoma and Oncocytic Carcinoma of the Salivary Glands, Single Institute Experience. <i>Korean Journal of Pathology</i> , 2010, 44, 370.	1.2	1
157	Clinical Outcome of Fibromatosis of the Head and Neck Region. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2013, 56, 144.	0.0	1
158	Ameloblastic fibrosarcoma: A case mimicking adenoid cystic carcinoma. <i>Basic and Applied Pathology</i> , 2008, 1, 203-205.	0.2	0
159	The influence of pediatric tracheostomy on the body weight percentile of children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 91, 49-54.	0.4	0
160	Clinical Significance of Mesenteric Lymph Nodes Detected on Postoperative CT after a Total Pharyngolaryngectomy and Reconstruction with a Jejunal Free Flap. <i>Journal of the Korean Radiological Society</i> , 2008, 58, 113.	0.0	0
161	Treatment Outcomes of Squamous Cell Carcinoma of the Buccal Mucosa. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2010, 53, 300.	0.0	0
162	The Treatment Outcomes of Primary Subglottic Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 699.	0.0	0

#	ARTICLE	IF	CITATIONS
163	Suture Ligation of Pyriform Sinus Fistulas Following Cauterization to Treat Branchial Cleft Anomalies. <i>Annals of Otology, Rhinology and Laryngology</i> , 2022, , 000348942110701.	0.6	0
164	Preoperative Magnetic Resonance Image and Computerized Tomography Findings Predictive of Facial Nerve Invasion in Patients with Parotid Cancer without Preoperative Facial Weaknessâ€”A Retrospective Observational Study. <i>Cancers</i> , 2022, 14, 1086.	1.7	0