Sang Yoon Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3348940/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic Value of Lymph Node Density in Node-Positive Patients with Oral Squamous Cell Carcinoma. Annals of Surgical Oncology, 2011, 18, 2310-2317.	1.5	92
2	Changing Trends in Clinical Manifestations of Laryngeal Tuberculosis. Laryngoscope, 2000, 110, 1950-1953.	2.0	90
3	Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. Radiotherapy and Oncology, 2016, 118, 330-334.	0.6	84
4	Establishment and Characterization of Nine New Head and Neck Cancer Cell Lines. Acta Oto-Laryngologica, 1997, 117, 775-784.	0.9	83
5	Use of 18F-FDG PET for Primary Treatment Strategy in Patients with Squamous Cell Carcinoma of the Oropharynx. Journal of Nuclear Medicine, 2007, 48, 752-757.	5.0	80
6	Accuracy of Core Needle Biopsy Versus Fine Needle Aspiration Cytology for Diagnosing Salivary Gland Tumors. Journal of Pathology and Translational Medicine, 2015, 49, 136-143.	1.1	77
7	Pretreatment albumin level predicts survival in head and neck squamous cell carcinoma. Laryngoscope, 2017, 127, E437-E442.	2.0	73
8	Size control of self-assembled nanoparticles by an emulsion/solvent evaporation method. Colloid and Polymer Science, 2006, 284, 506-512.	2.1	60
9	Radioresistant Cancer Cells Can Be Conditioned to Enter Senescence by mTOR Inhibition. Cancer Research, 2013, 73, 4267-4277.	0.9	55
10	Induced Phenotype Targeted Therapy: Radiation-Induced Apoptosis-Targeted Chemotherapy. Journal of the National Cancer Institute, 2015, 107, .	6.3	55
11	Prognostic value of body composition on recurrence and survival of advanced-stage head and neck cancer. European Journal of Cancer, 2019, 116, 98-106.	2.8	54
12	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. Cancer, 2016, 122, 131-140.	4.1	53
13	Risk factors for central neck lymph node metastasis of clinically noninvasive, node-negative papillary thyroid microcarcinoma. American Journal of Surgery, 2014, 208, 412-418.	1.8	52
14	A comparison of the 7th and 8th editions of the AJCC staging system in terms of predicting recurrence and survival in patients with papillary thyroid carcinoma. Oral Oncology, 2018, 87, 158-164.	1.5	51
15	Oligomeric bile acid-mediated oral delivery of low molecular weight heparin. Journal of Controlled Release, 2014, 175, 17-24.	9.9	50
16	Risk Factors and Survival Associated with Distant Metastasis in Patients with Carcinoma of the Salivary Gland. Annals of Surgical Oncology, 2016, 23, 4376-4383.	1.5	50
17	Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. Annals of Surgical Oncology, 2017, 24, 460-468.	1.5	50
18	Functional transformations of bile acid transporters induced by high-affinity macromolecules. Scientific Reports, 2014, 4, 4163.	3.3	47

#	Article	IF	CITATIONS
19	Patterns and treatment of neck metastases in patients with salivary gland cancers. Journal of Surgical Oncology, 2015, 111, 1000-1006.	1.7	46
20	Prognostic value of glucosylceramide synthase and P-glycoprotein expression in oral cavity cancer. International Journal of Clinical Oncology, 2016, 21, 883-889.	2.2	46
21	Prolonged autophagy by MTOR inhibitor leads radioresistant cancer cells into senescence. Autophagy, 2013, 9, 1631-1632.	9.1	45
22	Prognostic factors and oncologic outcomes of 56 salivary duct carcinoma patients in a single institution: High rate of systemic failure warrants targeted therapy. Oral Oncology, 2014, 50, e64-e66.	1.5	44
23	Treatment Efficacy of Voice Therapy for Vocal Fold Polyps and Factors Predictive of Its Efficacy. Journal of Voice, 2017, 31, 120.e9-120.e13.	1.5	44
24	Oral delivery of a potent anti-angiogenic heparin conjugate by chemical conjugation and physical complexation using deoxycholic acid. Biomaterials, 2014, 35, 6543-6552.	11.4	43
25	Overexpression of glutathione peroxidase 1 predicts poor prognosis in oral squamous cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 2257-2265.	2.5	43
26	Albumin-binding caspase-cleavable prodrug that is selectively activated in radiation exposed local tumor. Biomaterials, 2016, 94, 1-8.	11.4	42
27	18F-FDG PET/CT surveillance for the detection of recurrence in patients with head and neck cancer. European Journal of Cancer, 2017, 72, 62-70.	2.8	41
28	¹⁸ F FDG PET/CT versus CT/MR Imaging and the Prognostic Value of Contralateral Neck Metastases in Patients with Head and Neck Squamous Cell Carcinoma. Radiology, 2016, 279, 481-491.	7.3	40
29	Efficacy of head and neck computed tomography for skeletal muscle mass estimation in patients with head and neck cancer. Oral Oncology, 2019, 95, 95-99.	1.5	40
30	Combined [18F]fluorodeoxyglucose positron emission tomography and computed tomography for detecting contralateral neck metastases in patients with head and neck squamous cell carcinoma. Oral Oncology, 2011, 47, 376-380.	1.5	39
31	Evaluation of 18F-FDG PET/CT and CT/MRI with Histopathologic Correlation in Patients Undergoing Salvage Surgery for Head and Neck Squamous Cell Carcinoma. Annals of Surgical Oncology, 2011, 18, 2579-2584.	1.5	39
32	Impact of 18F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. European Journal of Cancer, 2016, 63, 88-96.	2.8	39
33	Doxorubicin/heparin composite nanoparticles for caspase-activated prodrug chemotherapy. Biomaterials, 2016, 101, 131-142.	11.4	39
34	Nodal Factors Predictive of Recurrence After Thyroidectomy and Neck Dissection for Papillary Thyroid Carcinoma. Thyroid, 2018, 28, 88-95.	4.5	39
35	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1031-1040.	2.5	38
36	Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. Head and Neck, 2017, 39, 716-723.	2.0	37

#	Article	IF	CITATIONS
37	Multifocality of papillary thyroid carcinoma as a risk factor for disease recurrence. Oral Oncology, 2019, 94, 106-110.	1.5	37
38	The Feasibility of 18F-FDG PET scans 1 month after completing radiotherapy of squamous cell carcinoma of the head and neck. Journal of Nuclear Medicine, 2007, 48, 373-8.	5.0	37
39	Antiangiogenic and anticancer effect of an orally active low molecular weight heparin conjugates and its application to lung cancer chemoprevention. Journal of Controlled Release, 2015, 199, 122-131.	9.9	35
40	p53/BNIP3-dependent mitophagy limits glycolytic shift in radioresistant cancer. Oncogene, 2019, 38, 3729-3742.	5.9	33
41	Risk Factors for Recurrence After Treatment of N1b Papillary Thyroid Carcinoma. Annals of Surgery, 2019, 269, 966-971.	4.2	33
42	LHT7, a chemically modified heparin, inhibits multiple stages of angiogenesis by blocking VEGF, FGF2 and PDGF-B signaling pathways. Biomaterials, 2015, 37, 271-278.	11.4	31
43	An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. Oncologist, 2016, 21, 1091-1098.	3.7	31
44	Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. Journal of Surgical Oncology, 2017, 116, 450-458.	1.7	30
45	Highly potent monomethyl auristatin E prodrug activated by caspase-3 for the chemoradiotherapy of triple-negative breast cancer. Biomaterials, 2019, 192, 109-117.	11.4	29
46	Diagnostic Accuracies of Laryngeal Diseases Using a Convolutional Neural Networkâ€Based Image Classification System. Laryngoscope, 2021, 131, 2558-2566.	2.0	29
47	Histogram Analysis of Apparent Diffusion Coefficients for Occult Tonsil Cancer in Patients with Cervical Nodal Metastasis from an Unknown Primary Site at Presentation. Radiology, 2016, 278, 146-155.	7.3	28
48	Lymph node density as an independent predictor of cancer-specific mortality in patients with lymph node-positive laryngeal squamous cell carcinoma after laryngectomy. Head and Neck, 2015, 37, 1319-1325.	2.0	27
49	Is Diffusion-Weighted MRI Useful for Differentiation of Small Non-Necrotic Cervical Lymph Nodes in Patients with Head and Neck Malignancies?. Korean Journal of Radiology, 2014, 15, 810.	3.4	26
50	Treatment Outcomes and Risk Factors for Recurrence After Definitive Surgery of Locally Invasive Well-Differentiated Papillary Thyroid Carcinoma. Thyroid, 2016, 26, 262-270.	4.5	26
51	Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. Head and Neck, 2018, 40, 596-604.	2.0	25
52	Metronomic oral doxorubicin in combination of Chk1 inhibitor MK-8776 for p53-deficient breast cancer treatment. Biomaterials, 2018, 182, 35-43.	11.4	25
53	Chest radiography or chest CT plus head and neck CT versus 18F-FDG PET/CT for detection of distant metastasis and synchronous cancer in patients with head and neck cancer. Oral Oncology, 2019, 88, 109-114.	1.5	25
54	A heparin conjugate, LHbisD4, inhibits lymphangiogenesis and attenuates lymph node metastasis by blocking VEGF-C signaling pathway. Biomaterials, 2017, 139, 56-66.	11.4	25

#	Article	IF	CITATIONS
55	Voice Changes in Elderly Adults: Prevalence and the Effect of Social, Behavioral, and Health Status on Voice Quality. Journal of the American Geriatrics Society, 2015, 63, 1608-1614.	2.6	24
56	Optimization of a Stable Linker Involved DEVD Peptide-Doxorubicin Conjugate That Is Activated upon Radiation-Induced Caspase-3-Mediated Apoptosis. Journal of Medicinal Chemistry, 2015, 58, 6435-6447.	6.4	24
57	Prognostic factors and outcome analysis of salivary duct carcinoma. Auris Nasus Larynx, 2015, 42, 472-477.	1.2	24
58	Pretreatment tumor SUVmax predicts disease-specific and overall survival in patients with head and neck soft tissue sarcoma. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 33-40.	6.4	24
59	¹⁸ F-FDG PET/CT <i>vs</i> . human papillomavirus, p16 and Epstein-Barr virus detection in cervical metastatic lymph nodes for identifying primary tumors. International Journal of Cancer, 2017, 140, 1405-1412.	5.1	23
60	Phosphorylation of PI3K regulatory subunit p85 contributes to resistance against PI3K inhibitors in radioresistant head and neck cancer. Oral Oncology, 2018, 78, 56-63.	1.5	23
61	Number of positive lymph nodes better predicts survival for oral cavity cancer. Journal of Surgical Oncology, 2019, 119, 675-682.	1.7	23
62	Epigenetic regulation of p62/SQSTM1 overcomes the radioresistance of head and neck cancer cells via autophagy-dependent senescence induction. Cell Death and Disease, 2021, 12, 250.	6.3	23
63	Differences in the Recurrence and Survival of Patients with Symptomatic and Asymptomatic Papillary Thyroid Carcinoma: An Observational Study of 11,265 Person-Years of Follow-Up. Thyroid, 2016, 26, 1472-1479.	4.5	21
64	A Randomized, Multicenter, Phase II Study of Cetuximab With Docetaxel and Cisplatin as Induction Chemotherapy in Unresectable, Locally Advanced Head and Neck Cancer. Oncologist, 2015, 20, 1119-1120.	3.7	20
65	Assembly of polymer micelles through the sol-gel transition for effective cancer therapy. Journal of Controlled Release, 2017, 255, 258-269.	9.9	20
66	Pluronic/Heparin Nanoparticles for Chemo-Photodynamic Combination Cancer Therapy through Photoinduced Caspase-3 Activation. ACS Applied Nano Materials, 2018, 1, 2943-2952.	5.0	20
67	18F-FDG PET/CT versus CT/MR imaging for detection of neck lymph node metastasis in palpably node-negative oral cavity cancer. Journal of Cancer Research and Clinical Oncology, 2020, 146, 237-244.	2.5	20
68	Complex adaptive therapeutic strategy (CATS) for cancer. Journal of Controlled Release, 2014, 175, 43-47.	9.9	19
69	Extranodal extension and thickness of metastatic lymph node as a significant prognostic marker of recurrence and survival in head and neck squamous cell carcinoma. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 769-778.	1.7	19
70	Recurrence in patients with clinically early-stage papillary thyroid carcinoma according to tumor size and surgical extent. American Journal of Surgery, 2016, 212, 419-425.e1.	1.8	19
71	Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. Quality of Life Research, 2016, 25, 165-174.	3.1	19
72	Prediction of distant metastasis and survival in adenoid cystic carcinoma using quantitative 18 F-FDG PET/CT measurements. Oral Oncology, 2018, 77, 98-104.	1.5	19

#	Article	IF	CITATIONS
73	Overexpression of cysteineâ€glutamate transporter and CD44 for prediction of recurrence and survival in patients with oral cavity squamous cell carcinoma. Head and Neck, 2018, 40, 2340-2346.	2.0	19
74	Recurrence and cancer-specific survival according to the expression of IL-4Rα and IL-13Rα1 in patients with oral cavity cancer. European Journal of Cancer, 2015, 51, 177-185.	2.8	18
75	The novel strategy for concurrent chemoradiotherapy by conjugating the apoptotic cell-binding moiety to caspase-3 activated doxorubicin prodrug. Journal of Controlled Release, 2019, 296, 241-249.	9.9	18
76	Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. American Journal of Surgery, 2020, 220, 925-931.	1.8	18
77	A Hearing Preservation Technique for the Resection of Extensive Jugular Foramen Tumors. Laryngoscope, 2001, 111, 2071-2076.	2.0	17
78	Composition of inflammatory cells regulating the response to concurrent chemoradiation therapy for HPV (+) tonsil cancer. Oral Oncology, 2015, 51, 1113-1119.	1.5	17
79	Risk Factors for Lateral Neck Recurrence of NO/N1a Papillary Thyroid Cancer. Annals of Surgical Oncology, 2017, 24, 3609-3616.	1.5	17
80	Metastatic lymph node burden predictive of survival in patients undergoing primary surgery for laryngeal and hypopharyngeal cancer. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2565-2572.	2.5	17
81	Risk factors for survival and distant metastasis in 125 patients with head and neck adenoid cystic carcinoma undergoing primary surgery. Journal of Cancer Research and Clinical Oncology, 2020, 146, 1343-1350.	2.5	17
82	Incidence and risk factors for morbidity and mortality in elderly head and neck cancer patients undergoing major oncological surgery. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1343-1351.	2.5	15
83	Multi-stage inhibition in breast cancer metastasis by orally active triple conjugate, LHTD4 (low) Tj ETQq1 1 0.78	4314 rgBT 11.4	Öyerlock 1
84	Detection of Local Recurrence in Patients with Head and Neck Squamous Cell Carcinoma Using Voxel-Based Color Maps of Initial and Final Area under the Curve Values Derived from DCE-MRI. American Journal of Neuroradiology, 2019, 40, 1392-1401.	2.4	15
85	Caspase-cleavable peptide-doxorubicin conjugate in combination with CD47-antagonizing nanocage therapeutics for immune-mediated elimination of colorectal cancer. Biomaterials, 2021, 277, 121105.	11.4	15
86	Preoperative Contrast-Enhanced CT Versus 18F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. Annals of Surgical Oncology, 2015, 22, 1020-1027.	1.5	14
87	Epithelialâ€Mesenchymal Transition: Clinical Implications for Nodal Metastasis and Prognosis of Tongue Cancer. Otolaryngology - Head and Neck Surgery, 2015, 152, 80-86.	1.9	14
88	Prognostic value of neutrophil-to-lymphocyte ratio in older patients with head and neck cancer. Journal of Geriatric Oncology, 2020, 11, 417-422.	1.0	14
89	Radiotherapy-associated Furin Expression and Tumor Invasiveness in Recurrent Laryngeal Cancer. Anticancer Research, 2016, 36, 5117-5126.	1.1	14
90	Tumoral accumulation of long-circulating, self-assembled nanoparticles and its visualization by gamma scintigraphy. Macromolecular Research, 2008, 16, 15-20.	2.4	13

#	Article	IF	CITATIONS
91	Development of TRAIL Resistance by Radiation-Induced Hypermethylation of DR4 CpG Island in Recurrent Laryngeal Squamous Cell Carcinoma. International Journal of Radiation Oncology Biology Physics, 2014, 88, 1203-1211.	0.8	13
92	Aspirin use and head and neck cancer survival: an observational study of 11,623 person-years follow-up. International Journal of Clinical Oncology, 2018, 23, 52-58.	2.2	13
93	The impact of skeletal muscle depletion on older adult patients with head and neck cancer undergoing primary surgery. Journal of Geriatric Oncology, 2021, 12, 128-133.	1.0	13
94	Initial Nutritional Status and Clinical Outcomes in Patients with Deep Neck Infection. Clinical and Experimental Otorhinolaryngology, 2018, 11, 293-300.	2.1	13
95	Basaloid Squamous Cell Carcinoma of the Head and Neck: Subclassification into Basal, Ductal, and Mixed Subtypes Based on Comparison of Clinico-pathologic Features and Expression of p53, Cyclin D1, Epidermal Growth Factor Receptor, p16, and Human Papillomavirus. Journal of Pathology and Translational Medicine, 2017, 51, 374-380.	1.1	13
96	Primary squamous cell carcinoma of the salivary gland: immunohistochemical analysis and comparison with metastatic squamous cell carcinoma. Journal of Pathology and Translational Medicine, 2020, 54, 489-496.	1.1	13
97	Expression of Lysyl Oxidase Predictive of Distant Metastasis of Laryngeal Cancer. Otolaryngology - Head and Neck Surgery, 2017, 156, 489-497.	1.9	12
98	EphA3 maintains radioresistance in head and neck cancers through epithelial mesenchymal transition. Cellular Signalling, 2018, 47, 122-130.	3.6	12
99	Detection of distant metastasis and prognostic prediction of recurrent salivary gland carcinomas using ¹⁸ Fâ€FDG PET/CT. Oral Diseases, 2018, 24, 940-947.	3.0	12
100	Clinical values for abnormal 18F-FDG uptake in the head and neck region of patients with head and neck squamous cell carcinoma. European Journal of Radiology, 2014, 83, 1455-1460.	2.6	11
101	Effect of βâ€catenin silencing in overcoming radioresistance of head and neck cancer cells by antagonizing the effects of AMPK on Ku70/Ku80. Head and Neck, 2016, 38, E1909-17.	2.0	11
102	Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. European Journal of Cancer, 2018, 92, 69-76.	2.8	11
103	Positive lymph node number and extranodal extension for predicting recurrence and survival in patients with salivary gland cancer. Head and Neck, 2020, 42, 1994-2001.	2.0	11
104	Caspase-3 mediated switch therapy of self-triggered and long-acting prodrugs for metastatic TNBC. Journal of Controlled Release, 2022, 346, 136-147.	9.9	11
105	Retinoic acid 4-hydroxylase-mediated catabolism of all-trans retinoic acid and the cell proliferation in head and neck squamous cell carcinoma. Metabolism: Clinical and Experimental, 2002, 51, 477-481.	3.4	10
106	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. Journal of Cancer Research and Clinical Oncology, 2016, 142, 295-304.	2.5	10
107	Metronomic chemotherapy using orally active carboplatin/deoxycholate complex to maintain drug concentration within a tolerable range for effective cancer management. Journal of Controlled Release, 2017, 249, 42-52.	9.9	10
108	Metabolic tumor volume and total lesion glycolysis predict tumor progression and survival after salvage surgery for recurrent oral cavity squamous cell carcinoma. Head and Neck, 2019, 41, 1846-1853.	2.0	10

#	Article	IF	CITATIONS
109	Prediction of pharyngocutaneous fistula and survival after salvage laryngectomy for laryngohypopharyngeal carcinoma. Head and Neck, 2019, 41, 3002-3008.	2.0	10
110	p53-dependent glutamine usage determines susceptibility to oxidative stress in radioresistant head and neck cancer cells. Cellular Signalling, 2021, 77, 109820.	3.6	10
111	Albumin metabolism targeted peptide-drug conjugate strategy for targeting pan-KRAS mutant cancer. Journal of Controlled Release, 2022, 344, 26-38.	9.9	10
112	Radiological tumor thickness as a risk factor for local recurrence in early glottic cancer treated with laser cordectomy. European Archives of Oto-Rhino-Laryngology, 2018, 275, 153-160.	1.6	9
113	De novo head and neck cancer arising in solid organ transplantation recipients: The Asan Medical Center experience. Auris Nasus Larynx, 2018, 45, 838-845.	1.2	9
114	Periostin Plays a Key Role in Radioresistance of Head and Neck Cancer Cells <i>Via</i> Epithelial-to-Mesenchymal Transition. Anticancer Research, 2020, 40, 2627-2635.	1.1	9
115	Comparison of Squamous Cell Carcinoma of the Tongue between Young and Old Patients. Journal of Pathology and Translational Medicine, 2019, 53, 369-377.	1.1	9
116	Radiotherapyâ€assisted tumor selective metronomic oral chemotherapy. International Journal of Cancer, 2017, 141, 1912-1920.	5.1	8
117	Pre-treatment metabolic tumor volume predicts tumor metastasis and progression in high-grade salivary gland carcinoma. Journal of Cancer Research and Clinical Oncology, 2018, 144, 2485-2493.	2.5	8
118	Lymph node ratio predictive of recurrence, distant metastasis, and survival in submandibular gland carcinoma patients. Journal of Cancer Research and Clinical Oncology, 2019, 145, 1055-1062.	2.5	8
119	Thyroid stimulating hormone suppression and recurrence after thyroid lobectomy for papillary thyroid carcinoma. Endocrine, 2022, 75, 487-494.	2.3	8
120	Short-Term Treatment Results for Unilateral Vocal Fold Palsy Induced by Mediastinal Lesions. Journal of Voice, 2014, 28, 809-815.	1.5	7
121	Treatment Efficacy of Voice Therapy Following Injection Laryngoplasty for Unilateral Vocal Fold Paralysis. Journal of Voice, 2020, , .	1.5	7
122	Post-treatment 18F-FDG PET/CT for predicting survival and recurrence in patients with advanced-stage head and neck cancer undergoing curative surgery. Oral Oncology, 2020, 107, 104750.	1.5	7
123	Design of a Multicomponent Peptide-Woven Nanocomplex for Delivery of siRNA. PLoS ONE, 2015, 10, e0118310.	2.5	7
124	The role of CIP2A as a therapeutic target of rapamycin in radioresistant head and neck cancer with TP53 mutation. Head and Neck, 2019, 41, 3362-3371.	2.0	6
125	Clinically Node-Negative Parotid Gland Cancers: Prognostic Factors of Survival and Surgical Extent. Oncology, 2020, 98, 102-110.	1.9	6
126	Dual Coaptation of Facial Nerve Using Masseteric Branch of Trigeminal Nerve for latrogenic Facial Palsy: Preliminary Reports. Annals of Otology, Rhinology and Laryngology, 2020, 129, 505-511.	1,1	6

#	Article	IF	CITATIONS
127	MDM2-dependent Sirt1 degradation is a prerequisite for Sirt6-mediated cell death in head and neck cancers. Experimental and Molecular Medicine, 2021, 53, 422-431.	7.7	6
128	Accurate sequential detection of primary tumor and metastatic lymphatics using a temperature-induced phase transition nanoparticulate system. International Journal of Nanomedicine, 2014, 9, 2955.	6.7	5
129	Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. Acta Oto-Laryngologica, 2016, 136, 703-710.	0.9	5
130	Increased Immunoglobulin G4-positive Plasma Cells in Lymphadenoma of the Salivary Gland: An Immunohistochemical Comparison Among Lymphoepithelial Lesions. Applied Immunohistochemistry and Molecular Morphology, 2018, 26, 420-424.	1.2	5
131	Prognostic value of ¹⁸ Fâ€FDG PET/CT parameters in patients who undergo salvage treatments for recurrent squamous cell carcinoma of the larynx and hypopharynx. Journal of Surgical Oncology, 2018, 118, 644-650.	1.7	5
132	Risk factors for competing nonâ€cancer mortality after definitive treatment for advancedâ€stage head and neck cancer. Oral Diseases, 2018, 24, 1217-1225.	3.0	5
133	Prediction of cervical metastasis and survival in cNO oral cavity cancer using tumour 18F-FDC PET/CT functional parameters. Journal of Cancer Research and Clinical Oncology, 2020, 146, 3341-3348.	2.5	5
134	Predictors of recurrence after total thyroidectomy plus neck dissection and radioactive iodine ablation for highâ€risk papillary thyroid carcinoma. Journal of Surgical Oncology, 2020, 122, 906-913.	1.7	5
135	Risk Factors and Survival Outcomes for Patients With Anastomotic Leakage After Surgery for Head and Neck Squamous Cell Carcinoma. Clinical and Experimental Otorhinolaryngology, 2014, 7, 36.	2.1	5
136	Early Ambulation to Prevent Delirium After Long-Time Head and Neck Cancer Surgery. Frontiers in Surgery, 2022, 9, 880092.	1.4	5
137	Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with <i>De Novo</i> Sarcomas. Korean Journal of Pathology, 2014, 48, 346-350.	1.3	4
138	Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2014, 117, 178-185.	0.4	4
139	The Different Clinical Aspects of Pediatric Primary Airway Tumors in the Larynx, Trachea, and Bronchi. Journal of Korean Medical Science, 2017, 32, 1304.	2.5	4
140	Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. Acta Oto-Laryngologica, 2018, 138, 392-399.	0.9	4
141	Clinical utility of ¹⁸ F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. Acta Oto-Laryngologica, 2019, 139, 810-815.	0.9	4
142	Predictors of survival and recurrence after primary surgery for cervical metastasis of unknown primary. Journal of Cancer Research and Clinical Oncology, 2020, 146, 925-933.	2.5	4
143	Tristetraprolin Posttranscriptionally Downregulates TRAIL Death Receptors. Cells, 2020, 9, 1851.	4.1	4
144	Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. American Journal of Surgery, 2020, 220, 642-647.	1.8	4

#	Article	IF	CITATIONS
145	Feedback amplification of senolysis using caspase-3-cleavable peptide-doxorubicin conjugate and 2DG. Journal of Controlled Release, 2022, 346, 158-168.	9.9	4
146	Clinical implications of nonspecific pulmonary nodules identified during the initial evaluation of patients with head and neck squamous cell carcinoma. European Radiology, 2017, 27, 3725-3732.	4.5	3
147	Association Between Fibroblast Growth Factor Receptor 1 Gene Amplification and Human Papillomavirus Prevalence in Tonsillar Squamous Cell Carcinoma With Clinicopathologic Analysis. Journal of Histochemistry and Cytochemistry, 2018, 66, 511-522.	2.5	3
148	Idiopathic Unilateral Vocal Fold Paralysis in Older Patients: Characteristics in the Disease Course and Implication of Computed Tomography for Evaluation of Etiology. Annals of Otology, Rhinology and Laryngology, 2018, 127, 823-828.	1.1	3
149	Tumorâ€related leukocytosis predictive of recurrence and survival in patients with oral cavity squamous cell carcinoma. Oral Diseases, 2019, 25, 1511-1518.	3.0	3
150	Clinicopathological characteristics of young never smoker females with oral cavity squamous cell carcinoma. Medicine (United States), 2021, 100, e23871.	1.0	3
151	Homotypic Interaction of Stabilin-2 Plays a Critical Role in Lymph Node Metastasis of Tongue Cancer. Anticancer Research, 2016, 36, 6611-6618.	1.1	3
152	Lymphadenoma of the salivary gland: A novel classification based on immunohistochemical comparison of benign and malignant lymphoepithelial neoplasms. Basic and Applied Pathology, 2008, 1, 18-22.	0.2	2
153	Second Cancer Incidence and Risk Factors in Patients With Salivary Gland Cancers. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 118.	2.2	2
154	The Significance of Immunohistochemical Staining, Including that for Glucose Transporter Protein Isoform 1, as Related to the Clinical and Angiographic Features of Adult Soft-Tissue Hemangioma and Arteriovenous Malformation in the Head and Neck. Journal of the Korean Society of Radiology, 2009, 60, 83.	0.2	2
155	Risk factors for survival of head and neck soft tissue sarcomas: A comparison between 7th and 8th edition AJCC staging systems. Oral Oncology, 2020, 106, 104705.	1.5	1
156	Oncocytoma and Oncocytic Carcinoma of the Salivary Glands, Single Institute Experience. Korean Journal of Pathology, 2010, 44, 370.	1.3	1
157	Clinical Outcome of Fibromatosis of the Head and Neck Region. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2013, 56, 144.	0.2	1
158	Ameloblastic fibrosarcoma: A case mimicking adenoid cystic carcinoma. Basic and Applied Pathology, 2008, 1, 203-205.	0.2	0
159	The influence of pediatric tracheostomy on the body weight percentile of children. International Journal of Pediatric Otorhinolaryngology, 2016, 91, 49-54.	1.0	0
160	Clinical Significance of Mesenteric Lymph Nodes Detected on Postoperative CT after a Total Pharyngolaryngectomy and Reconstruction with a Jejunal Free Flap. Journal of the Korean Radiological Society, 2008, 58, 113.	0.0	0
161	Treatment Outcomes of Squamous Cell Carcinoma of the Buccal Mucosa. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2010, 53, 300.	0.2	0
162	The Treatment Outcomes of Primary Subglottic Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 699.	0.2	0

#	Article	IF	CITATIONS
163	Suture Ligation of Pyriform Sinus Fistulas Following Cauterization to Treat Branchial Cleft Anomalies. Annals of Otology, Rhinology and Laryngology, 2022, , 000348942110701.	1.1	0
164	Preoperative Magnetic Resonance Image and Computerized Tomography Findings Predictive of Facial Nerve Invasion in Patients with Parotid Cancer without Preoperative Facial Weakness—A Retrospective Observational Study. Cancers, 2022, 14, 1086.	3.7	0