

# Michael P R Waligorski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3350316/publications.pdf>

Version: 2024-02-01

106  
papers

1,723  
citations

331538

21  
h-index

315616

38  
g-index

114  
all docs

114  
docs citations

114  
times ranked

1332  
citing authors

#	ARTICLE	IF	CITATIONS
1	Professor Ludwik Dobrzyński 1941–2022. <i>International Journal of Radiation Biology</i> , 2022, , 1-2.	1.0	0
2	Analysis of Indoor Radon Data Using Bayesian, Random Binning, and Maximum Entropy Methods. <i>Dose-Response</i> , 2021, 19, 155932582110093.	0.7	9
3	Are gamma passing rate and dose–volume histogram QA metrics correlated?. <i>Medical Physics</i> , 2021, 48, 4743-4753.	1.6	6
4	THE ROLE OF PARTICLE SPECTRA IN MODELING THE RELATIVE BIOLOGICAL EFFECTIVENESS OF PROTON RADIOTHERAPY BEAMS. <i>Radiation Protection Dosimetry</i> , 2019, 183, 251-254.	0.4	5
5	Ion recombination and polarity correction factors for a plane–parallel ionization chamber in a proton scanning beam. <i>Medical Physics</i> , 2018, 45, 391-401.	1.6	22
6	Comments on “The Past Informs the Future: An Overview of the Million Worker Study and the Mallinckrodt Chemical Works Cohort”. <i>Health Physics</i> , 2018, 115, 387-388.	0.3	0
7	Measurement of stray neutron doses inside the treatment room from a proton pencil beam scanning system. <i>Physica Medica</i> , 2017, 34, 80-84.	0.4	19
8	Application of alanine dosimetry in dose assessment for ocular melanoma patients undergoing proton radiotherapy – preliminary results. <i>Nukleonika</i> , 2015, 60, 609-613.	0.3	0
9	The principles of Katz's cellular track structure radiobiological model. <i>Radiation Protection Dosimetry</i> , 2015, 166, 49-55.	0.4	10
10	A TPS kernel for calculating survival vs. depth: distributions in a carbon radiotherapy beam, based on Katz's cellular Track Structure Theory. <i>Radiation Protection Dosimetry</i> , 2015, 166, 347-350.	0.4	3
11	Proton microbeam radiotherapy with scanned pencil-beams – Monte Carlo simulations. <i>Physica Medica</i> , 2015, 31, 621-626.	0.4	15
12	Does microwave interstitial hyperthermia prior to high-dose-rate brachytherapy change prostate volume or therapy plan parameters?. <i>International Journal of Hyperthermia</i> , 2015, 31, 568-573.	1.1	4
13	A numerical method to optimise the spatial dose distribution in carbon ion radiotherapy planning. <i>Radiation Protection Dosimetry</i> , 2015, 166, 351-355.	0.4	2
14	Studies of scintillator response to 60 MeV protons in a proton beam imaging system. <i>Nukleonika</i> , 2015, 60, 683-687.	0.3	2
15	Performance of two commercial electron beam algorithms over regions close to the lung–mediastinum interface, against Monte Carlo simulation and point dosimetry in virtual and anthropomorphic phantoms. <i>Physica Medica</i> , 2014, 30, 147-154.	0.4	14
16	Clinical tests of large area thermoluminescent detectors under radiotherapy beams. <i>Radiation Measurements</i> , 2013, 51-52, 25-30.	0.7	8
17	The Response of 2D TL Foils After Doses of Co-60 Gamma-ray, 6 MV X-ray and 60 MeV Proton Beams Applied in Radiotherapy. <i>Acta Physica Polonica B, Proceedings Supplement</i> , 2013, 6, 1021.	0.0	1
18	Professor Zbigniew Jaworowski – In Memoriam. <i>Dose-Response</i> , 2012, 10, dose-response.1.	0.7	1

#	ARTICLE	IF	CITATIONS
19	The updated ESTRO core curricula 2011 for clinicians, medical physicists and RTTs in radiotherapy/radiation oncology. <i>Radiotherapy and Oncology</i> , 2012, 103, 103-108.	0.3	81
20	372 DEVELOPMENT OF A TWO-DIMENSIONAL DIGITAL TL DOSIMETRY SYSTEM INCORPORATING 2-D TL READERS AND TL FOILS. <i>Radiotherapy and Oncology</i> , 2012, 102, S190.	0.3	0
21	Robert Katz(1917â€“2011). <i>Radiation Research</i> , 2011, 176, 692-693.	0.7	0
22	1339 poster APPLICATION OF IMRT IN WHOLE-ABDOMEN IRRADIATION OF OVARIAN CANCER. <i>Radiotherapy and Oncology</i> , 2011, 99, S501.	0.3	0
23	Evaluation of risk of secondary cancer occurrence after proton radiotherapy of ocular tumours. <i>Radiation Measurements</i> , 2011, 46, 1944-1947.	0.7	12
24	Application of IMRT in adjuvant treatment of soft tissue sarcomas of the thighâ€”Preliminary results. <i>Reports of Practical Oncology and Radiotherapy</i> , 2011, 16, 110-114.	0.3	13
25	The application of amorphous track models to study cell survival in heavy ions beams. <i>Radiation Protection Dosimetry</i> , 2011, 143, 232-236.	0.4	3
26	Dosimetric properties of TL foils based on LiF:Mg,Cu,P (MCP-N) phosphors for clinical applications. <i>Radiation Measurements</i> , 2010, 45, 716-718.	0.7	8
27	Novel thermoluminescence foils for 2-D clinical dosimetry, based on CaSO4:Dy. <i>Radiation Measurements</i> , 2010, 45, 719-721.	0.7	17
28	Assessment of undesirable dose to eye-melanoma patients after proton radiotherapy. <i>Radiation Measurements</i> , 2010, 45, 1441-1444.	0.7	11
29	Individual patient shielding for a proton eye therapy facility. <i>Radiation Measurements</i> , 2010, 45, 1127-1129.	0.7	9
30	Facility for proton radiotherapy of eye cancer at IFJ PAN in Krakow. <i>Radiation Measurements</i> , 2010, 45, 1469-1471.	0.7	36
31	Track structure effects in a study of cell killing in normal human skin fibroblasts. <i>International Journal of Radiation Biology</i> , 2009, 85, 1101-1113.	1.0	9
32	TRAINING OF MEDICAL PHYSICISTS AND FORMAL REQUIREMENTS OF RADIOTHERAPY DEPARTMENTS RELATED TO EXPERTISE IN MEDICAL PHYSICS. <i>Radiotherapy and Oncology</i> , 2009, 92, S156.	0.3	2
33	Identification and assessment of elevated exposure to natural radiation in Balkan region (Serbia). <i>Radioprotection</i> , 2009, 44, 919-925.	0.5	7
34	Evaluation of the relative effectiveness of LiF-based TL detectors for electron radiotherapy beams over the energy range 6â€“20MeV. <i>Radiation Measurements</i> , 2008, 43, 879-882.	0.7	3
35	On the clinical applicability of large-area 2-D TL dosimetry for verifying small photon radiotherapy beams. <i>Radiation Measurements</i> , 2008, 43, 1004-1007.	0.7	5
36	2-D dosimetry of a proton radiotherapy beam using large-area LiF:Mg,Cu,P TL detectors. <i>Radiation Measurements</i> , 2008, 43, 977-980.	0.7	14

#	ARTICLE	IF	CITATIONS
37	TL efficiency of LiF:Mg,Cu,P (MCP-N) 2-D thermoluminescence detectors to raster-scanned carbon ion beams. <i>Radiation Measurements</i> , 2008, 43, 994-997.	0.7	8
38	Thermoluminescence dosimetry using TL-readers equipped with CCD cameras. <i>Radiation Measurements</i> , 2008, 43, 864-869.	0.7	27
39	Natural radiation and its hazard in copper ore mines in Poland. <i>Acta Geophysica</i> , 2008, 56, 505-517.	1.0	6
40	Two-dimensional dosimetry of radiotherapeutical proton beams using thermoluminescence foils. <i>Radiation Protection Dosimetry</i> , 2007, 126, 185-189.	0.4	10
41	A study of radiation dosimeters based on synthetic HPHT diamond. <i>Diamond and Related Materials</i> , 2007, 16, 191-195.	1.8	28
42	High-dose characterization of different LiF phosphors. <i>Radiation Measurements</i> , 2007, 42, 582-585.	0.7	26
43	Radon survey in the high natural radiation region of NiÅ¼ka Banja, Serbia. <i>Journal of Environmental Radioactivity</i> , 2007, 92, 165-174.	0.9	35
44	Evidence of low-dose hyper-radiosensitivity in normal cells of cervix cancer patients?. <i>Radiation Protection Dosimetry</i> , 2006, 122, 282-284.	0.4	16
45	On the relationship between dose-, energy- and LET-response of thermoluminescent detectors. <i>Radiation Protection Dosimetry</i> , 2006, 119, 15-22.	0.4	28
46	New 2-D dosimetric technique for radiotherapy based on planar thermoluminescent detectors. <i>Radiation Protection Dosimetry</i> , 2006, 118, 213-218.	0.4	30
47	A TL-based anthropomorphic benchmark for verifying 3-D dose distributions from external electron beams calculated by radiotherapy treatment planning systems. <i>Radiation Protection Dosimetry</i> , 2006, 120, 74-77.	0.4	2
48	Two-dimensional thermoluminescence dosimetry using planar detectors and a TL reader with CCD camera readout. <i>Radiation Protection Dosimetry</i> , 2006, 120, 129-132.	0.4	20
49	A simple track structure model of ion beam radiotherapy. <i>Radiation Protection Dosimetry</i> , 2006, 122, 471-474.	0.4	3
50	Microdosimetric modelling of the response of thermoluminescence detectors to low- and high-LET ionising radiation. <i>Radiation Protection Dosimetry</i> , 2006, 122, 378-381.	0.4	4
51	Experimental results on the environmental samples collected around sites in South Serbia, Kosovo and Montenegro where DU weapons were deployed in 1999. <i>Radioactivity in the Environment</i> , 2005, , 1056-1063.	0.2	1
52	51 The MAESTRO project framework : goals and status. <i>Radiotherapy and Oncology</i> , 2005, 76, S34.	0.3	0
53	Measurement of 2-D dose distributions by large-area thermoluminescent detectors. <i>Radiation Measurements</i> , 2004, 38, 833-837.	0.7	17
54	Cellular parameters for track structure modeling of radiation hazard in space. <i>Advances in Space Research</i> , 2004, 34, 1378-1382.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Synthetic diamonds as active detectors of ionising radiation. <i>Diamond and Related Materials</i> , 2004, 13, 918-922.	1.8	12
56	Cellular parameters and RBE-LET dependences for modelling heavy-ion radiotherapy. <i>Radiotherapy and Oncology</i> , 2004, 73, S173-S175.	0.3	4
57	Application of MCP-N (Lif: Mg, Cu, P) TL detectors in monitoring environmental radiation. <i>Nuclear Technology and Radiation Protection</i> , 2004, 19, 20-25.	0.3	4
58	Electronic lab notebooks – a crossroads is passed. <i>Drug Discovery Today</i> , 2003, 8, 1007-1009.	3.2	5
59	CVD diamond wafers as large-area thermoluminescence detectors for measuring the spatial distribution of dose. <i>Physica Status Solidi A</i> , 2003, 199, 119-124.	1.7	11
60	DARI to Go Where Radiation Has Gone Before. <i>Physics Today</i> , 2003, 56, 13-14.	0.3	0
61	On a Model-based Approach to Radiation Protection. <i>Radiation Protection Dosimetry</i> , 2002, 99, 439-444.	0.4	1
62	Dose-effect modifying factors in radiation protection – 1967 National Commission on Radiation Protection document revisited. <i>Journal of Radiological Protection</i> , 2002, 22, A159-A161.	0.6	0
63	Validation of a Radiotherapy Treatment Planning System using an Anthropomorphic Phantom and MTS-N Thermoluminescent Detectors. <i>Radiation Protection Dosimetry</i> , 2002, 101, 477-480.	0.4	1
64	Miniature Thermoluminescent Detectors for Dosimetry in Radiotherapy. <i>Radiation Protection Dosimetry</i> , 2002, 101, 473-476.	0.4	9
65	CVD Diamonds as Thermoluminescent Detectors for Medical Applications. <i>Radiation Protection Dosimetry</i> , 2002, 101, 485-488.	0.4	31
66	Microdosimetric One Hit Detector Model for Calculation of Dose and Energy Response of Some Solid State Detectors. <i>Radiation Protection Dosimetry</i> , 2002, 99, 381-382.	0.4	5
67	Modeling the Response of Thermoluminescence Detectors Exposed to Low- and High-LET Radiation Fields. <i>Journal of Radiation Research</i> , 2002, 43, S59-S62.	0.8	24
68	A Study of the Thermoluminescent Properties of CVD Diamond Detectors. <i>Physica Status Solidi A</i> , 2002, 193, 470-475.	1.7	16
69	Summaries of articles in this issue. <i>Journal of Radiological Protection</i> , 2002, 22, .	0.6	1
70	Studies on the application of CVD diamonds as active detectors of ionising radiation. <i>Physica B: Condensed Matter</i> , 2001, 308-310, 1213-1216.	1.3	7
71	Weryfikacja procedur pomiarowych i wdrożenie opracowanego systemu kontroli jakości dla aparatu selectron LDR/MDR. <i>Reports of Practical Oncology and Radiotherapy</i> , 2001, 6, 85-90.	0.3	0
72	Verification of geometry reconstruction and dose calculation modules of the PLATO radiotherapy planing system. <i>Reports of Practical Oncology and Radiotherapy</i> , 2001, 6, 141-147.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Supralinearity of peak 4 and 5 in thermoluminescent lithium fluoride MTS-N ( ) detectors at different Mg and Ti concentration. Radiation Measurements, 2001, 33, 807-812.	0.7	16
74	A checklist for reporting of thermoluminescence dosimetry (TLD) measurements. Physics in Medicine and Biology, 1999, 44, L15-L17.	1.6	14
75	Modelling of the Thermoluminescence Response of LiF:Mg,Cu,P (MCP-N) Detectors after Doses of Low-Energy Photons. Radiation Protection Dosimetry, 1999, 84, 103-107.	0.4	23
76	What Can Solid State Detectors Do for Clinical Dosimetry in Modern Radiotherapy?. Radiation Protection Dosimetry, 1999, 85, 361-366.	0.4	5
77	Optimisation of LiF:Mg,Ti Detectors for Dosimetry in Proton Radiotherapy. Radiation Protection Dosimetry, 1999, 85, 367-371.	0.4	4
78	Proton Irradiation of 7LiF:Mg,Ti Thermoluminescent Detectors: Influence of Dopant Concentration on Dose Response and LET Dependence of TL Efficiency. Radiation Protection Dosimetry, 1999, 84, 179-184.	0.4	5
79	Application of Individually Calibrated Solid LiF,Ti (MTS-N) Detectors in Clinical Dosimetry. Radiation Protection Dosimetry, 1999, 85, 377-380.	0.4	15
80	Estimation of the Time Elapsed Between Exposure and Readout Using Peak Ratios of LiF:Mg,Cu,P (MCP-N,GR200A). Radiation Protection Dosimetry, 1999, 85, 149-152.	0.4	8
81	Development of TL dosimeters based on MTS-N (LiF:Mg, Ti) detectors for in vivo dosimetry in a Co-60 beam. Reports of Practical Oncology and Radiotherapy, 1998, 3, 43-47.	0.3	2
82	Influence of concentration of magnesium on the dose response and LET-dependence of TL efficiency in LiF:Mg,Cu,P (MCP-N) detectors. Radiation Measurements, 1998, 29, 355-359.	0.7	27
83	Investigation of Efficiency of Thermoluminescence Detectors for Particle Therapy Beams. Radiation Protection Dosimetry, 1997, 70, 501-504.	0.4	20
84	Calculation of relative biological effectiveness for proton beams using biological weighting functions. International Journal of Radiation Oncology Biology Physics, 1997, 37, 719-729.	0.4	69
85	Environmental Radiometry Around Coal Mining Wastes Using MCP-N (LiF:Mg,Cu,P) Detectors and Gamma-Ray Spectrometry. Radiation Protection Dosimetry, 1996, 66, 161-164.	0.4	2
86	Long-Term Investigation on Self-Irradiation and Sensitivity to Cosmic Rays of TL Detector Types TLD-200, TLD-700, MCP-N and New Phosphate Glass Dosimeter. Radiation Protection Dosimetry, 1996, 66, 135-138.	0.4	14
87	Comparison of LiF:Mg,Cu,P. (MCP-N, GR-200A) and Alpha-Al <sup>203</sup> :C TL Detectors in Short-Term Measurements of Natural Radiation. Radiation Protection Dosimetry, 1996, 66, 157-160.	0.4	11
88	Evaluation of Effective Dose in Environmental Dosimetry Using Humanoid Phantoms Representing Different Ages and Sex, and LiF:Mg,Ti and LiF:Mg,Cu,P Detectors. Radiation Protection Dosimetry, 1996, 66, 165-166.	0.4	0
89	The Hadron Radiotherapy Centre Project at the Institute of Nuclear Physics in Kraków, Poland. Radiotherapy and Oncology, 1995, 37, S64.	0.3	0
90	Thermoluminescence Efficiency of LiF:Mg,Cu,P (MCP-N) Detectors to Photons, Beta-Electrons, Alpha Particles and Thermal Neutrons. Radiation Protection Dosimetry, 1994, 55, 31-38.	0.4	64

#	ARTICLE	IF	CITATIONS
91	Track Structure Analysis of Survival of Two Mouse Lymphoma L5178Y Cell Strains of Different Radiation Sensitivity. Radiation Protection Dosimetry, 1994, 52, 207-210.	0.4	0
92	Dosimetric Characteristics of LiF:Mg,Cu,P Phosphors - A Track Structure Interpretation. Radiation Protection Dosimetry, 1993, 47, 53-58.	0.4	21
93	Analysis of Biological Effectiveness of Heavy Ions Using Two Microdosimetric Approaches. Radiation Protection Dosimetry, 1990, 31, 303-307.	0.4	1
94	The response of the alanine detector after charged-particle and neutron irradiations. International Journal of Radiation Applications and Instrumentation Part A, Applied Radiation and Isotopes, 1989, 40, 923-933.	0.5	40
95	ESR dosimetry in calibration intercomparisons with high-energy photons and electrons. International Journal of Radiation Applications and Instrumentation Part A, Applied Radiation and Isotopes, 1989, 40, 985-988.	0.5	11
96	Intercomparison of Gamma Ray, X Ray, and Fast Neutron Dosimetry using Alanine Detectors. Radiation Protection Dosimetry, 1989, , .	0.4	3
97	Radiosensitivity Parameters for Neoplastic Transformations in C3H10T1/2 Cells. Radiation Research, 1987, 111, 424.	0.7	22
98	The Fricke dosimeter as a 1-hit detector. International Journal of Radiation Applications and Instrumentation Part D, Nuclear Tracks and Radiation Measurements, 1986, 11, 301-307.	0.6	22
99	The radial distribution of dose around the path of a heavy ion in liquid water. International Journal of Radiation Applications and Instrumentation Part D, Nuclear Tracks and Radiation Measurements, 1986, 11, 309-319.	0.6	443
100	Comments on "Dental enamel as an in vivo radiation dosimeter". Medical Physics, 1986, 13, 422-422.	1.6	1
101	Supralinearity of peak 5 and peak 6 in TLD-700. Nuclear Instruments & Methods, 1980, 175, 48-50.	1.2	35
102	Supralinearity of peak 5 and peak 6 in TLD-700. Nuclear Instruments & Methods, 1980, 172, 463-470.	1.2	67
103	A permanently sealed multiwire proportional chamber with two-dimensional readout for X-ray applications in the region 20-60 keV. Nuclear Instruments & Methods, 1976, 135, 197-202.	1.2	2
104	Application of the finite-difference approximation to electrostatic problems in gaseous proportional counters. Nuclear Instruments & Methods, 1975, 124, 413-428.	1.2	6
105	Absolute field distribution in gaseous proportional counters of box-type geometry. Nuclear Instruments & Methods, 1973, 109, 403-405.	1.2	5
106	CVD diamonds as active and passive detectors of ionising radiation. Assessment of their applicability for medical dosimetry. , 0, , .		0