
Flavio Pechansky

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3350839/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Addictions and mental health in the trans- and post-COVID-19 era: are we prepared to teach and treat?. Jornal Brasileiro De Psiquiatria, 2022, 71, 1-2.	0.2	1
2	Prevalence of suicide in cocaine users accessing health services: a systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2022, , .	0.9	1
3	From phone use to speeding and driving under influence: Identifying clusters of driving risk behaviors as an opportunity for targeted interventions. Journal of Psychiatric Research, 2021, 143, 556-562.	1.5	3
4	Increase in serum brain-derived neurotrophic factor levels during early withdrawal in severe alcohol users. Trends in Psychiatry and Psychotherapy, 2021, , .	0.4	1
5	Clinical vulnerability for severity and mortality by COVID-19 among users of alcohol and other substances. Psychiatry Research, 2021, 300, 113915.	1.7	27
6	Increased cortisol levels are associated with low treatment retention in crack cocaine users. Addictive Behaviors, 2020, 103, 106260.	1.7	13
7	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. PLoS ONE, 2020, 15, e0232242.	1.1	11
8	The COVID-19 pandemic and its impact on substance use: Implications for prevention and treatment. Psychiatry Research, 2020, 289, 113096.	1.7	214
9	Effects of childhood trauma on BDNF and TBARS during crack-cocaine withdrawal. Revista Brasileira De Psiquiatria, 2020, 42, 214-217.	0.9	5
10	High rates of incarceration due to drug trafficking in the last decade in southern Brazil. Trends in Psychiatry and Psychotherapy, 2020, 42, 153-160.	0.4	1
11	Drug use and driving behaviors among drivers with and without alcohol-related infractions. Trends in Psychiatry and Psychotherapy, 2020, 42, 230-238.	0.4	2
12	Re-traumatization Cycle: Sexual Abuse, Post-Traumatic Stress Disorder and Sexual Risk Behaviors among Club Drug Users. Substance Use and Misuse, 2019, 54, 1499-1508.	0.7	9
13	User experience and operational feasibility of four point-of-collection oral fluid drug-testing devices according to Brazilian traffic agents. Traffic Injury Prevention, 2019, 20, 30-36.	0.6	7
14	Clinical and Toxicological Profile of NBOMes: A Systematic Review. Psychosomatics, 2019, 60, 129-138.	2.5	6
15	Predictive factors associated with driving under the influence among Brazilian drug-using drivers. Accident Analysis and Prevention, 2019, 123, 256-262.	3.0	3
16	Effects of DRD2 splicing-regulatory polymorphism and DRD4 48Âbp VNTR on crack cocaine addiction. Journal of Neural Transmission, 2019, 126, 193-199.	1.4	14
17	Leptin levels and its correlation with crack-cocaine use severity: A preliminary study. Neuroscience Letters, 2018, 671, 56-59.	1.0	9
18	Comparison of Cocaine/Crack Biomarkers Concentrations in Oral Fluid, Urine and Plasma Simultaneously Collected From Drug Users. Journal of Analytical Toxicology, 2018, 42, 69-76.	1.7	12

#	Article	IF	CITATIONS
19	Increased cocaine and amphetamine-regulated transcript cord blood levels in the newborns exposed to crack cocaine in utero. Psychopharmacology, 2018, 235, 215-222.	1.5	4
20	Child Maltreatment and Illicit Substance Abuse: A Systematic Review and Metaâ€Analysis of Longitudinal Studies. Child Abuse Review, 2018, 27, 344-360.	0.4	67
21	Brain-derived neurotrophic factor in substance use disorders: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2018, 193, 91-103.	1.6	40
22	Satisfaction and burden of mental health personnel: data from healthcare services for substance users and their families. Revista Brasileira De Psiquiatria, 2018, 40, 403-409.	0.9	2
23	Markers for Severity of Problems in Interpersonal Relationships of Crack Cocaine Users from a Brazilian Multicenter Study. Psychiatric Quarterly, 2018, 89, 923-936.	1.1	6
24	Active Brazilian crack cocaine users: nutritional, anthropometric, and drug use profiles. Revista Brasileira De Psiquiatria, 2018, 40, 354-360.	0.9	15
25	Predictors of early relapse among adolescent crack users. Journal of Addictive Diseases, 2017, 36, 136-143.	0.8	16
26	Accumbens volumes are reduced among crack-cocaine users. Neuroscience Letters, 2017, 645, 86-89.	1.0	18
27	Simultaneous determination of cocaine/crack and its metabolites in oral fluid, urine and plasma by liquid chromatography-mass spectrometry and its application in drug users. Journal of Pharmacological and Toxicological Methods, 2017, 86, 60-66.	0.3	22
28	Reliability of point-of-collection testing devices for drugs of abuse in oral fluid: A systematic review and meta-analysis. Journal of Pharmaceutical and Biomedical Analysis, 2017, 143, 77-85.	1.4	27
29	Differences in biomarkers of crack-cocaine adolescent users before/after abstinence. Drug and Alcohol Dependence, 2017, 177, 207-213.	1.6	22
30	The female crack users: Higher rates of social vulnerability in Brazil. Health Care for Women International, 2017, 38, 1170-1187.	0.6	14
31	Alcohol and Road Traffic Injuries in Latin America and the Caribbean: A Case-Crossover Study. Alcoholism: Clinical and Experimental Research, 2017, 41, 1731-1737.	1.4	26
32	Motivations for Selling Ecstasy among Young Adults in the Electronic Dance Music Club Culture in Brazil. Journal of Psychoactive Drugs, 2017, 49, 420-426.	1.0	3
33	Oral Fluid Testing for Cocaine: Analytical Evaluation of Two Point-of-Collection Drug Screening Devices. Journal of Analytical Toxicology, 2017, 41, 392-398.	1.7	10
34	Association between the Intron 8 VNTR Polymorphism of the <i>DAT1</i> Gene and Crack Cocaine Addiction. Neuropsychobiology, 2017, 75, 141-144.	0.9	5
35	Anxiety and depression symptoms in Brazilian sexual minority ecstasy and LSD users. Trends in Psychiatry and Psychotherapy, 2017, 39, 239-246.	0.4	6
36	Crack-cocaine users have less family cohesion than alcohol users. Revista Brasileira De Psiquiatria, 2017, 39, 346-351.	0.9	7

#	Article	IF	CITATIONS
37	Hepatitis C: clinical and biological features related to different forms of cocaine use. Trends in Psychiatry and Psychotherapy, 2017, 39, 285-292.	0.4	7
38	TBARS and BDNF levels in newborns exposed to crack/cocaine during pregnancy: a comparative study. Revista Brasileira De Psiquiatria, 2017, 39, 263-266.	0.9	7
39	Bridging a historical gap: can changes in perceptions of law enforcement and social deterrence accelerate the prevention of drunk driving in low and middle-income countries?. Revista Brasileira De Psiquiatria, 2016, 38, 161-166.	0.9	6
40	IL-6 and IL-10 levels in the umbilical cord blood of newborns with a history of crack/cocaine exposure in utero: a comparative study. Trends in Psychiatry and Psychotherapy, 2016, 38, 40-49.	0.4	5
41	Multianalytical Method Validation for Qualitative and Quantitative Analysis of Solvents of Abuse in Oral Fluid by HS-GC/MS. International Journal of Analytical Chemistry, 2016, 2016, 1-8.	0.4	2
42	Prevalence of driving under the influence of psychoactive substances and road traffic crashes among Brazilian crack-using drivers. Drug and Alcohol Dependence, 2016, 168, 255-262.	1.6	11
43	High levels of brain-derived neurotrophic factor are associated with treatment adherence among crack-cocaine users. Neuroscience Letters, 2016, 630, 169-175.	1.0	13
44	Pharmacokinetics study of mazindol in plasma, oral fluid, and urine of volunteers. European Journal of Clinical Pharmacology, 2016, 72, 945-951.	0.8	2
45	Analysis of cocaine/crack biomarkers in meconium by LC–MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1012-1013, 113-117.	1.2	10
46	Validation and application of a liquid chromatography–electrospray ionization mass spectrometric method for determination of mazindol in human plasma and urine. Journal of Pharmacological and Toxicological Methods, 2016, 79, 1-6.	0.3	3
47	Crack Cocaine Use in Adolescents. Journal of Clinical Psychiatry, 2016, 77, e1205-e1210.	1.1	12
48	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. Revista Brasileira De Psiquiatria, 2015, 37, 211-218.	0.9	19
49	Following Up Crack Users after Hospital Discharge Using Record Linkage Methodology: An Alternative to Find Hidden Populations. BioMed Research International, 2015, 2015, 1-5.	0.9	2
50	Detection of ethanol in Brazilian gasoline station attendants. Analytical Methods, 2015, 7, 2936-2942.	1.3	2
51	NBOMe: a new dangerous drug similar to LSD. Revista Brasileira De Psiquiatria, 2015, 37, 351-352.	0.9	5
52	Genomic Instability in Human Lymphocytes from Male Users of Crack Cocaine. International Journal of Environmental Research and Public Health, 2014, 11, 10003-10015.	1.2	17
53	Have drivers at alcohol outlets changed their behavior after the new traffic law?. Revista Brasileira De Psiquiatria, 2014, 36, 11-15.	0.9	5
54	Differences between attendance in emergency care of male and female victims of traffic accidents in Porto alegre, Rio Grande do Sul state, Brazil. Ciencia E Saude Coletiva, 2014, 19, 3925-3930.	0.1	10

#	Article	IF	CITATIONS
55	Who seeks public treatment for substance abuse in Brazil? Results of a multicenter study involving four Brazilian state capitals. Trends in Psychiatry and Psychotherapy, 2014, 36, 193-202.	0.4	10
56	Factors associated with recurrence of alcohol-related traffic violations in southern Brazil. Revista Brasileira De Psiquiatria, 2014, 36, 199-205.	0.9	7
57	Increase in brain-derived neurotrophic factor expression in early crack cocaine withdrawal. International Journal of Neuropsychopharmacology, 2014, 17, 33-40.	1.0	40
58	Determination of mazindol in human oral fluid by high performance liquid chromatography–electrospray ionization mass spectrometry. Biomedical Chromatography, 2014, 28, 1064-1069.	0.8	5
59	Searching for a Neurobiological Basis for Self-Medication Theory in ADHD Comorbid With Substance Use Disorders. Clinical Nuclear Medicine, 2014, 39, e129-e134.	0.7	29
60	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. Comprehensive Psychiatry, 2014, 55, 1369-1376.	1.5	84
61	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1249-1255.	1.6	33
62	Drug use among drivers who drank on alcohol outlets from Porto Alegre, Brazil. Accident Analysis and Prevention, 2014, 62, 137-142.	3.0	7
63	Crack Cocaine Users Show Differences in Genotype Frequencies of the 3′ UTR Variable Number of Tandem Repeats of the Dopamine Transporter Gene <i>(DAT1/SLC6A3)</i> . Neuropsychobiology, 2014, 70, 44-51.	0.9	17
64	Simultaneous Analysis of Amphetamine-type Stimulants in Plasma by Solid-phase Microextraction and Gas Chromatography–Mass Spectrometry. Journal of Analytical Toxicology, 2014, 38, 432-437.	1.7	10
65	Oxidative stress and BDNF as possible markers for the severity of crack cocaine use in early withdrawal. Psychopharmacology, 2014, 231, 4031-4039.	1.5	50
66	A comparison of alcohol and drug use by random motor vehicle drivers in Brazil and Norway. International Journal of Drug Policy, 2014, 25, 393-400.	1.6	18
67	Crack/cocaine users show more family problems than other substance users. Clinics, 2014, 69, 497-499.	0.6	23
68	Perceptions of parental bonding in freebase cocaine users versus non-illicit drug users. Indian Journal of Medical Research, 2014, 139, 835-40.	0.4	4
69	Impact of Road Traffic Deaths on Expected Years of Life Lost and Reduction in Life Expectancy in Brazil. Demography, 2013, 50, 229-236.	1.2	22
70	Challenges associated with drink driving measurement: combining police and self-reported data to estimate an accurate prevalence in Brazil. Injury, 2013, 44, S11-S16.	0.7	6
71	Peripheral toxicity in crack cocaine use disorders. Neuroscience Letters, 2013, 544, 80-84.	1.0	51
72	The Effects of ADHD in Adult Substance Abusers. Journal of Addictive Diseases, 2013, 32, 252-262.	0.8	21

5

#	Article	IF	CITATIONS
73	Is the Prevalence of Driving After Drinking Higher in Entertainment Areas?. Alcohol and Alcoholism, 2013, 48, 356-362.	0.9	7
74	Traffic Crashes and Alcohol Outlets in a Brazilian State Capital. Traffic Injury Prevention, 2013, 14, 86-91.	0.6	12
75	The Crack Use Relapse Scale (CURS): development and psychometric validation. Revista Brasileira De Psiquiatria, 2013, 35, 271-273.	0.9	1
76	Treatment of female and male inpatient crack users: a qualitative study. Trends in Psychiatry and Psychotherapy, 2013, 35, 36-45.	0.4	13
77	Correlates of unprotected sex in a sample of young club drug users. Clinics, 2013, 68, 1384-1391.	0.6	9
78	Which Amphetamine-Type Stimulants Can Be Detected by Oral Fluid Immunoassays?. Therapeutic Drug Monitoring, 2012, 34, 98-109.	1.0	12
79	High rates of injured motorcycle drivers in emergency rooms and the association with substance use in Porto Alegre, Brazil: Table 1. Emergency Medicine Journal, 2012, 29, 205-207.	0.4	12
80	Road Traffic Deaths in Brazil: Rising Trends in Pedestrian and Motorcycle Occupant Deaths. Traffic Injury Prevention, 2012, 13, 11-16.	0.6	68
81	Fenproporex and Amphetamine Pharmacokinetics in Oral Fluid After Controlled Oral Administration of Fenproporex. Therapeutic Drug Monitoring, 2012, 34, 545-553.	1.0	11
82	Psychometric properties of the sixth version of the Addiction Severity Index (ASI-6) in Brazil. Revista Brasileira De Psiquiatria, 2012, 34, 24-33.	0.9	82
83	Prescription and illicit psychoactive drugs in oral fluid—LC–MS/MS method development and analysis of samples from Brazilian drivers. Forensic Science International, 2012, 223, 208-216.	1.3	47
84	Predictors of positive Blood Alcohol Concentration (BAC) in a sample of Brazilian drivers. Revista Brasileira De Psiquiatria, 2012, 34, 277-285.	0.9	14
85	Psychometric properties of the sixth version of the Addiction Severity Index (ASI-6) in Brazil. Revista Brasileira De Psiquiatria, 2012, 34, 24-33.	0.9	6
86	Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. Revista Brasileira De Psiquiatria, 2012, 34, 314-320.	0.9	10
87	Regional differences associated with drinking and driving in Brazil. Revista Brasileira De Psiquiatria, 2012, 34, 306-313.	0.9	10
88	Crack Users Show High Rates of Antisocial Personality Disorder, Engagement in Illegal Activities and Other Psychosocial Problems. American Journal on Addictions, 2012, 21, 370-380.	1.3	81
89	Why don't northern American solutions to drinking and driving work in southern America?. Addiction, 2012, 107, 1201-1206.	1.7	32
90	Awareness of legal blood alcohol concentration limits amongst respondents of a national roadside survey for alcohol and traffic behaviours in Brazil. International Journal of Drug Policy, 2012, 23, 166-168.	1.6	4

#	Article	IF	CITATIONS
91	RESPONSE TO COMMENTARIES. Addiction, 2012, 107, 1211-1213.	1.7	0
92	Reaching the Hard-to-Reach: A Probability Sampling Method for Assessing Prevalence of Driving under the Influence after Drinking in Alcohol Outlets. PLoS ONE, 2012, 7, e34104.	1.1	10
93	Ethical, legal and social issues related to alcohol and drug research. Current Opinion in Psychiatry, 2011, 24, 181-185.	3.1	6
94	Attention Deficit/Hyperactivity Disorder. Clinical Nuclear Medicine, 2011, 36, 656-660.	0.7	20
95	Commentary on Bodin & Strandberg (2011): Scepticism, publication bias and a grain of salt – do we already know how to evaluate prevention programmes?. Addiction, 2011, 106, 2144-2145.	1.7	0
96	Molecular imaging genetics of methylphenidate response in ADHD and substance use comorbidity. Synapse, 2011, 65, 154-159.	0.6	23
97	Factors associated with alcohol and drug use among traffic crash victims in southern Brazil. Accident Analysis and Prevention, 2011, 43, 1408-1413.	3.0	42
98	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography–mass spectrometry. Analytica Chimica Acta, 2011, 696, 67-76.	2.6	45
99	Age of Sexual Initiation, Psychiatric Symptoms, and Sexual Risk Behavior among Ecstasy and LSD Users in Porto Alegre, Brazil: A Preliminary Analysis. Journal of Drug Issues, 2011, 41, 217-231.	0.6	11
100	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. Archives of Women's Mental Health, 2010, 13, 185-191.	1.2	38
101	Clinical signs of alcohol intoxication as markers of refusal to provide blood alcohol readings in emergency rooms: an exploratory study. Clinics, 2010, 65, 1391-1392.	0.6	3
102	Alcohol, drugs, and risky sexual behavior are related to HIV infection in female adolescents. Revista Brasileira De Psiquiatria, 2010, 32, 361-368.	0.9	14
103	Avaliação multidimensional do usuário de drogas e a Escala de Gravidade de Dependência. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 48-56.	0.3	8
104	Highly reported prevalence of drinking and driving in Brazil: data from the first representative household study. Revista Brasileira De Psiquiatria, 2009, 31, 125-130.	0.9	44
105	Impulsivity, age of first alcohol use and substance use disorders among male adolescents: a population based case–control study. Addiction, 2008, 103, 1198-1205.	1.7	76
106	Methylphenidate DAT binding in adolescents with Attention-Deficit/ Hyperactivity Disorder comorbid with Substance Use Disorder - a single Photon Emission Computed Tomography with [Tc99m]TRODAT-1 study. NeuroImage, 2008, 40, 1195-1201.	2.1	33
107	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. Revista De Saude Publica, 2008, 42, 1101-1104.	0.7	10
108	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. Revista De Saude Publica, 2008, 42, 1101-1104.	0.7	4

#	Article	IF	CITATIONS
109	Uma visão psiquiátrica sobre o fenômeno do crack na atualidade. Revista De Psiquiatria Do Rio Grande Do Sul, 2008, 30, 96-98.	0.3	41
110	Adaptation and construct validation of the Barratt Impulsiveness Scale (BIS 11) to Brazilian Portuguese for use in adolescents. Revista Brasileira De Psiquiatria, 2007, 29, 153-156.	0.9	84
111	Using thought mapping and structured stories to decrease HIV risk behaviors among cocaine injectors and crack smokers in the South of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 233-240.	0.9	8
112	Brain injury markers (S100B and NSE) in chronic cocaine dependents. Revista Brasileira De Psiquiatria, 2007, 29, 134-139.	0.9	19
113	Is attention-deficit/hyperactivity disorder associated with illicit substance use disorders in male adolescents? A community-based case-control study. Addiction, 2007, 102, 1122-1130.	1.7	79
114	Exposure to HIV in Brazilian adolescents: the impact of psychiatric symptomatology. European Child and Adolescent Psychiatry, 2007, 16, 236-242.	2.8	8
115	Adaptação transcultural multicêntrica da sexta versão da Escala de Gravidade de Dependência (ASI6) para o Brasil. Revista De Psiquiatria Do Rio Grande Do Sul, 2007, 29, 335-336.	0.3	12
116	Brazilian female crack users show elevated serum aluminum levels. Revista Brasileira De Psiquiatria, 2007, 29, 39-42.	0.9	14
117	Changing Patterns of Cocaine Use and HIV Risks in the South of Brazil. Journal of Psychoactive Drugs, 2006, 38, 305-310.	1.0	40
118	HIV seroprevalence among drug users: an analysis of selected variables based on 10 years of data collection in Porto Alegre, Brazil. Drug and Alcohol Dependence, 2006, 82, S109-S113.	1.6	33
119	Was Goliath blind or ignorant? The struggle between evidence and passion in alcohol public policies in Brazil. Revista Brasileira De Psiquiatria, 2006, 28, 259-260.	0.9	5
120	Debate on the paper by David Vlahov & David D. Celentano. Cadernos De Saude Publica, 2006, 22, 720-721.	0.4	0
121	Association Between Psychiatric Symptoms and Severity of Alcohol Dependence in a Sample of Brazilian Men. Journal of Nervous and Mental Disease, 2005, 193, 126-130.	0.5	25
122	References to Alcohol Consumption and Alcoholism in Medical Records of a General Hospital of Porto Alegre, Brazil—. Substance Abuse, 2005, 25, 29-34.	1.1	2
123	Preliminary Estimates of Human Immunodeficiency Virus Prevalence and Incidence Among Cocaine Abusers of Porto Alegre, Brazil. Journal of Urban Health, 2003, 80, 115-126.	1.8	31
124	Adaptation for Brazilian Portuguese of a scale to measure willingness to wear condoms. Revista Brasileira De Psiquiatria, 2003, 25, 224-227.	0.9	6
125	Age and gender as risk factors for the transmission of HIV in a sample of drug users of Porto Alegre, Brazil. Revista Brasileira De Psiquiatria, 2002, 24, 137-140.	0.9	5
126	Adaptation and validation of a questionnaire about risk behaviors for AIDS among drug users. Revista Brasileira De Psiquiatria, 2002, 24, 130-136.	0.9	14

#	Article	IF	CITATIONS
127	Resposta à carta ao editor "Qual a melhor opção: desenvolver questionários nacionais ou traduzir e validar questionários internacionais?" sobre o artigo "Adaptação e validação de um questionário sobre comportamentos de risco para Aids em usuários de droga em Porto Alegre". Revista Brasileira De Psiguiatria, 2002, 24, 203-203.	0.9	1
128	Modelo teórico de exposição a risco para transmissão do vÃrus HIV em usuários de drogas. Revista Brasileira De Psiquiatria, 2001, 23, 41-47.	0.9	15
129	Estudo sobre as caracterÃsticas de usuÃ;rios de drogas injetÃ;veis que buscam atendimento em Porto Alegre, RS. Revista Brasileira De Psiquiatria, 2000, 22, 164-171.	0.9	15
130	Patterns of Alcohol Use Among Adolescents Living in Porto Alegre, Brazil. Journal of Psychoactive Drugs, 1998, 30, 45-51.	1.0	11
131	Assessment of Risk for HIV Transmission among Drug Abusers in Porto Alegre, Brazil. Journal of Drug Issues, 1997, 27, 147-154.	0.6	7
132	Problems Related to Alcohol Consumption by Adolescents Living in the City of Porto Alegre, Brazil. Journal of Drug Issues, 1995, 25, 735-750.	0.6	8
133	Treatment for Alcohol and Other Drug Problems in Brazil: A Puzzle with Missing Pieces. Journal of Psychoactive Drugs, 1995, 27, 117-123.	1.0	7