

Juan Valle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3352782/publications.pdf>

Version: 2024-02-01

310
papers

29,116
citations

15466

65
h-index

5663

162
g-index

316
all docs

316
docs citations

316
times ranked

21270
citing authors

#	ARTICLE	IF	CITATIONS
1	Baseline Interleukin-6 and -8 predict response and survival in patients with advanced hepatocellular carcinoma treated with sorafenib monotherapy: an exploratory post hoc analysis of the SORAMIC trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 475-485.	1.2	13
2	Long-Term Treatment with Telotristat Ethyl in Patients with Carcinoid Syndrome Symptoms: Results from the TELEPATH Study. <i>Neuroendocrinology</i> , 2022, 112, 298-310.	1.2	6
3	External Validity of Somatostatin Analogs Trials in Advanced Neuroendocrine Neoplasms: The GETNE-TRASGU Study. <i>Neuroendocrinology</i> , 2022, 112, 88-100.	1.2	6
4	Potential influence of the microbiome environment in patients with biliary tract cancer and implications for therapy. <i>British Journal of Cancer</i> , 2022, 126, 693-705.	2.9	18
5	Expanding Therapeutic Opportunities for Extrapulmonary Neuroendocrine Carcinoma. <i>Clinical Cancer Research</i> , 2022, 28, 1999-2019.	3.2	20
6	Setup of multidisciplinary team discussions for patients with cholangiocarcinoma: current practice and recommendations from the European Network for the Study of Cholangiocarcinoma (ENS-CCA). <i>ESMO Open</i> , 2022, 7, 100377.	2.0	8
7	A phase 3 randomized, double-blind, placebo-controlled study of durvalumab in combination with gemcitabine plus cisplatin (GemCis) in patients (pts) with advanced biliary tract cancer (BTC): TOPAZ-1.. <i>Journal of Clinical Oncology</i> , 2022, 40, 378-378.	0.8	146
8	Everolimus-Induced Pneumonitis in Patients with Neuroendocrine Neoplasms: Real-World Study on Risk Factors and Outcomes. <i>Oncologist</i> , 2022, 27, 97-103.	1.9	6
9	Cholangiocarcinoma landscape in Europe: Diagnostic, prognostic and therapeutic insights from the ENSCCA Registry. <i>Journal of Hepatology</i> , 2022, 76, 1109-1121.	1.8	119
10	Perspective on Immunotherapy Use in Biliary Tract Cancer. , 2022, , 207-218.		0
11	Molecular Profiling of Well-Differentiated Neuroendocrine Tumours: The Role of ctDNA in Real-World Practice. <i>Cancers</i> , 2022, 14, 1017.	1.7	2
12	Clinical challenges associated with utility of neoadjuvant treatment in patients with pancreatic ductal adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1198-1208.	0.5	3
13	Targeted Therapies for Perihilar Cholangiocarcinoma. <i>Cancers</i> , 2022, 14, 1789.	1.7	7
14	Long-Term Outcomes and Exploratory Analyses of the Randomized Phase III BILCAP Study. <i>Journal of Clinical Oncology</i> , 2022, 40, 2048-2057.	0.8	65
15	ESMO Congress 2021: highlights from the EORTC gastrointestinal tract cancer groupâ€™s perspective. <i>ESMO Open</i> , 2022, 7, 100392.	2.0	1
16	Plasma Tie2 trajectories identify vascular response criteria for VEGF inhibitors across advanced biliary tract, colorectal and ovarian cancers. <i>ESMO Open</i> , 2022, 7, 100417.	2.0	3
17	Highlights from the 2022 ASCO Gastrointestinal Cancer Symposium: an overview by the EORTC Gastrointestinal Tract Cancer Group. <i>Clinical Colorectal Cancer</i> , 2022, , .	1.0	0
18	Intrahepatic cholangiocarcinoma hidden within cancer of unknown primary. <i>British Journal of Cancer</i> , 2022, 127, 531-540.	2.9	11

#	ARTICLE	IF	CITATIONS
19	Radical Resection in Entero-Pancreatic Neuroendocrine Tumors: Recurrence-Free Survival Rate and Definition of a Risk Score for Recurrence. <i>Annals of Surgical Oncology</i> , 2022, 29, 5568-5577.	0.7	4
20	Clinical relevance of biomarkers in cholangiocarcinoma: critical revision and future directions. <i>Gut</i> , 2022, , gutjnl-2022-327099.	6.1	11
21	Durvalumab plus Gemcitabine and Cisplatin in Advanced Biliary Tract Cancer. , 2022, 1, .		267
22	Use of the Rockwood Clinical Frailty Scale in patients with advanced hepatopancreaticobiliary malignancies. <i>Expert Review of Anticancer Therapy</i> , 2022, 22, 1009-1015.	1.1	2
23	Liver Metastases of Intrahepatic Cholangiocarcinoma: Implications for an Updated Staging System. <i>Hepatology</i> , 2021, 73, 2311-2325.	3.6	40
24	Liver Embolisation for Patients with Neuroendocrine Neoplasms: Systematic Review. <i>Neuroendocrinology</i> , 2021, 111, 354-369.	1.2	17
25	Systemic therapies in advanced hepatocellular carcinoma: How do older patients fare?. <i>European Journal of Surgical Oncology</i> , 2021, 47, 583-590.	0.5	7
26	Outcomes in older patients with biliary tract cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 569-575.	0.5	5
27	A Phase Ib Study of NUC-1031 in Combination with Cisplatin for the First-Line Treatment of Patients with Advanced Biliary Tract Cancer (ABC-08). <i>Oncologist</i> , 2021, 26, e669-e678.	1.9	15
28	Reply to Comment on "The UK consensus position on the treatment of pancreatic cancer during the COVID-19 pandemic". <i>British Journal of Cancer</i> , 2021, 124, 679-680.	2.9	0
29	Biliary tract cancer. <i>Lancet, The</i> , 2021, 397, 428-444.	6.3	429
30	Final results from ClarIDHy, a global, phase III, randomized, double-blind study of ivosidenib (IVO) versus placebo (PBO) in patients (pts) with previously treated cholangiocarcinoma (CCA) and an isocitrate dehydrogenase 1 (<i>IDH1</i>) mutation.. <i>Journal of Clinical Oncology</i> , 2021, 39, 266-266.	0.8	41
31	Practical recommendations for the management of patients with gastroenteropancreatic and thoracic (carcinoid) neuroendocrine neoplasms in the COVID-19 era. <i>European Journal of Cancer</i> , 2021, 144, 200-214.	1.3	12
32	In Reply. <i>Oncologist</i> , 2021, 26, e903-e904.	1.9	0
33	HPB cancers in older patients inclusion of older/senior patients in clinical trials. <i>European Journal of Surgical Oncology</i> , 2021, 47, 597-602.	0.5	4
34	Knowns and unknowns of bone metastases in patients with neuroendocrine neoplasms: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2021, 94, 102168.	3.4	6
35	Ivosidenib: an investigational drug for the treatment of biliary tract cancers. <i>Expert Opinion on Investigational Drugs</i> , 2021, 30, 301-307.	1.9	5
36	Relationship between metabolic toxicity and efficacy of everolimus in patients with neuroendocrine tumors: A pooled analysis from the randomized, phase 3 RADIANT-3 and RADIANT-4 trials. <i>Cancer</i> , 2021, 127, 2674-2682.	2.0	4

#	ARTICLE	IF	CITATIONS
37	Second-line FOLFOX chemotherapy versus active symptom control for advanced biliary tract cancer (ABC-06): a phase 3, open-label, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2021, 22, 690-701.	5.1	396

38 Prospective observational study of prevalence, assessment and treatment of pancreatic exocrine

#	ARTICLE	IF	CITATIONS
55	Pancreatic Enzyme Replacement Therapy for Patients Diagnosed With Pancreaticobiliary Cancer. <i>Pancreas</i> , 2021, 50, 1254-1259.	0.5	4
56	hENT1 Predicts Benefit from Gemcitabine in Pancreatic Cancer but Only with Low CDA mRNA. <i>Cancers</i> , 2021, 13, 5758.	1.7	5
57	Heterocellular OSM-OSMR signalling reprograms fibroblasts to promote pancreatic cancer growth and metastasis. <i>Nature Communications</i> , 2021, 12, 7336.	5.8	40
58	Advanced Intrahepatic Cholangiocarcinoma: Post Hoc Analysis of the ABC-01, -02, and -03 Clinical Trials. <i>Journal of the National Cancer Institute</i> , 2020, 112, 200-210.	3.0	90
59	Temozolomide-Capécitabine Chemotherapy for Neuroendocrine Neoplasms: The Dilemma of Treatment Duration. <i>Neuroendocrinology</i> , 2020, 110, 155-157.	1.2	8
60	Identification of Areas for Improvement in the Management of Bone Metastases in Patients with Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2020, 110, 688-696.	1.2	6
61	Current standards and future perspectives in adjuvant treatment for biliary tract cancers. <i>Cancer Treatment Reviews</i> , 2020, 84, 101936.	3.4	73
62	Prospective study of change in liver function and fat in patients with colorectal liver metastases undergoing preoperative chemotherapy: protocol for the CLIFF Study. <i>BMJ Open</i> , 2020, 10, e027630.	0.8	6
63	Current and novel therapeutic opportunities for systemic therapy in biliary cancer. <i>British Journal of Cancer</i> , 2020, 123, 1047-1059.	2.9	37
64	FIGHT-302: first-line pemigatinib vs gemcitabine plus cisplatin for advanced cholangiocarcinoma with FGFR2 rearrangements. <i>Future Oncology</i> , 2020, 16, 2385-2399.	1.1	96
65	Systemic Treatment Selection for Patients with Advanced Pancreatic Neuroendocrine Tumours (PanNETs). <i>Cancers</i> , 2020, 12, 1988.	1.7	12
66	Fibrolamellar carcinoma: Challenging the challenge. <i>European Journal of Cancer</i> , 2020, 137, 144-147.	1.3	5
67	Impact of high tumor mutational burden in solid tumors and challenges for biomarker application. <i>Cancer Treatment Reviews</i> , 2020, 89, 102084.	3.4	61
68	Impact on prognosis of early weight loss during palliative chemotherapy in patients diagnosed with advanced pancreatic cancer. <i>Pancreatology</i> , 2020, 20, 1682-1688.	0.5	13
69	Molecular Profiling in Daily Clinical Practice: Practicalities in Advanced Cholangiocarcinoma and Other Biliary Tract Cancers. <i>Journal of Clinical Medicine</i> , 2020, 9, 2854.	1.0	61
70	Guidelines for Management of Urgent Symptoms in Patients with Cholangiocarcinoma and Biliary Stents or Catheters Using the Modified RAND/UCLA Delphi Process. <i>Cancers</i> , 2020, 12, 2375.	1.7	2
71	FOLFIRINOX or FOLFOXIRI in locally advanced duodenal adenocarcinoma: are we missing out?. <i>ESMO Open</i> , 2020, 5, e000633.	2.0	1
72	The assessment of pancreatic exocrine function in patients with inoperable pancreatic cancer: In need of a new gold-standard. <i>Pancreatology</i> , 2020, 20, 668-675.	0.5	12

#	ARTICLE	IF	CITATIONS
73	NET-02 trial protocol: a multicentre, randomised, parallel group, open-label, phase II, single-stage selection trial of liposomal irinotecan (nal-IRI) and 5-fluorouracil (5-FU)/folinic acid or docetaxel as second-line therapy in patients with progressive poorly differentiated extrapulmonary neuroendocrine carcinoma (NEC). <i>BMI Open</i> , 2020, 10, e034527.	0.8	11
74	Ivosidenib in IDH1-mutant, chemotherapy-refractory cholangiocarcinoma (ClarIDHy): a multicentre, randomised, double-blind, placebo-controlled, phase 3 study. <i>Lancet Oncology</i> , The, 2020, 21, 796-807.	5.1	620
75	NUC-1031, use of ProTide technology to circumvent gemcitabine resistance: current status in clinical trials. <i>Medical Oncology</i> , 2020, 37, 61.	1.2	9
76	Adjuvant chemotherapy in biliary tract cancer: state of the art and future perspectives. <i>Current Opinion in Oncology</i> , 2020, 32, 364-369.	1.1	7
77	Reaching out beyond first-line treatments in advanced biliary tract cancers. <i>Annals of Oncology</i> , 2020, 31, 1099-1102.	0.6	1
78	Molecular targeted therapies: Ready for "prime time" in biliary tract cancer. <i>Journal of Hepatology</i> , 2020, 73, 170-185.	1.8	226
79	Pancreatic cancer. <i>Lancet</i> , The, 2020, 395, 2008-2020.	6.3	1,376
80	Cholangiocarcinoma 2020: the next horizon in mechanisms and management. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020, 17, 557-588.	8.2	1,155
81	The clinical and cost-effectiveness of supplemental parenteral nutrition in oncology. <i>ESMO Open</i> , 2020, 5, e000709.	2.0	11
82	Considerations for the treatment of pancreatic cancer during the COVID-19 pandemic: the UK consensus position. <i>British Journal of Cancer</i> , 2020, 123, 709-713.	2.9	20
83	Yttrium-90 Radioembolization in Intrahepatic Cholangiocarcinoma: A Multicenter Retrospective Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 1035-1043.e2.	0.2	49
84	The Influence of Patients' Age on the Outcome of Treatment for Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2020, 49, 201-207.	0.5	6
85	TG01/GM-CSF and adjuvant gemcitabine in patients with resected RAS-mutant adenocarcinoma of the pancreas (CT TG01-01): a single-arm, phase 1/2 trial. <i>British Journal of Cancer</i> , 2020, 122, 971-977.	2.9	30
86	Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis (New EPOC): long-term results of a multicentre, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2020, 21, 398-411.	5.1	152
87	Scheduling nab-paclitaxel combined with gemcitabine as first-line treatment for metastatic pancreatic adenocarcinoma. <i>British Journal of Cancer</i> , 2020, 122, 1760-1768.	2.9	14
88	Landmark survival analysis and impact of anatomic site of origin in prospective clinical trials of biliary tract cancer. <i>Journal of Hepatology</i> , 2020, 73, 1109-1117.	1.8	25
89	Ramucirumab (RAM) or merestinib (MER) or placebo (PL) plus gemcitabine (GEM) and cisplatin (CIS) as first-line treatment for advanced or metastatic biliary tract cancer (BTC): A randomized, double-blind, phase II study.. <i>Journal of Clinical Oncology</i> , 2020, 38, 477-477.	0.8	26
90	A phase III study of futibatinib (TAS-120) versus gemcitabine-cisplatin (gem-cis) chemotherapy as first-line (1L) treatment for patients (pts) with advanced (adv) cholangiocarcinoma (CCA) harboring fibroblast growth factor receptor 2 (<i>FGFR2</i>) gene rearrangements (FOENIX-CCA3).. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS600-TPS600.	0.8	34

#	ARTICLE	IF	CITATIONS
91	Clinical and Translational Research Challenges in Biliary Tract Cancers. <i>Current Medicinal Chemistry</i> , 2020, 27, 4756-4777.	1.2	21
92	NUC-1031/cisplatin versus gemcitabine/cisplatin in untreated locally advanced/metastatic biliary tract cancer (NuTide:121). <i>Future Oncology</i> , 2020, 16, 1069-1081.	1.1	15
93	Prediction of Progression-Free Survival in Patients With Advanced, Well-Differentiated, Neuroendocrine Tumors Being Treated With a Somatostatin Analog: The GETNE-TRASGU Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 2571-2580.	0.8	49
94	Analysis of circulating cell-free DNA identifies KRAS copy number gain and mutation as a novel prognostic marker in Pancreatic cancer. <i>Scientific Reports</i> , 2019, 9, 11610.	1.6	36
95	Targeted therapy for cholangiocarcinoma. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 661-662.	3.7	3
96	<p>Spotlight on telotristat ethyl for the treatment of carcinoid syndrome diarrhea: patient selection and reported outcomes</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 7537-7556.	0.9	3
97	Follow-Up Recommendations after Curative Resection of Well-Differentiated Neuroendocrine Tumours: Review of Current Evidence and Clinical Practice. <i>Journal of Clinical Medicine</i> , 2019, 8, 1630.	1.0	10
98	Impact of neuroendocrine morphology on cancer outcomes and stage at diagnosis: a UK nationwide cohort study 2013â€“2015. <i>British Journal of Cancer</i> , 2019, 121, 966-972.	2.9	44
99	Patterns of Recurrence After Resection of Pancreatic Ductal Adenocarcinoma. <i>JAMA Surgery</i> , 2019, 154, 1038.	2.2	154
100	Outcomes in patientsâ€™sâ€“80ÂŒyears with a diagnosis of a hepatopancreaticobiliary (HPB) malignancy. <i>Medical Oncology</i> , 2019, 36, 85.	1.2	6
101	Carboplatin in Combination with Oral or Intravenous Etoposide for Extra-Pulmonary, Poorly-Differentiated Neuroendocrine Carcinomas. <i>Neuroendocrinology</i> , 2019, 109, 100-112.	1.2	27
102	Observational Study to Assess Quality of Life in Patients with Pancreatic Neuroendocrine Tumors Receiving Treatment with Everolimus: The OBLIQUE Study (UK Phase IV Trial). <i>Neuroendocrinology</i> , 2019, 108, 317-327.	1.2	16
103	Sunitinib in patients with pancreatic neuroendocrine tumors: update of safety data. <i>Future Oncology</i> , 2019, 15, 1219-1230.	1.1	17
104	<p>Biliary tract cancers: current knowledge, clinical candidates and future challenges</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 2623-2642.	0.9	78
105	Capecitabine compared with observation in resected biliary tract cancer (BILCAP): a randomised, controlled, multicentre, phase 3 study. <i>Lancet Oncology</i> , The, 2019, 20, 663-673.	5.1	773
106	Medical treatment for cholangiocarcinoma. <i>Liver International</i> , 2019, 39, 123-142.	1.9	69
107	Adjuvant chemotherapy and outcomes in patients with nodal and resection marginâ€“negative pancreatic ductal adenocarcinoma: A systematic review and metaâ€“analysis. <i>Journal of Surgical Oncology</i> , 2019, 119, 932-940.	0.8	11
108	Adjuvant Therapy for Resected Biliary Tract Cancer: ASCO Clinical Practice Guideline. <i>Journal of Clinical Oncology</i> , 2019, 37, 1015-1027.	0.8	301

#	ARTICLE	IF	CITATIONS
109	18F-fluorodeoxyglucose positron emission tomography (18FDG-PET) for patients with biliary tract cancer: Systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2019, 71, 115-129.	1.8	76
110	Colorectal Neuroendocrine Neoplasms: Areas of Unmet Need. <i>Neuroendocrinology</i> , 2019, 108, 45-53.	1.2	22
111	Novel Treatments for Advanced Cholangiocarcinoma. , 2019, , 227-243.		0
112	Impact of intensified chemotherapy in metastatic pancreatic ductal adenocarcinoma (PDAC) in clinical routine in Europe. <i>Pancreatology</i> , 2019, 19, 97-104.	0.5	34
113	Urgent need for consensus: international survey of clinical practice exploring use of platinum-etoposide chemotherapy for advanced extra-pulmonary high grade neuroendocrine carcinoma (EP-G3-NEC). <i>Clinical and Translational Oncology</i> , 2019, 21, 950-953.	1.2	9
114	Unmet Medical Needs in Pulmonary Neuroendocrine (Carcinoid) Neoplasms. <i>Neuroendocrinology</i> , 2019, 108, 7-17.	1.2	19
115	The Impact of Positive Resection Margins on Survival and Recurrence Following Resection and Adjuvant Chemotherapy for Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgery</i> , 2019, 269, 520-529.	2.1	189
116	ABC-06 A randomised phase III, multi-centre, open-label study of active symptom control (ASC) alone or ASC with oxaliplatin / 5-FU chemotherapy (ASC+mFOLFOX) for patients (pts) with locally advanced / metastatic biliary tract cancers (ABC) previously-treated with cisplatin/gemcitabine (CisGem) chemotherapy.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4003-4003.	0.8	166
117	Final results of the TALENT trial (GETNE1509): a prospective multicohort phase II study of lenvatinib in patients (pts) with G1/G2 advanced pancreatic (panNETs) and gastrointestinal (giNETs) neuroendocrine tumors (NETs).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4106-4106.	0.8	25
118	Infigratinib versus gemcitabine plus cisplatin multicenter, open-label, randomized, phase 3 study in patients with advanced cholangiocarcinoma with FGFR2 gene fusions/translocations: The PROOF trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS4155-TPS4155.	0.8	20
119	FOENIX-101: A phase II trial of TAS-120 in patients with intrahepatic cholangiocarcinoma harboring <i>FGFR2</i> gene rearrangements.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS468-TPS468.	0.8	6
120	Evaluation and management of incidental gallbladder cancer. <i>Chinese Clinical Oncology</i> , 2019, 8, 37-37.	0.4	13
121	Systemic therapy of gallbladder cancer: review of first line, maintenance, neoadjuvant and second line therapy specific to gallbladder cancer. <i>Chinese Clinical Oncology</i> , 2019, 8, 43-43.	0.4	16
122	Expression of dihydropyrimidine dehydrogenase (DPD) and hENT1 predicts survival in pancreatic cancer. <i>British Journal of Cancer</i> , 2018, 118, 947-954.	2.9	30
123	Biliary Tract Cancer: Implicated Immune-Mediated Pathways and Their Associated Potential Targets. <i>Oncology Research and Treatment</i> , 2018, 41, 298-304.	0.8	8
124	Circulating Tumor Cells. , 2018, , 1325-1360.		1
125	Intratumoural expression of deoxycytidylate deaminase or ribonucleotide reductase subunit M1 expression are not related to survival in patients with resected pancreatic cancer given adjuvant chemotherapy. <i>British Journal of Cancer</i> , 2018, 118, 1084-1088.	2.9	9
126	68Gallium DOTANOC-PET Imaging in Lung Carcinoids: Impact on Patients' Management. <i>Neuroendocrinology</i> , 2018, 106, 128-138.	1.2	15

#	ARTICLE	IF	CITATIONS
127	Everolimus in Neuroendocrine Tumors of the Gastrointestinal Tract and Unknown Primary. <i>Neuroendocrinology</i> , 2018, 106, 211-220.	1.2	35
128	A study of appendiceal crypt cell adenocarcinoma (so-called goblet cell carcinoid and its related) Tj ETQq0 0 0 rgBT /Overlock,10 Tf 50 7	1.1	21
129	Determination of an optimal response cut-off able to predict progression-free survival in patients with well-differentiated advanced pancreatic neuroendocrine tumours treated with sunitinib: an alternative to the current RECIST-defined response. <i>British Journal of Cancer</i> , 2018, 118, 181-188.	2.9	23
130	Plasma Tie2 is a tumor vascular response biomarker for VEGF inhibitors in metastatic colorectal cancer. <i>Nature Communications</i> , 2018, 9, 4672.	5.8	47
131	Sorafenib as first-line therapy in patients with advanced Child-Pugh B hepatocellular carcinomaâ€”a meta-analysis. <i>European Journal of Cancer</i> , 2018, 105, 1-9.	1.3	69
132	The HER3 pathway as a potential target for inhibition in patients with biliary tract cancers. <i>PLoS ONE</i> , 2018, 13, e0206007.	1.1	14
133	Relative effectiveness of sunitinib versus everolimus in advanced pancreatic neuroendocrine tumors: an updated matching-adjusted indirect comparison. <i>Journal of Comparative Effectiveness Research</i> , 2018, 7, 947-958.	0.6	5
134	Biliary Tract Cancer: State of the Art and potential role of DNA Damage Repair. <i>Cancer Treatment Reviews</i> , 2018, 70, 168-177.	3.4	55
135	Changes in Weight Associated With Telotristat Ethyl in the Treatment of Carcinoid Syndrome. <i>Clinical Therapeutics</i> , 2018, 40, 952-962.e2.	1.1	19
136	Circulating biomarkers during treatment in patients with advanced biliary tract cancer receiving cediranib in the UK ABC-03 trial. <i>British Journal of Cancer</i> , 2018, 119, 27-35.	2.9	19
137	Advances in Molecular Profiling and Categorisation of Pancreatic Adenocarcinoma and the Implications for Therapy. <i>Cancers</i> , 2018, 10, 17.	1.7	21
138	Irreversible Electroporation in pancreatic ductal adenocarcinoma: Is there a role in conjunction with conventional treatment?. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1486-1493.	0.5	11
139	Somatostatin analogue-induced pancreatic exocrine insufficiency in patients with neuroendocrine tumors: results of a prospective observational study. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 723-731.	1.4	37
140	PHOTOSTENT-02: porfimer sodium photodynamic therapy plus stenting versus stenting alone in patients with locally advanced or metastatic biliary tract cancer. <i>ESMO Open</i> , 2018, 3, e000379.	2.0	20
141	PRIMUS-001: An adaptive phase II study of FOLFOX-A (FOLFOX and nab-paclitaxel) versus AG (nab-paclitaxel and gemcitabine) in patients with metastatic pancreatic cancer, with integrated biomarker evaluation (ISRCTN75002153) â€” Part of Precision-Panc.. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS4158-TPS4158.	0.8	5
142	ACELARATE: A phase III, open label, multicentre randomised clinical study comparing Acelarin (NUC-1031) with gemcitabine in patients with metastatic pancreatic carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS537-TPS537.	0.8	3
143	PD-L1 expression and presence of TILs in small intestinal neuroendocrine tumours. <i>Oncotarget</i> , 2018, 9, 14922-14938.	0.8	29
144	Elderly patients diagnosed with hepatopancreatobiliary malignancies: A challenge beyond resection. <i>Cancer</i> , 2017, 123, 888-890.	2.0	2

#	ARTICLE	IF	CITATIONS
145	Comparison of adjuvant gemcitabine and capecitabine with gemcitabine monotherapy in patients with resected pancreatic cancer (ESPAC-4): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet</i> , The, 2017, 389, 1011-1024.	6.3	1,475
146	Vandetanib plus gemcitabine versus placebo plus gemcitabine in locally advanced or metastatic pancreatic carcinoma (VIP): a prospective, randomised, double-blind, multicentre phase 2 trial. <i>Lancet Oncology</i> , The, 2017, 18, 486-499.	5.1	60
147	The dark side of T1 non-appendiceal small bowel neuroendocrine tumors. <i>Human Pathology</i> , 2017, 66, 239-240.	1.1	0
148	A randomized, open-label, phase 2 study of everolimus in combination with pasireotide LAR or everolimus alone in advanced, well-differentiated, progressive pancreatic neuroendocrine tumors: COOPERATE-2 trial. <i>Annals of Oncology</i> , 2017, 28, 1309-1315.	0.6	82
149	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Neoplasms: Systemic Therapy - Chemotherapy. <i>Neuroendocrinology</i> , 2017, 105, 281-294.	1.2	94
150	Current Status on Cholangiocarcinoma and Gallbladder Cancer. <i>Liver Cancer</i> , 2017, 6, 59-65.	4.2	73
151	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: Radiological, Nuclear Medicine and Hybrid Imaging. <i>Neuroendocrinology</i> , 2017, 105, 212-244.	1.2	325
152	ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Neoplasms: Systemic Therapy - Biotherapy and Novel Targeted Agents. <i>Neuroendocrinology</i> , 2017, 105, 266-280.	1.2	122
153	HER2/HER3 pathway in biliary tract malignancies; systematic review and meta-analysis: a potential therapeutic target?. <i>Cancer and Metastasis Reviews</i> , 2017, 36, 141-157.	2.7	119
154	Health-related quality of life for everolimus versus placebo in patients with advanced, non-functional, well-differentiated gastrointestinal or lung neuroendocrine tumours (RADIANT-4): a multicentre, randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1411-1422.	5.1	74
155	New molecular and immunotherapeutic approaches in biliary cancer. <i>ESMO Open</i> , 2017, 2, e000152.	2.0	26
156	Design and Validation of the GI-NEC Score to Prognosticate Overall Survival in Patients With High-Grade Gastrointestinal Neuroendocrine Carcinomas. <i>Journal of the National Cancer Institute</i> , 2017, 109, djw277.	3.0	28
157	New Horizons for Precision Medicine in Biliary Tract Cancers. <i>Cancer Discovery</i> , 2017, 7, 943-962.	7.7	419
158	Systemic therapy in younger and elderly patients with advanced biliary cancer: sub-analysis of ABC-02 and twelve other prospective trials. <i>BMC Cancer</i> , 2017, 17, 262.	1.1	16
159	Update on Treatment Options for Advanced Bile Duct Tumours: Radioembolisation for Advanced Cholangiocarcinoma. <i>Current Oncology Reports</i> , 2017, 19, 50.	1.8	17
160	The clinical efficacy of first-generation carcinoembryonic antigen (CEACAM5)-specific CAR T cells is limited by poor persistence and transient pre-conditioning-dependent respiratory toxicity. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1425-1436.	2.0	271
161	Sunitinib in pancreatic neuroendocrine tumors: updated progression-free survival and final overall survival from a phase III randomized study. <i>Annals of Oncology</i> , 2017, 28, 339-343.	0.6	144
162	Evaluation of diagnostic and prognostic significance of Ki-67 index in pulmonary carcinoid tumours. <i>Clinical and Translational Oncology</i> , 2017, 19, 579-586.	1.2	32

#	ARTICLE	IF	CITATIONS
163	Targeting the Epidermal Growth Factor Receptor in Addition to Chemotherapy in Patients with Advanced Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 909.	1.8	21
164	Impact of prior therapies on everolimus activity: an exploratory analysis of RADIANT-4. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 5013-5030.	1.0	8
165	Telotristat Ethyl, a Tryptophan Hydroxylase Inhibitor for the Treatment of Carcinoid Syndrome. <i>Journal of Clinical Oncology</i> , 2017, 35, 14-23.	0.8	258
166	Adjuvant capecitabine for biliary tract cancer: The BILCAP randomized study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4006-4006.	0.8	142
167	A randomized phase II trial comparing different schedules of nab-paclitaxel (nabP) combined with gemcitabine (GEM) as first line treatment for metastatic pancreatic adenocarcinoma (PDAC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 342-342.	0.8	1
168	Gemcitabine and cisplatin plus ramucirumab or merestinib or placebo in first-line treatment for advanced or metastatic biliary tract cancer: A double-blind, randomized phase II trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS509-TPS509.	0.8	5
169	Circulating Tumour Cells. , 2017, , 1-36.		0
170	Consensus treatment guidelines for urgent symptoms in cholangiocarcinoma (CC) patients (pts) with biliary stents or catheters using the modified RAND/UCLA Delphi process.. <i>Journal of Clinical Oncology</i> , 2017, 35, 452-452.	0.8	0
171	Advances in cholangiocarcinoma research: report from the third Cholangiocarcinoma Foundation Annual Conference. <i>Journal of Gastrointestinal Oncology</i> , 2016, 7, 819-827.	0.6	17
172	Pancreatic cancer: Are "liquid biopsies" ready for prime-time?. <i>World Journal of Gastroenterology</i> , 2016, 22, 7175.	1.4	25
173	Patient-Reported Outcomes and Quality of Life with Sunitinib Versus Placebo for Pancreatic Neuroendocrine Tumors: Results From an International Phase III Trial. <i>Targeted Oncology</i> , 2016, 11, 815-824.	1.7	45
174	Prognostic factors for disease relapse in patients with neuroendocrine tumours who underwent curative surgery. <i>Surgical Oncology</i> , 2016, 25, 223-228.	0.8	13
175	Quality of life, long-term survivors and long-term outcome from the ABC-02 study. <i>British Journal of Cancer</i> , 2016, 114, 965-971.	2.9	39
176	Validation of the EORTC QLQ-BIL21 questionnaire for measuring quality of life in patients with cholangiocarcinoma and cancer of the gallbladder. <i>British Journal of Cancer</i> , 2016, 115, 1032-1038.	2.9	25
177	Patterns of progression, treatment of progressive disease and post-progression survival in the New EPOC study. <i>British Journal of Cancer</i> , 2016, 115, 420-424.	2.9	9
178	Biliary cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2016, 27, v28-v37.	0.6	523
179	Ki-67 index and response to chemotherapy in patients with neuroendocrine tumours. <i>Endocrine-Related Cancer</i> , 2016, 23, 563-570.	1.6	24
180	Everolimus in the treatment of neuroendocrine tumors of the respiratory and gastroenteropancreatic systems. <i>Future Oncology</i> , 2016, 12, 2561-2578.	1.1	3

#	ARTICLE	IF	CITATIONS
181	Telotristat ethyl: a new option for the management of carcinoid syndrome. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 2487-2498.	0.9	27
182	Serum and plasma 5-hydroxyindoleacetic acid as an alternative to 24-h urine 5-hydroxyindoleacetic acid measurement. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 554-560.	0.8	59
183	A phase 1b study of Selumetinib in combination with Cisplatin and Gemcitabine in advanced or metastatic biliary tract cancer: the ABC-04 study. <i>BMC Cancer</i> , 2016, 16, 153.	1.1	62
184	Chemotherapy for advanced non-pancreatic well-differentiated neuroendocrine tumours of the gastrointestinal tract, a systematic review and meta-analysis: A lost cause?. <i>Cancer Treatment Reviews</i> , 2016, 44, 26-41.	3.4	45
185	Patient-reported outcomes with lanreotide Autogel/Depot for carcinoid syndrome: An international observational study. <i>Digestive and Liver Disease</i> , 2016, 48, 552-558.	0.4	44
186	Everolimus for the treatment of advanced, non-functional neuroendocrine tumours of the lung or gastrointestinal tract (RADIANT-4): a randomised, placebo-controlled, phase 3 study. <i>Lancet</i> , The, 2016, 387, 968-977.	6.3	962
187	¹⁸ F-FLT PET imaging of cellular proliferation in pancreatic cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 99, 158-169.	2.0	10
188	Prognostic factors for progression-free and overall survival in advanced biliary tract cancer. <i>Annals of Oncology</i> , 2016, 27, 134-140.	0.6	88
189	Everolimus (EVE) in advanced, nonfunctional, well-differentiated neuroendocrine tumors (NET) of gastrointestinal (GI) or lung origin: Second interim overall survival (OS) results from the RADIANT-4 study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4090-4090.	0.8	8
190	ESPA4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, LBA4006-LBA4006.	0.8	5
191	Sunitinib (SU) in patients with advanced, progressive pancreatic neuroendocrine tumors (pNET): Final overall survival (OS) results from a phase III randomized study including adjustment for crossover.. <i>Journal of Clinical Oncology</i> , 2016, 34, 309-309.	0.8	5
192	Efficacy and safety of everolimus in advanced, progressive, nonfunctional neuroendocrine tumors (NET) of the gastrointestinal (GI) tract and unknown primary: A subgroup analysis of the phase III RADIANT-4 trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 315-315.	0.8	7
193	Prevalence of symptomatic pancreatic exocrine insufficiency in patients with pancreatic malignancy: nutritional intervention may improve survival. <i>Cancer Research Frontiers</i> , 2016, 2, 352-367.	0.2	10
194	Impact of biliary stent-related events in patients diagnosed with advanced pancreatobiliary tumours receiving palliative chemotherapy. <i>World Journal of Gastroenterology</i> , 2016, 22, 6065.	1.4	23
195	Systemic therapy in elderly patients with advanced biliary tract cancer: Sub-analysis of ABC-02 and 10 other prospective studies.. <i>Journal of Clinical Oncology</i> , 2016, 34, 382-382.	0.8	0
196	Prognostic influence of clinical biomarkers in patients (pts) with advanced hepatocellular carcinoma (HCC) receiving sorafenib: A single institution experience.. <i>Journal of Clinical Oncology</i> , 2016, 34, 304-304.	0.8	0
197	REMINET: A European, multicentre, PHASE II/III randomized double-blind, placebo-controlled study evaluating lanreotide as maintenance therapy after first-line treatment in patients with non-resectable duodeno-pancreatic neuroendocrine tumours.. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS4148-TPS4148.	0.8	0
198	A Systematic Review of the Burden of Pancreatic Cancer in Europe: Real-World Impact on Survival, Quality of Life and Costs. <i>Journal of Gastrointestinal Cancer</i> , 2015, 46, 201-211.	0.6	199

#	ARTICLE	IF	CITATIONS
199	Circulating Tumor Cell Enumeration in a Phase II Trial of a Four-Drug Regimen in Advanced Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2015, 14, 115-122.e2.	1.0	43
200	Decline in CA19-9 during chemotherapy predicts survival in four independent cohorts of patients with inoperable bile duct cancer. <i>European Journal of Cancer</i> , 2015, 51, 1381-1388.	1.3	19
201	Cisplatin and gemcitabine in patients with advanced biliary tract cancer (ABC) and persistent jaundice despite optimal stenting: Effective intervention in patients with luminal disease. <i>European Journal of Cancer</i> , 2015, 51, 1694-1703.	1.3	25
202	Cediranib or placebo in combination with cisplatin and gemcitabine chemotherapy for patients with advanced biliary tract cancer (ABC-03): a randomised phase 2 trial. <i>Lancet Oncology</i> , The, 2015, 16, 967-978.	5.1	221
203	Cetuximab Is Contraindicated in the Perioperative Treatment of Colorectal Liver Metastases. <i>Journal of Clinical Oncology</i> , 2015, 33, 2405-2406.	0.8	7
204	Expert consensus for the management of advanced or metastatic pancreatic neuroendocrine and carcinoid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 1099-1114.	1.1	13
205	The role of adjuvant chemotherapy and radiotherapy for cholangiocarcinoma. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2015, 29, 333-343.	1.0	32
206	Telotristat Etiprate for Carcinoid Syndrome: A Single-Arm, Multicenter Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1511-1519.	1.8	99
207	Variation in Cardiac Screening and Management of Carcinoid Heart Disease in the UK and Republic of Ireland. <i>Clinical Oncology</i> , 2015, 27, 741-746.	0.6	17
208	A prospective, single-arm, phase I/II trial of RAS peptide vaccine TG01/GM-CSF and gemcitabine as adjuvant therapy for patients with resected pancreatic adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4121-4121.	0.8	5
209	Baseline demographics of the randomized, placebo-controlled, double-blind, phase III RADIANT-4 study of everolimus in nonfunctional gastrointestinal (GI) or lung neuroendocrine tumors (NET).. <i>Journal of Clinical Oncology</i> , 2015, 33, 276-276.	0.8	2
210	Association between c-Met expression, miR-31-3p expression and progression free survival in the New EPOC study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3545-3545.	0.8	0
211	Baseline demographics of patients from the randomized, placebo-controlled, double-blind, phase III RADIANT-4 study of everolimus in nonfunctional gastrointestinal (GI) or lung neuroendocrine tumors (NET).. <i>Journal of Clinical Oncology</i> , 2015, 33, e15197-e15197.	0.8	0
212	Prognostic score in high-grade gastrointestinal neuroendocrine tumours (GI-NETs).. <i>Journal of Clinical Oncology</i> , 2015, 33, 4089-4089.	0.8	0
213	Pancreatic Malignancy and Nutrition: a Study of Clinical Practice.. <i>Annals of Oncology</i> , 2014, 25, iv535.	0.6	0
214	Serial surveillance of carcinoid heart disease: factors associated with echocardiographic progression and mortality. <i>British Journal of Cancer</i> , 2014, 111, 1703-1709.	2.9	41
215	Determination of the Optimal Echocardiographic Scoring System to Quantify Carcinoid Heart Disease. <i>Neuroendocrinology</i> , 2014, 99, 85-93.	1.2	29
216	Second-line chemotherapy in advanced biliary cancer: a systematic review. <i>Annals of Oncology</i> , 2014, 25, 2328-2338.	0.6	279

#	ARTICLE	IF	CITATIONS
217	Reply to the letter to the editor "Second-line chemotherapy in advanced biliary cancer: the present now will later be past" by Vivaldi et al.. <i>Annals of Oncology</i> , 2014, 25, 2444-2445.	0.6	1
218	Combination therapy of 177Lu and 90Y Dotatate for treatment of neuroendocrine cancer. <i>Nuclear Medicine Communications</i> , 2014, 35, 585-587.	0.5	0
219	Practical management of sunitinib toxicities in the treatment of pancreatic neuroendocrine tumors. <i>Cancer Treatment Reviews</i> , 2014, 40, 1230-1238.	3.4	34
220	Somatostatin receptor expression in hepatocellular carcinoma: prognostic and therapeutic considerations. <i>Endocrine-Related Cancer</i> , 2014, 21, R485-R493.	1.6	22
221	Evaluation of Hypertension and Proteinuria as Markers of Efficacy in Antiangiogenic Therapy for Metastatic Colorectal Cancer. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 430-434.	1.1	24
222	Capecitabine and streptozocin±cisplatin in advanced gastroenteropancreatic neuroendocrine tumours. <i>European Journal of Cancer</i> , 2014, 50, 902-911.	1.3	56
223	Phase II Trial of Cetuximab and Conformal Radiotherapy Only in Locally Advanced Pancreatic Cancer with Concurrent Tissue Sampling Feasibility Study. <i>Translational Oncology</i> , 2014, 7, 55-64.	1.7	16
224	A systematic review of non-surgical treatments for pancreatic neuroendocrine tumours. <i>Cancer Treatment Reviews</i> , 2014, 40, 376-389.	3.4	46
225	Pancreatic Cancer hENT1 Expression and Survival From Gemcitabine in Patients From the ESPAC-3 Trial. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt347.	3.0	231
226	The effects of gemcitabine and capecitabine combination chemotherapy and of low-dose adjuvant GM-CSF on the levels of myeloid-derived suppressor cells in patients with advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 175-183.	2.0	80
227	A comparison of diagnostic imaging modalities for colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2014, 40, 545-550.	0.5	34
228	Optimal Duration and Timing of Adjuvant Chemotherapy After Definitive Surgery for Ductal Adenocarcinoma of the Pancreas: Ongoing Lessons From the ESPAC-3 Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 504-512.	0.8	351
229	Gemcitabine and capecitabine with or without telomerase peptide vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer (TeloVac): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 829-840.	5.1	296
230	Erratum to "A systematic review of non-surgical treatments for pancreatic neuroendocrine tumours" [Cancer Treat Rev 40 (2014) 376-389]. <i>Cancer Treatment Reviews</i> , 2014, 40, 1037.	3.4	3
231	Circulating biomarkers in hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 74, 323-332.	1.1	56
232	Cisplatin and gemcitabine for advanced biliary tract cancer: a meta-analysis of two randomised trials. <i>Annals of Oncology</i> , 2014, 25, 391-398.	0.6	314
233	Methods for Adjusting for Bias Due to Crossover in Oncology Trials. <i>Pharmacoeconomics</i> , 2014, 32, 533-546.	1.7	42
234	Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis: the New EPOC randomised controlled trial. <i>Lancet Oncology</i> , The, 2014, 15, 601-611.	5.1	371

#	ARTICLE	IF	CITATIONS
235	BINGO: targeted therapy for advanced biliary-tract cancer. <i>Lancet Oncology</i> , The, 2014, 15, 778-780.	5.1	4
236	Patterns of progression, treatment of progressive disease, and postprogression survival in the new EPOC study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3556-3556.	0.8	3
237	Analysis of progression-free survival in the new EPOC study in an "all wild-type" population.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3566-3566.	0.8	1
238	Patient-reported satisfaction with symptom control during lanreotide autogel/depot (LAN) treatment for carcinoid syndrome (CS) in gastroenteropancreatic neuroendocrine tumor (GEP-NET) patients: Symnet, a large multinational, cross-sectional, observational study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 273-273.	0.8	5
239	Looking Beyond Chemotherapy in Patients with Advanced, Well-differentiated, Pancreatic Neuroendocrine Tumors. <i>The Journal of Oncopathology</i> , 2014, 2, 15-25.	0.1	2
240	Should Patients with Resected Bile Duct Cancer Receive an Adjuvant Treatment?. <i>The Journal of Oncopathology</i> , 2014, 2, 57-68.	0.1	3
241	Clinical Management of Targeted Therapies in Neuroendocrine Tumours. , 2014, , 141-154.		0
242	Efficacy and safety of cisplatin and gemcitabine (CG) chemotherapy for advanced biliary tract cancer (ABC) in jaundiced patients (pts).. <i>Journal of Clinical Oncology</i> , 2014, 32, 294-294.	0.8	0
243	Proportional shortfall due to pancreatic cancer in Europe: Survival and quality of life analysis based on a systematic review.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15253-e15253.	0.8	0
244	Lanreotide autogel/depot (LAN) treatment for carcinoid syndrome (CS) symptoms: Patient-reported outcomes (PROs) from the SYMNET study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 4111-4111.	0.8	0
245	Outcome of second-line chemotherapy for biliary tract cancer. <i>European Journal of Cancer</i> , 2013, 49, 1511.	1.3	45
246	A randomized clinical trial of chemotherapy compared to chemotherapy in combination with cetuximab in k-RAS wild-type patients with operable metastases from colorectal cancer: The new EPOC study.. <i>Journal of Clinical Oncology</i> , 2013, 31, 3504-3504.	0.8	34
247	HENT1 tumor levels to predict survival of pancreatic ductal adenocarcinoma patients who received adjuvant gemcitabine and adjuvant 5FU on the ESPAC trials.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4006-4006.	0.8	15
248	Pilot, proof-of-concept studies for determining the feasibility of the use of FLT-PET in patients with pancreatic adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2013, 31, TPS4146-TPS4146.	0.8	2
249	A phase III randomized trial of chemoimmunotherapy comprising gemcitabine and capecitabine with or without telomerase vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA4004-LBA4004.	0.8	13
250	The Association of a Panel of Biomarkers with the Presence and Severity of Carcinoid Heart Disease: A Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e73679.	1.1	53
251	A pilot study to explore circulating tumour cells in pancreatic cancer as a novel biomarker. <i>British Journal of Cancer</i> , 2012, 106, 508-516.	2.9	233
252	Effect of Adjuvant Chemotherapy With Fluorouracil Plus Folinic Acid or Gemcitabine vs Observation on Survival in Patients With Resected Periampullary Adenocarcinoma. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 147.	3.8	499

#	ARTICLE	IF	CITATIONS
253	Updated results from a phase III trial of sunitinib versus placebo in patients with progressive, unresectable, well-differentiated pancreatic neuroendocrine tumor (NET).. Journal of Clinical Oncology, 2012, 30, 4118-4118.	0.8	11
254	Treatment of advanced neuroendocrine tumors: Results of the UKINETS and NCRI randomized phase II NETO1 trial.. Journal of Clinical Oncology, 2012, 30, 4121-4121.	0.8	3
255	Sunitinib Malate for the Treatment of Pancreatic Neuroendocrine Tumors. New England Journal of Medicine, 2011, 364, 501-513.	13.9	2,216
256	Lessons from the comparison of two randomized clinical trials using gemcitabine and cisplatin for advanced biliary tract cancer. Critical Reviews in Oncology/Hematology, 2011, 80, 31-39.	2.0	33
257	Sunitinib for advanced pancreatic neuroendocrine tumors. Expert Review of Anticancer Therapy, 2011, 11, 1817-1827.	1.1	7
258	A phase 2 study of SP1049C, doxorubicin in P-glycoprotein-targeting pluronics, in patients with advanced adenocarcinoma of the esophagus and gastroesophageal junction. Investigational New Drugs, 2011, 29, 1029-1037.	1.2	269
259	Phase II study of short-course capecitabine plus oxaliplatin (XELOX) followed by maintenance capecitabine in advanced colorectal cancer: XelQuali study. Cancer Chemotherapy and Pharmacology, 2011, 67, 1111-1117.	1.1	14
260	Randomized, Placebo-Controlled, Phase III Study of Oxaliplatin, Fluorouracil, and Leucovorin With or Without PTK787/ZK 222584 in Patients With Previously Treated Metastatic Colorectal Adenocarcinoma. Journal of Clinical Oncology, 2011, 29, 2004-2010.	0.8	150
261	A multicentre study of capecitabine, oxaliplatin plus bevacizumab as perioperative treatment of patients with poor-risk colorectal liver-only metastases not selected for upfront resection. Annals of Oncology, 2011, 22, 2042-2048.	0.6	197
262	Evaluation of progression-free survival by blinded independent central review in patients with progressive, well-differentiated pancreatic neuroendocrine tumors treated with sunitinib or placebo.. Journal of Clinical Oncology, 2011, 29, 249-249.	0.8	2
263	Efficacy and Tolerability of Limited Field Radiotherapy with Concurrent Capecitabine in Locally Advanced Pancreatic Cancer. Clinical Oncology, 2010, 22, 570-577.	0.6	15
264	Understanding chemotherapy treatment pathways of advanced colorectal cancer patients to inform an economic evaluation in the United Kingdom. British Journal of Cancer, 2010, 103, 315-323.	2.9	9
265	Reply: Guesstimates are not good enough for determining what is happening in routine care. British Journal of Cancer, 2010, 103, 1887-1888.	2.9	0
266	Adjuvant Chemotherapy With Fluorouracil Plus Folinic Acid vs Gemcitabine Following Pancreatic Cancer Resection. JAMA - Journal of the American Medical Association, 2010, 304, 1073.	3.8	1,206
267	Advances in the treatment of metastatic or unresectable biliary tract cancer. Annals of Oncology, 2010, 21, vii345-vii348.	0.6	74
268	A phase Ib/IIa trial to evaluate the CCK2 receptor antagonist Z-360 in combination with gemcitabine in patients with advanced pancreatic cancer. European Journal of Cancer, 2010, 46, 526-533.	1.3	30
269	Cisplatin plus Gemcitabine versus Gemcitabine for Biliary Tract Cancer. New England Journal of Medicine, 2010, 362, 1273-1281.	13.9	3,370
270	Patient-reported outcomes (PROs) in patients (pts) with pancreatic neuroendocrine tumors (NET) receiving sunitinib (SU) in a phase III trial.. Journal of Clinical Oncology, 2010, 28, 4003-4003.	0.8	5

#	ARTICLE	IF	CITATIONS
271	Hypertension (HTN) and proteinuria (PTN) as biomarkers of efficacy in antiangiogenic therapy for metastatic colorectal cancer (mCRC).. Journal of Clinical Oncology, 2010, 28, e13580-e13580.	0.8	5
272	ABC-03: A randomized, phase II/III study of cediranib (AZD2171) or placebo in combination with cisplatin/gemcitabine for patients with advanced biliary tract cancers.. Journal of Clinical Oncology, 2010, 28, TPS218-TPS218.	0.8	2
273	Phase III Randomized Comparison of Gemcitabine Versus Gemcitabine Plus Capecitabine in Patients With Advanced Pancreatic Cancer. Journal of Clinical Oncology, 2009, 27, 5513-5518.	0.8	708
274	Gemcitabine alone or in combination with cisplatin in patients with advanced or metastatic cholangiocarcinomas or other biliary tract tumours: a multicentre randomised phase II study â€” The UK ABC-01 Study. British Journal of Cancer, 2009, 101, 621-627.	2.9	243
275	<i>UGT1A1*28</i> genotype predicts gastrointestinal toxicity in patients treated with intermediate-dose irinotecan. Pharmacogenomics, 2009, 10, 733-739.	0.6	34
276	Pneumoperitoneum Following Percutaneous Biliary Intervention: Not Necessarily a Cause for Alarm. CardioVascular and Interventional Radiology, 2008, 31, 439-443.	0.9	3
277	A phase I and pharmacokinetic study of OSI-7904L, a liposomal thymidylate synthase inhibitor in combination with oxaliplatin in patients with advanced colorectal cancer. Cancer Chemotherapy and Pharmacology, 2008, 61, 579-585.	1.1	17
278	A prospective observational study of chemotherapy-related nausea and vomiting in routine practice in a UK cancer centre. Supportive Care in Cancer, 2008, 16, 201-208.	1.0	100
279	Alternating irinotecan with oxaliplatin combined with UFT plus leucovorin (SCOUT) in metastatic colorectal cancer. British Journal of Cancer, 2008, 99, 577-583.	2.9	7
280	A Phase I Study of the Safety and Pharmacokinetics of the Combination of Pertuzumab (rhuMab 2C4) and Capecitabine in Patients with Advanced Solid Tumors. Clinical Cancer Research, 2008, 14, 2726-2731.	3.2	43
281	A phase IB/IIA, multicentre, randomised, double-blind placebo controlled study to evaluate the safety and pharmacokinetics of Z-360 in subjects with unresectable advanced pancreatic cancer in combination with gemcitabine. Journal of Clinical Oncology, 2008, 26, 4636-4636.	0.8	5
282	Capecitabine (X) following short-course capecitabine + oxaliplatin (XELOX) in advanced colorectal cancer (CRC): Phase II XelQuali study. Journal of Clinical Oncology, 2008, 26, 15042-15042.	0.8	0
283	Efficacy and toxicity of limited field concurrent chemoradiotherapy (CRT) with capecitabine for locally advanced pancreatic cancer (LAPC). Journal of Clinical Oncology, 2008, 26, 15586-15586.	0.8	0
284	Concurrent irinotecan, oxaliplatin and UFT in first-line treatment of metastatic colorectal cancer: a Phase I study. British Journal of Cancer, 2007, 96, 38-43.	2.9	12
285	Phase I Evaluation of a Fully Human Antiâ€” α v Integrin Monoclonal Antibody (CNTO 95) in Patients with Advanced Solid Tumors. Clinical Cancer Research, 2007, 13, 2128-2135.	3.2	136
286	Phase I Evaluation of CDP791, a PEGylated Di-Fabâ€”2 Conjugate that Binds Vascular Endothelial Growth Factor Receptor 2. Clinical Cancer Research, 2007, 13, 7113-7118.	3.2	69
287	Patients With Pancreatic Cancer Participating in Clinical Trials. Pancreas, 2007, 34, 269-270.	0.5	1
288	Cytotoxic chemotherapy for advanced, non-resectable colorectal cancer. European Journal of Surgical Oncology, 2007, 33, S17-S23.	0.5	0

#	ARTICLE	IF	CITATIONS
289	Metastatic Colorectal Cancer. <i>Drugs</i> , 2007, 67, 1851-1867.	4.9	36
290	Alternating irinotecan with oxaliplatin combined with UFT plus leucovorin (LV) (SCOUT) in patients with advanced colorectal cancer (ACRC): A phase I/II study. <i>Journal of Clinical Oncology</i> , 2007, 25, 4084-4084.	0.8	4
291	A Phase II Study of Weekly Cisplatin and Gemcitabine in Patients With Advanced Pancreatic Cancer: Is This a Strategy Still Worth Pursuing?. <i>Pancreas</i> , 2006, 32, 51-57.	0.5	12
292	Multicentre phase II pharmacokinetic and pharmacodynamic study of OSI-7904L in previously untreated patients with advanced gastric or gastroesophageal junction adenocarcinoma. <i>British Journal of Cancer</i> , 2006, 95, 450-456.	2.9	10
293	Impact of laparotomy and liver resection on the peritoneal concentrations of fibroblast growth factor 2, vascular endothelial growth factor and hepatocyte growth factor. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 41-44.	1.2	9
294	Vaccination of Colorectal Cancer Patients with Modified Vaccinia Ankara Delivering the Tumor Antigen 5T4 (TroVax) Induces Immune Responses which Correlate with Disease Control: A Phase I/II Trial. <i>Clinical Cancer Research</i> , 2006, 12, 3416-3424.	3.2	148
295	Irinotecan with Bolus and Infusional 5-fluorouracil and Folinic Acid for Patients with Advanced or Metastatic Colorectal Cancer Previously Treated with 5-fluorouracil: A Possible Alternative to Single-agent Irinotecan in a "Real-life" Setting. <i>Clinical Oncology</i> , 2005, 17, 666.	0.6	0
296	Blockade of Platelet-Derived Growth Factor Receptor-Beta by CDP860, a Humanized, PEGylated di-Fab', Leads to Fluid Accumulation and Is Associated With Increased Tumor Vascularized Volume. <i>Journal of Clinical Oncology</i> , 2005, 23, 973-981.	0.8	167
297	Treatment of inoperable hepatocellular carcinoma with pegylated liposomal doxorubicin (PLD): results of a phase II study. <i>British Journal of Cancer</i> , 2005, 92, 628-630.	2.9	22
298	Phase I dose-escalation trial of irinotecan with continuous infusion 5-FU first line, in metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2004, 91, 1447-1452.	2.9	4
299	Reply 1: Call for NICE to review urgently their guidance concerning first-line chemotherapy for metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2003, 88, 1153-1154.	2.9	0
300	961 Phase I study of escalating doses of TroVax® in patients with advanced colorectal cancer (CRC). <i>European Journal of Cancer, Supplement</i> , 2003, 1, S289.	2.2	0
301	Prospective Randomized Trial Comparing Mitomycin, Cisplatin, and Protracted Venous-Infusion Fluorouracil (PVI 5-FU) With Epirubicin, Cisplatin, and PVI 5-FU in Advanced Esophagogastric Cancer. <i>Journal of Clinical Oncology</i> , 2002, 20, 1996-2004.	0.8	449
302	Why hasn't the National Institute been "NICE" to patients with colorectal cancer?. <i>British Journal of Cancer</i> , 2002, 86, 1667-1669.	2.9	7
303	Randomized phase II study of cyclophosphamide, doxorubicin, and vincristine compared with single-agent carboplatin in patients with poor prognosis small cell lung carcinoma. <i>Cancer</i> , 2001, 92, 601-608.	2.0	49
304	Adjuvant therapy for gastric cancer " has the standard changed?. <i>British Journal of Cancer</i> , 2001, 84, 875-877.	2.9	4
305	Pharmacokinetics of a hematoregulatory peptide (SK&F107647) in healthy male volunteers and in patients with colorectal or pancreatic adenocarcinoma not amenable to standard therapy. <i>Pharmaceutical Research</i> , 2000, 17, 385-390.	1.7	2
306	Letters to the editor. <i>Annals of Oncology</i> , 1997, 8, 405.	0.6	7

#	ARTICLE	IF	CITATIONS
307	Review of recent trials of chemotherapy for advanced breast cancer: the taxanes. <i>European Journal of Cancer</i> , 1997, 33, 2183-2193.	1.3	54
308	Review of recent trials of chemotherapy for advanced breast cancer: Studies excluding taxanes. <i>European Journal of Cancer</i> , 1997, 33, 2171-2182.	1.3	11
309	i and fatal neutropen and fatal neutropenic enterocolitis following adjuvant chemotherapy for breast cancer. <i>Clinical Oncology</i> , 1997, 9, 172-175.	0.6	6
310	Carboplatin-etoposide chemotherapy for patients with advanced extra-pulmonary (EP) poorly differentiated (PD) neuroendocrine carcinoma (NEC); outcomes from a European Neuroendocrine Tumour Society Centre of Excellence. <i>Endocrine Abstracts</i> , 0, , .	0.0	1