

Renato F Jardim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3353250/publications.pdf>

Version: 2024-02-01

112
papers

1,772
citations

304743

22
h-index

315739

38
g-index

113
all docs

113
docs citations

113
times ranked

1953
citing authors

#	ARTICLE	IF	CITATIONS
1	Fe ₃ O ₄ nanoparticles and Rhizobium inoculation enhance nodulation, nitrogen fixation and growth of common bean plants grown in soil. <i>Rhizosphere</i> , 2021, 17, 100275.	3.0	24
2	Temperature dependence of the in-plane and grains resistivities in Bi-2223 polycrystalline superconductors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14320-14324.	2.2	0
3	Influence of the spark-plasma texturing conditions on the intragranular features of Bi-2223 ceramic samples. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 6984-6992.	2.2	1
4	Microstructural and electrical transport properties of uniaxially pressed $\text{Bi}_{1.65}\text{Pb}_{0.35}\text{Sr}_2\text{Ca}_{2.5}\text{Cu}_{3.5}\text{O}_{10+\delta}$ Bi 1.65 Pb. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 6188-6199.	2.2	3
5	Voltage relaxation and Abrikosov-Josephson vortices in Bi-2223 superconductors doped with $\hat{\pm}$ -Al ₂ O ₃ nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 5926-5933.	2.2	2
6	Separation technology meets green chemistry: development of magnetically recoverable catalyst supports containing silica, ceria, and titania. <i>Pure and Applied Chemistry</i> , 2018, 90, 133-141.	1.9	8
7	Electrical effective parameters of the grains and the Montgomery's method in $\text{Bi}_{1.65}\text{Pb}_{0.35}\text{Sr}_2\text{Ca}_{2.5}\text{Cu}_{3.5}\text{O}_y$ Bi 1.65 Pb. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 14322-14327.	2.2	2
8	Economically attractive route for the preparation of high quality magnetic nanoparticles by the thermal decomposition of iron(III) acetylacetonate. <i>Nanotechnology</i> , 2017, 28, 115603.	2.6	52
9	Does the pelletization pressure modify the effective anisotropy of the grains in (Bi,Pb) ₂ 2223 bulk system?. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 13058-13069.	2.2	3
10	Magnetic properties, x-ray absorption spectroscopy and electronic structure of GdCrTiO ₅ . <i>Journal of Alloys and Compounds</i> , 2017, 724, 67-73.	5.5	9
11	Intragranular defects and Abrikosov-Josephson vortices in Bi-2223 bulk superconductors. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 15246-15251.	2.2	1
12	Highly dense and textured superconducting (Bi,Pb) ₂ Sr ₂ Ca ₂ Cu ₃ O _{10+$\hat{\iota}$} ceramic samples processed by spark-plasma texturing. <i>Ceramics International</i> , 2016, 42, 13248-13255.	4.8	9
13	Influence of spark plasma consolidation conditions on the superconducting properties of (Bi,Pb)-Sr-Ca-Cu-O ceramic samples. <i>Ceramics International</i> , 2016, 42, 17482-17488.	4.8	5
14	Role of Dipolar Interactions and Volume Particle Size Distribution on the Nonmonotonic Magnetic Field Dependence of the Blocking Temperature in Magnetic Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2016, 120, 765-770.	3.1	6
15	Gold nanoparticles supported on magnesium ferrite and magnesium oxide for the selective oxidation of benzyl alcohol. <i>RSC Advances</i> , 2015, 5, 15035-15041.	3.6	23
16	Metal-insulator transition in Nd _{1-x} Eu _x NiO ₃ : Entropy change and electronic delocalization. <i>Journal of Applied Physics</i> , 2015, 117, .	2.5	7
17	Raman scattering in the magnetically frustrated double perovskite Sr ₂ YRuO ₆ . <i>Journal of Raman Spectroscopy</i> , 2014, 45, 193-196.	2.5	9
18	The spatial distribution of temperature and oxygen deficiency in spark-plasma sintered superconducting Bi-based materials. <i>Physica B: Condensed Matter</i> , 2014, 455, 35-38.	2.7	5

#	ARTICLE	IF	CITATIONS
19	Enhanced ferromagnetism in CuO nanowires on the top of CuO nanograins. Journal of Applied Physics, 2013, 114, 173907.	2.5	9
20	Interstitial doping induced superconductivity at 15.3 K in Nb ₅ Ge ₃ compound. Journal of Applied Physics, 2012, 111, 123912.	2.5	14
21	Consolidation of Bi-2223 superconducting powders by spark plasma sintering. Journal of Applied Physics, 2012, 112, .	2.5	13
22	Direct Access to Oxidation-Resistant Nickel Catalysts through an Organometallic Precursor. ACS Catalysis, 2012, 2, 925-929.	11.2	23
23	Structural, electronic, and magnetic entropy contributions of the orbital order-disorder transition in LaMnO ₃ . Phase Transitions, 2011, 84, 284-290.	1.3	3
24	Ionic liquids as recycling solvents for the synthesis of magnetic nanoparticles. Physical Chemistry Chemical Physics, 2011, 13, 13558.	2.8	28
25	Superparamagnetic Ni:SiO ₂ -C nanocomposites films synthesized by a polymeric precursor method. Journal of Nanoparticle Research, 2011, 13, 703-710.	1.9	7
26	Non-Fermi-liquid behavior in UCu _{4+x} Al _{8-x} compounds. Physica B: Condensed Matter, 2011, 406, 2061-2069.	2.7	2
27	Experimental and theoretical study of transport properties in uniaxially pressed Bi _{1.65} Pb _{0.35} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} ceramic samples. Physica C: Superconductivity and Its Applications, 2010, 470, 269-276.	1.2	3
28	Transport Barkhausen-like noise in uniaxially pressed Bi _{1.65} Pb _{0.35} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} ceramic samples. Physica C: Superconductivity and Its Applications, 2010, 470, 611-616.	1.2	3
29	Preparation of recoverable Ru catalysts for liquid-phase oxidation and hydrogenation reactions. Applied Catalysis A: General, 2009, 360, 177-182.	4.3	76
30	Magnetic Fluids Based on Fe ₃ O ₄ and CoFe ₂ O ₄ Nanoparticles Dispersed in Ionic Liquids. Journal of Physical Chemistry C, 2009, 113, 8566-8572.	3.1	72
31	Synthesis and characterization of NiMn ₂ O ₄ nanoparticles using gelatin as organic precursor. Journal of Magnetism and Magnetic Materials, 2008, 320, e304-e307.	2.3	31
32	Recoverable rhodium nanoparticles: Synthesis, characterization and catalytic performance in hydrogenation reactions. Applied Catalysis A: General, 2008, 338, 52-57.	4.3	192
33	Relaxation of the electrical resistivity in Cr-doped Nd _{0.5} Ca _{0.5} MnO ₃ single crystals. Journal of Physics Condensed Matter, 2008, 20, 215203.	1.8	6
34	Pressure-induced electrical and structural anomalies in Pb _{1-x} Ca _x TiO ₃ thin films grown at various oxygen pressures by chemical solution route. Journal Physics D: Applied Physics, 2008, 41, 115402.	2.8	2
35	Third-order nonlinearity of nickel oxide nanoparticles in toluene. Optics Letters, 2007, 32, 1435.	3.3	20
36	Transport properties of granular high-T _c superconductors. Brazilian Journal of Physics, 2007, 37, 1155-1159.	1.4	4

#	ARTICLE	IF	CITATIONS
37	Effect of Ir substitution in the ferromagnetic superconductor RuSr ₂ GdCu ₂ O ₈ . Physica C: Superconductivity and Its Applications, 2007, 454, 30-37.	1.2	8
38	Improvement of the intergranular pinning energy in uniaxially compacting (Bi-Pb) ₂ Sr ₂ Ca ₂ Cu ₃ O _{10+δ} ceramic samples. European Physical Journal B, 2007, 58, 373-378.	1.5	32
39	Magnetoresistância colossal em La _{5/8-y} Pr _y Ca _{3/8} MnO ₃ . Ceramica, 2007, 53, 279-283.	0.8	0
40	Current-tuned superconductor to insulator transition in granular Sm _{1.82} Ce _{0.18} CuO _{4-δ} superconductor. Brazilian Journal of Physics, 2007, 37, 1160-1163.	1.4	0
41	Metal-insulator transition in Nd _{1-x} EuxNiO ₃ compounds. Journal of Physics Condensed Matter, 2006, 18, 6117-6132.	1.8	23
42	Evidence of hopping of charge carriers in the clustered state of manganites. Journal of Non-Crystalline Solids, 2006, 352, 3725-3728.	3.1	0
43	Transport Barkhausen-like noise and flux-flow regime in ceramic samples. Journal of Magnetism and Magnetic Materials, 2006, 299, 231-239.	2.3	7
44	Correlation between normal and superconducting transport properties of Bi _{1.65} Pb _{0.35} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} ceramic samples. Physica C: Superconductivity and Its Applications, 2005, 423, 152-162.	1.2	19
45	Inhomogeneous distribution of the intergranular pinning energy in polycrystalline Bi _{1.64} Pb _{0.36} Sr ₂ Ca ₂ Cu ₃ O _y superconductors. Physica C: Superconductivity and Its Applications, 2005, 423, 51-56.	1.2	17
46	Microstructural properties of Bi _{1.65} Pb _{0.35} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} and Bi _{1.65} Pb _{0.35} Sr ₂ CaCu ₂ O _{8+δ} ceramic samples through transport measurements: a comparative study. Physica Status Solidi A, 2005, 202, 2484-2493.	1.7	7
47	Síntese e caracterização de nanocompósitos Ni: SiO ₂ processados na forma de filmes finos. Química Nova, 2005, 28, 842-846.	0.3	2
48	Normal-state properties of uniaxially pressed Bi _{1.65} Pb _{0.35} Sr ₂ Ca ₂ Cu ₃ O _{10+δ} ceramics. Brazilian Journal of Physics, 2005, 35, 680-688.	1.4	8
49	Method for Analyzing Second-Order Phase Transitions: Application to the Ferromagnetic Transition of a Polaronic System. Physical Review Letters, 2005, 94, 207209.	7.8	48
50	High oxygen-pressure annealing effects on the ferroelectric and structural properties of PbZr _{0.3} Ti _{0.7} O ₃ thin films. Journal of Applied Physics, 2004, 96, 2186-2191.	2.5	22
51	Magnetization steps in the phase-separated Cr-doped Nd _{0.5} Ca _{0.5} MnO ₃ compounds. Journal of Applied Physics, 2004, 95, 7085-7087.	2.5	9
52	Transport properties of La _{0.6} Y _{0.1} Ca _{0.3} MnO ₃ compounds with different interfaces. Journal of the European Ceramic Society, 2004, 24, 1271-1275.	5.7	18
53	Magneto-impedance measurements in bulk samples of La _{0.7} Ca _{0.3} MnO ₃ and La _{0.6} Y _{0.1} Ca _{0.3} MnO ₃ . Journal of Alloys and Compounds, 2004, 369, 108-111.	5.5	25
54	Magnetic properties of Ni:SiO ₂ nanocomposites synthesized by a modified sol-gel method. Applied Physics A: Materials Science and Processing, 2003, 76, 621-623.	2.3	23

#	ARTICLE	IF	CITATIONS
55	Microstructural and transport properties of LaNiO_3 films grown on Si (111) by chemical solution deposition. <i>Thin Solid Films</i> , 2003, 445, 54-58.	1.8	34
56	Influence of the compacting pressure on the dependence of the critical current with magnetic field in polycrystalline $(\text{Bi}^{1-x}\text{Pb})_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_x$ superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 2003, 384, 491-500.	1.2	53
57	Magnetic hysteresis of the magnetoresistance and the critical current density in polycrystalline $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}\text{Ag}$ superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 2003, 390, 363-373.	1.2	27
58	Transport properties and phase separation in $\text{La}_{0.6}\text{Y}_{0.1}\text{Ca}_{0.3}\text{MnO}_3$ ceramics. <i>Physica Status Solidi A</i> , 2003, 199, 255-264.	1.7	7
59	Magnetic dynamics of single-domain Ni nanoparticles. <i>Journal of Applied Physics</i> , 2003, 93, 6531-6533.	2.5	48
60	Phase coexistence in Cr-doped $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ compounds. <i>Journal of Applied Physics</i> , 2003, 93, 8074-8076.	2.5	18
61	Superconductivity in magnetically ordered $\text{Ru}_{1-x}\text{Sr}_x\text{GdCu}_2\text{O}_8$ compounds. <i>Brazilian Journal of Physics</i> , 2003, 33, 686-689.	1.4	3
62	Nanoparticle synthesis of $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ (0.1, 0.2 and 0.3) perovskites. <i>IEEE Transactions on Magnetics</i> , 2002, 38, 2892-2894.	2.1	10
63	Mössbauer spectroscopy and magnetoresistivity of ^{57}Fe substituted Mn in $\text{La}_{0.7-x}\text{Y}_x\text{Ca}_{0.3}\text{MnO}_3$ manganites. <i>Journal of Applied Physics</i> , 2002, 91, 7932.	2.5	4
64	Preparation and general physical properties of polycrystalline $\text{PrBa}_2\text{Cu}_3\text{O}_{7-y}$ obtained from sol-gel precursors. <i>Brazilian Journal of Physics</i> , 2002, 32, 731-738.	1.4	3
65	Magnetic hysteresis of the critical current density of polycrystalline $(\text{Bi}^{1-x}\text{Pb})_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_x$ superconductors: a fingerprint of the intragranular and intergranular flux trapping. <i>Physica C: Superconductivity and Its Applications</i> , 2001, 354, 275-278.	1.2	11
66	Magnetoresistance at high magnetic fields in superconducting granular $\text{Sm}_{1.83}\text{Ce}_{0.17}\text{CuO}_4$ compounds. <i>Physica C: Superconductivity and Its Applications</i> , 2001, 354, 279-283.	1.2	2
67	Structural and magnetic properties of NiS doped Bi-2212 superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 2001, 354, 363-366.	1.2	3
68	Impedance spectroscopy evidence of the phase separation in $\text{La}_{0.3}\text{Pr}_{0.4}\text{Ca}_{0.3}\text{MnO}_3$ manganite. <i>Journal of Applied Physics</i> , 2001, 89, 6636-6638.	2.5	17
69	General Properties of Polycrystalline LnNiO_3 (Ln=Pr, Nd, Sm) Compounds Prepared through Different Precursors. <i>Journal of Solid State Chemistry</i> , 2000, 151, 298-307.	2.9	54
70	Structural, transport, and magnetic properties of $\text{Pr}_{1.85}\text{Ce}_{0.15}\text{CuO}_4$ prepared through different precursors. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 333, 170-180.	1.2	6
71	Magnetic properties of polycrystalline $\text{LnNi}_{0.3}\text{Co}_{0.7}\text{O}_3$ (Ln=La, Pr) compounds. <i>Journal of Applied Physics</i> , 2000, 87, 5908-5910.	2.5	10
72	CuK-EDGE STUDIES OF THE CHARGE CARRIES IN Th-DOPED CUPRATE SYSTEM $\text{R}_{2-x}\text{Th}_x\text{CuO}_4$ (R=Nd, Sm AND) <i>Tj</i> $\frac{E_{Tj}Q_0}{0.0_{fg}BT}$ /Over	2.0	2

#	ARTICLE	IF	CITATIONS
73	Intergranular transport properties of polycrystalline $\text{Sm}_{1.82}\text{Ce}_{0.18}\text{CuO}_4$ under low applied magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 1999, 328, 246-256.	1.2	11
74	Magnetic anisotropy and spin diffusion through spin disordered interfaces in magnetoresistive manganites. <i>Journal of Applied Physics</i> , 1998, 83, 7058-7060.	2.5	22
75	Metal-insulator transition in $\text{Nd}_{1-x}\text{Ln}_x\text{NiO}_3$ compounds. <i>Radiation Effects and Defects in Solids</i> , 1998, 147, 101-108.	1.2	3
76	Observation of granular superconductivity in polycrystalline $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_4$. <i>Physical Review B</i> , 1998, 57, 3683-3689.	3.2	5
77	Colossal magnetoresistance in polycrystalline $\text{Pr}_{1-x}\text{Ba}_x\text{MnO}_3$ compounds. <i>Radiation Effects and Defects in Solids</i> , 1998, 147, 93-100.	1.2	3
78	Properties of polycrystalline $(\text{Nd}_{1-x}\text{Gd}_x)_{1.85}\text{Ce}_{0.15}\text{CuO}_4$ compounds. <i>Journal of Applied Physics</i> , 1997, 81, 4250-4252.	2.5	3
79	Increased resistance below the superconducting transition in granular $\text{Sm}_{1.83}\text{Ce}_{0.17}\text{CuO}_4$ compounds. <i>Physica C: Superconductivity and Its Applications</i> , 1997, 289, 265-274.	1.2	6
80	Magnetic properties of polycrystalline $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_4$ at high magnetic fields. <i>Journal of Applied Physics</i> , 1996, 79, 6564.	2.5	2
81	Guided vortex motion in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ single crystals with unidirectional twins. <i>European Physical Journal D</i> , 1996, 46, 1751-1752.	0.4	6
82	Electrical resistivity in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8\pm\delta}$ compounds synthesized via melt-casting. <i>Physica C: Superconductivity and Its Applications</i> , 1996, 267, 293-302.	1.2	2
83	On the diffusion of Ce into Eu_2CuO_4 compounds. <i>Physica C: Superconductivity and Its Applications</i> , 1996, 267, 153-160.	1.2	8
84	Effect of superconductive destruction in $\text{YBa}_2\text{Cu}_3\text{O}_7$ bulk bridges under the action of strong Joule self-heating. <i>Journal of Superconductivity and Novel Magnetism</i> , 1996, 9, 129-134.	0.5	5
85	Mixed state odd Hall effect in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ with unidirectional twins. <i>Journal of Low Temperature Physics</i> , 1996, 105, 963-968.	1.4	4
86	Specific heat measurements on $(\text{Nd}_{1-x}\text{Sm}_x)_2\text{CuO}_4$ in applied magnetic fields. <i>Journal of Magnetism and Magnetic Materials</i> , 1995, 145, 391-394.	2.3	3
87	Reply to "Comment on 'Double resistive superconducting transition in $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_4$ '". <i>Physical Review B</i> , 1995, 51, 8650-8652.	3.2	3
88	Properties of polycrystalline $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_4$ prepared under different conditions. <i>Journal of Alloys and Compounds</i> , 1995, 221, 1-14.	5.5	20
89	Granular behavior in polycrystalline $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_4$ compounds. <i>Physical Review B</i> , 1994, 50, 10080-10087.	3.2	31
90	Formation kinetics of polycrystalline Eu_2CuO_4 obtained from a sol-gel precursor. <i>Journal of Applied Physics</i> , 1994, 76, 6585-6587.	2.5	1

#	ARTICLE	IF	CITATIONS
91	Transport and magnetic properties of polycrystalline $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_{4-y}$. Journal of Applied Physics, 1994, 75, 6720-6722.	2.5	4
92	Extraordinary behaviour of the $\text{Y}_{1-x}\text{Pr}_x\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$ system. Journal of Superconductivity and Novel Magnetism, 1994, 7, 97-106.	0.5	33
93	On the transformation of $\text{Y}_2\text{Cu}_2\text{O}_5$ into YCuO_2 . Materials Letters, 1994, 19, 177-183.	2.6	3
94	Preparation, formation kinetics, and properties of polycrystalline $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{Cu}_{4-y}$ obtained from a sol-gel precursor. Journal of Alloys and Compounds, 1993, 199, 105-114.	5.5	33
95	On the formation of LnCeO_y (Ln = Nd, Pr, Sm, Eu) solid solutions. Materials Letters, 1993, 18, 5-10.	2.6	8
96	Luttinger Fermi surface of metallic gap spectral weight in $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_{4-y}$. Physical Review Letters, 1993, 70, 3163-3166.	7.8	110
97	Transport and magnetic properties of polycrystalline $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_{4-y}$ under applied magnetic fields. Journal of Applied Physics, 1993, 73, 6639-6641.	2.5	5
98	Double resistive superconducting transition in $\text{Sm}_{2-x}\text{Ce}_x\text{CuO}_4$. Physical Review B, 1993, 47, 433-441.	3.2	54
99	Spin-flop phase and effect of Ce^{4+} and Nd^{3+} doping in Gd_2CuO_4 . Physical Review B, 1992, 45, 10485-10489.	3.2	9
100	Kinetic study of La_2CuO_4 formation from an oxalate precursor. Materials Letters, 1992, 13, 96-101.	2.6	8
101	On the formation kinetics of Bi-Sr-Co-O phases. Materials Letters, 1991, 12, 321-326.	2.6	3
102	Magnetic properties and superconductivity in Ce -doped $(\text{Nd}_{1-x}\text{Gd}_x)_2\text{CuO}_4$ (abstract). Journal of Applied Physics, 1991, 69, 4903-4903.	2.5	0
103	The phase angle method for electrical resistivity applied to the hollow circular cylinder geometry. Journal of Applied Physics, 1990, 67, 1167-1169.	2.5	2
104	Kelvin functions for determination of magnetic susceptibility in nonmagnetic metals. Journal of Applied Physics, 1989, 65, 4505-4508.	2.5	4
105	Enhanced grain growth in $\text{YBa}_2(\text{Cu}_{1-x}\text{Mn}_x)_3\text{O}_{7-\delta}$ compounds. Physica C: Superconductivity and Its Applications, 1989, 159, 306-312.	1.2	18
106	Oxygen kinetics and superconductivity in the high- T_c oxide $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$. IEEE Transactions on Magnetics, 1989, 25, 2171-2174.	2.1	3
107	Substitution of Mn for Cu in the high T_c superconductor $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$. IEEE Transactions on Magnetics, 1989, 25, 2307-2310.	2.1	1
108	ESR experiments and spectra simulations in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$, Y_2BaCuO_5 , and BaCuO_{2+x} . Physical Review B, 1989, 39, 6694-6699.	3.2	28

#	ARTICLE	IF	CITATIONS
109	Microstructure and superconducting fraction in the $\text{YBa}_2(\text{Cu}_{1-x}\text{Mn}_x)\text{O}_7$. Solid State Communications, 1988, 68, 835-839.	1.9	8
110	Effect of Mn on the superconductivity of $\text{YBa}_2\text{Cu}_3\text{O}_7$. Physical Review B, 1988, 38, 4580-4583.	3.2	18
111	Eddy current decay method applied to a new geometry. Journal of Applied Physics, 1987, 61, 5237-5242.	2.5	3
112	Evidence for dynamic effects in the ESR spectra of the high T_c superconductor $\text{YBa}_2\text{Cu}_3\text{O}_7$. Solid State Communications, 1987, 64, 1043-1045.	1.9	22