

Hillary A Snapp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3353494/publications.pdf>

Version: 2024-02-01

31
papers

465
citations

687363

13
h-index

752698

20
g-index

32
all docs

32
docs citations

32
times ranked

408
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of extended high frequency bandwidth in osseointegrated bone conduction device users. <i>Hearing Research</i> , 2022, 421, 108379.	2.0	2
2	Instant improvement in monaural spatial hearing abilities through cognitive feedback. <i>Experimental Brain Research</i> , 2022, , 1.	1.5	3
3	Self-Perceived Hearing Status Creates an Unrealized Barrier to Hearing Healthcare Utilization. <i>Laryngoscope</i> , 2021, 131, E289-E295.	2.0	11
4	Normative data for ages 18-45 for ocular motor and vestibular testing using eye tracking. <i>Laryngoscope Investigative Otolaryngology</i> , 2021, 6, 1116-1127.	1.5	13
5	Portable eye-tracking as a reliable assessment of oculomotor, cognitive and reaction time function: Normative data for 18-45 year old. <i>PLoS ONE</i> , 2021, 16, e0260351.	2.5	9
6	Bone Conduction. <i>Otolaryngologic Clinics of North America</i> , 2021, 54, 1205-1217.	1.1	2
7	Audiology Practices in the Preoperative Evaluation and Management of Adult Cochlear Implant Candidates. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020, 146, 136.	2.2	24
8	Comparisons of performance in pediatric bone conduction implant recipients using remote microphone technology. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 139, 110444.	1.0	4
9	Bilateral bone conduction stimulation provides reliable binaural cues for localization. <i>Hearing Research</i> , 2020, 388, 107881.	2.0	18
10	Hearing with One Ear: Consequences and Treatments for Profound Unilateral Hearing Loss. <i>Journal of Clinical Medicine</i> , 2020, 9, 1010.	2.4	37
11	Oculomotor, vestibular, reaction time and cognitive eye-tracking mild traumatic brain injury assessment. <i>Neurology</i> , 2020, 95, .	1.1	2
12	Nonsurgical Management of Single-Sided Deafness: Contralateral Routing of Signal. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2019, 80, 132-138.	0.8	25
13	Application of Wireless Contralateral Routing of Signal Technology in Unilateral Cochlear Implant Users with Bilateral Profound Hearing Loss. <i>Journal of the American Academy of Audiology</i> , 2019, 30, 579-589.	0.7	9
14	Speech Perception Outcomes in Transcutaneous Versus Percutaneous Bone Conduction Stimulation in Individuals With Single-sided Deafness. <i>Otology and Neurotology</i> , 2019, 40, 1068-1075.	1.3	9
15	Acute findings in an acquired neurosensory dysfunction. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 124-131.	1.5	27
16	Evaluation of multisensory responses (oculomotor, vestibular, and reaction time) in 3, 8 and 15 days after mild traumatic brain injury. <i>Neurology</i> , 2018, 91, .	1.1	0
17	Comparison of Speech-in-Noise and Localization Benefits in Unilateral Hearing Loss Subjects Using Contralateral Routing of Signal Hearing Aids or Bone-Anchored Implants. <i>Otology and Neurotology</i> , 2017, 38, 11-18.	1.3	48
18	The use of oculomotor, vestibular, and reaction time tests to assess mild traumatic brain injury (mTBI) over time. <i>Laryngoscope Investigative Otolaryngology</i> , 2017, 2, 157-165.	1.5	34

#	ARTICLE	IF	CITATIONS
19	Effectiveness in Rehabilitation of Current Wireless CROS Technology in Experienced Bone-Anchored Implant Users. <i>Otology and Neurotology</i> , 2017, 38, 1397-1404.	1.3	21
20	Transcranial Attenuation in Patients with Single-Sided Deafness. <i>Audiology and Neuro-Otology</i> , 2016, 21, 237-243.	1.3	14
21	Oculomotor, Vestibular, and Reaction Time Tests in Mild Traumatic Brain Injury. <i>PLoS ONE</i> , 2016, 11, e0162168.	2.5	54
22	Utricular paresis and semicircular canal hyperactivity: a distinct otolith syndrome. <i>Acta Oto-Laryngologica</i> , 2015, 135, 335-341.	0.9	2
23	Utricular Dysfunction in Refractory Benign Paroxysmal Positional Vertigo. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 321-327.	1.9	7
24	Bone-Anchored Implantation for Single-Sided Deafness in Patients with Less Than Profound Hearing Loss. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 147, 105-111.	1.9	10
25	Ethnic Disparity in Skin Complications following Bone-Anchored Hearing Aid Implantation. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2012, 121, 549-554.	1.1	16
26	Postoperative Validation of Bone-Anchored Implants in the Single-Sided Deafness Population. <i>Otology and Neurotology</i> , 2012, 33, 291-296.	1.3	14
27	Habilitation of Auditory and Vestibular Dysfunction. <i>Otolaryngologic Clinics of North America</i> , 2012, 45, 487-511.	1.1	6
28	Head-shaking nystagmus predicts greater disability in unilateral peripheral vestibulopathy. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2011, 32, 522-527.	1.3	13
29	Early Loading After Single-Stage Bone-Anchored Implantation in Adults. <i>Otolaryngology - Head and Neck Surgery</i> , 2011, 144, 402-407.	1.9	4
30	Head-shaking Nystagmus Predicts Greater Dizziness Handicap. <i>Laryngoscope</i> , 2010, 120, S65-S65.	2.0	7
31	A Clinical Protocol for Predicting Outcomes with an Implantable Prosthetic Device (Baha) in Patients with Single-Sided Deafness. <i>Journal of the American Academy of Audiology</i> , 2010, 21, 654-662.	0.7	20