

Wenqi Song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3353975/publications.pdf>

Version: 2024-02-01

24
papers

237
citations

1163117

8
h-index

1058476

14
g-index

27
all docs

27
docs citations

27
times ranked

298
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Continuous reference intervals for 21 biochemical and hematological analytes in healthy Chinese children and adolescents: The PRINCE study. <i>Clinical Biochemistry</i> , 2022, 102, 9-18. | 1.9 | 8 |
| 2 | Interleukin-15 enhanced the survival of human $\hat{I}^3\hat{T}$ cells by regulating the expression of Mcl-1 in neuroblastoma. <i>Cell Death Discovery</i> , 2022, 8, 139. | 4.7 | 3 |
| 3 | Pediatric Continuous Reference Intervals of Serum Insulin-like Growth Factor 1 Levels in a Healthy Chinese Children Population “Based on PRINCE Study. <i>Endocrine Practice</i> , 2022, 28, 696-702. | 2.1 | 8 |
| 4 | Comparison of reference distributions acquired by direct and indirect sampling techniques: exemplified with the Pediatric Reference Interval in China (PRINCE) study. <i>BMC Medical Research Methodology</i> , 2022, 22, 106. | 3.1 | 3 |
| 5 | Age and sex specific reference intervals of 13 hematological analytes in Chinese children and adolescents aged from 28Ådays up to 20Åyears: the PRINCE study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 1250-1260. | 2.3 | 7 |
| 6 | Determination of Cytokines and Oxidative Stress Biomarkers in Cognitive Impairment Induced by Methylmalonic Acidemia. <i>NeuroImmunoModulation</i> , 2021, 28, 178-186. | 1.8 | 7 |
| 7 | Clinical characteristics and serotype distribution of invasive pneumococcal disease in pediatric patients from Beijing, China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 1833-1842. | 2.9 | 3 |
| 8 | Serum TSH is not a risk factor for malignancy of pediatric thyroid nodules. <i>Endocrine-Related Cancer</i> , 2021, 28, 247-255. | 3.1 | 4 |
| 9 | Soluble cytotoxic T-lymphocyte“associated antigen 4 (sCTLA-4) as a potential biomarker for diagnosis and evaluation of the prognosis in Glioma. <i>BMC Immunology</i> , 2021, 22, 33. | 2.2 | 9 |
| 10 | A proteomic analysis of urine biomarkers in autism spectrum disorder. <i>Journal of Proteomics</i> , 2021, 242, 104259. | 2.4 | 11 |
| 11 | The Role of Serum Calcium Levels in Pediatric Dyslipidemia: Are There Any?. <i>Frontiers in Pediatrics</i> , 2021, 9, 712160. | 1.9 | 1 |
| 12 | Comparison of four algorithms on establishing continuous reference intervals for pediatric analytes with age-dependent trend. <i>BMC Medical Research Methodology</i> , 2020, 20, 136. | 3.1 | 15 |
| 13 | Accessory gene regulator (agr) dysfunction was unusual in <i>Staphylococcus aureus</i> isolated from Chinese children. <i>BMC Microbiology</i> , 2019, 19, 95. | 3.3 | 10 |
| 14 | Algorithm on age partitioning for estimation of reference intervals using clinical laboratory database exemplified with plasma creatinine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1514-1523. | 2.3 | 12 |
| 15 | Epidemiology of Carbapenem-Resistant<i>Klebsiella pneumoniae</i> Bloodstream Infections in a Chinese Children's Hospital: Predominance of New Delhi Metallo-Î²-Lactamase-1. <i>Microbial Drug Resistance</i> , 2018, 24, 154-160. | 2.0 | 26 |
| 16 | Carnitine Deficiency in Chinese Children with Epilepsy on Valproate Monotherapy. <i>Indian Pediatrics</i> , 2018, 55, 222-224. | 0.4 | 5 |
| 17 | Aminoguanidine alleviated MMA-induced impairment of cognitive ability in rats by downregulating oxidative stress and inflammatory reaction. <i>NeuroToxicology</i> , 2017, 59, 121-130. | 3.0 | 10 |
| 18 | The critical gap for pediatric reference intervals of complete blood count in China. <i>Clinica Chimica Acta</i> , 2017, 469, 22-25. | 1.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | High-Throughput, Multiplex Genotyping Directly from Blood or Dried Blood Spot without DNA Extraction for the Screening of Multiple G6PD Gene Variants at Risk for Drug-Induced Hemolysis. Journal of Molecular Diagnostics, 2017, 19, 638-650. | 2.8 | 4 |
| 20 | The Feasibility of Xpert MTB/RIF Testing to Detect Rifampicin Resistance among Childhood Tuberculosis for Prevalence Surveys in Northern China. BioMed Research International, 2017, 2017, 1-10. | 1.9 | 9 |
| 21 | Multiresistant ST59-SCCmec IV-t437 clone with strong biofilm-forming capacity was identified predominantly in MRSA isolated from Chinese children. BMC Infectious Diseases, 2017, 17, 733. | 2.9 | 41 |
| 22 | Predictors of survival in children with methymalonic acidemia with homocystinuria in Beijing, China: A prospective cohort study. Indian Pediatrics, 2015, 52, 119-124. | 0.4 | 9 |
| 23 | A Country-Wide Study of Spoligotype and Drug Resistance Characteristics of Mycobacterium tuberculosis Isolates from Children in China. PLoS ONE, 2013, 8, e84315. | 2.5 | 11 |
| 24 | Characterization of LC-MS based urine metabolomics in healthy children and adults. PeerJ, 0, 10, e13545. | 2.0 | 2 |