

# Wenqi Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3353975/publications.pdf>

Version: 2024-02-01

24  
papers

237  
citations

1162367

8  
h-index

1058022

14  
g-index

27  
all docs

27  
docs citations

27  
times ranked

298  
citing authors

#	ARTICLE	IF	CITATIONS
1	Continuous reference intervals for 21 biochemical and hematological analytes in healthy Chinese children and adolescents: The PRINCE study. <i>Clinical Biochemistry</i> , 2022, 102, 9-18.	0.8	8
2	Interleukin-15 enhanced the survival of human $\hat{I}3\hat{T}$ cells by regulating the expression of Mcl-1 in neuroblastoma. <i>Cell Death Discovery</i> , 2022, 8, 139.	2.0	3
3	Pediatric Continuous Reference Intervals of Serum Insulin-like Growth Factor 1 Levels in a Healthy Chinese Children Population “Based on PRINCE Study. <i>Endocrine Practice</i> , 2022, 28, 696-702.	1.1	8
4	Comparison of reference distributions acquired by direct and indirect sampling techniques: exemplified with the Pediatric Reference Interval in China (PRINCE) study. <i>BMC Medical Research Methodology</i> , 2022, 22, 106.	1.4	3
5	Age and sex specific reference intervals of 13 hematological analytes in Chinese children and adolescents aged from 28Ådays up to 20Åyears: the PRINCE study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 1250-1260.	1.4	7
6	Determination of Cytokines and Oxidative Stress Biomarkers in Cognitive Impairment Induced by Methylmalonic Acidemia. <i>NeuroImmunoModulation</i> , 2021, 28, 178-186.	0.9	7
7	Clinical characteristics and serotype distribution of invasive pneumococcal disease in pediatric patients from Beijing, China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 1833-1842.	1.3	3
8	Serum TSH is not a risk factor for malignancy of pediatric thyroid nodules. <i>Endocrine-Related Cancer</i> , 2021, 28, 247-255.	1.6	4
9	Soluble cytotoxic T-lymphocyte-associated antigen 4 (sCTLA-4) as a potential biomarker for diagnosis and evaluation of the prognosis in Glioma. <i>BMC Immunology</i> , 2021, 22, 33.	0.9	9
10	A proteomic analysis of urine biomarkers in autism spectrum disorder. <i>Journal of Proteomics</i> , 2021, 242, 104259.	1.2	11
11	The Role of Serum Calcium Levels in Pediatric Dyslipidemia: Are There Any?. <i>Frontiers in Pediatrics</i> , 2021, 9, 712160.	0.9	1
12	Comparison of four algorithms on establishing continuous reference intervals for pediatric analytes with age-dependent trend. <i>BMC Medical Research Methodology</i> , 2020, 20, 136.	1.4	15
13	Accessory gene regulator (agr) dysfunction was unusual in <i>Staphylococcus aureus</i> isolated from Chinese children. <i>BMC Microbiology</i> , 2019, 19, 95.	1.3	10
14	Algorithm on age partitioning for estimation of reference intervals using clinical laboratory database exemplified with plasma creatinine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1514-1523.	1.4	12
15	Epidemiology of Carbapenem-Resistant <i>Klebsiella pneumoniae</i> Bloodstream Infections in a Chinese Children’s Hospital: Predominance of New Delhi Metallo- $\hat{I}2$ -Lactamase-1. <i>Microbial Drug Resistance</i> , 2018, 24, 154-160.	0.9	26
16	Carnitine Deficiency in Chinese Children with Epilepsy on Valproate Monotherapy. <i>Indian Pediatrics</i> , 2018, 55, 222-224.	0.2	5
17	Aminoguanidine alleviated MMA-induced impairment of cognitive ability in rats by downregulating oxidative stress and inflammatory reaction. <i>NeuroToxicology</i> , 2017, 59, 121-130.	1.4	10
18	The critical gap for pediatric reference intervals of complete blood count in China. <i>Clinica Chimica Acta</i> , 2017, 469, 22-25.	0.5	15

#	ARTICLE	IF	CITATIONS
19	High-Throughput, Multiplex Genotyping Directly from Blood or Dried Blood Spot without DNA Extraction for the Screening of Multiple G6PD Gene Variants at Risk for Drug-Induced Hemolysis. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 638-650.	1.2	4
20	The Feasibility of Xpert MTB/RIF Testing to Detect Rifampicin Resistance among Childhood Tuberculosis for Prevalence Surveys in Northern China. <i>BioMed Research International</i> , 2017, 2017, 1-10.	0.9	9
21	Multiresistant ST59-SCCmec IV-t437 clone with strong biofilm-forming capacity was identified predominantly in MRSA isolated from Chinese children. <i>BMC Infectious Diseases</i> , 2017, 17, 733.	1.3	41
22	Predictors of survival in children with methymalonic acidemia with homocystinuria in Beijing, China: A prospective cohort study. <i>Indian Pediatrics</i> , 2015, 52, 119-124.	0.2	9
23	A Country-Wide Study of Spoligotype and Drug Resistance Characteristics of <i>Mycobacterium tuberculosis</i> Isolates from Children in China. <i>PLoS ONE</i> , 2013, 8, e84315.	1.1	11
24	Characterization of LC-MS based urine metabolomics in healthy children and adults. <i>PeerJ</i> , 0, 10, e13545.	0.9	2