Theophile ohlmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3354129/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Alteration of ribosome function upon 5-fluorouracil treatment favors cancer cell drug-tolerance. Nature Communications, 2022, 13, 173.	5.8	23
2	Interplay between Selenium, Selenoproteins and HIV-1 Replication in Human CD4 T-Lymphocytes. International Journal of Molecular Sciences, 2022, 23, 1394.	1.8	11
3	Translation of SARS-CoV-2 gRNA Is Extremely Efficient and Competitive despite a High Degree of Secondary Structures and the Presence of an uORF. Viruses, 2022, 14, 1505.	1.5	7
4	A single-chain and fast-responding light-inducible Cre recombinase as a novel optogenetic switch. ELife, 2021, 10, .	2.8	18
5	Translational control of coronaviruses. Nucleic Acids Research, 2020, 48, 12502-12522.	6.5	43
6	Unlike for cellular mRNAs and other viral internal ribosome entry sites (IRESs), the eIF3 subunit e is not required for the translational activity of the HCV IRES. Journal of Biological Chemistry, 2020, 295, 1843-1856.	1.6	2
7	The interferon stimulated gene 20 protein (ISC20) is an innate defense antiviral factor that discriminates self versus non-self translation. PLoS Pathogens, 2019, 15, e1008093.	2.1	50
8	Selenium, Selenoproteins and Viral Infection. Nutrients, 2019, 11, 2101.	1.7	294
9	A Versatile Strategy to Reduce UGA-Selenocysteine Recoding Efficiency of the Ribosome Using CRISPR-Cas9-Viral-Like-Particles Targeting Selenocysteine-tRNA[Ser]Sec Gene. Cells, 2019, 8, 574.	1.8	12
10	Focus on Translation Initiation of the HIV-1 mRNAs. International Journal of Molecular Sciences, 2019, 20, 101.	1.8	28
11	Genome editing in primary cells and in vivo using viral-derived Nanoblades loaded with Cas9-sgRNA ribonucleoproteins. Nature Communications, 2019, 10, 45.	5.8	195
12	Cell-Free Protein Synthesis Enhancement from Real-Time NMR Metabolite Kinetics: Redirecting Energy Fluxes in Hybrid RRL Systems. ACS Synthetic Biology, 2018, 7, 218-226.	1.9	17
13	Epstein-Barr Virus Protein EB2 Stimulates Translation Initiation of mRNAs through Direct Interactions with both Poly(A)-Binding Protein and Eukaryotic Initiation Factor 4G. Journal of Virology, 2018, 92, .	1.5	15
14	A Rev–CBP80–elF4AI complex drives Gag synthesis from the HIV-1 unspliced mRNA. Nucleic Acids Research, 2018, 46, 11539-11552.	6.5	22
15	Selenium Metabolism, Regulation, and Sex Differences in Mammals. Molecular and Integrative Toxicology, 2018, , 89-107.	0.5	13
16	Translation regulation of mammalian selenoproteins. Biochimica Et Biophysica Acta - General Subjects, 2018, 1862, 2480-2492.	1.1	39
17	microRNAs stimulate translation initiation mediated by HCV-like IRESes. Nucleic Acids Research, 2017, 45, gkw1345.	6.5	12
18	The NS1 Protein from Influenza Virus Stimulates Translation Initiation by Enhancing Ribosome Recruitment to mRNAs. Journal of Molecular Biology, 2017, 429, 3334-3352.	2.0	24

THEOPHILE OHLMANN

#	Article	IF	CITATIONS
19	Two ribosome recruitment sites direct multiple translation events within HIV1 Gag open reading frame. Nucleic Acids Research, 2017, 45, 7382-7400.	6.5	28
20	Evidence for rRNA 2′-O-methylation plasticity: Control of intrinsic translational capabilities of human ribosomes. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 12934-12939.	3.3	197
21	mTOR inactivation in myocardium from infant mice rapidly leads to dilated cardiomyopathy due to translation defects and p53/JNK-mediated apoptosis. Journal of Molecular and Cellular Cardiology, 2016, 97, 213-225.	0.9	43
22	HIV-1 sequences isolated from patients promote expression of shorter isoforms of the Gag polyprotein. Archives of Virology, 2016, 161, 3495-3507.	0.9	7
23	DEAD-box RNA helicase DDX3 connects CRM1-dependent nuclear export and translation of the HIV-1 unspliced mRNA through its N-terminal domain. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2016, 1859, 719-730.	0.9	43
24	Involvement of an Arginine Triplet in M1 Matrix Protein Interaction with Membranes and in M1 Recruitment into Virus-Like Particles of the Influenza A(H1N1)pdm09 Virus. PLoS ONE, 2016, 11, e0165421.	1.1	20
25	Translational Control of the HIV Unspliced Genomic RNA. Viruses, 2015, 7, 4326-4351.	1.5	21
26	Involvement of the Rac1-IRSp53-Wave2-Arp2/3 Signaling Pathway in HIV-1 Gag Particle Release in CD4 T Cells. Journal of Virology, 2015, 89, 8162-8181.	1.5	34
27	InÂvitro translation of mRNAs that are in their native ribonucleoprotein complexes. Biochemical Journal, 2015, 472, 111-119.	1.7	7
28	<i>InÂvitro</i> translation in a hybrid cell free lysate with exogenous cellular ribosomes. Biochemical Journal, 2015, 467, 387-398.	1.7	22
29	Tinkering signaling pathways by gain and loss of protein isoforms: the case of the EDA pathway regulator EDARADD. BMC Evolutionary Biology, 2015, 15, 129.	3.2	9
30	Subcellular Localization of ENS-1/ERNI in Chick Embryonic Stem Cells. PLoS ONE, 2014, 9, e92039.	1.1	4
31	Translation initiation of the HIV-1 mRNA. Translation, 2014, 2, e960242.	2.9	16
32	HIV-2 genomic RNA accumulates in stress granules in the absence of active translation. Nucleic Acids Research, 2014, 42, 12861-12875.	6.5	15
33	Translation initiation is driven by different mechanisms on the HIV-1 and HIV-2 genomic RNAs. Virus Research, 2013, 171, 366-381.	1.1	29
34	The role of the DEADâ€box RNA helicase DDX3 in mRNA metabolism. Wiley Interdisciplinary Reviews RNA, 2013, 4, 369-385.	3.2	118
35	miRNA repression of translation inÂvitro takes place during 43S ribosomal scanning. Nucleic Acids Research, 2013, 41, 586-598.	6.5	53
36	The DEAD-box helicase DDX3 substitutes for the cap-binding protein eIF4E to promote compartmentalized translation initiation of the HIV-1 genomic RNA. Nucleic Acids Research, 2013, 41, 6286-6299.	6.5	98

THEOPHILE OHLMANN

#	Article	IF	CITATIONS
37	INT6 interacts with MIF4GD/SLIP1 and is necessary for efficient histone mRNA translation. Rna, 2012, 18, 1163-1177.	1.6	18
38	The Andes Hantavirus NSs Protein Is Expressed from the Viral Small mRNA by a Leaky Scanning Mechanism. Journal of Virology, 2012, 86, 2176-2187.	1,5	48
39	<i>Ex Vivo</i> and <i>In Vivo</i> Inhibition of Human Rhinovirus Replication by a New Pseudosubstrate of Viral 2A Protease. Journal of Virology, 2012, 86, 691-704.	1.5	11
40	Different effects of the TAR structure on HIV-1 and HIV-2 genomic RNA translation. Nucleic Acids Research, 2012, 40, 2653-2667.	6.5	38
41	DEAD-box protein DDX3 associates with eIF4F to promote translation of selected mRNAs. EMBO Journal, 2012, 31, 3745-3756.	3.5	228
42	Functional mechanisms of the cellular prion protein (PrPC) associated anti-HIV-1 properties. Cellular and Molecular Life Sciences, 2012, 69, 1331-1352.	2.4	20
43	<i>In vitro</i> studies reveal that different modes of initiation on HIVâ€1 mRNA have different levels of requirement for eukaryotic initiation factor 4F. FEBS Journal, 2012, 279, 3098-3111.	2.2	30
44	Activation of a microRNA response in trans reveals a new role for poly(A) in translational repression. Nucleic Acids Research, 2011, 39, 5215-5231.	6.5	29
45	A new type of IRES within gag coding region recruits three initiation complexes on HIV-2 genomic RNA. Nucleic Acids Research, 2010, 38, 1367-1381.	6.5	56
46	The 3′ Untranslated Region of the Andes Hantavirus Small mRNA Functionally Replaces the Poly(A) Tail and Stimulates Cap-Dependent Translation Initiation from the Viral mRNA. Journal of Virology, 2010, 84, 10420-10424.	1.5	15
47	Translation of intronless RNAs is strongly stimulated by the Epstein–Barr virus mRNA export factor EB2. Nucleic Acids Research, 2009, 37, 4932-4943.	6.5	28
48	Structural and functional diversity of viral IRESes. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2009, 1789, 542-557.	0.9	152
49	Mechanism of HIV-1 Tat RNA translation and its activation by the Tat protein. Retrovirology, 2009, 6, 74.	0.9	40
50	In vitro expression of the HIV-2 genomic RNA is controlled by three distinct internal ribosome entry segments that are regulated by the HIV protease and the Gag polyprotein. Rna, 2008, 14, 1443-1455.	1.6	22
51	A Dormant Internal Ribosome Entry Site Controls Translation of Feline Immunodeficiency Virus. Journal of Virology, 2008, 82, 3574-3583.	1.5	20
52	Lentiviral RNAs can use different mechanisms for translation initiation. Biochemical Society Transactions, 2008, 36, 690-693.	1.6	47
53	Back to basics: the untreated rabbit reticulocyte lysate as a competitive system to recapitulate cap/poly(A) synergy and the selective advantage of IRES-driven translation. Nucleic Acids Research, 2007, 35, e121-e121.	6.5	60
54	Homozygous mutation of AURKC yields large-headed polyploid spermatozoa and causes male infertility. Nature Genetics, 2007, 39, 661-665.	9.4	248

THEOPHILE OHLMANN

#	Article	IF	CITATIONS
55	Translational control of retroviruses. Nature Reviews Microbiology, 2007, 5, 128-140.	13.6	115
56	BRCA1 Interacts with Poly(A)-binding Protein. Journal of Biological Chemistry, 2006, 281, 24236-24246.	1.6	26
57	HIV-2 genomic RNA contains a novel type of IRES located downstream of its initiation codon. Nature Structural and Molecular Biology, 2005, 12, 1001-1007.	3.6	100
58	Characterization of two distinct RNA domains that regulate translation of the Drosophila gypsy retroelement. Rna, 2004, 10, 504-515.	1.6	21
59	Characterization of a novel RNA-binding region of eIF4GI critical for ribosomal scanning. EMBO Journal, 2003, 22, 1909-1921.	3.5	64
60	Conducting the initiation of protein synthesis: the role of eIF4G. Biology of the Cell, 2003, 95, 141-156.	0.7	191
61	The Leader of Human Immunodeficiency Virus Type 1 Genomic RNA Harbors an Internal Ribosome Entry Segment That Is Active during the G 2 /M Phase of the Cell Cycle. Journal of Virology, 2003, 77, 3939-3949.	1.5	178
62	In Vitro Cleavage of eIF4GI but not eIF4GII by HIV-1 Protease and its Effects on Translation in the Rabbit Reticulocyte Lysate System. Journal of Molecular Biology, 2002, 318, 9-20.	2.0	70
63	An Internal Ribosome Entry Segment Promotes Translation of the Simian Immunodeficiency Virus Genomic RNA. Journal of Biological Chemistry, 2000, 275, 11899-11906.	1.6	73
64	L'initiation de la synthèse des protéines chez les eucaryotes Medecine/Sciences, 2000, 16, 77.	0.0	1
65	The properties of chimeric picornavirus IRESes show that discrimination between internal translation initiation sites is influenced by the identity of the IRES and not just the context of the AUG codon. Rna, 1999, 5, 764-778.	1.6	35
66	A Fractionated Reticulocyte Lysate System for Studies on Protein Synthesis Initiation Factors. , 1998, 77, 211-226.		3
67	The proteolytic cleavage of eukaryotic initiation factor (eIF) 4G is prevented by eIF4E binding protein (PHAS-I; 4E-BP1) in the reticulocyte lysate. EMBO Journal, 1997, 16, 844-855.	3.5	56
68	A Reevaluation of the Cap-binding Protein, elF4E, as a Rate-limiting Factor for Initiation of Translation in Reticulocyte Lysate. Journal of Biological Chemistry, 1996, 271, 8983-8990.	1.6	138
69	The C-terminal domain of eukaryotic protein synthesis initiation factor (eIF) 4G is sufficient to support cap-independent translation in the absence of eIF4E EMBO Journal, 1996, 15, 1371-1382.	3.5	190
70	Effect of cleavage of the p220 subunit of eukaryotic translation initiation factor eIF-4F on protein synthesis in vitro. Biochemical Society Transactions, 1995, 23, 315S-315S.	1.6	2