

Suwadee Kongparakul

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3355790/suwadee-kongparakul-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,055
citations

18
h-index

30
g-index

72
ext. papers

1,346
ext. citations

4.8
avg, IF

4.59
L-index

#	Paper	IF	Citations
71	Fabrication of fluoroalkylsilane/zeolitic imidazolate framework composites for highly efficient superhydrophobic coating. <i>Carbon Resources Conversion</i> , 2022 , 5, 26-34	4.7	0
70	Multi-Hierarchical Porous Mn-Doped CoP Catalyst on Nickel Phosphide Foam for Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , 2022 , 5, 149-158	6.1	1
69	Rapid Transformation of Furfural to Biofuel Additive Ethyl Levulinate with In Situ Suppression of Humins Promoted by an Acidic-Oxygen Environment. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 14170-14179	8.3	2
68	One-pot upgrading of coconut coir lignin over high-efficiency Ni ₂ P catalysts. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106702	6.8	0
67	In-situ catalytic upgrading of bio-oil derived from fast pyrolysis of sunflower stalk to aromatic hydrocarbons over bifunctional Cu-loaded HZSM-5. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021 , 155, 105079	6	8
66	Data-driven prediction of biomass pyrolysis pathways toward phenolic and aromatic products. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104836	6.8	5
65	Production of bio-jet fuel through ethylene oligomerization using NiAlKIT-6 as a highly efficient catalyst. <i>Fuel</i> , 2021 , 287, 119831	7.1	6
64	Enhanced adsorptive composite foams for copper (II) removal utilising bio-renewable polyisoprene-functionalised carbon derived from coconut shell waste. <i>Scientific Reports</i> , 2021 , 11, 1459	4.9	3
63	Simultaneous assistance of molecular oxygen and mesoporous SO ₃ HAlumina for a selective conversion of biomass-derived furfural to Valerolactone without an external addition of H ₂ . <i>Sustainable Energy and Fuels</i> , 2021 , 5, 4041-4052	5.8	1
62	Steam co-gasification of Japanese cedarwood and its commercial biochar for hydrogen-rich gas production. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 34587-34598	6.7	3
61	MXene potassium titanate nanowire/sulfonated polyether ether ketone (SPEEK) hybrid composite proton exchange membrane for photocatalytic water splitting.. <i>RSC Advances</i> , 2021 , 11, 9327-9335	3.7	1
60	Carbon sequestration through hydrothermal carbonization of expired fresh milk and its application in supercapacitor. <i>Biomass and Bioenergy</i> , 2020 , 143, 105836	5.3	9
59	Study of a recycling reaction system for catalytic transformation of biomass-based carbohydrates via acidic-polar biphasic conditions. <i>Reaction Chemistry and Engineering</i> , 2020 , 5, 1405-1409	4.9	1
58	Waste biomass valorization through production of xylose-based porous carbon microspheres for supercapacitor applications. <i>Waste Management</i> , 2020 , 105, 492-500	8.6	24
57	Large electrostrain in low-temperature sintered NBT-BT-0.025FN incipient piezoceramics. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 3739-3747	3.8	15
56	Amorphous low molecular weight aromatic compounds possessing no weight loss behavior in fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/hexagonal boron nitride nanocomposites even after calcination at 800°C 2020 , 17, 1053-1064		0
55	Catalytic Upgrading of Bio-Oils into Aromatic Hydrocarbon over Highly Active Solid Catalysts. <i>Biofuels and Biorefineries</i> , 2020 , 141-162	0.3	

54	Direct conversion of sugar into ethyl levulinate catalyzed by selective heterogeneous acid under co-solvent system. <i>Catalysis Communications</i> , 2020 , 143, 106058	3.2	6
53	Glycerol valorization through production of di-glyceryl butyl ether with sulfonic acid functionalized KIT-6 catalyst. <i>Carbon Resources Conversion</i> , 2020 , 3, 182-189	4.7	6
52	Selective production of green solvent (isoamyl acetate) from fusel oil using a sulfonic acid-functionalized KIT-6 catalyst. <i>Molecular Catalysis</i> , 2020 , 484, 110724	3.3	5
51	Catalytic pyrolysis of Napier grass with nickel-copper core-shell bi-functional catalyst. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020 , 145, 104745	6	7
50	Fabrication of CuOx nanowires@NiMnOx nanosheets core@shell-type electrocatalysts: crucial roles of defect modification and valence states for overall water electrolysis. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16463-16476	13	15
49	Norbornene-Functionalized Plant Oils for Biobased Thermoset Films and Binders of Silicon-Graphite Composite Electrodes. <i>ACS Omega</i> , 2020 , 5, 29678-29687	3.9	1
48	Facile In Situ 5-EMF Synthesis and Extraction Processes from Catalytic Conversion of Sugar under Sustainable Long-Life Cycle. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 14867-14876	8.3	5
47	High selective monoaromatic hydrocarbon production via integrated pyrolysis and catalytic upgrading of Napier grass over Ca/Ni/boronic acid/KIT-6. <i>Biomass Conversion and Biorefinery</i> , 2020 , 10, 423-434	2.3	
46	Controlled surface modification of poly(methyl methacrylate) film by fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/hexagonal boron nitride nanocomposites 2020 , 17, 643-655		1
45	Fine-grained BNT-based lead-free composite ceramics with high energy-storage density. <i>Ceramics International</i> , 2019 , 45, 19895-19901	5.1	42
44	Enhancement performance of carbon electrode for supercapacitors by quinone derivatives loading via solvent-free method. <i>Applied Surface Science</i> , 2019 , 491, 784-791	6.7	15
43	Synthesis of new polyesters by acyclic diene metathesis polymerization of bio-based dienes prepared from eugenol and castor oil (undecenoate).. <i>RSC Advances</i> , 2019 , 9, 10245-10252	3.7	19
42	Integrated catalytic hydrodeoxygenation of Napier grass pyrolysis vapor using a Ni ₂ P/C catalyst. <i>Journal of Analytical and Applied Pyrolysis</i> , 2019 , 140, 170-178	6	10
41	Sandwich structure-assisted significantly improved discharge energy density in linear polymer nanocomposites with high thermal stability. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 581, 123802	5.1	23
40	Terephthalic acid induced binder-free NiCoP/carbon nanocomposite for highly efficient electrocatalysis of hydrogen evolution reaction. <i>Catalysis Science and Technology</i> , 2019 , 9, 4651-4658	5.5	12
39	Preparation of Fluoroalkyl End-Capped Oligomers/Hexagonal Boron Nitride Nanocomposites Possessing No Weight Loss Behavior in Nanocomposites Even after Calcination at 800°C. <i>Open Journal of Composite Materials</i> , 2019 , 09, 72-98	1.1	2
38	Formation and activity of activated carbon supported Ni ₂ P catalysts for atmospheric deoxygenation of waste cooking oil. <i>Fuel Processing Technology</i> , 2019 , 185, 117-125	7.2	34
37	Highly productive xylose dehydration using a sulfonic acid functionalized KIT-6 catalyst. <i>Fuel</i> , 2019 , 236, 1156-1163	7.1	17

36	Fabrication and evaluation of nanocellulose sponge for oil/water separation. <i>Carbohydrate Polymers</i> , 2018 , 190, 184-189	10.3	90
35	Heavy metal sequestration with a boronic acid-functionalized carbon-based adsorbent. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 1147-1154	6.8	12
34	Enhanced electrochemical performances with a copper/xylose-based carbon composite electrode. <i>Applied Surface Science</i> , 2018 , 436, 639-645	6.7	7
33	Wettability control between superoleophobic and superoleophilic characteristics on the modified superhydrophobic surfaces treated with fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(styrene-co-butadiene) nanocomposites: application to the separation of oil and water 2018 , 15, 211-222		
32	Superhydrophobic coating from fluoroalkylsilane modified natural rubber encapsulated SiO ₂ composites for self-driven oil/water separation. <i>Applied Surface Science</i> , 2018 , 462, 164-174	6.7	28
31	Production of furan based biofuel with an environmental benign carbon catalyst. <i>Environmental Progress and Sustainable Energy</i> , 2018 , 37, 1455-1461	2.5	2
30	Efficient Conversion of Renewable Unsaturated Fatty Acid Methyl Esters by Cross-Metathesis with Eugenol. <i>ACS Omega</i> , 2018 , 3, 11041-11049	3.9	10
29	Self-healing hybrid nanocomposite anticorrosive coating from epoxy/modified nanosilica/perfluorooctyl triethoxysilane. <i>Progress in Organic Coatings</i> , 2017 , 104, 173-179	4.8	55
28	One-step latex compounding method for producing composites of natural rubber/epoxidized natural rubber/aminosilane-functionalized montmorillonite: enhancement of tensile strength and oil resistance. <i>Polymer International</i> , 2017 , 66, 1064-1073	3.3	3
27	High selectivity and stability of Mg-doped Al-MCM-41 for in-situ catalytic upgrading fast pyrolysis bio-oil. <i>Energy Conversion and Management</i> , 2017 , 142, 272-285	10.6	49
26	Fabrication of a Copper/Carbon Composite Based on Biomass for Electrochemical Application. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2017 , 96, 273-278	0.5	1
25	One-Pot Fabrication of Hydrophobic Nanocellulose-Silica Film for Water Resistant Packaging Application. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2017 , 96, 261-265	0.5	3
24	Preparing hydrophobic nanocellulose-silica film by a facile one-pot method. <i>Carbohydrate Polymers</i> , 2016 , 153, 266-274	10.3	33
23	Preparation and thermal stability of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(acrylonitrile-co-butadiene) nanocomposites application to the separation of oil and water. <i>Colloid and Polymer Science</i> , 2016 , 294, 1529-1539	2.4	3
22	Preparation and thermal stability of initiator fragments end-capped oligomers/silica nanocomposites. <i>Colloid and Polymer Science</i> , 2016 , 294, 1173-1186	2.4	1
21	Selectively catalytic upgrading of bio-oil to aromatic hydrocarbons over Zn, Ce or Ni-doped mesoporous rod-like alumina catalysts. <i>Journal of Molecular Catalysis A</i> , 2016 , 421, 235-244		44
20	Catalytic Upgrading of Bio-Oil over Cu/MCM-41 and Cu/KIT-6 Prepared by β -Cyclodextrin-Assisted Coimpregnation Method. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 3396-3407	3.8	38
19	Highly efficient sulfonic MCM-41 catalyst for furfural production: Furan-based biofuel agent. <i>Fuel</i> , 2016 , 174, 189-196	7.1	57

18	Biodiesel production from Hevea brasiliensis oil using SO ₃ H-MCM-41 catalyst. <i>Journal of Environmental Chemical Engineering</i> , 2016 , 4, 47-55	6.8	25
17	Inorganic-organic hybrid material based on amine-functionalized zeolite Y: A study of catalytic activity in transesterification. <i>Canadian Journal of Chemical Engineering</i> , 2016 , 94, 530-536	2.3	2
16	Green biodiesel production from waste cooking oil using an environmentally benign acid catalyst. <i>Waste Management</i> , 2016 , 52, 367-74	8.6	93
15	Selective production of aromatic hydrocarbons from catalytic pyrolysis of biomass over Cu or Fe loaded mesoporous rod-like alumina. <i>RSC Advances</i> , 2016 , 6, 50618-50629	3.7	37
14	Polyaniline/polyacrylate core-shell composites: Preparation, morphology and anticorrosive properties. <i>Progress in Organic Coatings</i> , 2015 , 85, 84-91	4.8	12
13	Polyisoprene modified poly(alkyl acrylate) foam as oil sorbent material. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	12
12	Reusable Modified Natural Rubber Foam for Petroleum-Based Liquid Removal. <i>Macromolecular Symposia</i> , 2015 , 354, 177-183	0.8	4
11	Cellulose Graft Poly(acrylic acid) and Polyacrylamide: Grafting Efficiency and Heavy Metal Adsorption Performance. <i>Macromolecular Symposia</i> , 2015 , 354, 84-90	0.8	11
10	Equilibrium and Kinetic Studies of Cu(II), Ni(II) and Cd(II) Adsorption from Aqueous Solution by Chemically Modified Corn Cob. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2015 , 94, 781-786	0.5	0
9	Investigation of Kinetic Parameters for Methanolysis of Para Rubber Seed Oil by CH ₃ /SO ₃ H-MCM41 Catalyst. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2015 , 94, 830-834	0.5	
8	Synthesis of polyaniline/montmorillonite nanocomposites with an enhanced anticorrosive performance. <i>Progress in Organic Coatings</i> , 2014 , 77, 691-700	4.8	24
7	Grafted Methyl Methacrylate and Butyl Methacrylate onto Natural Rubber Foam for Oil Sorbent. <i>Advanced Materials Research</i> , 2013 , 844, 385-390	0.5	10
6	Green Process for Natural Rubber Latex Hydrogenation via Metathesis. <i>Topics in Catalysis</i> , 2012 , 55, 524-529	5.3	11
5	Metathesis hydrogenation of natural rubber latex. <i>Applied Catalysis A: General</i> , 2011 , 405, 129-136	5.1	18
4	Catalytic hydrogenation of styrene-g-natural rubber (ST-g-NR) in the presence of OsHCl(CO)(O ₂)(PCy ₃) ₂ . <i>European Polymer Journal</i> , 2009 , 45, 2358-2373	5.2	18
3	Effect of grafted methyl methacrylate on the catalytic hydrogenation of natural rubber. <i>European Polymer Journal</i> , 2008 , 44, 1915-1920	5.2	35
2	Catalytic hydrogenation of methyl methacrylate-g-natural rubber (MMA-g-NR) in the presence of OsHCl(CO)(O ₂)(PCy ₃) ₂ . <i>Applied Catalysis A: General</i> , 2008 , 344, 88-97	5.1	8
1	High Catalytic Activity of a Nickel Phosphide Nanocatalyst Supported on Melamine-Doped Activated Carbon for Deoxygenation. <i>Topics in Catalysis</i> , 2011 , 51, 103-108	2.3	

