

Matthias S Matter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3355887/matthias-s-matter-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,711
citations

28
h-index

51
g-index

81
ext. papers

3,554
ext. citations

8.7
avg, IF

5.13
L-index

#	Paper	IF	Citations
70	Integrative proteogenomic characterization of hepatocellular carcinoma across etiologies and stages.. <i>Nature Communications</i> , 2022 , 13, 2436	17.4	1
69	Retrospective Post-mortem SARS-CoV-2 RT-PCR of Autopsies with COVID-19-Suggestive Pathology Supports the Absence of Lethal Community Spread in Basel, Switzerland, before February 2020. <i>Pathobiology</i> , 2021 , 88, 95-105	3.6	7
68	NUT Carcinoma: A Clinical, Morphological and Immunohistochemical Mimicker-The Role of RNA Sequencing in the Diagnostic Procedure. <i>International Journal of Surgical Pathology</i> , 2021 , 1066896921104798†	1.2	0
67	Flower lose, a cell fitness marker, predicts COVID-19 prognosis. <i>EMBO Molecular Medicine</i> , 2021 , 13, e137114	11.4	0
66	Characterisation of cardiac pathology in 23 autopsies of lethal COVID-19. <i>Journal of Pathology: Clinical Research</i> , 2021 , 7, 326-337	5.3	15
65	Histomorphological patterns of regional lymph nodes in COVID-19 lungs. <i>Der Pathologe</i> , 2021 , 42, 89-97†	1	7
64	Adenylosuccinate lyase is oncogenic in colorectal cancer by causing mitochondrial dysfunction and independent activation of NRF2 and mTOR-MYC-axis. <i>Theranostics</i> , 2021 , 11, 4011-4029	12.1	7
63	FOXO1 gene involvement in a non-rhabdomyosarcomatous neoplasm. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 479, 1031-1036	5.1	0
62	Ocular Pathology and Occasionally Detectable Intraocular Severe Acute Respiratory Syndrome Coronavirus-2 RNA in Five Fatal Coronavirus Disease-19 Cases. <i>Ophthalmic Research</i> , 2021 , 64, 785-792	2.9	13
61	Neutrophil Extracellular Traps in Fatal COVID-19-Associated Lung Injury. <i>Disease Markers</i> , 2021 , 2021, 5566826	3.2	10
60	Multi-omics data integration reveals novel drug targets in hepatocellular carcinoma. <i>BMC Genomics</i> , 2021 , 22, 592	4.5	1
59	SARS-CoV-2 infects human pancreatic β cells and elicits β cell impairment. <i>Cell Metabolism</i> , 2021 , 33, 1565-1576.e5	24.6	64
58	Determinants of SARS-CoV-2 entry and replication in airway mucosal tissue and susceptibility in smokers. <i>Cell Reports Medicine</i> , 2021 , 2, 100421	18	5
57	The pulmonary pathology of COVID-19. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 137-150	5.1	49
56	Immunohistochemical and Transcriptional Analysis of SARS-CoV-2 Entry Factors and Renin-Angiotensin-Aldosterone System Components in Lethal COVID-19.. <i>Pathobiology</i> , 2021 , 1-12	3.6	0
55	Vascular Damage, Thromboinflammation, Plasmablast Activation, T-Cell Dysregulation and Pathological Histiocytic Response in Pulmonary Draining Lymph Nodes of COVID-19.. <i>Frontiers in Immunology</i> , 2021 , 12, 763098	8.4	2
54	Robust assessment of tumor mutational burden in cytological specimens from lung cancer patients. <i>Lung Cancer</i> , 2020 , 149, 84-89	5.9	8

53	Molecular Profile of Gastrointestinal Stromal Tumors in Sixty-Eight Patients from a Single Swiss Institution. <i>Pathobiology</i> , 2020 , 87, 171-178	3.6	3
52	Narrative review of molecular pathways of kinase fusions and diagnostic approaches for their detection in non-small cell lung carcinomas. <i>Translational Lung Cancer Research</i> , 2020 , 9, 2645-2655	4.4	5
51	ACE2 localizes to the respiratory cilia and is not increased by ACE inhibitors or ARBs. <i>Nature Communications</i> , 2020 , 11, 5453	17.4	100
50	Correlates of critical illness-related encephalopathy predominate postmortem COVID-19 neuropathology. <i>Acta Neuropathologica</i> , 2020 , 140, 583-586	14.3	58
49	Identification of a Pan-Gamma-Secretase Inhibitor Response Signature for Notch-Driven Cholangiocarcinoma. <i>Hepatology</i> , 2020 , 71, 196-213	11.2	14
48	Therapeutic Targeting of Golgi Phosphoprotein 2 (GOLPH2) with Armed Antibodies: A Preclinical Study of Anti-GOLPH2 Antibody Drug Conjugates in Lung and Colorectal Cancer Models of Patient Derived Xenografts (PDX). <i>Targeted Oncology</i> , 2019 , 14, 577-590	5	4
47	Platelet GPIb is a mediator and potential interventional target for NASH and subsequent liver cancer. <i>Nature Medicine</i> , 2019 , 25, 641-655	50.5	123
46	Strawberry gingivitis: Challenges in the diagnosis of granulomatosis with polyangiitis on gingival specimens. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2019 , 128, e202-e207	2	5
45	Hepatocellular Carcinoma Xenografts Established From Needle Biopsies Preserve the Characteristics of the Originating Tumors. <i>Hepatology Communications</i> , 2019 , 3, 971-986	6	15
44	The protein histidine phosphatase LHPP is a tumour suppressor. <i>Nature</i> , 2018 , 555, 678-682	50.4	96
43	High expression of HOXA13 correlates with poorly differentiated hepatocellular carcinomas and modulates sorafenib response in in vitro models. <i>Laboratory Investigation</i> , 2018 , 98, 95-105	5.9	30
42	The T cell repertoire in tumors overlaps with pulmonary inflammatory lesions in patients treated with checkpoint inhibitors. <i>Onc Immunology</i> , 2018 , 7, e1386362	7.2	39
41	Organoid Models of Human Liver Cancers Derived from Tumor Needle Biopsies. <i>Cell Reports</i> , 2018 , 24, 1363-1376	10.6	166
40	Genomic Analysis Revealed New Oncogenic Signatures in -Mutant Hepatocellular Carcinoma. <i>Frontiers in Genetics</i> , 2018 , 9, 2	4.5	21
39	Diagnostic Targeted Sequencing Panel for Hepatocellular Carcinoma Genomic Screening. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 836-848	5.1	9
38	Resolving the Combinatorial Complexity of Smad Protein Complex Formation and Its Link to Gene Expression. <i>Cell Systems</i> , 2018 , 6, 75-89.e11	10.6	28
37	Imatinib reduces non-alcoholic fatty liver disease in obese mice by targeting inflammatory and lipogenic pathways in macrophages and liver. <i>Scientific Reports</i> , 2018 , 8, 15331	4.9	8
36	Liver damage and senescence increases in patients developing hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1480-1486	4	6

35	Advances in the molecular characterization of liver tumors 2017 , 133-138.e2		
34	High mobility group A1 enhances tumorigenicity of human cholangiocarcinoma and confers resistance to therapy. <i>Molecular Carcinogenesis</i> , 2017 , 56, 2146-2157	5	15
33	Is Rosai-Dorfman disease a reactive process? Detection of a MAP2K1 L115V mutation in a case of Rosai-Dorfman disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 471, 545-547	5.1	21
32	Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. <i>Cancer Cell</i> , 2017 , 31, 771-789.e6	24.3	98
31	When you hear hoof beats ¶ consider zebras - A diagnostic challenge. <i>Travel Medicine and Infectious Disease</i> , 2017 , 19, 73-74	8.4	2
30	Vascular endothelial growth factor A amplification in colorectal cancer is associated with reduced M1 and M2 macrophages and diminished PD-1-expressing lymphocytes. <i>PLoS ONE</i> , 2017 , 12, e0175563	3.7	12
29	Adverse genomic alterations and stemness features are induced by field cancerization in the microenvironment of hepatocellular carcinomas. <i>Oncotarget</i> , 2017 , 8, 48688-48700	3.3	12
28	HMGA1 Expression in Human Hepatocellular Carcinoma Correlates with Poor Prognosis and Promotes Tumor Growth and Migration in in vitro Models. <i>Neoplasia</i> , 2016 , 18, 724-731	6.4	25
27	Clinicopathological Features and Metastatic Pattern of Hepatocellular Carcinoma: An Autopsy Study of 398 Patients. <i>Pathobiology</i> , 2016 , 83, 301-7	3.6	14
26	Diallyl Disulfide (DADS), a Constituent of Garlic, Inactivates NF-¶ and Prevents Colitis-Induced Colorectal Cancer by Inhibiting GSK-3¶ <i>Cancer Prevention Research</i> , 2016 , 9, 607-15	3.2	44
25	DNMT1 is a required genomic regulator for murine liver histogenesis and regeneration. <i>Hepatology</i> , 2016 , 64, 582-98	11.2	30
24	Oncogenic driver genes and the inflammatory microenvironment dictate liver tumor phenotype. <i>Hepatology</i> , 2016 , 63, 1888-99	11.2	30
23	Berberine regulates AMP-activated protein kinase signaling pathways and inhibits colon tumorigenesis in mice. <i>Molecular Carcinogenesis</i> , 2015 , 54, 1096-109	5	63
22	The methyltransferases enhancer of zeste homolog (EZH) 1 and EZH2 control hepatocyte homeostasis and regeneration. <i>FASEB Journal</i> , 2015 , 29, 1653-62	0.9	33
21	Protein phosphatase 2A promotes hepatocellular carcinogenesis in the diethylnitrosamine mouse model through inhibition of p53. <i>Carcinogenesis</i> , 2014 , 35, 114-22	4.6	24
20	Resveratrol prevents tumorigenesis in mouse model of Kras activated sporadic colorectal cancer by suppressing oncogenic Kras expression. <i>Carcinogenesis</i> , 2014 , 35, 2778-86	4.6	82
19	Targeting the mTOR pathway in hepatocellular carcinoma: current state and future trends. <i>Journal of Hepatology</i> , 2014 , 60, 855-65	13.4	202
18	Long noncoding RNA HOTTIP/HOXA13 expression is associated with disease progression and predicts outcome in hepatocellular carcinoma patients. <i>Hepatology</i> , 2014 , 59, 911-23	11.2	333

17	CD27 signaling increases the frequency of regulatory T cells and promotes tumor growth. <i>Cancer Research</i> , 2012 , 72, 3664-76	10.1	97
16	Immunohistochemical detection of CD3 in T-cell lymphomas: superior sensitivity of rabbit monoclonal 2GV6 antibody compared to mouse monoclonal F7D8 antibody. <i>Journal of Histochemistry</i> , 2012 , 35, 175-179	1.3	1
15	CD27 signaling on chronic myelogenous leukemia stem cells activates Wnt target genes and promotes disease progression. <i>Journal of Clinical Investigation</i> , 2012 , 122, 624-38	15.9	67
14	Destruction of lymphoid organ architecture and hepatitis caused by CD4+ T cells. <i>PLoS ONE</i> , 2011 , 6, e24772	3.7	10
13	Pathway analysis of glioblastoma tissue after preoperative treatment with the EGFR tyrosine kinase inhibitor gefitinib--a phase II trial. <i>Molecular Cancer Therapeutics</i> , 2011 , 10, 1102-12	6.1	137
12	Refined prognostic role of CD68-positive tumor macrophages in the context of the cellular microenvironment of classical Hodgkin lymphoma. <i>Pathobiology</i> , 2010 , 77, 301-8	3.6	61
11	CTL induction by cross-priming is restricted to immunodominant epitopes. <i>European Journal of Immunology</i> , 2009 , 39, 704-16	6.1	16
10	Defective homing and impaired induction of cytotoxic T cells by BCR/ABL-expressing dendritic cells. <i>Blood</i> , 2009 , 113, 4681-9	2.2	23
9	Natural antibodies target virus-antibody complexes to organized lymphoid tissue. <i>Autoimmunity Reviews</i> , 2008 , 7, 480-6	13.6	29
8	CD4+ T cell help improves CD8+ T cell memory by retained CD27 expression. <i>European Journal of Immunology</i> , 2008 , 38, 1847-56	6.1	29
7	Lymphotoxin-dependent prion replication in inflammatory stromal cells of granulomas. <i>Immunity</i> , 2008 , 29, 998-1008	32.3	48
6	Decreased tumor surveillance after adoptive T-cell therapy. <i>Cancer Research</i> , 2007 , 67, 7467-76	10.1	16
5	Elimination of chronic viral infection by blocking CD27 signaling. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2145-55	16.6	89
4	Imatinib mesylate selectively impairs expansion of memory cytotoxic T cells without affecting the control of primary viral infections. <i>Blood</i> , 2006 , 108, 3406-13	2.2	62
3	Virus-induced polyclonal B cell activation improves protective CTL memory via retained CD27 expression on memory CTL. <i>European Journal of Immunology</i> , 2005 , 35, 3229-39	6.1	38
2	Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). <i>Environmental Health Perspectives</i> , 2003 , 111, 895-901	8.4	23
1	IgA autoantibodies target pulmonary surfactant in patients with severe COVID-19		3