

Barbara Gawrońska-Kozak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3356533/publications.pdf>

Version: 2024-02-01

62
papers

1,971
citations

279487

23
h-index

253896

43
g-index

64
all docs

64
docs citations

64
times ranked

2650
citing authors

#	ARTICLE	IF	CITATIONS
1	Dermal White Adipose Tissue (dWAT) Is Regulated by Foxn1 and Hif-1 α during the Early Phase of Skin Wound Healing. <i>International Journal of Molecular Sciences</i> , 2022, 23, 257.	1.8	6
2	Comparative studies on the effect of pig adipose-derived stem cells (pASCs) preconditioned with hypoxia or normoxia on skin wound healing in mice. <i>Experimental Cell Research</i> , 2022, 418, 113263.	1.2	1
3	Adipose-Derived Stromal/Stem Cells from Large Animal Models: from Basic to Applied Science. <i>Stem Cell Reviews and Reports</i> , 2021, 17, 719-738.	1.7	18
4	Wnt signaling and the transcription factor Foxn1 contribute to cutaneous wound repair in mice. <i>Connective Tissue Research</i> , 2021, 62, 238-248.	1.1	10
5	Impairment of the Hif-1 α regulatory pathway in Foxn1-deficient (Foxn1 ^{-/-}) mice affects the skin wound healing process. <i>FASEB Journal</i> , 2021, 35, e21289.	0.2	6
6	Effect of Pig-Adipose-Derived Stem Cells [™] Conditioned Media on Skin Wound-Healing Characteristics In Vitro. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5469.	1.8	7
7	Histology Scoring System for Murine Cutaneous Wounds. <i>Stem Cells and Development</i> , 2021, 30, 1141-1152.	1.1	20
8	Molekularne mechanizmy działania czynnika transkrypcyjnego FOXN1 w skórze. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2021, 75, 573-583.	0.1	0
9	The Transcription Factor FOXN1 Regulates Skin Adipogenesis and Affects Susceptibility to Diet-Induced Obesity. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1166-1175.e9.	0.3	13
10	Age, Diet and Epidermal Signaling Modulate Dermal Fibroblasts [™] Adipogenic Potential. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8955.	1.8	5
11	Foxn1 Control of Skin Function. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5685.	1.3	2
12	The effect of hypoxia on the proteomic signature of pig adipose-derived stromal/stem cells (pASCs). <i>Scientific Reports</i> , 2020, 10, 20035.	1.6	7
13	The In Vitro Inhibitory Effect of Sivelestat on Elastase Induced Collagen and Metallopeptidase Expression in Equine Endometrium. <i>Animals</i> , 2020, 10, 863.	1.0	8
14	Safety and Efficacy of Human Adipose-Derived Stromal/Stem Cell Therapy in an Immunocompetent Murine Pressure Ulcer Model. <i>Stem Cells and Development</i> , 2020, 29, 440-451.	1.1	9
15	Safety of Human Adipose Stromal Vascular Fraction Cells Isolated with a Closed System Device in an Immunocompetent Murine Pressure Ulcer Model. <i>Stem Cells and Development</i> , 2020, 29, 452-461.	1.1	7
16	Cutaneous wound healing in aged, high fat diet-induced obese female or male C57BL/6 mice. <i>Aging</i> , 2020, 12, 7066-7111.	1.4	18
17	The Inhibition of Cathepsin G on Endometrial Explants With Endometriosis in the Mare. <i>Frontiers in Veterinary Science</i> , 2020, 7, 582211.	0.9	9
18	Foxn1 expression in keratinocytes is stimulated by hypoxia: further evidence of its role in skin wound healing. <i>Scientific Reports</i> , 2018, 8, 5425.	1.6	22

#	ARTICLE	IF	CITATIONS
19	Effect of TGF β 1, TGF β 3 and keratinocyte conditioned media on functional characteristics of dermal fibroblasts derived from reparative (Balb/c) and regenerative (Foxn1 deficient; nude) mouse models. <i>Cell and Tissue Research</i> , 2018, 374, 149-163.	1.5	20
20	Foxn1 in Skin Development, Homeostasis and Wound Healing. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1956.	1.8	14
21	Brown and brite adipocytes: Same function, but different origin and response. <i>Biochimie</i> , 2017, 138, 102-105.	1.3	47
22	Foxn1 and Mmp α 9 expression in intact skin and during excisional wound repair in young, adult, and old C57Bl/6 mice. <i>Wound Repair and Regeneration</i> , 2017, 25, 248-259.	1.5	19
23	Neotenic phenomenon in gene expression in the skin of Foxn1- deficient (nude) mice - a projection for regenerative skin wound healing. <i>BMC Genomics</i> , 2017, 18, 56.	1.2	21
24	Animal Models of Skin Regeneration. , 2017, , 343-356.		3
25	Mechanisms of metabolism, aging and obesity. <i>Biochimie</i> , 2016, 124, 1-2.	1.3	2
26	Foxn1 Transcription Factor Regulates Wound Healing of Skin through Promoting Epithelial-Mesenchymal Transition. <i>PLoS ONE</i> , 2016, 11, e0150635.	1.1	38
27	Characterization of a Murine Pressure Ulcer Model to Assess Efficacy of Adipose-derived Stromal Cells. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2015, 3, e334.	0.3	20
28	Adipose Stromal Cells Repair Pressure Ulcers in Both Young and Elderly Mice: Potential Role of Adipogenesis in Skin Repair. <i>Stem Cells Translational Medicine</i> , 2015, 4, 632-642.	1.6	62
29	The Importance of the Canonical Wnt Signaling Pathway in the Porcine Endometrial Stromal Stem/Progenitor Cells: Implications for Regeneration. <i>Stem Cells and Development</i> , 2015, 24, 2873-2885.	1.1	17
30	Preparation and Differentiation of Mesenchymal Stem Cells from Ears of Adult Mice. <i>Methods in Enzymology</i> , 2014, 538, 1-13.	0.4	14
31	Expression of adipocyte biomarkers in a primary cell culture models reflects preweaning adipobiology.. <i>Journal of Biological Chemistry</i> , 2014, 289, 23330.	1.6	1
32	Animal models of skin regeneration. <i>Reproductive Biology</i> , 2014, 14, 61-67.	0.9	31
33	Expression of Adipocyte Biomarkers in a Primary Cell Culture Models Reflects Prewaning Adipobiology. <i>Journal of Biological Chemistry</i> , 2014, 289, 18478-18488.	1.6	42
34	Recruitment of fat cell precursors during high fat diet in C57BL/6J mice is fat depot specific. <i>Obesity</i> , 2014, 22, 1091-1102.	1.5	13
35	Cyclosporin A reduces matrix metalloproteinases and collagen expression in dermal fibroblasts from regenerative FOXN1 deficient (nude) mice. <i>Fibrogenesis and Tissue Repair</i> , 2013, 6, 7.	3.4	22
36	Reprogramming mouse ear mesenchymal stem cells (EMSC) expressing the Dlk1-Dio3 imprinted gene cluster. <i>Stem Cell Discovery</i> , 2013, 03, 64-71.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Diet-Induced Obesity in Stem Cell Antigen-1 KO Mice. <i>Stem Cells and Development</i> , 2012, 21, 249-259.	1.1	5
38	Uncoupling of inflammation and insulin resistance by NF- κ B in transgenic mice through elevated energy expenditure. <i>Journal of Biological Chemistry</i> , 2012, 287, 803.	1.6	0
39	Scarless skin wound healing in FOXN1 deficient (nude) mice is associated with distinctive matrix metalloproteinase expression. <i>Matrix Biology</i> , 2011, 30, 290-300.	1.5	56
40	Cell Growth Characteristics, Differentiation Frequency, and Immunophenotype of Adult Ear Mesenchymal Stem Cells. <i>Stem Cells and Development</i> , 2010, 19, 83-92.	1.1	21
41	Uncoupling of Inflammation and Insulin Resistance by NF- κ B in Transgenic Mice through Elevated Energy Expenditure. <i>Journal of Biological Chemistry</i> , 2010, 285, 4637-4644.	1.6	138
42	Adipose Tissue Collagen VI in Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 5155-5162.	1.8	268
43	Flow cytometric and immunohistochemical detection of in vivo BrdU-labeled cells in mouse fat depots. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 539-544.	1.0	26
44	IFATS Collection: Stem Cell Antigen-1-Positive Ear Mesenchymal Stem Cells Display Enhanced Adipogenic Potential. <i>Stem Cells</i> , 2008, 26, 2666-2673.	1.4	16
45	Inactivation of PKC δ leads to increased susceptibility to obesity and dietary insulin resistance in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E84-E91.	1.8	58
46	Ear mesenchymal stem cells (EMSC) can differentiate into spontaneously contracting muscle cells. <i>Journal of Cellular Biochemistry</i> , 2007, 102, 122-135.	1.2	24
47	Role of Adiponectin and Inflammation in Insulin Resistance of Mc3r and Mc4r Knockout Mice. <i>Obesity</i> , 2007, 15, 2664-2672.	1.5	43
48	Matrix metalloproteinase 9 (MMP-9) is upregulated during scarless wound healing in athymic nude mice. <i>Matrix Biology</i> , 2006, 25, 505-514.	1.5	75
49	Scarless skin repair in immunodeficient mice. <i>Wound Repair and Regeneration</i> , 2006, 14, 265-276.	1.5	127
50	Mesenchymal stem cells from the outer ear: a novel adult stem cell model system for the study of adipogenesis. <i>FASEB Journal</i> , 2005, 19, 1205-1207.	0.2	65
51	Sequestration of Thermogenic Transcription Factors in the Cytoplasm during Development of Brown Adipose Tissue. <i>Journal of Biological Chemistry</i> , 2004, 279, 25916-25926.	1.6	39
52	Regeneration in the Ears of Immunodeficient Mice: Identification and Lineage Analysis of Mesenchymal Stem Cells. <i>Tissue Engineering</i> , 2004, 10, 1251-1265.	4.9	56
53	Membrane Disrupting Lytic Peptide Conjugates Destroy Hormone Dependent and Independent Breast Cancer Cells in vitro and in vivo. <i>Breast Cancer Research and Treatment</i> , 2003, 78, 17-27.	1.1	65
54	Human prostate cancer cells and xenografts are targeted and destroyed through luteinizing hormone releasing hormone receptors. <i>Prostate</i> , 2003, 56, 239-249.	1.2	55

#	ARTICLE	IF	CITATIONS
55	Agouti Expression in Human Adipose Tissue: Functional Consequences and Increased Expression in Type 2 Diabetes. <i>Diabetes</i> , 2003, 52, 2914-2922.	0.3	74
56	Administration of a Nitric Oxide Synthase Inhibitor Counteracts Prostaglandin F2-Induced Luteolysis in Cattle. <i>Biology of Reproduction</i> , 2003, 68, 1674-1681.	1.2	105
57	Effects of a Lytic Peptide Conjugated to $\hat{1}^2$ hCG on Ovarian Cancer: Studies in Vitro and in Vivo. <i>Gynecologic Oncology</i> , 2002, 85, 45-52.	0.6	46
58	Role of Luteinizing Hormone in Control of Oviduct Function. <i>Reproduction in Domestic Animals</i> , 2000, 35, 129.	0.6	6
59	Importance of Endometrial Luteinizing Hormone Receptors in Induction of Luteolysis and Maternal Recognition of Pregnancy in the Pig. <i>Reproduction in Domestic Animals</i> , 2000, 35, 190.	0.6	14
60	Effect of estradiol and progesterone on oviductal LH-receptors and LH-dependent relaxation of the porcine oviduct. <i>Theriogenology</i> , 2000, 53, 659-672.	0.9	33
61	Topography and structure of corpus striatum in Insectivora. <i>Acta Theriologica</i> , 1987, 32, 95-104, plates 3-4.	1.1	1
62	Bisoniana LXXXIX. Structure and topography of cerebellar nuclei in the European bison. <i>Acta Theriologica</i> , 1986, 31, 159-166, plate 6.	1.1	0