Ana Maria Mora

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3357556/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prenatal Exposure to Perfluoroalkyl Substances and Adiposity in Early and Mid-Childhood. Environmental Health Perspectives, 2017, 125, 467-473.	6.0	129
2	Sociodemographic and Perinatal Predictors of Early Pregnancy Per- and Polyfluoroalkyl Substance (PFAS) Concentrations. Environmental Science & Technology, 2015, 49, 11849-11858.	10.0	118
3	Pesticide exposure and neurodevelopment in children aged 6–9 years from Talamanca, CostaÂRica. Cortex, 2016, 85, 137-150.	2.4	110
4	Prenatal and postnatal manganese teeth levels and neurodevelopment at 7, 9, and 10.5years in the CHAMACOS cohort. Environment International, 2015, 84, 39-54.	10.0	87
5	Caesarean delivery and risk of childhood leukaemia: a pooled analysis from the Childhood Leukemia International Consortium (CLIC). Lancet Haematology,the, 2016, 3, e176-e185.	4.6	83
6	Predictors of Per- and Polyfluoroalkyl Substance (PFAS) Plasma Concentrations in 6–10 Year Old American Children. Environmental Science & Technology, 2017, 51, 5193-5204.	10.0	74
7	Early-Life Exposure to Perfluoroalkyl Substances and Childhood Metabolic Function. Environmental Health Perspectives, 2017, 125, 481-487.	6.0	71
8	Aerial Application of Mancozeb and Urinary Ethylene Thiourea (ETU) Concentrations among Pregnant Women in Costa Rica: The Infants' Environmental Health Study (ISA). Environmental Health Perspectives, 2014, 122, 1321-1328.	6.0	66
9	Manganese in teeth and neurodevelopment in young Mexican–American children. Environmental Research, 2015, 142, 688-695.	7.5	66
10	Blood and Hair Manganese Concentrations in Pregnant Women from the Infants' Environmental Health Study (ISA) in Costa Rica. Environmental Science & Technology, 2014, 48, 3467-3476.	10.0	63
11	Prenatal DDT and DDE exposure and child IQ in the CHAMACOS cohort. Environment International, 2015, 85, 206-212.	10.0	61
12	Prenatal exposure to organophosphate pesticides and functional neuroimaging in adolescents living in proximity to pesticide application. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 18347-18356.	7.1	61
13	Early life exposure to per- and polyfluoroalkyl substances and mid-childhood lipid and alanine aminotransferase levels. Environment International, 2018, 111, 1-13.	10.0	56
14	Prenatal Exposure to Phthalates and Neurodevelopment in the CHAMACOS Cohort. Environmental Health Perspectives, 2019, 127, 107010.	6.0	55
15	Maternal blood and hair manganese concentrations, fetal growth, and length of gestation in the ISA cohort in Costa Rica. Environmental Research, 2015, 136, 47-56.	7.5	54
16	Prenatal Mancozeb Exposure, Excess Manganese, and Neurodevelopment at 1 Year of Age in the Infants' Environmental Health (ISA) Study. Environmental Health Perspectives, 2018, 126, 057007.	6.0	54
17	Biomarkers of Manganese Exposure in Pregnant Women and Children Living in an Agricultural Community in California. Environmental Science & Technology, 2014, 48, 14695-14702.	10.0	52
18	Manganese concentrations in drinking water from villages near banana plantations with aerial mancozeb spraying in Costa Rica: Results from the Infants' Environmental Health Study (ISA). Environmental Pollution, 2016, 215, 247-257.	7.5	51

ANA MARIA MORA

#	Article	IF	CITATIONS
19	Parental Tobacco Smoking and Acute Myeloid Leukemia. American Journal of Epidemiology, 2016, 184, 261-273.	3.4	44
20	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. European Journal of Epidemiology, 2018, 33, 965-976.	5.7	44
21	Exposure to multiple pesticides and neurobehavioral outcomes among smallholder farmers in Uganda. Environment International, 2021, 152, 106477.	10.0	40
22	Comparative Analysis of Pesticide Use Determinants Among Smallholder Farmers From Costa Rica and Uganda. Environmental Health Insights, 2020, 14, 117863022097241.	1.7	39
23	Exposure to Pesticides and Health Effects on Farm Owners and Workers From Conventional and Organic Agricultural Farms in Costa Rica: Protocol for a Cross-Sectional Study. JMIR Research Protocols, 2019, 8, e10914.	1.0	35
24	Indigenous children living nearby plantations with chlorpyrifos-treated bags have elevated 3,5,6-trichloro-2-pyridinol (TCPy) urinary concentrations. Environmental Research, 2012, 117, 17-26.	7.5	33
25	Organochlorine chemicals and neurodegeneration among elderly subjects in Costa Rica. Environmental Research, 2014, 134, 205-209.	7.5	33
26	<scp>M</scp> aternal residential pesticide use and risk of childhood leukemia in <scp>C</scp> osta <scp>R</scp> ica. International Journal of Cancer, 2018, 143, 1295-1304.	5.1	33
27	Environmental Health Threats to Latino Migrant Farmworkers. Annual Review of Public Health, 2021, 42, 257-276.	17.4	31
28	Prenatal Exposure to Mixtures of Phthalates, Parabens, and Other Phenols and Obesity in Five-Year-Olds in the CHAMACOS Cohort. International Journal of Environmental Research and Public Health, 2021, 18, 1796.	2.6	30
29	Parental alcohol consumption and risk of leukemia in the offspring: a systematic review and meta-analysis. European Journal of Cancer Prevention, 2017, 26, 433-441.	1.3	29
30	Portable Functional Neuroimaging as an Environmental Epidemiology Tool: A How-To Guide for the Use of fNIRS in Field Studies. Environmental Health Perspectives, 2017, 125, 094502.	6.0	26
31	Risk Factors Associated With SARS-CoV-2 Infection Among Farmworkers in Monterey County, California. JAMA Network Open, 2021, 4, e2124116.	5.9	25
32	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. Cancer Epidemiology, 2019, 59, 158-165.	1.9	23
33	Prenatal pesticide exposure and respiratory health outcomes in the first year of life: Results from the infants' Environmental Health (ISA) study. International Journal of Hygiene and Environmental Health, 2020, 225, 113474.	4.3	23
34	Prevalence and Clinical Profile of Severe Acute Respiratory Syndrome Coronavirus 2 Infection among Farmworkers, California, USA, June–November 2020. Emerging Infectious Diseases, 2021, 27, 1330-1342.	4.3	23
35	Variability and predictors of weekly pesticide exposure in applicators from organic, sustainable and conventional smallholder farms in Costa Rica. Occupational and Environmental Medicine, 2020, 77, 40-47.	2.8	22
36	Manganese exposure and working memory-related brain activity in smallholder farmworkers in Costa Rica: Results from a pilot study. Environmental Research, 2019, 173, 539-548.	7.5	19

#	Article	IF	CITATIONS
37	Living on a farm, contact with farm animals and pets, and childhood acute lymphoblastic leukemia: pooled and metaâ€analyses from the Childhood Leukemia International Consortium. Cancer Medicine, 2018, 7, 2665-2681.	2.8	18
38	Associations between pesticide mixtures applied near home during pregnancy and early childhood with adolescent behavioral and emotional problems in the CHAMACOS study. Environmental Epidemiology, 2021, 5, e150.	3.0	16
39	Exposure to common-use pesticides, manganese, lead, and thyroid function among pregnant women from the Infants' Environmental Health (ISA) study, Costa Rica. Science of the Total Environment, 2022, 810, 151288.	8.0	16
40	Incidence of childhood cancer in Costa Rica, 2000–2014: An international perspective. Cancer Epidemiology, 2018, 56, 21-30.	1.9	14
41	Parental tobacco smoking and risk of childhood leukemia in Costa Rica: A population-based case-control study. Environmental Research, 2020, 180, 108827.	7.5	14
42	Exposure to obesogenic endocrine disrupting chemicals and obesity among youth of Latino or Hispanic origin in the United States and Latin America: A lifecourse perspective. Obesity Reviews, 2021, 22, e13245.	6.5	13
43	Respiratory and allergic outcomes among 5-year-old children exposed to pesticides. Thorax, 2023, 78, 41-49.	5.6	12
44	Impact of COVID-19 Pandemic on California Farmworkers' Mental Health and Food Security. Journal of Agromedicine, 2022, 27, 303-314.	1.5	11
45	Dust exposure in workers from grain storage facilities in Costa Rica. International Journal of Hygiene and Environmental Health, 2017, 220, 1039-1045.	4.3	10
46	Early immune stimulation and childhood acute lymphoblastic leukemia in Costa Rica: A comparison of statistical approaches. Environmental Research, 2020, 182, 109023.	7.5	10
47	Long-Term Neurological and Psychological Distress Symptoms among Smallholder Farmers in Costa Rica with a History of Acute Pesticide Poisoning. International Journal of Environmental Research and Public Health, 2021, 18, 9021.	2.6	10
48	Environmental exposures contribute to respiratory and allergic symptoms among women living in the banana growing regions of Costa Rica. Occupational and Environmental Medicine, 2022, 79, 469-476.	2.8	8
49	Infant feeding practices and childhood acute leukemia: Findings from the Childhood Cancer & Leukemia International Consortium. International Journal of Cancer, 2022, 151, 1013-1023.	5.1	8
50	Age-, sex- and disease subtype–related foetal growth differentials in childhood acute myeloid leukaemia risk: A Childhood Leukemia International Consortium analysis. European Journal of Cancer, 2020, 130, 1-11.	2.8	7
51	Interactions of agricultural pesticide use near home during pregnancy and adverse childhood experiences on adolescent neurobehavioral development in the CHAMACOS study. Environmental Research, 2022, 204, 111908.	7.5	7
52	Parkinson's and Alzheimer's diseases in Costa Rica: a feasibility study toward a national screening program. Global Health Action, 2013, 6, 23061.	1.9	6
53	Respiratory Health Outcomes, Rhinitis, and Eczema in Workers from Grain Storage Facilities in Costa Rica. Annals of Work Exposures and Health, 2018, 62, 1077-1086.	1.4	6
54	Registration of Fatal Occupational Injuries in Costa Rica, 2005–2006. International Journal of Occupational and Environmental Health, 2011, 17, 243-250.	1.2	5

ANA MARIA MORA

#	Article	IF	CITATIONS
55	Registration of Fatal Occupational Injuries in Costa Rica, 2005–2006. International Journal of Occupational and Environmental Health, 2011, 17, 243-250.	1.2	5
56	Exposure to DDT and DDE and functional neuroimaging in adolescents from the CHAMACOS cohort. Environmental Research, 2022, 212, 113461.	7.5	4
57	Prenatal exposure to organophosphate pesticides and risk-taking behaviors in early adulthood. Environmental Health, 2022, 21, 8.	4.0	3
58	Aerial Application of Mancozeb Is Associated with Elevated Urinary Ethylene Thiourea (ETU) Concentrations in Pregnant Women: the InfantsÂ' Environmental Health Study (ISA). ISEE Conference Abstracts, 2014, 2014, .	0.0	1
59	Abstract LB-194: Cesarean delivery and risk of childhood leukemia: findings from the Childhood Leukemia International Consortium (CLIC). Cancer Research, 2015, 75, LB-194-LB-194.	0.9	1
60	Deficiencias nutricionales y anemia en niñas y niños preescolares de Costa Rica en el periodo 2014-2016. Poblacion Y Salud En Mesoamerica, 2018, 1, .	0.1	1
61	Residential proximity to agricultural glyphosate use and neurobehavior in the CHAMACOS study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
62	Exposición a quÃmicos disruptores endócrinos obesogénicos y obesidad en niños y jóvenes de origen latino o hispano en Estados Unidos y Latinoamérica: una perspectiva del curso de la vida. Obesity Reviews, 2021, 22, e13352.	6.5	0