

# Ana Maria Mora

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3357556/publications.pdf>

Version: 2024-02-01

62  
papers

2,075  
citations

186265

28  
h-index

254184

43  
g-index

65  
all docs

65  
docs citations

65  
times ranked

2800  
citing authors

#	ARTICLE	IF	CITATIONS
1	Respiratory and allergic outcomes among 5-year-old children exposed to pesticides. <i>Thorax</i> , 2023, 78, 41-49.	5.6	12
2	Interactions of agricultural pesticide use near home during pregnancy and adverse childhood experiences on adolescent neurobehavioral development in the CHAMACOS study. <i>Environmental Research</i> , 2022, 204, 111908.	7.5	7
3	Exposure to common-use pesticides, manganese, lead, and thyroid function among pregnant women from the Infants' Environmental Health (ISA) study, Costa Rica. <i>Science of the Total Environment</i> , 2022, 810, 151288.	8.0	16
4	Prenatal exposure to organophosphate pesticides and risk-taking behaviors in early adulthood. <i>Environmental Health</i> , 2022, 21, 8.	4.0	3
5	Impact of COVID-19 Pandemic on California Farmworkers's™ Mental Health and Food Security. <i>Journal of Agromedicine</i> , 2022, 27, 303-314.	1.5	11
6	Environmental exposures contribute to respiratory and allergic symptoms among women living in the banana growing regions of Costa Rica. <i>Occupational and Environmental Medicine</i> , 2022, 79, 469-476.	2.8	8
7	Infant feeding practices and childhood acute leukemia: Findings from the Childhood Cancer & Leukemia International Consortium. <i>International Journal of Cancer</i> , 2022, 151, 1013-1023.	5.1	8
8	Exposure to DDT and DDE and functional neuroimaging in adolescents from the CHAMACOS cohort. <i>Environmental Research</i> , 2022, 212, 113461.	7.5	4
9	Prenatal Exposure to Mixtures of Phthalates, Parabens, and Other Phenols and Obesity in Five-Year-Olds in the CHAMACOS Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1796.	2.6	30
10	Environmental Health Threats to Latino Migrant Farmworkers. <i>Annual Review of Public Health</i> , 2021, 42, 257-276.	17.4	31
11	Exposure to obesogenic endocrine disrupting chemicals and obesity among youth of Latino or Hispanic origin in the United States and Latin America: A lifecourse perspective. <i>Obesity Reviews</i> , 2021, 22, e13245.	6.5	13
12	Associations between pesticide mixtures applied near home during pregnancy and early childhood with adolescent behavioral and emotional problems in the CHAMACOS study. <i>Environmental Epidemiology</i> , 2021, 5, e150.	3.0	16
13	Prevalence and Clinical Profile of Severe Acute Respiratory Syndrome Coronavirus 2 Infection among Farmworkers, California, USA, June–November 2020. <i>Emerging Infectious Diseases</i> , 2021, 27, 1330-1342.	4.3	23
14	Exposure to multiple pesticides and neurobehavioral outcomes among smallholder farmers in Uganda. <i>Environment International</i> , 2021, 152, 106477.	10.0	40
15	Residential proximity to agricultural glyphosate use and neurobehavior in the CHAMACOS study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
16	Long-Term Neurological and Psychological Distress Symptoms among Smallholder Farmers in Costa Rica with a History of Acute Pesticide Poisoning. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9021.	2.6	10
17	Risk Factors Associated With SARS-CoV-2 Infection Among Farmworkers in Monterey County, California. <i>JAMA Network Open</i> , 2021, 4, e2124116.	5.9	25
18	Exposición a químicos disruptores endocrinos obesogénicos y obesidad en niños y jóvenes de origen latino o hispano en Estados Unidos y Latinoamérica: una perspectiva del curso de la vida. <i>Obesity Reviews</i> , 2021, 22, e13352.	6.5	0

#	ARTICLE	IF	CITATIONS
19	Parental tobacco smoking and risk of childhood leukemia in Costa Rica: A population-based case-control study. <i>Environmental Research</i> , 2020, 180, 108827.	7.5	14
20	Early immune stimulation and childhood acute lymphoblastic leukemia in Costa Rica: A comparison of statistical approaches. <i>Environmental Research</i> , 2020, 182, 109023.	7.5	10
21	Variability and predictors of weekly pesticide exposure in applicators from organic, sustainable and conventional smallholder farms in Costa Rica. <i>Occupational and Environmental Medicine</i> , 2020, 77, 40-47.	2.8	22
22	Age-, sex- and disease subtype-related foetal growth differentials in childhood acute myeloid leukaemia risk: A Childhood Leukemia International Consortium analysis. <i>European Journal of Cancer</i> , 2020, 130, 1-11.	2.8	7
23	Prenatal pesticide exposure and respiratory health outcomes in the first year of life: Results from the infants' Environmental Health (ISA) study. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 225, 113474.	4.3	23
24	Comparative Analysis of Pesticide Use Determinants Among Smallholder Farmers From Costa Rica and Uganda. <i>Environmental Health Insights</i> , 2020, 14, 117863022097241.	1.7	39
25	Prenatal Exposure to Phthalates and Neurodevelopment in the CHAMACOS Cohort. <i>Environmental Health Perspectives</i> , 2019, 127, 107010.	6.0	55
26	Prenatal exposure to organophosphate pesticides and functional neuroimaging in adolescents living in proximity to pesticide application. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18347-18356.	7.1	61
27	Manganese exposure and working memory-related brain activity in smallholder farmworkers in Costa Rica: Results from a pilot study. <i>Environmental Research</i> , 2019, 173, 539-548.	7.5	19
28	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. <i>Cancer Epidemiology</i> , 2019, 59, 158-165.	1.9	23
29	Exposure to Pesticides and Health Effects on Farm Owners and Workers From Conventional and Organic Agricultural Farms in Costa Rica: Protocol for a Cross-Sectional Study. <i>JMIR Research Protocols</i> , 2019, 8, e10914.	1.0	35
30	Living on a farm, contact with farm animals and pets, and childhood acute lymphoblastic leukemia: pooled and meta-analyses from the Childhood Leukemia International Consortium. <i>Cancer Medicine</i> , 2018, 7, 2665-2681.	2.8	18
31	Maternal residential pesticide use and risk of childhood leukemia in Costa Rica. <i>International Journal of Cancer</i> , 2018, 143, 1295-1304.	5.1	33
32	Early life exposure to per- and polyfluoroalkyl substances and mid-childhood lipid and alanine aminotransferase levels. <i>Environment International</i> , 2018, 111, 1-13.	10.0	56
33	Prenatal Mancozeb Exposure, Excess Manganese, and Neurodevelopment at 1 Year of Age in the Infants' Environmental Health (ISA) Study. <i>Environmental Health Perspectives</i> , 2018, 126, 057007.	6.0	54
34	Respiratory Health Outcomes, Rhinitis, and Eczema in Workers from Grain Storage Facilities in Costa Rica. <i>Annals of Work Exposures and Health</i> , 2018, 62, 1077-1086.	1.4	6
35	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. <i>European Journal of Epidemiology</i> , 2018, 33, 965-976.	5.7	44
36	Incidence of childhood cancer in Costa Rica, 2000-2014: An international perspective. <i>Cancer Epidemiology</i> , 2018, 56, 21-30.	1.9	14

#	ARTICLE	IF	CITATIONS
37	Deficiencias nutricionales y anemia en niñas y niños preescolares de Costa Rica en el periodo 2014-2016. Poblacion Y Salud En Mesoamerica, 2018, 1, .	0.1	1
38	Parental alcohol consumption and risk of leukemia in the offspring: a systematic review and meta-analysis. European Journal of Cancer Prevention, 2017, 26, 433-441.	1.3	29
39	Predictors of Per- and Polyfluoroalkyl Substance (PFAS) Plasma Concentrations in 6-10 Year Old American Children. Environmental Science & Technology, 2017, 51, 5193-5204.	10.0	74
40	Dust exposure in workers from grain storage facilities in Costa Rica. International Journal of Hygiene and Environmental Health, 2017, 220, 1039-1045.	4.3	10
41	Early-Life Exposure to Perfluoroalkyl Substances and Childhood Metabolic Function. Environmental Health Perspectives, 2017, 125, 481-487.	6.0	71
42	Portable Functional Neuroimaging as an Environmental Epidemiology Tool: A How-To Guide for the Use of fNIRS in Field Studies. Environmental Health Perspectives, 2017, 125, 094502.	6.0	26
43	Prenatal Exposure to Perfluoroalkyl Substances and Adiposity in Early and Mid-Childhood. Environmental Health Perspectives, 2017, 125, 467-473.	6.0	129
44	Manganese concentrations in drinking water from villages near banana plantations with aerial mancozeb spraying in Costa Rica: Results from the Infants' Environmental Health Study (ISA). Environmental Pollution, 2016, 215, 247-257.	7.5	51
45	Pesticide exposure and neurodevelopment in children aged 6-9 years from Talamanca, Costa Rica. Cortex, 2016, 85, 137-150.	2.4	110
46	Parental Tobacco Smoking and Acute Myeloid Leukemia. American Journal of Epidemiology, 2016, 184, 261-273.	3.4	44
47	Caesarean delivery and risk of childhood leukaemia: a pooled analysis from the Childhood Leukemia International Consortium (CLIC). Lancet Haematology, 2016, 3, e176-e185.	4.6	83
48	Manganese in teeth and neurodevelopment in young Mexican-American children. Environmental Research, 2015, 142, 688-695.	7.5	66
49	Prenatal and postnatal manganese teeth levels and neurodevelopment at 7, 9, and 10.5 years in the CHAMACOS cohort. Environment International, 2015, 84, 39-54.	10.0	87
50	Sociodemographic and Perinatal Predictors of Early Pregnancy Per- and Polyfluoroalkyl Substance (PFAS) Concentrations. Environmental Science & Technology, 2015, 49, 11849-11858.	10.0	118
51	Prenatal DDT and DDE exposure and child IQ in the CHAMACOS cohort. Environment International, 2015, 85, 206-212.	10.0	61
52	Maternal blood and hair manganese concentrations, fetal growth, and length of gestation in the ISA cohort in Costa Rica. Environmental Research, 2015, 136, 47-56.	7.5	54
53	Abstract LB-194: Cesarean delivery and risk of childhood leukemia: findings from the Childhood Leukemia International Consortium (CLIC). Cancer Research, 2015, 75, LB-194-LB-194.	0.9	1
54	Aerial Application of Mancozeb and Urinary Ethylene Thiourea (ETU) Concentrations among Pregnant Women in Costa Rica: The Infants' Environmental Health Study (ISA). Environmental Health Perspectives, 2014, 122, 1321-1328.	6.0	66

#	ARTICLE	IF	CITATIONS
55	Biomarkers of Manganese Exposure in Pregnant Women and Children Living in an Agricultural Community in California. <i>Environmental Science &amp; Technology</i> , 2014, 48, 14695-14702.	10.0	52
56	Blood and Hair Manganese Concentrations in Pregnant Women from the Infants' Environmental Health Study (ISA) in Costa Rica. <i>Environmental Science &amp; Technology</i> , 2014, 48, 3467-3476.	10.0	63
57	Organochlorine chemicals and neurodegeneration among elderly subjects in Costa Rica. <i>Environmental Research</i> , 2014, 134, 205-209.	7.5	33
58	Aerial Application of Mancozeb Is Associated with Elevated Urinary Ethylene Thiourea (ETU) Concentrations in Pregnant Women: the Infants' Environmental Health Study (ISA). ISEE Conference Abstracts, 2014, 2014, .	0.0	1
59	Parkinson's and Alzheimer's diseases in Costa Rica: a feasibility study toward a national screening program. <i>Global Health Action</i> , 2013, 6, 23061.	1.9	6
60	Indigenous children living nearby plantations with chlorpyrifos-treated bags have elevated 3,5,6-trichloro-2-pyridinol (TCPy) urinary concentrations. <i>Environmental Research</i> , 2012, 117, 17-26.	7.5	33
61	Registration of Fatal Occupational Injuries in Costa Rica, 2005-2006. <i>International Journal of Occupational and Environmental Health</i> , 2011, 17, 243-250.	1.2	5
62	Registration of Fatal Occupational Injuries in Costa Rica, 2005-2006. <i>International Journal of Occupational and Environmental Health</i> , 2011, 17, 243-250.	1.2	5